

Subject Index to Volume 30, 2017

Access to health care

- efficiency and patient care in a student-run free clinic, 30(4):513–519
- family medicine in Mexican health care reform, 30(6):843–847
- supporting better access to chronic pain specialties, 30(6):766–774

Accreditation

- funding instability and the teaching health center, 30(3):279–280
- single GME accreditation system, 30(6):838–842

Acupuncture therapy, shingles following auricular acupuncture, 30(4):552–555

Acute pain, opioid prescribing patterns, United States and Japan, 30(2):248–254

Adaptations, patient registry implementation, 30(5):657–665

Adenocarcinoma, men with prostate cancer choosing specialists, 30(2):220–229

Adenomatous polyps, surveillance follow-up colonoscopy, 30(3):371–373

Adherence, test, feasibility of text messaging to improve, 30(5):608–614

Advance care planning, documentation, improving, 30(4):480–490

Agriculture, health care for Spanish-speaking dairy workers, 30(1):91–93

Ambulatory blood pressure monitoring, diagnosing hypertension using current guidelines, 30(2):170–177

Ambulatory care

- elderly emergency department visits for asthma in Taiwan, 30(3):384–395
- physicians' work and procedural terminology codes, 30(6):724–732
- social work consultation for diabetes, 30(1):35–43
- visit entropy associated with hospital readmission rates, 30(1):63–70

Ambulatory care facilities

- clinic redesign for opioid management, 30(1):44–51
- transition of practices to next generation models, 30(1):16–24

American Board of Family Medicine (ABFM)

- Certification Examination content modules, 30(1):85–90
- graduating residents' performance, 30(5):570–571
- election of new officers and board members, 30(5):683–685
- physician quality reporting system, 30(4):558
- PRIME registry, 30(4):559
- Sean Lucan, MD, MPH, MS selected as 2016 NAM Puffer/ABFM Fellow, 30(1):111

Analgesics

- clinic redesign for opioid management, 30(1):44–51
- prescription opioid use and mental health, 30(4):407–417

Angioedema, in neprilysin inhibitor heart failure trial, 30(4):556–557

Angiotensin receptor blockers, angioedema in neprilysin inhibitor heart failure trial, 30(4):556–557

Anorexia nervosa, geriatric, 30(5):666–669

Antibacterial agents, antibiotic test use for respiratory tract infection, 30(5):645–656

Antitubercular agents, treatment completion for latent tuberculosis infection, 30(4):520–527

Anxiety, suicide ideation and attempt among substance users, 30(2):150–160

Anxiety disorders, prescription opioid use and mental health, 30(4):407–417

Asthma, elderly emergency department visits for, in Taiwan, 30(3):384–395

Atherosclerotic plaque, coronary artery calcium and cardiovascular events, 30(5):592–600

Attitudes, family physicians' interest in telehealth services, 30(3):320–330

Back pain

- opioid medication for, socioeconomic status and, 30(6):775–783
- physical therapy referrals and opioid prescriptions for, 30(6):784–794

Behavioral counseling, impact of wellness group on obesity, 30(6):715–723

Behavioral medicine

- outcomes of integrated behavioral health with primary care, 30(2):130–139
- predicting risk for opioid misuse, 30(6):828–831

Bicycling, conversations about Obamacare, 30(4):544–546

Blood pressure

- coronary artery calcium and cardiovascular events, 30(5):592–600
- diagnosing hypertension using current guidelines, 30(2):170–177
- social work consultation for diabetes, 30(1):35–43

Body mass index

- FitwitsTM and parental recognition of childhood obesity, 30(2):178–188
- social work consultation for diabetes, 30(1):35–43

Body weight, FitwitsTM and parental recognition of childhood obesity, 30(2):178–188

Bordetella pertussis, infection, adults and children, 30(3):308–319

Burnout, professional, in board certified family physicians, 30(2):125–126

Cancer, patient's reason for encounter when diagnosing, 30(6):806–812

Cannabis, use among patients in Washington state, 30(6):795–805

Cardiovascular diseases

- complementary health approaches and cardiometabolic outcomes, 30(5):624–631
- coronary artery calcium and cardiovascular events, 30(5):592–600
- retirement and healthy lifestyle, 30(2):213–219

Cardiovascular system, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834

Care transition, information transfer and the hospital discharge summary, 30(6):758–765

Caregivers, electronic monitoring of the cognitively impaired, 30(2):258–263

Certification

- graduating residents' performance on the ABFM Certification Examination, 30(5):570–571
- palliative care services by family physicians, 30(2):255–257

Cervical vertebrae, notalgia parasthetica relieved by cervical traction, 30(6):835–837

Cesarean section, rural hospitals, 30(1):71–77

Child, scabies treatment, outpatient setting, 30(1):78–84

Childhood obesity, parental recognition of, FitwitsTM and, 30(2):178–188

Choice behavior, men with prostate cancer choosing specialists, 30(2):220–229

Cholesterol, social work consultation for diabetes, 30(1):35–43

Chronic disease

- continuity of care and quality of life, 30(2):205–212
- visit entropy associated with hospital readmission rates, 30(1):63–70

Chronic pain

- clinic redesign for opioid management, 30(1):44–51
- opioid prescribing patterns in the United States and Japan, 30(2):248–254
- specialties, supporting better access to, 30(6):766–774

Clinical competence, content modules on ABFM certification exam, 30(1):85–90

Cognitive impairment, electronic monitoring and, 30(2):258–263

Collaboration, primary care and public health integration, 30(5):601–607

- Colonoscopy**, surveillance follow-up, older adults, 30(3):371–373
- Colorectal cancer**, surveillance follow-up colonoscopy, older adults, 30(3):371–373
- Colorectal neoplasms**, rural patient preferences for fecal immunochemical test, 30(5):632–644
- Commentary**
The American Board of Family Medicine: New Tools to Assist Program Directors and Graduates Achieve Success, 30(5):567–569
Building a Sustainable Primary Care Workforce: Where Do We Go from Here?, 30(2):127–129
Improving the Health of Patients and Communities: Evolving Practice-based Research (PBR) and Collaboration, 30(5):562–566
It Matters What Is Measured, 30(1):8–9
Moving Upstream—Health Extension and Primary Care, 30(1):10–12
New “Core Quality Measures”: Only a Beginning, 30(1):4–7
Uncertainty in Teaching Health Center (THC) Funding: Still Crazy After All These Years, 30(3):275–278
Who Will Deliver the Babies? Identifying and Addressing Barriers, 30(4):402–404
- Communicable diseases**, real time influenza surveillance in primary care, 30(5):615–623
- Communication**
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
older adults’ preferences when discussing life expectancy, 30(6):813–815
- Community health**, improving preventive care in rural counties, 30(5):583–591
- Community health care**, assessing primary care, 30(1):13–15
- Community health centers**
EHR strategies and social determinants of health, 30(4):428–447
screening for social determinants of health, 30(4):418–427
- Community health services**, outcomes of integrated behavioral health with primary care, 30(2):130–139
- Community medicine**, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
- Comorbidity**
continuity of care and quality of life, 30(2):205–212
geriatric anorexia nervosa, 30(5):666–669
- Complementary health approaches**, cardiometabolic outcomes and, 30(5):624–631
- Continuity of care**
efficiency and patient care, student-run free clinic, 30(4):513–519
elderly emergency department visits for asthma in Taiwan, 30(3):384–395
and quality of life, 30(2):205–212
visit entropy and hospital readmission rates, 30(1):63–70
- Conversation analysis**, improving conversations during wellness visits, 30(2):161–169
- Core quality measures**, new, 30(1):4–7
- Correspondence**
clinical diagnosis of bordetella pertussis infection: a systematic review, 30(5):681–682
patient beliefs have a greater impact than barriers on medication adherence in a community health center, 30(6):848
patient-provider communication: does electronic messaging reduce incoming telephone calls?, 30(1):109–110
presenting signs of multiple myeloma and the effect of diagnostic delay on the prognosis, 30(2):265
primary care patients’ willingness to participate in comprehensive weight loss programs: from the WWAMI Region Practice and Research Network, 30(2):264–265
- Counseling**
men with prostate cancer choosing specialists, 30(2):220–229
patient-entered wellness data and preventive care, 30(3):350–361
- Cross-cultural comparison**, global health and family medicine, 30(1):104–108
- Cross-sectional studies**
palliative care services by family physicians, 30(2):255–257
prescription opioid use and mental health, 30(4):407–417
retirement and healthy lifestyle, 30(2):213–219
- Cumulative trauma**, squeak of wrist and intersection syndrome, 30(4):547–551
- Current procedural terminology**, codes, physicians’ work and, 30(6):724–732
- Dangerous behavior**, electronic monitoring of cognitively impaired, 30(2):258–263
- Data collection**, EHR strategies and social determinants of health, 30(4):428–447
- Data display**, dynamic electronic health record note prototype, 30(6):691–700
- De Quervain disease**, squeak of wrist and intersection syndrome, 30(4):547–551
- Decision making**
antibiotic test use for respiratory tract infection, 30(5):645–656
improving advance care planning documentation, 30(4):480–490
patient knowledge and treatment decisions for prostate cancer, 30(3):288–297
patient self-rating of health and family physician ratings, 30(2):196–204
- Delivery of health care**
implementation and reach of a multisite trial, 30(3):337–349
increasing family medicine in Mexican health care reform, 30(6):843–847
key messages on integrated care, 30(1):25–34
palliative care services by family physicians, 30(2):255–257
PCP roles in health centers with oral care, 30(4):491–504
system to improve health care efficiency, from Ecuador, 30(3):380–383
- Demography**, palliative care services by family physicians, 30(2):255–257
- Deprescribing**, polypharmacy and potentially inappropriate medication use, 30(4):528–536
- Depression**
health care for Spanish-speaking dairy workers, 30(1):91–93
outcomes, validation of DOC-6®, 30(3):281–287
outcomes of integrated behavioral health with primary care, 30(2):130–139
suicide ideation and attempt among substance users, 30(2):150–160
- Dermatology**, scabies treatment, outpatient setting, 30(1):78–84
- Dermoscopy**, therapeutic, for foreign bodies, 30(3):374–376
- Diabetes mellitus**
health care for Spanish-speaking dairy workers, 30(1):91–93
social work consultation for diabetes, 30(1):35–43
- Diagnostic errors**, scabies treatment, outpatient setting, 30(1):78–84
- Diet**, health coaching by medical assistants in primary care, 30(3):362–370
- Disclosure**, male patients who perpetrate partner violence, 30(2):239–247
- Disease outbreaks**, real time influenza surveillance in primary care, 30(5):615–623
- Documentation**
advance care planning, improving, 30(4):480–490
dynamic electronic health record note prototype, 30(6):691–700
- Domestic violence**, male patients who perpetrate partner violence, 30(2):239–247
- Drug overdose**, clinic redesign for opioid management, 30(1):44–51
- Dyslipidemia**, coronary artery calcium and cardiovascular events, 30(5):592–600

- Early detection of cancer**, rural patient preferences for fecal immunochemical test, 30(5):632–644
- Ecuador**, system to improve health care efficiency, 30(3):380–383
- Editorial Office News and Notes**
Content Usage and the Most Frequently Read Articles of 2016, 30(3):272–274
Peer Reviewers for the Journal of the American Board of Family Medicine in 2016, 30(2):121–125
- Editor's Notes**
Improving Family Medicine with Thoughtful Research, 30(2):117–120
In This Issue: Opiates, Tobacco, Social Determinants of Health, Social Accountability for Non-Profit Hospitals, More on PCMH, and Clinical Topics, 30(4):399–401
Multiple Practical Facts and Ideas to Improve Family Medicine Care, 30(6):687–690
Practice Innovation for Care Integration, Opioid Management, and Quality Measurement in Family Medicine, 30(1):1–3
Research on Clinical Decisions Made Daily in Family Medicine, 30(3):269–271
- Education**, efficiency and patient care in a student-run free clinic, 30(4):513–519
- Educational measurement**, content modules on ABFM certification exam, 30(1):85–90
- Electronic cigarettes**
in tobacco use counseling, 30(4):448–459
use, screening for, during pregnancy, 30(6):743–757
- Electronic health records**
dynamic electronic health record note prototype, 30(6):691–700
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
social work consultation for diabetes, 30(1):35–43
strategies, social determinants of health and, 30(4):428–447
visit entropy associated with hospital readmission rates, 30(1):63–70
- Emergency departments**, elderly visits, for asthma in Taiwan, 30(3):384–395
- Emergency service**, hospital, Latinos and the Affordable Care Act, 30(1):52–62
- Emotions**, male patients who perpetrate partner violence, 30(2):239–247
- Entropy**, visit, associated with hospital readmission rates, 30(1):63–70
- Errors of omission**, perspectives on, 30(6):733–742
- Ethics**, electronic monitoring of the cognitively impaired, 30(2):258–263
- Ethiopia**, family medicine in, 30(5):670–677
- Ethnic groups**, family medicine faculty diversity lags trend, 30(1):100–103
- Exercise**
delivery of health coaching by medical assistants in primary care, 30(3):362–370
retirement and healthy lifestyle, 30(2):213–219
- Family health**, patient beliefs, impact on medication adherence, 30(3):331–336
- Family medicine**, reflections
community clinician discovers primary care research, 30(5):678–680
conversations about Obamacare, 30(4):544–546
global health and family medicine, 30(1):104–108
- Family Medicine Network (FaMe-Net)**
patient's reason for encounter when diagnosing cancer, 30(6):806–812
- Family physicians**
antibiotic test use for respiratory tract infection, 30(5):645–656
board-certified, burnout in, 30(2):125–126
electronic cigarettes in tobacco use counseling, 30(4):448–459
family medicine in Ethiopia, 30(5):670–677
geriatric anorexia nervosa, 30(5):666–669
global health and family medicine, 30(1):104–108
interest in telehealth services, 30(3):320–330
maternity care services, rural hospitals, 30(1):71–77
palliative care services by family physicians, 30(2):255–257
physicians' work and procedural terminology codes, 30(6):724–732
residency graduates' intention to practice obstetrics, 30(4):405–406
screening for cigarettes, marijuana, and ENDS during pregnancy, 30(6):743–757
therapeutic dermoscopy for foreign bodies, 30(3):374–376
- Farmers**, health care for Spanish-speaking dairy workers, 30(1):91–93
- Feces**, scabies treatment, outpatient setting, 30(1):78–84
- Feeding and eating disorders**, geriatric anorexia nervosa, 30(5):666–669
- Fertilization**, provider type and fertility treatment, 30(2):230–238
- Follow-up studies**
continuity of care and quality of life, 30(2):205–212
suicide ideation and attempt among substance users, 30(2):150–160
- Foreign bodies**, therapeutic dermoscopy for, 30(3):374–376
- Gaps in care**, perspectives on errors of omission, 30(6):733–742
- Gastroenterology**, surveillance follow-up colonoscopy, 30(3):371–373
- Genes**, the “new genetics” in clinical practice, 30(3):377–379
- Genetic heterogeneity**, the “new genetics” in clinical practice, 30(3):377–379
- Genomics**, standardized medication therapy management plus approach, 30(6):701–714
- Geriatrics**
anorexia nervosa, 30(5):666–669
discussing life expectancy, 30(6):813–815
palliative care services by family physicians, 30(2):255–257
standardized medication therapy management plus approach, 30(6):701–714
- Global health**
family medicine and, 30(1):104–108
family medicine in Ethiopia, 30(5):670–677
- Goals**, delivery of health coaching by medical assistants in primary care, 30(3):362–370
- Government**, maternity care services, rural hospitals, 30(1):71–77
- Graduate medical education**
funding instability and the teaching health center, 30(3):279–280
graduating residents' performance on the ABFM Certification Examination, 30(5):570–571
public accountability for hospital nonprofit status, 30(4):537–543
single GME accreditation system, 30(6):838–842
- Grants**, health extension and clinical translation science, 30(1):94–99
- Grounded theory**, male patients who perpetrate partner violence, 30(2):239–247
- Habits**, delivery of health coaching by medical assistants in primary care, 30(3):362–370
- Health care disparities**
complementary health approaches and cardiometabolic outcomes, 30(5):624–631
efficiency and patient care in a student-run free clinic, 30(4):513–519
rural-urban gap in hospital mortality, 30(6):816–823
- Health care financing**, physicians' work and procedural terminology codes, 30(6):724–732
- Health care reform**, Mexican, role of family medicine, 30(6):843–847
- Health care surveys**, information transfer and the hospital discharge summary, 30(6):758–765
- Health communication**, complementary health approaches and cardiometabolic outcomes, 30(5):624–631

- Health expenditures**, costs of transforming primary care practices to PCMHs, 30(4):460–471
- Health extension**, primary care and, 30(1):10–12
- Health facility size**, maternity care services, rural hospitals, 30(1):71–77
- Health information technology**
feasibility of text messaging to improve test adherence, 30(5):608–614
information transfer and the hospital discharge summary, 30(6):758–765
- Health insurance**, social work consultation for diabetes, 30(1):35–43
- Health literacy**, FitwitsTM and parental recognition of childhood obesity, 30(2):178–188
- Health occupations**, transition of practices to next generation models, 30(1):16–24
- Health personnel**
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
PCP roles in health centers with oral care, 30(4):491–504
transition of practices to next generation models, 30(1):16–24
- Health planning**, public accountability for hospital nonprofit status, 30(4):537–543
- Health policy**
costs of transforming primary care practices to PCMHs, 30(4):460–471
increasing family medicine in Mexican health care reform, 30(6):843–847
- Health priorities**
health care for Spanish-speaking dairy workers, 30(1):91–93
health extension and clinical translation science, 30(1):94–99
- Health resources**
efficiency and patient care in a student-run free clinic, 30(4):513–519
implementation and reach of a multi-site trial, 30(3):337–349
PCP roles in health centers with oral care, 30(4):491–504
system to improve health care efficiency, from Ecuador, 30(3):380–383
- Health risk appraisal**, improving conversations during wellness visits, 30(2):161–169
- Health services**, physical therapy referrals and opioids for back pain, 30(6):784–794
- Health status**
continuity of care and quality of life, 30(2):205–212
patient self-rating of health and family physician ratings, 30(2):196–204
- Healthy lifestyle**, coaching by medical assistants, primary care, 30(3):362–370
- Heart failure**
angioedema in neprilysin inhibitor heart failure trial, 30(4):556–557
July medical admissions in teaching hospitals, 30(2):189–195
- Hematologic tests**, antibiotic test use for respiratory tract infection, 30(5):645–656
- Hemoglobin A**, social work consultation for diabetes, 30(1):35–43
- Herpes zoster**, shingles following auricular acupuncture, 30(4):552–555
- Hispanic Americans**
health care for Spanish-speaking dairy workers, 30(1):91–93
Latinos and the Affordable Care Act, 30(1):52–62
- Hospices**, palliative care services by family physicians, 30(2):255–257
- Hospital mortality**, rural-urban gap, 30(6):816–823
- Hospitalists**
information transfer and the hospital discharge summary, 30(6):758–765
rural-urban gap in hospital mortality, 30(6):816–823
- Hospitals**
July medical admissions in teaching hospitals, 30(2):189–195
Latinos and the Affordable Care Act, 30(1):52–62
maternity care services, rural hospitals, 30(1):71–77
visit entropy associated with readmission rates, 30(1):63–70
- House calls**, palliative care services by family physicians, 30(2):255–257
- Hypertension**
diagnosing, using current guidelines, 30(2):170–177
Spanish-speaking dairy workers, 30(1):91–93
- Implementation**, patient registry, successful, 30(5):657–665
- Incentive reimbursement**, costs of transforming primary care practices to PCMHs, 30(4):460–471
- Incidence**, scabies treatment, outpatient setting, 30(1):78–84
- Infants**, maternity care services, rural hospitals, 30(1):71–77
- Infertility**, provider type and fertility treatment, 30(2):230–238
- Influenza**, surveillance, real time, in primary care, 30(5):615–623
- Information storage and retrieval**, information transfer and the hospital discharge summary, 30(6):758–765
- Information systems**
dynamic electronic health record note prototype, 30(6):691–700
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
- Injections**, squeak of wrist and intersection syndrome, 30(4):547–551
- Inpatients**, geriatric anorexia nervosa, 30(5):666–669
- Institute of medicine (U.S.)**, public accountability for hospital nonprofit status, 30(4):537–543
- Insurance**
coverage, Latinos and the Affordable Care Act, 30(1):52–62
physicians' work and procedural terminology codes, 30(6):724–732
- Integrated care**, key messages on, 30(1):25–34
- Integrated health care systems**
outcomes of integrated behavioral health with primary care, 30(2):130–139
PCP roles in health centers with oral care, 30(4):491–504
- Integration**, primary care and public health integration, 30(5):601–607
- International Classification of Primary Care (ICPC)**
patient's reason for encounter when diagnosing cancer, 30(6):806–812
- Internet**, electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
- Internship and residency**
family medicine in Ethiopia, 30(5):670–677
maternity care services, rural hospitals, 30(1):71–77
- Interpersonal relations**, male patients who perpetrate partner violence, 30(2):239–247
- Intersection syndrome**, squeak of wrist and, 30(4):547–551
- Isoniazid**, treatment completion for latent tuberculosis infection, 30(4):520–527
- Ivermectin**, scabies treatment, outpatient setting, 30(1):78–84
- Japan**, opioid prescribing patterns, 30(2):248–254
- Journal of the American Board of Family Medicine (JABFM)**
content usage and the most frequently read articles of 2016, 30(3):272–274
peer reviewers for, 30(2):121–125
- Kansas**, electronic cigarettes in tobacco use counseling, 30(4):448–459
- Language**, Latinos and the Affordable Care Act, 30(1):52–62
- Latent tuberculosis**, treatment completion for latent tuberculosis infection, 30(4):520–527
- Law enforcement**, electronic monitoring of the cognitively impaired, 30(2):258–263
- LDL**, social work consultation for diabetes, 30(1):35–43
- Leadership**, clinic redesign for opioid management, 30(1):44–51
- Length of stay**, July medical admissions in teaching hospitals, 30(2):189–195

- Life expectancy**, older adults' preferences when discussing, 30(6):813–815
- Lifestyle**
healthy, retirement and, 30(2):213–219
patient-entered wellness data and preventive care, 30(3):350–361
patient self-rating of health and family physician ratings, 30(2):196–204
- Linear models**
July medical admissions in teaching hospitals, 30(2):189–195
polypharmacy and potentially inappropriate medication use, 30(4):528–536
- Live birth**, provider type and fertility treatment, 30(2):230–238
- Logistic models**
July medical admissions in teaching hospitals, 30(2):189–195
Latinos and the Affordable Care Act, 30(1):52–62
visit entropy associated with hospital readmission rates, 30(1):63–70
- Logistic regression**
family physicians' interest in telehealth services, 30(3):320–330
retirement and healthy lifestyle, 30(2):213–219
- Loperamide**, for opioid withdrawal, dysrhythmias with, 30(6):832–834
- Low back pain**, shingles following auricular acupuncture, 30(4):552–555
- Malignancy**, patient's reason for encounter when diagnosing cancer, 30(6):806–812
- Marijuana**
screening for, during pregnancy, 30(6):743–757
use among patients in Washington state, 30(6):795–805
- Maternal health**, screening for cigarettes, marijuana, and ENDS, 30(6):743–757
- Measurement**
measuring what matters, 30(1):8–9
new core quality measures, 30(1):4–7
- Medicaid**, public accountability for hospital nonprofit status, 30(4):537–543
- Medical anthropology**, global health and family medicine, 30(1):104–108
- Medical education**, global health and family medicine, 30(1):104–108
- Medical faculty**, family medicine faculty diversity lags trend, 30(1):100–103
- Medical genetics**, the “new genetics” in clinical practice, 30(3):377–379
- Medical home**
costs of transforming primary care practices to PCMHs, 30(4):460–471
practice facilitation on high-value change, 30(5):572–582
structure, function, and outcomes of PCMH, 30(4):472–479
- Medical informatics**, dynamic electronic health record note prototype, 30(6):691–700
- Medical records**, patient self-rating of health and family physician ratings, 30(2):196–204
- Medical schools**, family medicine faculty diversity lags trend, 30(1):100–103
- Medical students**
efficiency and patient care, student-run free clinic, 30(4):513–519
family medicine faculty diversity lags trend, 30(1):100–103
- Medicare**
public accountability for hospital nonprofit status, 30(4):537–543
standardized medication therapy management plus approach, 30(6):701–714
using drug prescribing patterns to identify cost-conscious care, 30(6):824–827
- Medication adherence**
complementary health approaches and cardiometabolic outcomes, 30(5):624–631
patient beliefs impact on medication adherence, 30(3):331–336
- Medication therapy management**, standardized medication therapy management plus approach, 30(6):701–714
- Mental health**
messages on integrated care, 30(1):25–34
predicting risk for opioid misuse with catastrophic thinking, 30(6):828–831
prescription opioid use and, 30(4):407–417
- Mental health services**, suicide ideation and attempt among substance users, 30(2):150–160
- Mentoring**, delivery of health coaching by medical assistants in primary care, 30(3):362–370
- Mexico**, role of family medicine in health care reform, 30(6):843–847
- Michigan**
physician and staff acceptance of care manager, 30(2):140–149
screening for social determinants of health, 30(4):418–427
- Microscopy**, scabies treatment, outpatient setting, 30(1):78–84
- Minority groups**, family medicine faculty diversity lags trend, 30(1):100–103
- Missed care**, perspectives on errors of omission, 30(6):733–742
- Mites**, scabies treatment, outpatient setting, 30(1):78–84
- Morbidity**, geriatric anorexia nervosa, 30(5):666–669
- Motivation**
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
treatment completion for latent tuberculosis, 30(4):520–527
- Motivational interviewing**, patient self-rating of health and family physician ratings, 30(2):196–204
- Multi-sector**, primary care and public health integration, 30(5):601–607
- Mutation**, the “new genetics” in clinical practice, 30(3):377–379
- Myocardial infarction**, July medical admissions in teaching hospitals, 30(2):189–195
- Needs assessment**
efficiency and patient care in a student-run free clinic, 30(4):513–519
public accountability for hospital nonprofit status, 30(4):537–543
- Neprilysin**, angioedema in neprilysin inhibitor heart failure trial, 30(4):556–557
- New Mexico**, health extension and clinical translation science, 30(1):94–99
- Nicotine**, electronic cigarettes in tobacco use counseling, 30(4):448–459
- Nursing homes**, palliative care services by family physicians, 30(2):255–257
- Obesity**
childhood, parental recognition of, Fitwits™ and, 30(2):178–188
impact of wellness group visit model on, 30(6):715–723
- Obstetrics**
maternity care services, rural hospitals, 30(1):71–77
residency graduates' intention to practice, 30(4):405–406
screening for cigarettes, marijuana, and ENDS during pregnancy, 30(6):743–757
- Occult blood**, rural patient preferences for fecal immunochemical test, 30(5):632–644
- Odds ratio**, visit entropy associated with hospital readmission rates, 30(1):63–70
- Opioid analgesics**
for back pain, physical therapy referrals and, 30(6):784–794
for back pain, socioeconomic status and, 30(6):775–783
opioid prescribing patterns in the United States and Japan, 30(2):248–254
prescription opioid use and mental health, 30(4):407–417
supporting better access to chronic pain specialties, 30(6):766–774
- Opioid-related disorders**
clinic redesign for opioid management, 30(1):44–51
opioid prescribing patterns in the United States and Japan, 30(2):248–254
prescription opioid use and mental health, 30(4):407–417

- Opioids**
clinic redesign for opioid management, 30(1):44–51
supporting better access to chronic pain specialties, 30(6):766–774
withdrawal, loperamide for, dysrhythmias with, 30(6):832–834
- Oral health**, PCP roles in health centers with oral care, 30(4):491–504
- Oregon**, opioid prescribing patterns, 30(2):248–254
- Osteopathic medicine**, single GME accreditation system, 30(6):838–842
- Outcome assessment**, understanding structure, function, and outcomes of PCMH, 30(4):472–479
- Outcomes**, depression, validation of DOC-6®, 30(3):281–287
- Outpatients**
scabies treatment, outpatient setting, 30(1):78–84
social work consultation for diabetes, 30(1):35–43
- Outreach**, improving preventive care in rural counties, 30(5):583–591
- Pain**, squeak of wrist and intersection syndrome, 30(4):547–551
- Pain management**
predicting risk for opioid misuse with catastrophic thinking, 30(6):828–831
prescription opioid use and mental health, 30(4):407–417
- Palliative care**
improving advance care planning documentation, 30(4):480–490
palliative care services by family physicians, 30(2):255–257
- Pathophysiology**, notalgia paresthetica relieved by cervical traction, 30(6):835–837
- Patient appointments**, improving advance care planning documentation, 30(4):480–490
- Patient care**, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
- Patient care management**
PCP roles in health centers with oral care, 30(4):491–504
physician and staff acceptance of care manager, 30(2):140–149
- Patient care team**
implementation and reach of a multi-site trial, 30(3):337–349
physician and staff acceptance of care manager, 30(2):140–149
- Patient-centered care**
assessing primary care, 30(1):13–15
costs of transforming primary care practices to PCMHs, 30(4):460–471
practice facilitation on high-value change, 30(5):572–582
transition of practices to next generation models, 30(1):16–24
understanding structure, function, and outcomes of PCMH, 30(4):472–479
- visit entropy associated with hospital readmission rates, 30(1):63–70
- Patient discharge**, information transfer and the hospital discharge summary, 30(6):758–765
- Patient engagement**, feasibility of text messaging to improve test adherence, 30(5):608–614
- Patient goals**, improving conversations during wellness visits, 30(2):161–169
- Patient preference**
antibiotic test use for respiratory tract infection, 30(5):645–656
rural patient preferences for fecal immunochemical test, 30(5):632–644
- Patient Protection and Affordable Care Act (ACA)**
conversations about Obamacare, 30(4):544–546
funding instability and the teaching health center, 30(3):279–280
Latinos and, 30(1):52–62
public accountability for hospital nonprofit status, 30(4):537–543
transition of practices to next generation models, 30(1):16–24
- Patient readmission**, visit entropy associated with hospital readmission rates, 30(1):63–70
- Patient-reported outcome measures**, continuity of care and quality of life, 30(2):205–212
- Patient safety**, perspectives on errors of omission, 30(6):733–742
- Patient satisfaction**
transition of practices to next generation models, 30(1):16–24
understanding structure, function, and outcomes of PCMH, 30(4):472–479
- Pay for performance**, practice facilitation on high-value change, 30(5):572–582
- Permethrin**, scabies treatment, outpatient setting, 30(1):78–84
- Personnel**, clinic redesign for opioid management, 30(1):44–51
- Pharmacists**, standardized medication therapy management plus approach, 30(6):701–714
- Pharmacogenomic analysis**, standardized medication therapy management plus approach, 30(6):701–714
- Pharmacology**, standardized medication therapy management plus approach, 30(6):701–714
- Philadelphia**, PCPs help patients choose prostate cancer treatment, 30(3):298–307
- Physical therapy modalities**, opioid prescriptions for back pain and, 30(6):784–794
- Physician-patient relations**
improving conversations during wellness visits, 30(2):161–169
patient self-rating of health and family physician ratings, 30(2):196–204
- Physicians**, polypharmacy and potentially inappropriate medication use, 30(4):528–536
- Physician's office**, physicians' work and procedural terminology codes, 30(6):724–732
- Physicians' practice patterns**, physicians' work and procedural terminology codes, 30(6):724–732
- Pneumonia**, July medical admissions in teaching hospitals, 30(2):189–195
- Point-of-care systems**
antibiotic test use for respiratory tract infection, 30(5):645–656
provider type and fertility treatment, 30(2):230–238
- Polymerase chain reaction**, real time influenza surveillance in primary care, 30(5):615–623
- Polypharmacy**, and potentially inappropriate medication use, 30(4):528–536
- Portion size**, Fitwits™ and parental recognition of childhood obesity, 30(2):178–188
- Potentially inappropriate medication list**, polypharmacy and, 30(4):528–536
- Practice-based research**
antibiotic test use for respiratory tract infection, 30(5):645–656
a community clinician discovers primary care research, 30(5):678–680
coronary artery calcium and cardiovascular events, 30(5):592–600
key messages on integrated care, 30(1):25–34
real time influenza surveillance in primary care, 30(5):615–623
- Practice facilitation**, on high-value change, 30(5):572–582
- Practice management**
costs of transforming primary care practices to PCMHs, 30(4):460–471
physicians' work and procedural terminology codes, 30(6):724–732
- Pregnancy**
maternity care services, rural hospitals, 30(1):71–77
provider type and fertility treatment, 30(2):230–238
residency graduates' intention to practice obstetrics, 30(4):405–406
screening for cigarettes, marijuana, and ENDS during pregnancy, 30(6):743–757
- Prenatal diagnosis**, the “new genetics” in clinical practice, 30(3):377–379
- Prescription drugs**, using drug prescribing patterns to identify cost-conscious care, 30(6):824–827
- Prescriptions**
antibiotic test use for respiratory tract infection, 30(5):645–656
clinic redesign for opioid management, 30(1):44–51

opioid prescribing patterns in the United States and Japan, 30(2): 248–254
 prescription opioid use and mental health, 30(4):407–417

Prevalence, burnout in board-certified family physicians, 30(2):125–126

Prevention, improving preventive care in rural counties, 30(5):583–591

Preventive care
 improving, in rural counties, 30(5): 583–591
 patient-entered wellness data and, 30(3):350–361

Primary care physicians

a community clinician discovers primary care research, 30(5):678–680
 funding instability and the teaching health center, 30(3):279–280
 help patients choose prostate cancer treatment, 30(3):298–307
 information transfer and the hospital discharge summary, 30(6):758–765
 interest in telehealth services, 30(3): 320–330
 men with prostate cancer choosing specialists, 30(2):220–229
 palliative care services, 30(2):255–257

Primary health care

assessing primary care, 30(1):13–15
 cannabis use among patients in Washington state, 30(6):795–805
 clinic redesign for opioid management, 30(1):44–51
 coronary artery calcium and cardiovascular events, 30(5):592–600
 costs of transforming primary care practices to PCMHs, 30(4):460–471
 delivery of health coaching by medical assistants, 30(3):362–370
 depression outcomes, validation of DOC-6®, 30(3):281–287
 diagnosing hypertension using current guidelines, 30(2):170–177
 dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
 EHR strategies and social determinants of health, 30(4):428–447
 global health and family medicine, 30(1):104–108
 health extension and, 30(1):10–12
 implementation and reach of a multi-site trial, 30(3):337–349
 improving advance care planning documentation, 30(4):480–490
 improving preventive care in rural counties, 30(5):583–591
 improving conversations during wellness visits, 30(2):161–169
 key messages on integrated care, 30(1): 25–34
 older adults' preferences when discussing life expectancy, 30(6): 813–815
 opioid prescribing patterns in the United States and Japan, 30(2): 248–254

outcomes of integrated behavioral health with primary care, 30(2): 130–139

patient-entered wellness data and preventive care, 30(3):350–361
 patient's reason for encounter when diagnosing cancer, 30(6):806–812

PCP roles in health centers with oral care, 30(4):491–504

PCPs help patients choose prostate cancer treatment, 30(3):298–307
 perspectives on errors of omission, 30(6):733–742

physician and staff acceptance of care manager, 30(2):140–149

physicians' work and procedural terminology codes, 30(6):724–732
 public accountability for hospital nonprofit status, 30(4):537–543

public health integration and, 30(5): 601–607

real time influenza surveillance in, 30(5):615–623

screening for cigarettes, marijuana, and ENDS during pregnancy, 30(6):743–757

social work consultation for diabetes, 30(1):35–43

standardized medication therapy management plus approach, 30(6):701–714

successful patient registry implementation, 30(5):657–665

suicide ideation and attempt among substance users, 30(2):150–160
 supporting better access to chronic pain specialties, 30(6):766–774

surveillance follow-up colonoscopy in older adults, 30(3):371–373

system to improve health care efficiency, from Ecuador, 30(3): 380–383

transition of practices to next generation models, 30(1):16–24

understanding structure, function, and outcomes of PCMH, 30(4): 472–479

visit entropy associated with hospital readmission rates, 30(1):63–70

Privacy, electronic monitoring of the cognitively impaired, 30(2):258–263

Process, successful patient registry implementation, 30(5):657–665

Process assessment, understanding structure, function, and outcomes of PCMH, 30(4):472–479

Program evaluation, family medicine in Ethiopia, 30(5):670–677

Prostate cancer

choosing specialists, 30(2):220–229
 patient knowledge and treatment decisions, 30(3):288–297

PCPs help patients choose prostate cancer treatment, 30(3):298–307

Protein-energy malnutrition, geriatric anorexia nervosa, 30(5):666–669

Pruritus

notalgia paresthetica relieved by cervical traction, 30(6):835–837
 scabies treatment, outpatient setting, 30(1):78–84

Public health

primary care and public health integration, 30(5):601–607

real time influenza surveillance in primary care, 30(5):615–623

retirement and healthy lifestyle, 30(2):213–219

suicide ideation and attempt among substance users, 30(2):150–160

system to improve health care efficiency, from Ecuador, 30(3): 380–383

Qualitative research

male patients who perpetrate partner violence, 30(2):239–247

perspectives on errors of omission, 30(6):733–742

supporting better access to chronic pain specialties, 30(6):766–774

Quality improvement

efficiency and patient care in a student-run free clinic, 30(4):513–519

feasibility of text messaging to improve test adherence, 30(5):608–614

implementation and reach of a multi-site trial, 30(3):337–349

understanding structure, function, and outcomes of PCMH, 30(4): 472–479

Quality of health care

continuity of care and quality of life, 30(2):205–212

efficiency and patient care in a student-run free clinic, 30(4):513–519

patient-entered wellness data and preventive care, 30(3):350–361

understanding structure, function, and outcomes of PCMH, 30(4): 472–479

Quality of life

continuity of care and, 30(2):205–212
 suicide ideation and attempt among substance users, 30(2):150–160

Referral and consultation

antibiotic test use for respiratory tract infection, 30(5):645–656

EHR strategies and social determinants of health, 30(4):428–447

men with prostate cancer choosing specialists, 30(2):220–229

social work consultation for diabetes, 30(1):35–43

Registries

clinic redesign for opioid management, 30(1):44–51

successful patient registry implementation, 30(5):657–665

Regression analysis, suicide ideation and attempt among substance users, 30(2):150–160

Research

clinic redesign for opioid management, 30(1):44–51

men with prostate cancer choosing specialists, 30(2):220–229

- Research personnel**, health extension and clinical translation science, 30(1):94–99
- Respiratory tract infection**, antibiotic test use for, 30(5):645–656
- Retirement**, and healthy lifestyle, 30(2):213–219
- Retrospective studies**
depression, outcomes, validation of DOC-6[®], 30(3):281–287
elderly emergency department visits for asthma in Taiwan, 30(3):384–395
electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
patient-entered wellness data and preventive care, 30(3):350–361
provider type and fertility treatment, 30(2):230–238
scabies treatment, outpatient setting, 30(1):78–84
social work consultation for diabetes, 30(1):35–43
treatment completion for latent tuberculosis infection, 30(4):520–527
- Review of systems (ROS)**, measuring what matters, 30(1):8–9
- Rifampin**, treatment completion for latent tuberculosis infection, 30(4):520–527
- Rifapentine**, treatment completion for latent tuberculosis infection, 30(4):520–527
- Risk**
electronic cigarettes in tobacco use counseling, 30(4):448–459
electronic monitoring of the cognitively impaired, 30(2):258–263
visit entropy associated with hospital readmission rates, 30(1):63–70
- Risk assessment**, polypharmacy and potentially inappropriate medication use, 30(4):528–536
- Risk factors**
coronary artery calcium and cardiovascular events, 30(5):592–600
retirement and healthy lifestyle, 30(2):213–219
social work consultation for diabetes, 30(1):35–43
- Rural health**
feasibility of text messaging to improve test adherence, 30(5):608–614
rural-urban gap in hospital mortality, 30(6):816–823
- Rural hospitals**, maternity care services, 30(1):71–77
- Rural population**, system to improve health care efficiency, from Ecuador, 30(3):380–383
- Scabies**, treatment, outpatient setting, 30(1):78–84
- Screening**
cannabis use among patients in Washington state, 30(6):795–805
for cigarettes, marijuana, and ENDS during pregnancy, 30(6):743–757
for social determinants of health, 30(4):418–427
- Self care**, delivery of health coaching by medical assistants in primary care, 30(3):362–370
- Self report**, continuity of care and quality of life, 30(2):205–212
- Skin diseases**, treatment, outpatient setting, 30(1):78–84
- Smoking cessation**, electronic cigarettes in tobacco use counseling, 30(4):448–459
- Social determinants of health**
EHR strategies and, 30(4):428–447
screening for, 30(4):418–427
social work consultation for diabetes, 30(1):35–43
socioeconomic status and opioid medication for back pain, 30(6):775–783
- Social work**, consultation for diabetes, 30(1):35–43
- Socioeconomic status**, and opioid medication for back pain, 30(6):775–783
- Special communications**
health extension and clinical and translational science: an innovative strategy for community engagement, 30(1):94–99
increased public accountability for hospital nonprofit status: potential impacts on residency positions, 30(4):537–543
the “new genetics” in clinical practice, 30(3):377–379
the single graduate medical education (GME) accreditation system will change the future of the family medicine workforce, 30(6):838–842
- Specialization**, men with prostate cancer choosing specialists, 30(2):220–229
- Spinal diseases**, notalgia paresthetica relieved by cervical traction, 30(6):835–837
- Sports medicine**, squeak of wrist and intersection syndrome, 30(4):547–551
- Spouse abuse**, male patients who perpetrate partner violence, 30(2):239–247
- Stewards**, using drug prescribing patterns to identify cost-conscious care, 30(6):824–827
- Street drugs**, suicide ideation and attempt among substance users, 30(2):150–160
- Student-run clinics**, efficiency and patient care, 30(4):513–519
- Substance abuse**, predicting risk for opioid misuse with catastrophic thinking, 30(6):828–831
- Substance-related disorders**, suicide ideation and attempt among substance users, 30(2):150–160
- Substance withdrawal syndrome**, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
- Suicidal ideation**, among substance users, 30(2):150–160
- Suicide**, attempt, among substance users, 30(2):150–160
- Surveys and questionnaires**
burnout in board-certified family physicians, 30(2):125–126
continuity of care and quality of life, 30(2):205–212
costs of transforming primary care practices to PCMHs, 30(4):460–471
diagnosing hypertension using current guidelines, 30(2):170–177
electronic cigarettes in tobacco use counseling, 30(4):448–459
family physicians’ interest in telehealth services, 30(3):320–330
Fitwits[™] and parental recognition of childhood obesity, 30(2):178–188
Latinos and the Affordable Care Act, 30(1):52–62
maternity care services, rural hospitals, 30(1):71–77
opioid prescribing patterns in the United States and Japan, 30(2):248–254
outcomes of integrated behavioral health with primary care, 30(2):130–139
patient beliefs impact on medication adherence, 30(3):331–336
patient self-rating of health and family physician ratings, 30(2):196–204
PCPs help patients choose prostate cancer treatment, 30(3):298–307
physician and staff acceptance of care manager, 30(2):140–149
polypharmacy and potentially inappropriate medication use, 30(4):528–536
prescription opioid use and mental health, 30(4):407–417
provider type and fertility treatment, 30(2):230–238
surveillance follow-up colonoscopy in older adults, 30(3):371–373
- Symptoms**, patient’s reason for encounter when diagnosing cancer, 30(6):806–812
- Taiwan**, elderly emergency department visits for asthma, 30(3):384–395
- Tax exemption**, public accountability for hospital nonprofit status, 30(4):537–543
- Teaching**, July medical admissions in teaching hospitals, 30(2):189–195
- Teaching Health Center (THC)**, funding, commentary, 30(3):275–278
- Telemedicine**, family physicians’ interest in telehealth services, 30(3):320–330
- Telephone**
delivery of health coaching by medical assistants in primary care, 30(3):362–370
electronic messaging and number of incoming calls, correspondence, 30(1):109–110

- men with prostate cancer choosing specialists, 30(2):220–229
- Texas**, public accountability for hospital nonprofit status, 30(4):537–543
- Time-to-pregnancy**, provider type and fertility treatment, 30(2):230–238
- Tobacco products**, use, screening for, during pregnancy, 30(6):743–757
- Torsades de pointes**, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
- Toxicity**, dysrhythmias with loperamide for opioid withdrawal, 30(6):832–834
- Translational medical research**, health extension and clinical translation science, 30(1):94–99
- Treatment failure**, scabies treatment, outpatient setting, 30(1):78–84
- Treatment outcome**, rural patient preferences for fecal immunochemical test, 30(5):632–644
- Trigeminal nerve**, shingles following auricular acupuncture, 30(4):552–555
- Tuberculosis**, treatment completion for latent tuberculosis infection, 30(4):520–527
- 2017 PBRN Issue**, practice facilitation on high-value change, 30(5):572–582
- Type 2 diabetes**, complementary health approaches and cardio-metabolic outcomes, 30(5):624–631
- Uncertainty**, electronic cigarettes in tobacco use counseling, 30(4):448–459
- Universal coverage**, increasing family medicine in Mexican health care reform, 30(6):843–847
- Universities**, health extension and clinical translation science, 30(1):94–99
- Utah**, diagnosing hypertension using current guidelines, 30(2):170–177
- Valacyclovir**, shingles following auricular acupuncture, 30(4):552–555
- Violence**, male patients who perpetrate partner violence, 30(2):239–247
- Vulnerable populations**, efficiency and patient care in a student-run free clinic, 30(4):513–519
- Washington, cannabis use among patients, 30(6):795–805
- Weight loss**, delivery of health coaching by medical assistants in primary care, 30(3):362–370
- Wellness coordinator**, improving preventive care in rural counties, 30(5):583–591
- Wellness group**, model, impact on obesity, 30(6):715–723
- Wellness visit**, improving conversations during, 30(2):161–169
- Wisconsin**, real time influenza surveillance in primary care, 30(5):615–623
- Workflow**, clinic redesign for opioid management, 30(1):44–51
- Workforce**, single GME accreditation system, 30(6):838–842
- Workload**, electronic messaging and number of incoming telephone calls, correspondence, 30(1):109–110
- Wrist joint**, squeak of wrist and intersection syndrome, 30(4):547–551
- Writing**, health extension and clinical translation science, 30(1):94–99