

# Subject Index to Volume 17, 2004

- Abscess, tuboovarian, fatal pneumococcal sepsis from, 17(1):68–70
- Adolescent(s), with ADHD, on-road driving by, controlled-release methylphenidate and, 17(4):235–239
- Advertising, direct-to-consumer, public perceptions of, 17(1):6–18
- Alcohol, carbohydrate-deficient transferrin as biomarker of, in diabetic/hypertensive patients, 17(4):247–255
- Alcohol intoxication, nontraumatic rhabdomyolysis with, 17(1):54–58
- Angina, Prinzmetal, multiple sclerosis with, 17(1):71–73
- Antibiotics, for common cold, physician specialty and, 17(3):196–200
- Apnea, obstructive sleep, in pregnancy, 17(4):292–294
- Arctic Circle, racial prejudice in, 17(1):78–79
- Asthma  
in Medicaid-insured children, emergency room use by, 17(2):96–100  
practical clinical trial for, conducted in primary care, 17(3):190–195
- Attention-deficit/hyperactivity disorder (ADHD), in adolescent, on-road driving by, controlled-release methylphenidate and, 17(4):235–239
- Back pain, management in family practice, 17:S23–S31
- Breast cancer, diagnostic rate in postmenopausal women with self-reported breast symptoms, 17(6):408–415
- Breast-feeding, early termination of, parental mental health and, 17(3):173–183
- Bursitis, subacromial septic, from corticosteroid injection, 17(4):299–302
- California, Spanish-speaking physicians in, access to, 17(3):165–172
- Cancer  
of breast, in postmenopausal women, self-reported breast symptoms and diagnostic rate in, 17(6):408–415  
of skin, overcoming obstacles to examination and prevention counseling, 17(6):416–423
- Cancer pain  
high-dose fentanyl patch for, 17(5):388–390  
management by family physician, 17:S48–S56
- Carbohydrate-deficient transferrin, as alcohol biomarker in diabetic/hypertensive patients, 17(4):247–255
- Cardiovascular disease, in women, dyslipidemia and, 17(6):424–437
- Cerebral venous thrombosis, acute headache caused by, 17(4):295–298
- Cerebrospinal fluid neutrophilic pleocytosis, in hospitalized West Nile virus patients, 17(6):470–472
- Chest pain, panic disorder and coronary artery disease in, 17(2):114–126
- Childbirth, assisted, avoiding with knotted bedsheet, 17(5):394–395
- Children  
Medicaid-insured, with asthma, emergency room use by, 17(2):96–100  
well-child visit noncompliance in, parental health and demographics in, 17(5):324–331
- Clinical practice guidelines  
compliance with, 17(6):474–475  
physician opinions and attitudes about, 17(2):150–157
- Clinical trial, of asthma, conducted in primary care, 17(3):190–195
- Colonoscopy, in rural communities, by family physician, safety and effectiveness of, 17(5):353–358
- Colorado, primary care by specialists in, 17(2):81–90
- Community family practice  
physician-older patient interaction in, 17(1):19–25  
public health and, 17(3):207–211
- Congestive heart failure, rofecoxib-induced, 17(2):131–135
- Continuity of care, patient satisfaction and, in family practice clinic, 17(5):341–346
- Coronary artery bypass surgery, Dressler syndrome after, 17(3):230–232
- Coronary artery disease, panic disorder and, 17(2):114–126
- Correspondence  
challenges for family medicine and for family physicians, 17(6):474  
compliance with clinical guidelines and the law of thirds, 17(6):475  
impact of clinical practice guidelines should not be overestimated, 17(6):474–475
- Corticosteroid injection, subacromial septic bursitis from, 17(4):299–302
- Cough, pancreatic adenocarcinoma and, 17(1):48–53
- Counseling, on skin cancer prevention, 17(6):416–423
- Cyclooxygenase inhibitors, congestive heart failure induced by, 17(2):131–135
- Deep-breath test, white-coat hypertension and, 17(3):184–189
- Demographics, parental, well-child visit noncompliance and, 17(5):324–331
- Diabetes mellitus  
borderline, peripheral neuropathy and, 17(2):127–130  
carbohydrate-deficient transferrin as alcohol biomarker in, 17(4):247–255
- Diabetes mellitus type 2, lipid management in, 17(2):101–107
- Diapers, gel-based, urine culture collected from, 17(2):91–5
- Dressler syndrome, after coronary artery bypass surgery, 17(3):230–232
- Driving  
by ADHD adolescents, controlled release methylphenidate improvement of, 17(4):235–239  
by older persons, physician assessment of, 17(1):38–43
- Drug prescribing, multitiered incentive-based formularies in, 17(6):401–407
- Dyslipidemia, in women, cardiovascular disease and, 17(6):424–437
- Dysmenorrhea  
pelvic pain from, management in family practice, 17:S43–S47  
primary, guaifenesin for, 17(4):240–246
- Ecuador, obstetrics advanced life support in, 17(4):276–282
- Editorial, how long does it take to become a competent family physician?, 17(5):391
- Emergency room use, by Medicaid-insured children with asthma, 17(2):96–100
- Endometriosis, pelvic pain from, management in family practice, 17:S43–S47
- Endoscopy, acute methemoglobinemia after, 17(3):227–229
- Esophagogastroduodenoscopy, office-based ultrathin, 17(6):438–442
- Evidence-based medicine  
obesity in adults, diagnosis and treatment of, 17(5):359–369  
office radiographs, second reading of, 17(4):256–263
- Expiration dates, on medicine containers, location, content, and legibility of, 17(5):395–397
- Exposure assessment, assessment of, neuropsychiatric symptom relief and, 17(2):136–141
- Factor V Leiden mutation, pregnancy and, 17(4):306–308
- Family practice clinic, continuity of care and patient satisfaction in, 17(5):341–346
- Fentanyl patch, high-dose, for cancer pain, 17(5):388–390
- Fever, in respiratory infection, 17(1):32–37

- Food and Drug Administration (FDA), approval process of, tensions in, 17(2):142–149
- Formularies, multitiered incentive-based, 17(6):401–407
- Genital dysplasia, in women with HIV infection, 17(2):108–113
- Glucose tolerance, impaired, peripheral neuropathy and, 17(2):127–130
- Guaifenesin, for primary dysmenorrhea, 17(4):240–246
- Headache, acute, caused by cerebral venous thrombosis, 17(4):295–298
- Health care costs, very low literacy skills and, 17(1):44–47
- Health care policy, tensions in FDA approval process, 17(2):142–149
- Health care system, care providers and settings for Medicare beneficiaries in, 17(5):384–387
- Health Insurance Portability and Accountability Act (HIPAA) Privacy Rule, for practice-based researchers, 17(6):461–465
- Heart attack, neck pain mimicking, 17(1):74–77
- Herpes simplex type 2 virus infection, meningitis from, 17(4):303–305
- Human immunodeficiency virus infection, in women, genital dysplasia in, 17(2):108–113
- Human papillomavirus infection, knowledge and behaviors related to, 17(1):26–31
- Hypertension  
carbohydrate-deficient transferrin as alcohol biomarker in, 17(4):247–255  
white-coat, deep-breath test and, 17(3):184–189
- Infection  
herpes simplex virus type 2, meningitis from, 17(4):303–305  
HIV, in women, genital dysplasia in, 17(2):108–113  
human papillomavirus, knowledge and behaviors related to, 17(1):26–31  
respiratory  
antibiotics for, physician specialty and, 17(3):196–200  
febrile, 17(1):32–37
- Influenza  
diagnosis of, medical history and physical examination in, 17(1):1–5  
vaccination against, in pregnancy, 17(4):287–291
- Insomnia, primary, treatment of, 17(3):212–219
- Internal medicine specialists, and antibiotic prescribing for common cold, 17(3):196–200
- Intimate partner violence, physician perceptions of, 17(5):332–340
- Joint pain, management in family practice, 17:S32–S42
- Law of thirds, 17(6):475
- Life support, advanced obstetric, in Ecuador, 17(4):276–282
- Lipid management, in diabetes type 2, 17(2):101–107
- Literacy skills, very low, health care costs and, 17(1):44–47
- Medicaid recipients  
pediatric asthma patients as, emergency room use by, 17(2):96–100  
very low literacy skills in, health care costs and, 17(1):44–47
- Medical history, in influenza diagnosis, 17(1):1–5
- Medical literature, grading evidence in, SORT in, 17(1):59–67
- Medicare beneficiaries, care providers and settings for, 17(5):384–387
- Medicine containers, expiration dates on, location, content, and legibility of, 17(5):395–397
- Meningitis, Mollaret, 17(4):303–305
- Mental health, parental, breast-feeding early termination and, 17(3):173–183
- Metapneumovirus, human, 17(6):466–469
- Methemoglobinemia, acute, after endoscopy, 17(3):227–229
- Methicillin-resistant *Staphylococcus aureus*, misdiagnosed as spider bite, 17(3):220–226
- Methylphenidate, controlled release, and attention during on-road driving by ADHD adolescents, 17(4):235–239
- Mollaret meningitis, 17(4):303–305
- Multiple sclerosis, Prinzmetal angina with, 17(1):71–73
- Neck pain  
heart attack mimicked by, 17(1):74–77  
management in family practice, 17:S13–S22
- Neuropathy  
peripheral, in borderline diabetes, 17(2):127–130  
peripheral sensory, in older patients, prevalence, predictors, and consequences of, 17(5):309–318
- Neuropsychiatric symptoms, from occupational hazardous chemical exposure, 17(2):136–141
- Neutrophilic pleocytosis, in cerebrospinal fluid of hospitalized West Nile virus patients, 17(6):470–472
- Nonsteroidal anti-inflammatory drugs (NSAIDs), congestive heart failure induced by, 17(2):131–135
- Nutrition labels, on snack food packages, patient understanding and use of, 17(5):319–323
- Obesity, in adults, diagnosis and treatment of, 17(5):359–369
- Obstetrics, advanced life support in, in Ecuador, 17(4):276–282
- Obstructive sleep apnea, in pregnancy, 17(4):292–294
- Occupational hazardous chemical exposure, assessment of, neuropsychiatric symptom relief and, 17(2):136–141
- Office radiographs, second reading of, 17(4):256–263
- Office ultrathin esophagogastroduodenoscopy, 17(6):438–442
- Older patients  
deciding to change primary care physicians, when and why, 17(6):453–460  
driving ability of, physician assessment of, 17(1):38–43  
peripheral sensory neuropathy in, prevalence, predictors, and consequences of, 17(5):309–318  
physician interaction with, in community family practice, 17(1):19–25
- Pain  
in back, 17:S23–S31  
cancer-related  
in adult, 17:S48–S56  
high-dose fentanyl patch for, 17(5):388–390  
in joints, 17:S32–S42  
management by family physician, 17:S1–S12  
in neck, 17:S13–S22  
in pelvis, from dysmenorrhea or endometriosis, 17:S43–S47
- Pancreatic adenocarcinoma, cough and, 17(1):48–53
- Panic disorder, coronary artery disease and, 17(2):114–126
- Papanicolaou smear, sigmoidoscope for, 17(3):233
- Parent(s)  
health and demographics of, well-child visit noncompliance and, 17(5):324–331  
mental health of, breast-feeding early termination and, 17(3):173–183
- Patient satisfaction, continuity of care and, in family practice clinic, 17(5):341–346
- Pelvic pain, from dysmenorrhea or endometriosis, management in family practice, 17:S43–S47
- Peripheral sensory neuropathy, in older patients, prevalence, predictors, and consequences of, 17(5):309–318
- Physical examination, in influenza diagnosis, 17(1):1–5
- Physician(s)  
family  
colonoscopy by, safety and effectiveness of, 17(5):353–358  
practice-oriented and research-oriented, 17(6):474  
family practice residents perspectives on length and content of training, 17(5):377–383, 17(5):391

- healing by patients, 17(2):158–159  
intimate partner violence perceptions of, 17(5):332–340  
older driver assessment by, 17(1):38–43  
opinions and attitudes about clinical practice guidelines, 17(2):150–157  
primary care, older patients deciding to change, when and why, 17(6):453–460  
Spanish-speaking, access to, in California, 17(3):165–172  
specialists, providing primary care services in Colorado, 17(2):81–90
- Physician-patient relationship  
direct-to-consumer advertising effect on, public perceptions of, 17(1):6–18  
older patients in  
in community family practice, 17(1):19–25  
who decide to change physicians, 17(6):453–460
- Pneumococcal sepsis, fatal, from tubo-ovarian abscess, 17(1):68–70
- Postmenopausal women, self-reported breast symptoms in, breast cancer diagnostic rate in, 17(6):408–415
- Pregnancy  
Factor V Leiden mutation and, 17(4):306–308  
influenza vaccination in, 17(4):287–291  
obstructive sleep apnea in, 17(4):292–294  
smoking cessation in, postpartum relapse prevention strategies after, 17(4):264–275
- Primary care  
addressing spiritual concerns in, 17(3):201–206  
antibiotic use for common cold in, 17(3):196–200  
asthma clinical trial conducted in, 17(3):190–195  
community-oriented, public health and, 17(3):207–211  
office-based ultrathin esophagogastroduodenoscopy in, 17(6):438–442  
self-reported health status in, racial disparities in, 17(6):443–452  
by specialists, in Colorado, 17(2):81–90
- Prinzmetal angina, multiple sclerosis with, 17(1):71–73
- Privacy rule, of HIPAA, for practice-based researchers, 17(6):461–465
- Probability, communicating with patients about it, 17(6):473
- Public health, family medicine and, 17(3):207–211
- Racial disparities, in self-reported health status, in primary care, 17(6):443–452
- Racial prejudice, in Arctic community, 17(1):78–79
- Radiographs, in office, second reading of, 17(4):256–263
- Rare conditions, in family practice, 17(4):283–286
- Reflections in family practice  
adopted, 17(2):158–159  
welcome to the Arctic Circle, 17(1):78–79
- Religion, in health outcome, 17(5):370–376
- Renal failure, acute, from nontraumatic rhabdomyolysis, with alcohol intoxication, 17(1):54–58
- Research letters  
numeracy and medicine: key family physician attitudes about communicating probability with patients, 17(6):473  
using a bed sheet to avoid an assisted delivery, 17(5):394–395  
variable location, content, and legibility of expiration dates on medicine containers, 17(5):395–397
- Researchers, practice-oriented, 17(6):474  
HIPAA Privacy Rule for, 17(6):461–465
- Respiratory infection  
antibiotics for, physician specialty and, 17(3):196–200  
febrile, 17(1):32–37
- Respiratory tract pathogen, human metapneumovirus as, 17(6):466–469
- Review articles, grading evidence in, SORT in, 17(1):59–67
- Rhabdomyolysis, nontraumatic, with alcohol intoxication, 17(1):54–58
- Rofecoxib, congestive heart failure induced by, 17(2):131–135
- Rural communities, colonoscopy by family physician in, safety and effectiveness of, 17(5):353–358
- Self-reported breast symptoms, by postmenopausal women, breast cancer rate in, 17(6):408–415
- Self-reported health status, in primary care, racial disparities in, 17(6):443–452
- Sensory neuropathy, peripheral, in older patients, prevalence, predictors, and consequences of, 17(5):309–318
- Sepsis, pneumococcal fatal, from tubo-ovarian abscess, 17(1):68–70
- Septic bursitis, subacromial, from corticosteroid injection, 17(4):299–302
- Sigmoidoscope, for Papanicolaou smear, 17(3):233
- Skin cancer, overcoming obstacles to examination and prevention counseling, 17(6):416–423
- Sleep disorders  
obstructive sleep apnea as, in pregnancy, 17(4):292–294  
primary insomnia as, treatment of, 17(3):212–219
- Smoking cessation, in pregnancy, postpartum relapse prevention strategies after, 17(4):264–275
- Snack food package nutrition labels, patient understanding and use of, 17(5):319–323
- Spanish-speaking physicians, access to, in California, 17(3):165–172
- Special communications  
addressing spiritual concerns in family medicine: a team approach, 17(3):201–206  
family physicians' opinions and attitudes about clinical practice guidelines, 17(2):150–157  
strength of recommendation taxonomy (SORT): patient-centered approach to grading evidence in medical literature, 17(1):59–67  
zebras on the commons: rare conditions in family practice, 17(4):283–286
- Specialist(s), and antibiotic prescribing for common cold, 17(3):196–200
- Specialists, providing primary care services in Colorado, 17(2):81–90
- Spider bite  
brown recluse, management of, 17(5):347–352  
methicillin-resistant *Staphylococcus aureus* mimicking, 17(3):220–226
- Spiritual concerns, addressing in family medicine, 17(3):201–206
- Spirituality, in health outcome, 17(5):370–376
- Staphylococcus aureus*, methicillin-resistant, misdiagnosed as spider bite, 17(3):220–226
- Strength of recommendation taxonomy (SORT), 17(1):59–67
- Thrombosis, cerebral venous, acute headache caused by, 17(4):295–298
- Training in family practice, length and content of, 17(5):377–383, 17(5):391
- Transferrin, carbohydrate-deficient, as alcohol biomarker in diabetic/hypertensive patients, 17(4):247–255
- Tuboovarian abscess, fatal pneumococcal sepsis from, 17(1):68–70
- Urine, collection for culture, from gel-based diapers, 17(2):91–95
- Vaccination, influenza, in pregnancy, 17(4):287–291
- Violence, from intimate partner, physician perceptions of, 17(5):332–340
- Well-child visits, noncompliance with, parent health and demographics in, 17(5):324–331
- West Nile virus, cerebrospinal fluid neutrophilic pleocytosis in, 17(6):470–472
- White-coat hypertension, deep-breath test and, 17(3):184–189
- Women  
cardiovascular disease in, dyslipidemia and, 17(6):424–437  
postmenopausal, self-reported breast symptoms and breast cancer diagnostic rate in, 17(6):408–415