Subject Index to Volume 22, 2009

Abortion, first trimester procedural, in family medicine, 22(2):169–174, 22(6):707
Adderall XR, and alcohol, myocardial infarction associated with, 22(2): 197–201, 22(5):590
African-American patients, elderly, with hypertension, consistency of care and blood pressure control, 22(3):307–315
Age factors
elderly patients
hypertension, consistency of care and blood pressure control, 22(3):307–315
prostate-specific antigen testing, 22(3):257–265, 22(6):707–708
geriatric patients, foot and ankle surgery, 22(3):316–324
older adults, providing quality primary care, 22(3):239–241
Alcohol
Adderall XR and, myocardial infarction associated with, 22(2):197–201, 22(5):590
screening, virtual reality skills training for health care professionals, 22(4):387–398
Allergy, skin testing, atopic respiratory conditions and stroke mortality, association between, 22(6):604–609
Alma Ata, learning from, medical home and comprehensive primary health care, 22(3):242–246
Alzheimer disease, reflections in family medicine, 22(2):196
Ambulatory care, settings, anticoagulation for patients with atrial fibrillation, 22(3):299–306
American Recovery and Reinvestment Act, opportunity for service-minded family physicians, 22(5):582–584
Analgesics, overtreating chronic back pain, (22)1:62–68
Anesthesia, epidural, postepidural headache, 22(2):202–205, 22(5): 591–592
Angiotensin-converting enzyme inhibitors, use for cardiovascular protection, 22(6):686–697
Angiotensin receptor blockers, use for cardiovascular protection, 22(6):686–697
Ankle surgery, considerations, geriatric patients, 22(3):316–324
Antibiotics
effect on vulvovaginal candidiasis, correspondence, 22(2):223
methicillin, -resistant *Staphylococcus aureus* skin and soft tissue infections
clinical importance of purulence, 22(6):647–654
risk factors for, 22(4):375–379
Antibodies, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
Anticoagulation, for patients with atrial fibrillation, ambulatory care settings, 22(3):299–306
Antiplatelet therapy, dual, for prevention of cardiovascular events, 22(1):51–56
Anxiety, in primary care patients, brief intervention, 22(2):175–186
Aortic valve, calcification, progression, lack of effect of oral calcium supplements, 22(6):610–616
Aspirin, clopidogrel and, dual antiplatelet therapy for prevention of cardiovascular events, 22(1): 51–56
Atopic respiratory conditions, allergy skin testing, stroke mortality and, association between, 22(6): 604–609
Atrial fibrillation, anticoagulation, ambulatory care setting, 22(3):299–306
Autonomy, perceived, among primary care physicians, 22(19):24–33

Back pain, chronic
improvement with vitamin D repletion, (22)1:69–74
overtreating, (22)1:62–68
Back surgery
failed, improvement with vitamin D repletion, (22)1:69–74
overtreating chronic back pain, (22)1: 62–68
Blood pressure, control, elderly patients with hypertension, 22(3): 307–315
Bone density, testing, interventions to improve osteoporosis screening, 22(4):360–367
Breast cancer
risk assessment, diffusion of, in primary care, 22(3):272–279
women at high risk for, role of primary care physicians, 22(1):43–50
Breathing, sleep-disordered, during pregnancy, 22(2):158–168
Bullous lesions, on skin graft donor site, 22(1):89–92

Calcific tendonitis, retropharyngeal, 22(1):84–88
Calcification
aortic valve, progression, lack of effect of oral calcium supplements, 22(6):610–616
coronary artery, progression, lack of effect of oral calcium supplements, 22(6):610–616
Calcium, oral supplements, lack of effect on progression of aortic valve calcification or coronary artery calcification, 22(6):610–616
Canada, pan-Canadian primary care sentinel surveillance network, 22(4)412–422
Cancer
breast
risk assessment, diffusion of, in primary care, 22(3):266–271
women at high risk for, role of primary care physicians, 22(1): 43–50
colorectal, screening, high performance, 22(2):141–146
prostate
localized, patients' survival expectations and treatment, 22(3):239–241
prostate-specific antigen testing among the elderly, 22(3):257–265
Cardiovascular events, prevention, appraisal of dual antiplatelet therapy, 22(1):51–56
Cardiovascular protection, use of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers, 22(6):686–697
Career satisfaction, among primary care physicians, 22(19):24–33
Case management, telephonic, use to link a special-needs population with a primary care physician, 22(5):585–587
Childbirth, postpartum return to work, characteristics of mother-provider interactions, 22(5):498–506
Chronic back pain
improving with vitamin D repletion, (22)1:69–74
overtreating, (22)1:62–68
Chronic illness, comorbid depression, diagnosis and treatment, primary care settings, 22(2):123–135
Cinnamon, effectiveness for lowering hemoglobin A1C, patients with type 2 diabetes, 22(5):507–512
Clopidogrel, aspirin and, dual antiplatelet therapy for prevention of cardiovascular events, 22(1): 51–56
Colorectal cancer, screening, high performance, 22(2):141–146
Commentary
the complexity of weight loss counseling, 22(2):113–114
guest family physician commentaries, 22(4):352, 22(5):471–472, 22(6): 602–603
increasing the role of practice networks in medical research, 22(4): 348–351
learning from Alma Ata: the medical home and comprehensive primary health care, 22(3):242–246
providing quality primary care to older adults, 22(3):239–241
retaining optimism in the face of adversity, 22(1):6–8
Community-based family medicine practices, prostate-specific anti-

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

gen testing, elderly patients, 22(3):257–265, 22(6):707–708
Community-based participatory research, practice-based research networks and, 22(4):428–435
Community engagement, practice-based research, 22(4):423–427
Comorbidities, chronic illness and depression, 22(2):123–135
Complementary and alternative medicine, use in Hispanic patients, impact of immigration, 22(3):337–338
Complexity of care, perceived, among primary care physicians, 22(19): 24–33
Complications, urinary tract infections in women over age 65, 22(3): 266–271
Computed tomography (CT), diagnosis of retropharyngeal calcific tendonitis, 22(1):84–88
Congenital heart defects, patent ductus arteriosus, incidental discovery in adults, 22(2):214–218
Coronary arteries, calcification, progression, lack of effect of oral calcium supplements, 22(6):610–616
Correspondence
effect of antibiotics on vulvovaginal candidiasis, 22(2):223
effectiveness of vitamin B_{12} in treating recurrent aphthous stomatitis, 22(5):590–591
first trimester abortion in family medicine, 22(6):707
myocardial infarction associated with Adderall and alcohol use in a young man, 22(5):590
outcomes from treatment of infertility with natural procreative technology in an Irish general practice, 22(1):94–96
patient-centered home medical movement –promise and peril for family medicine, 22(1):93–94
postepidural headache: how late can it occur?, 22(5):591–592
predictive value of exercise stress testing in a family medicine population, 22(2):223–224
prostate-specific antigen testing among the elderly in community-based family medicine practices, 22(6):707–708
relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, 22(3):339
Counseling
smoking cessation, 22(6):625–632
weight loss, complexity of, 22(2):113–114

Depression
diagnosis and treatment, comorbid chronic illness and, primary care settings, 22(2):123–135
postpartum
evidence-based management, web-based training for, 22(5):588–589
in family medicine, 22(5):465–467
risk factors, seasonal variation, 22(5):492–497
screening tools, comparison, 22(5): 483–491
stepped care treatment, impact on treatment, health, and work outcomes, 22(5):473–482
symptoms, prevalence, outpatients with complaint of headache, 22(6):633–637
Dermatitis, hand, review of etiology, diagnosis, and treatment, 22(3): 325–330
Diabetes, type 2
assessment of attitudes, behaviors, and outcomes, 22(3):280–291
decision to intensify therapy, 22(5): 513–520
lifestyle intervention study, 22(5): 535–543
lowering hemoglobin A_{1C} levels, effectiveness of cinnamon, 22(5): 507–512
prevalence of vitamin B_{12} deficiency, 22(5):528–534
relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
Diabetic nephropathy, association with vitamin D deficiency and insufficiency, 22(5):521–527
Discoid lupus erythematosus, early diagnosis and treatment, 22(2): 206–213
Diving medicine, review of current evidence, 22(4):399–407
Dual antiplatelet therapy, with clopidogrel and aspirin, for prevention of cardiovascular events, 22(1):51–56

Editorial, TOP Docs: Family Physicians with Competing Demands and the Right Priorities—Individual, Family, and Community Health, 22(2):110–112
Editorial Office News and Notes
Introduction of More Editorial Board Members and *Journal of the American Board of Family Medicine*'s Position on the National Institutes of Health Public Access Policy, 22(2):107–109
Introduction of More Editorial Board Members and New Guest Commentary Feature, 22(5):468–470
Introduction of More Editorial Board Members and New *Journal of the American Board of Family Medicine* Features, 22(4):346–347
Introduction of More Editorial Board Members and the Most Frequently Read Articles in 2008, 22(3):234–238
Introduction of More Editorial Board Members and Top *Journal of the American Board of Family Medicine* Reviewers, 22(6): 600–601
JABFM Editorial Board Member's Election to the Institute of Medicine and New Journal Alerts and Features, 22(1):4–5
Editors' Notes
Fourth *Journal of the American Board of Family Medicine* Practice-based Research Theme Issue, 22(4): 343–345
Optimism: A Good Theme for Family Medicine, 22(1):1–3
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2008, 22(2):102–106
On Postpartum Depression, Hormonal Problems, and Practice Management for Medical Home Implementation, 22(5):465–467
In This Issue: Mini-Theme on Geriatric Care and Cancer Screening, 22(3):231–233
A Typical Day in the Family Medicine Office, 23(6):597–599
Women's Physical Health, Mental Health, and Practical Hints for Common Practice Issues, 22(2): 99–101
Elderly
with hypertension, consistency of care and blood pressure control, 22(3):307–315
prostate-specific antigen testing, 2(6): 707–708, 22(3):257–265
Electronic health records, use in exam room, patient satisfaction and, 22(5):553–562
Epidural anesthesia, postepidural headache, 22(2):202–205, 22(5): 591–592
Epilepsy, idiopathic generalized, congenital long QT syndrome masquerading as, 22(3):331–334
Errata, 22(2):229, 22(5):596, 22(6):712
Evidence-based clinical medicine
angiotensin-converting enzyme inhibitors and angiotensin receptor blockers for cardiovascular protection, 22(6):686–697
vitamin D, evidence-based review, 22(6):698–706
Exercise stress testing, predictive value, family medicine population, correspondence, 22(2):223–224

Family medicine
first trimester procedural abortion, 22(2):169–174, 22(6):707
office, typical day (editorial), 23(6): 597–599
practices, community-based, prostate-specific antigen testing among the elderly, 22(3):257–265, 22(6):707–708
publications, in Israel, thirty years (1975–2004), 22(1):57–61
reflections
LOST. . . (Reflection on Alzheimer Disease), 22(2):196

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

personal essay on retirement, 22(3):335–336
role in health care for patients with serious mental illness, 22(2):187–195
Family planning, fertility awareness-based methods, 22(2):147–157
Fertility awareness-based methods, for family planning, 22(2):147–157
Foot surgery, considerations, geriatric patients, 22(3):316–324
Fractures, vertebral compression, osteoporotic, Kummel disease as complication, 22(1):75–78
Fusion surgery, overtreating chronic back pain, (22)1:62–68

Geriatric patients, foot and ankle surgery, 22(3):316–324
Glucose
relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
tolerance, impaired, lifestyle intervention study, 22(5):535–543
Glycohemoglobin testing, comparison of point of care and HbA1c analysis, 22(4):461–463
Group B streptococcal (GBS) specimens, patient self-collection during pregnancy, 22(2):136–140

Hand dermatitis, review of etiology, diagnosis, and treatment, 22(3):325–330
Headache
complaint of, prevalence of depression symptoms in outpatients with, 22(6):633–637
postepidural, 22(2):202–205, 22(5):591–592
Health outcomes, impact of stepped care treatment of postpartum depression, 22(5):473–482
Hearing acuity, portable entertainment use and, 22(1):17–23
Heart defects, patent ductus arteriosus, incidental discovery in adults, 22(2):214–218
Hemoglobin A_{1C} levels, lowering, effectiveness of cinnamon, patients with type 2 diabetes, 22(5):507–512
Hepatitis, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
Hepatitis C, underserved communities, report from the Primary Care Multiethnic Network (PRIME Net) Consortium, 22(6):638–646
Hispanic patients, impact of immigration of complementary and alternative medicine use, 22(3)337–338
Hormonal problems, in family medicine, 22(5):465–467
Hormone therapy, low-dose, efficacy, safety, and tolerability in managing menopausal symptoms, 22(5):563–573
Horner syndrome, unusual presentation of Lyme disease, 22(2):219–222
Human papillomavirus (HPV) vaccine, acceptance by men, variables associated with, 22(1):34–42
Hyperparathyroidism, secondary, pathophysiology and treatment, 22(5):574–581
Hypertension, consistency of care and blood pressure control, elderly patients, 22(3):307–315

Immigration, impact on complementary and alternative medicine use, Hispanic patients, 22(3):337–338
Infants, improving maternal care with continuous quality improvement strategy, 22(4):380–386
Infections
skin and soft tissue, methicillin-resistant *Staphylococcus aureus*
clinical importance of purulence, 22(6):647–654
risk factors for, 22(4):375–379
urinary tract, women over 65, 22(3):266–271
Injuries, diving, review of current evidence, 22(4):399–407
Institutional review boards, practice-based research network studies and, 22(4):453–460
Internet-based training, practice-based research network consortium, 22(4):446–452
Israel, family medicine publications, thirty years (1975–2004), 22(1):57–61

Journal of the American Board of Family Medicine (JABFM)
editorial board members, 22(1):4–5, 22(2):107–109, 22(3):234–238, 22(4):346–347, 22(5):468–470, 22(6):600–601
introduction of new features, 22(1):4–5, 22(4):346–347
practice-based research theme, 22(4):343–345

Kummel disease, complication of osteoporotic vertebral compression fractures, 22(1):75–78

Labor, epidural anesthesia, postepidural headache, 22(2):202–205, 22(5):591–592
Laboratory testing
comparison of HbA1c analysis and point of care, 22(4):461–463
results notification, patient preferences and physician practices, 22(6):670–676
Left wrist myositis, genetically similar individuals, 22(4):408–411
Lemierre syndrome, following oropharyngeal infection, 22(1):79–83
Lifestyle intervention study, patients with diabetes or impaired glucose tolerance, 22(5):535–543
Liver enzymes, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
Long QT syndrome, congenital, masquerading as idiopathic generalized epilepsy, 22(3):331–334
Longus colli muscle, retropharyngeal calcific tendonitis, 22(1):84–88
Low birth weight, improving maternal care with continuous quality improvement strategy, 22(4):380–386
Lupus erythematosus, discoid, early diagnosis and treatment, 22(2):206–213
Lyme disease
left wrist myositis, genetically similar individuals, 22(4):408–411
unusual presentation, Horner syndrome with negative serology, 22(2):219–222

Magnetic resonance imaging (MRI), overtreating chronic back pain, (22)1:62–68
Maternal care, improving, with continuous quality improvement strategy, 22(4):380–386
Medical home
comprehensive primary health care and, 22(3):242–246
implementation, practice management for, 22(5):465–467
Medication
intensification of therapy in type 2 diabetes, 22(5):513–520
list, patient involvement in medical care, 22(6):677–685
Men, acceptance of HPV vaccine, variables associated with, 22(1):34–42
Menopausal symptoms, efficacy, safety, and tolerability of low-dose hormone therapy, 22(5):563–573
Mental health, personal health behaviors and physical and mental unhealthy days, 22(4):368–374
Mental illness, serious, role of family medicine in health care, 22(2):187–195
Methicillin, -resistant *Staphylococcus aureus* skin and soft tissue infections
clinical importance of purulence, 22(6):647–654

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

risk factors for, 22(4):375–379
MP3 players, hearing acuity and, 22(1):17–23
Myocardial infarction, associated with Adderall XR and alcohol, 22(2): 197–201, 22(5):590

National Health Service Corps, opportunity for service-minded family physicians, 22(5):582–584
Neck pain, retropharyngeal calcific tendonitis, 22(1):84–88
Nephropathy, diabetic, association with vitamin D deficiency and insufficiency, 22(5):521–527
Noise-induced hearing loss, portable entertainment use and hearing acuity, 22(1):17–23
Non-group A streptococci, role in acute pharyngitis, 22(6):663–669

Obesity
complexity of weight loss counseling, 22(2):113–114
documentation and management, in primary care, 22(5):544–552
physician recommendations, 22(2): 115–122
Older adults, providing quality primary care, 22(3):239–241
Opioid therapy, overtreating chronic back pain, (22)1:62–68
Oral supplements, calcium, lack of effect on progression of aortic valve calcification or coronary artery calcification, 22(6):610–616
Oropharyngeal infection, Lemierre syndrome following, 22(1):79–83
Osteoporosis
screening
increased rates associated with provision of preventive health examination, 22(6):655–662
interventions to improve, 22(4): 360–367
vertebral compression fractures, Kummel disease as complication, 22(1):75–78
Outcome assessment, patients with type 2 diabetes, 22(3):280–290
Outpatients, with complaint of headache, prevalence of depression symptoms in, 22(6):633–637
Overweight
complexity of weight loss counseling, 22(2):113–114
documentation and management, in primary care, 22(5):544–552
physician recommendations, 22(2): 115–122

Patent ductus arteriosus, incidental discovery in adults, 22(2):214–218
Patient-centered medical home, comprehensive primary health care and, 22(3):242–246
Patient preferences, for laboratory test results notification, 22(6): 670–676
Patient satisfaction, and use of electronic records in exam room, 22(5):553–562
Patient survival expectations, before localized prostate cancer treatment by treatment status, 22(3): 247–256
Patients
involvement in medical care, medication list, 22(6):677–685
patient-physician interaction, impact of personal digital assistants, 22(4):353–359
personal health behaviors and physical and mental unhealthy days, 22(4):368–374
Personal digital assistants, impact on patient-physician interaction, 22(4):353–359
Pharyngitis, acute, role of non-group A streptococci, 22(6):663–669
Physicians
patient-physician interaction, impact of personal digital assistants, 22(4):353–359
practices, for laboratory test results notification, 22(6):670–676
primary care
perceived complexity of care, perceived autonomy, and career satisfaction, 22(19):24–33
role in identification and screening of women at high risk for breast cancer, 22(1):43–50
telephonic case management, 22(5):585–587
Point of care, laboratory HbA1c analysis and, comparison, 22(4):461–463
Portable music players, hearing acuity and, 22(1):17–23
Postepidural headache, 22(2):202–205, 22(5):591–592
Postpartum depression
evidence-based management, web-based training for, 22(5):588–589
in family medicine, 22(5):465–467
risk factors, seasonal variation, 22(5): 492–497
screening tools, comparison, 22(5): 483–491
stepped care treatment, impact on treatment, health, and work outcomes, 22(5):473–482
Practice-based research networks
barriers, enablers, and incentives for research participation, 22(4): 436–445
community-based participatory research and, 22(4):428–435
community engagement, 22(4):423–427
consortium, Internet-based training, 22(4):446–452
pan-Canadian primary care sentinel surveillance network, 22(4)412–422
personal health behaviors and physical and mental unhealthy days, 22(4):368–374
studies, institutional review boards and, 22(4):453–460
Pregnancy
fertility awareness-based methods of family planning, 22(2):147–157
first trimester procedural abortion, 22(2):169–174, 22(6):707
patient collection of group B streptococcal specimens, 22(2):136–140
sleep-disordered breathing during, 22(2):158–168
Preterm infants, improving maternal care with continuous quality improvement strategy, 22(4):380–386
Preventive health examination, increased osteoporosis screening rates associated with, 22(6):655–662
Primary care
diffusion of breast cancer risk assessment, 22(3):272–279
documentation and management of overweight and obesity, 22(5): 544–552
methicillin-resistant *Staphylococcus aureus* skin and soft tissue infections, 22(4):375–379, 22(6):647–654
pan-Canadian primary care sentinel surveillance network, 22(4):412–422
patients, brief intervention for anxiety, 22(2):175–186
physicians
perceived complexity of care, perceived autonomy, and career satisfaction, 22(19):24–33
role in identification and screening of women at high risk for breast cancer, 22(1):43–50
telephonic case management, 22(5):585–587
quality, providing to older adults, 22(3):239–241
settings, diagnosis and treatment of depression, comorbid chronic illness and, 22(2):123–135
Primary Care Multiethnic Network (PRIME Net) Consortium, report, hepatitis C in underserved communities, 22(6):638–646
Prostate cancer
localized, patients' survival expectations and treatment, 22(3):239–241
prostate-specific antigen testing among the elderly, 22(3):257–265, 22(6):707–708
Ptosis, Horner syndrome, unusual presentation of Lyme disease, 22(2): 219–222
Publications, family medicine, in Israel, thirty years (1975–2004), 22(1):57–61
Purulence, clinical importance, methicillin-resistant *Staphylococcus au-*

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

reus skin and soft tissue infections, 22(6):647–654

Quality of life, prostate cancer survival expectations by treatment status, 22(3):247–256

Recurrent aphthous stomatitis, treatment, effectiveness of vitamin B_{12}, 22(1):9–16, 22(5):590–591
Research networks, primary care, development of pan-Canadian primary care sentinel surveillance network, 22(4)412–422
Research participation, barriers, enablers, and incentives for, 22(4):436–445
Respiratory conditions, atopic, allergy skin testing, stroke mortality and, association between, 22(6):604–609
Retirement, personal essay, reflections in family medicine, 22(3):335–336
Retropharyngeal calcific tendonitis, 22(1):84–88
Return to work, postpartum, characteristics of mother-provider interactions, 22(5):498–506
Risk behaviors, personal health behaviors and physical and mental unhealthy days, 22(4):368–374

Screening
alcohol, virtual reality skills training for health care professionals, 22(4):387–398
colorectal cancer, high performance, 22(2):141–146
osteoporosis
increased screening rates associated with provision of preventive health examination, 22(6):655–662
interventions to improve, 22(4):360–367
postpartum depression, comparison of screening tools, 22(5):483–491
prostate-specific antigen testing, elderly patients, 22(3):257–265, 22(6):707–708
Scuba diving, diving medicine, review of current evidence, 22(4):399–407
Seasonal variation, postpartum depression and, 22(5):492–497
Secondary hyperparathyroidism, pathophysiology and treatment, 22(5):574–581
Self-collection, patient, of group B streptococcal specimens during pregnancy, 22(2):136–140
Skin, discoid lupus erythematosus, early diagnosis and treatment, 22(2):206–213
Skin disease, hand dermatitis, review of etiology, diagnosis, and treatment, 22(3):325–330
Skin graft, donor site, bullous lesions on, 22(1):89–92
Skin infections
methicillin-resistant *Staphylococcus aureus*, clinical importance of purulence, 22(6):647–654
methicillin-resistant *Staphylococcus aureus*, risk factors for, 22(4):375–379
Skin testing, allergy, atopic respiratory conditions, stroke mortality and, association between, 22(6):604–609
Sleep, -disordered breathing during pregnancy, 22(2):158–168
Smoking, as vital sign, prompts to ask and assess increase cessation counseling, 22(6):625–632
Soft tissue infections, methicillin-resistant *Staphylococcus aureus*
clinical importance of purulence, 22(6):647–654
risk factors for, 22(4):375–379
Special communications
American Recovery and Reinvestment Act and the National Health Service Corps: a great opportunity for service-minded family physicians, 22(5):582–584
health care for patients with serious mental illness: family medicine's role, 22(2):187–1195
marriage of community-based participatory research and practice-based research networks, 22(4):428–435
practice-based research is community engagement, 22(4):423–427
Special-needs populations, telephonic case management, use to link with primary care physicians, 22(5):585–587
Speculum examination, for patients with vaginal symptoms, 22(6):617–624
Spinal injections, overtreating chronic back pain, (22)1:62–68
Spine surgery, overtreating chronic back pain, (22)1:62–68
Staphylococcus aureus, methicillin-resistant, skin and soft tissue infections
clinical importance of purulence, 22(6):647–654
risk factors for, 22(4):375–379
Stepped care treatment, of postpartum depression, impact on treatment, health, and work outcomes, 22(5):473–482
Stratum corneum, disruption of, in hand dermatitis, 22(3):325–330
Streptococci, non-group A, role in acute pharyngitis, 22(6):663–669
Stroke, mortality, allergy skin testing, atopic respiratory conditions and, association between, 22(6):604–609
Survival expectations, of patients, before localized prostate cancer treatment by treatment status, 22(3):247–256

Telephonic case management, use to link a special-needs population with a primary care physician, 22(5):585–587
Tendons, retropharyngeal calcific tendonitis, 22(1):84–88
Treatment outcomes, impact of stepped care treatment of postpartum depression, 22(5):473–482

Underserved communities, hepatitis C, report from the Primary Care Multiethnic Network (PRIME Net) Consortium, 22(6):638–646
Unhealthy behaviors, personal health behaviors and physical and mental unhealthy days, 22(4):368–374
Urinary tract infections, women over 65, 22(3):266–271

Vaccines, human papillomavirus, acceptance by men, variables associated with, 22(1):34–42
Vaginal symptoms, speculum examination and wet mount, 22(6):617–624
Vertebral compression fractures, osteoporotic, Kummel disease as complication, 22(1):75–78
Virtual reality skills, training for health care professionals in alcohol screening and intervention, 22(4):387–398
Vitamin B_{12}
deficiency, prevalence, patients with type 2 diabetes, 22(5):528–534
effectiveness in treating recurrent aphthous stomatitis, 22(1):9–16, 22(5):590–591
Vitamin D
deficiency and insufficiency, association with diabetic nephropathy, 22(5):521–527
evidence-based review, 22(6):698–706
repletion, improvement of chronic back pain or failed back surgery, (22)1:69–74
Vulvovaginal candidiasis, effects of antibiotics on, correspondence, 22(2):223

Web-based training, for implementing evidence-based management of postpartum depression, 22(5):588–589

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Weight loss
counseling, complexity of, 22(2):113–114
physician recommendations, 22(2):115–122
Wet mount, for patients with vaginal symptoms, 22(6):617–624
White patients, elderly, with hypertension, consistency of care and blood pressure control, 22(3):307–315

Women
at high risk for breast cancer, role of primary care physicians, 22(1):43–50
over age 65, urinary tract infections, 22(3):266–271

Work
outcomes, impact of stepped care treatment of postpartum depression, 22(5):473–482
return to, postpartum, characteristics of mother-provider interactions, 22(5):498–506
Wrist, left wrist myositis, genetically similar individuals, 22(4):408–411

J Am Board Fam Med: first published as on 6 November 2009. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.