

Subject Index to Volume 35, 2022

- Ableism**, and COVID-19, 35(2):390–393
- Academic medical centers**, video visits in a fee-for-service model, 35(3):497–506
- Access to health care**
economic inequality and the primary care physician workforce, 35(1):35–43
ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174
health care navigation and primary care, 35(1):44–54
mammogram order completion rates and diabetes, 35(1):158–162
- Adolescent**
policies and resources to prepare youth for caregiving, 35(4):814–820
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Advanced practice nursing**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Adverse childhood experiences**, policy for routine screening for, 35(4):862–866
- Adverse drug events**, ambulatory medication safety in primary care, 35(3):610–628
- Affordable Care Act**, health care navigation and primary care, 35(1):44–54
- African Americans**
ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174
prescription patterns of antihyperglycemic medications, 35(2):255–263
- Age of onset**, role of children in parents' diabetes management, 35(2):341–351
- Aging**
and chemosensory dysfunction, 35(2):406–419
life satisfaction among older Asian Americans, 35(1):203–205
reflections in family medicine, 35(5):1026–1029
- Ambulatory care**, novel person-centered primary care measure, 35(4):751–761
- American Board of Family Medicine (ABFM)**
certification candidates, racial/ethnic representation among, 35(1):9–17
experience with DIF, 35(1):18–25
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Analysis of variance**
novel person-centered primary care measure, 35(4):751–761
transitional care management and reduced readmissions, 35(3):537–547
- Annual wellness visit**, standardized patient assessments, 35(3):605–609
- Anosmia**, chemosensory dysfunction, 35(2):406–419
- Antibiotics**, prescribing, for respiratory infection, 35(4):733–741
- Anticoagulants**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Antimicrobial stewardship**, antibiotic prescribing for respiratory infection, 35(4):733–741
- Artificial intelligence**, clinician's guide to, 35(1):175–184
- Ascorbic acid**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Asian Americans**, life satisfaction among older Asian Americans, 35(1):203–205
- Asymptomatic hyperuricemia**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Asymptomatic infections**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Athletes**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Atopic dermatitis**, vitamin D for, 35(6):1217–1229
- Behavioral risk factor surveillance system**, primary care physicians caring for cancer survivors, 35(4):708–715
- Behavioral sciences**, impact of COVID-19 on exercise habits, 35(2):295–309
- Bias**, ABFM's 8 years of DIF analysis, 35(1):18–25
- Bioethics**, decriminalization of buprenorphine, 35(2):394–397
- Blood glucose**, metformin prescription rates for prediabetes, 35(4):821–826
- Blood pressure**
out-of-office BP checks for diagnosing hypertension, 35(2):310–319
urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Body mass index**
adequacy of OSA diagnosis in primary care, 35(2):320–328
child obesity EHR tool, 35(4):742–750
metformin prescription rates for prediabetes, 35(4):821–826
- Breast cancer**
mammogram order completion rates and diabetes, 35(1):158–162
mastalgia and breast imaging, 35(5):998–1006
reflections in family medicine, 35(5):1026–1029
- Bronchitis**, antibiotic prescribing for respiratory infection, 35(4):733–741
- Buprenorphine**
decriminalization of, 35(2):394–397
treatment, integrating with primary care, 35(1):206–208
- Burnout**, reflections in family medicine, 35(2):443–444
- California**
COVID-19 mitigation strategies on influenza, 35(4):680–685
life satisfaction among older Asian Americans, 35(1):203–205
policy for routine screening for ACEs, 35(4):862–866
- Canada**, novel person-centered primary care measure, 35(4):751–761
- Cancer**
group-based medical mistrust scale with Latino parents, 35(2):244–254
oncology and primary care views on cancer survivorship, 35(2):329–340
patient research interest differences, 35(2):225–234
- Cancer survivors**
oncology and primary care views on cancer survivorship, 35(2):329–340
primary care physicians caring for, 35(4):708–715
return to primary care, 35(4):827–832
- Cannabis**, Colorado family physicians and medical marijuana, 35(1):102–114
- Cardiology**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Cardiovascular diseases**
EvidenceNOW practice support initiative, 35(5):979–989
gun violence as a patient priority, 35(5):961–967
improving preventive services, 35(5):968–978
patient research interest differences, 35(2):225–234
prior experience in quality improvement initiatives, 35(6):1115–1127
risk calculator adoption, 35(6):1143–1155
vitamin D for, 35(6):1217–1229
- Career choice**
COVID-19 and intended scope of practice, 35(6):1191–1193
impact of COVID-19 pandemic, 35(6):1187–1190
medical school dean demographics, 35(1):163–168
- Career thinking**, changes in, among educators, 35(5):933–939

- Caregivers**
 hospital health care worker perceptions of COVID-19 risk, 35(2):284-294
 intention to vaccinate children against COVID-19, 35(6):1174-1178
 policies and resources to prepare youth for caregiving, 35(4):814-820
 reflections in family medicine, 35(5):1026-1029
- CERA survey**, changes in career thinking among educators, 35(5):933-939
- Certification**
 ABFM's 8 years of DIF analysis, 35(1):18-25
 candidates, ABFM, racial/ethnic representation among, 35(1):9-17
 linguist's perspective on ABFM'S DIF panel, 35(2):387-389
 practice adjustments made during COVID-19, 35(2):274-283
- Chi-square test**
 antiracism training, policies, and practices, 35(4):803-808
 intention to vaccinate children against COVID-19, 35(6):1174-1178
- Child development**, effect of reading to infants on language score, 35(6):1156-1162
- Child health**
 food intake, exercise, and childhood obesity, 35(6):1072-1080
 intention to vaccinate children against COVID-19, 35(6):1174-1178
 spondylolysis and isthmus spondylolysis, 35(6):1204-1216
 vitamin D for common and high-mortality conditions, 35(6):1217-1229
- Cholesterol**, food insecurity and dyslipidemia, 35(4):656-667
- Chronic disease**
 care, guideline concordance of, 35(6):1128-1142
 food insecurity and dyslipidemia, 35(4):656-667
 interventions to increase colorectal cancer screening uptake, 35(4):840-858
 metformin prescription rates for prediabetes, 35(4):821-826
 standardized patient assessments at the wellness visit, 35(3):605-609
 video-visit use, disparities in, 35(3):634-637
- Chronic pain**
 pain management during West Virginia's opioid crisis, 35(5):940-950
 reduction of opioid prescribing after policy change, 35(2):352-369
 vitamin D for, 35(6):1217-1229
- Clinical competence**, out-of-office BP checks for diagnosing hypertension, 35(2):310-319
- Clinical decision-making**
 policies and resources to prepare youth for caregiving, 35(4):814-820
 risk scores to predict COVID-19 hospitalization, 35(6):1058-1064
- Clinical medicine**
 education level and the Montreal Cognitive Assessment, 35(6):1043-1057
 effect of reading to infants on language score, 35(6):1156-1162
- Clinical prediction rule**
 decision threshold for infectious mononucleosis, 35(6):1065-1071
 risk scores to predict COVID-19 hospitalization, 35(6):1058-1064
- Cluster analysis**, COVID-19 pandemic in a Hispanic population, 35(4):686-693
- Cognition**
 education level and the Montreal Cognitive Assessment, 35(6):1043-1057
 telehealth and the needs of vulnerable elders, 35(3):638-639
- Cognitive aging**, education level and the Montreal Cognitive Assessment, 35(6):1043-1057
- Colorado**
 building a PBRN, 35(1):115-123
 family physicians and medical marijuana, 35(1):102-114
 perspectives on data-sharing to address food insecurity, 35(1):85-95
- Commentaries**
 Ableism at the Bedside: People with Intellectual Disabilities and COVID-19, 35(2):390-393
 Family Medicine is Not Immune to Racial and Gender Wage Gaps, 35(4):870-871
 The Gender Pay Gap in Family Medicine: Evidence and Next Steps, 35(1):197-199
 The Impending Collapse of Primary Care: When is Someone Going to Notice?, 35(6):1183-1186
 Informing Equity & Diversity in Primary Care Policy and Practice: Introducing a New Series of Policy Briefs, Commentaries, and Voices in *JABFM*, 35(1):190-196
 Intentionality Required to Equip a Diverse Physician Workforce with Tools and Infrastructure to Deliver Comprehensive Care, 35(3):597-600
 Leveraging Integrated Primary Care to Address Patients' and Families' Unmet Social Needs: Aligning Practice with National Academy of Sciences, Engineering and Medicine Recommendations, 35(1):185-189
 A Linguist's Perspective on the American Board of Family Medicine's Differential Item Functioning Panel, 35(2):387-389
 The Need for Expanding Physician Language Diversity is Too Great to be Left to Chance, 35(1):200-202
 A New Pandemic of Loneliness, 35(3):593-596
 Against Our Instincts: Decriminalization of Buprenorphine, 35(2):394-397
- Promoting Health Equity: A Call for Data Disaggregation on Race and Ethnicity, 35(5):1032-1034
 Ready (or Not)—Here They Come, 35(6):1187-1190
 Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398-399
 Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398-399
 And Then There Were Three: The Decimation of the Affordable Care Act (ACA) CO-OPs, 35(4):867-869
 Trust Takes Two... , 35(6):1179-1182
- Commerce**, toilet stool use for constipation, 35(4):836-839
- Communication**
 effect of reading to infants on language score, 35(6):1156-1162
 online, drug efficacy information, 35(4):833-835
 reflections in family medicine, 35(2):443-444
 strategies for addressing COVID-19 vaccine hesitancy, 35(2):420-426
- Communication barriers**, patient barriers to resources for social needs, 35(4):793-802
- Community-based participatory research**, building a PBRN in western Colorado, 35(1):115-123
- Community health centers**
 guideline concordance of chronic disease care, 35(6):1128-1142
 patient barriers to resources for social needs, 35(4):793-802
 reduction of opioid prescribing after policy change, 35(2):352-369
 SDoH and associations with chronic conditions, 35(4):668-678
- Community medicine**
 counterculture history and an anti-racist future, 35(1):169-172
 interventions to increase colorectal cancer screening uptake, 35(4):840-858
 perspectives on data-sharing to address food insecurity, 35(1):85-95
- Comprehensive health care**
 COVID-19 and intended scope of practice, 35(6):1191-1193
 impact of COVID-19 pandemic, 35(6):1187-1190
- Constipation**, satisfaction of using a toilet stool for, 35(4):836-839
- Continuing medical education**, linguist's perspective on ABFM'S DIF panel, 35(2):387-389
- Continuity of patient care**
 novel person-centered primary care measure, 35(4):751-761
 physician-patient trust, 35(6):1179-1182
 primary care physicians caring for cancer survivors, 35(4):708-715

- Contraception**, barriers and facilitators in medication abortion, 35(3):579–587
- Control groups**, child obesity EHR tool, 35(4):742–750
- Correspondence**
addressing post-COVID symptoms: a guide for primary care, 35(4):874–875
blood pressure checks for diagnosing hypertension: health professionals' knowledge, beliefs, and practice, 35(4):876–877
C-reactive protein *versus* erythrocyte sedimentation rate: implications among patients with no known inflammatory conditions, 35(1):209
diversity of department chairs in family medicine at US medical schools, 35(4):875–876
effect of urate-lowering therapy on renal function, blood pressure and safety in patients with asymptomatic hyperuricemia, 35(3):640–641
impact of geodemographic factors on antibiotic prescribing for acute, uncomplicated bronchitis or upper respiratory tract infection, 35(6):1246
use of point-of-care ultrasonography in primary care to redress health inequities, 35(3):641–642
- Counseling**
child obesity EHR tool, 35(4):742–750
standardized patient assessments at the wellness visit, 35(3):605–609
- COVID-19**
and ableism, 35(2):390–393
and burnout among physicians, 35(5):921–932
changes in career thinking among educators, 35(5):933–939
delay of care for multiple chronic conditions, 35(6):1081–1091
diagnosis, thromboembolic events following, 35(6):1163–1167
equity and telehealth policy, 35(3):588–592
Hispanic population, 35(4):686–693
impact on exercise habits, 35(2):295–309
and intended scope of practice, 35(6):1191–1193
intention to vaccinate children against, 35(6):1174–1178
loneliness, pandemic-related, 35(3):593–596
mild-to-moderate, melatonin and vitamin C for, 35(4):695–707
mitigation strategies, collateral benefit of, on influenza, 35(4):680–685
pandemic, impact of, 35(6):1187–1190
perceived impact on primary care, 35(2):265–273
practice adjustments made during, 35(2):274–283
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
questions, eConsult service and, 35(3):601–604
risk, hospital health care worker perceptions of, 35(2):284–294
risk scores to predict hospitalization, 35(6):1058–1064
stopgap of mental health services during, 35(5):891–896
strategies for addressing vaccine hesitancy, 35(2):420–426
telehealth and the needs of vulnerable elders, 35(3):638–639
telehealth with short interval follow-up, 35(3):485–490
telemedicine impact on visit completion rate, 35(3):475–484
telephone, televideo, and in-office visits diagnoses, 35(3):491–496
video-visit use, disparities in, 35(3):634–637
vitamin D for, 35(6):1217–1229
walking, and mental and physical health, 35(5):897–901
workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Critical care**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Cross-cultural comparison**
counterculture history and an anti-racist future, 35(1):169–172
reflections in family medicine, 35(5):1026–1029
- Cross-sectional studies**
COVID-19 and burnout among physicians, 35(5):921–932
diversity of department chairs in family medicine, 35(1):152–157
documentation support among physicians by gender, 35(5):906–911
eConsult service and COVID-19 questions, 35(3):601–604
food insecurity and dyslipidemia, 35(4):656–667
group-based medical mistrust scale with Latino parents, 35(2):244–254
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
impact of COVID-19 on exercise habits, 35(2):295–309
mental health and discrimination in physicians and residents, 35(5):912–920
oncology and primary care views on cancer survivorship, 35(2):329–340
patient research interest differences, 35(2):225–234
prescription patterns of antihyperglycemic medications, 35(2):255–263
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
psychotherapy and psychiatry visits in the US, 35(5):886–890
SDoH and associations with chronic conditions, 35(4):668–678
standardized patient assessments at the wellness visit, 35(3):605–609
stopgap of mental health services during COVID-19, 35(5):891–896
video-visit use, disparities in, 35(3):634–637
video visits in a fee-for-service model, 35(3):497–506
- Cultural competency**, disparities among leadership in family medicine, 35(5):902–905
- Cultural diversity**
counterculture history and an anti-racist future, 35(1):169–172
“other” race selection and data collection, 35(5):1030–1031
scope of practice by physician race and ethnicity, 35(3):454–456
tools and infrastructure for a diverse workforce, 35(3):557–600
- Curriculum**, point-of-care ultrasound use, 35(4):809–813
- Data analysis**
delay of care for multiple chronic conditions, 35(6):1081–1091
primary care physicians caring for cancer survivors, 35(4):708–715
- Data collection**, and “other” race selection, 35(5):1030–1031
- Data sharing**, to address food insecurity, perspectives on, 35(1):85–95
- Decision support tools**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Deep learning**, clinician's guide to artificial intelligence, 35(1):175–184
- Delayed diagnosis**, family medicine malpractice claims study, 35(2):380–386
- Delivery of health care**
clinician's guide to artificial intelligence, 35(1):175–184
family medicine malpractice claims study, 35(2):380–386
implementation of transgender care, 35(2):235–243
improving cardiovascular disease preventive services, 35(5):968–978
oncology and primary care views on cancer survivorship, 35(2):329–340
physician-patient relationships and burnout, 35(4):716–723
policies and resources to prepare youth for caregiving, 35(4):814–820
primary care physicians caring for cancer survivors, 35(4):708–715
- Dementia**
and chemosensory dysfunction, 35(2):406–419
telehealth and the needs of vulnerable elders, 35(3):638–639
vitamin D for, 35(6):1217–1229
- Depression**, vitamin D for, 35(6):1217–1229
- Dermatitis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Dermatology**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Diabetes**, and mammogram order completion rates, 35(1):158–162

- Diabetes mellitus**
patient research interest differences, 35(2):225–234
SDoH and associations with chronic conditions, 35(4):668–678
- Diabetes Prevention Program (DPP)**, adaptation of, to address prediabetes, 35(3):548–558
- Dietary supplements**
melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Differential item functioning (DIF)**
ABFM's 8 years of experience with, 35(1):18–25
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Diffusion of innovation**, antiracism training, policies, and practices, 35(4):803–808
- Digital divide**
disparities in use of patient portals, 35(3):559–569
equity and telehealth policy, 35(3):588–592
- Directly observed therapy**, effect of stigma levels in TB patients, 35(5):951–960
- Disease**, impact of COVID-19 on exercise habits, 35(2):295–309
- Disease management**
EvidenceNOW practice support initiative, 35(5):979–989
guideline concordance of chronic disease care, 35(6):1128–1142
urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
video-visit use, disparities in, 35(3):634–637
- Diversity**
of department chairs in family medicine, 35(1):152–157
family physicians deliver care in diverse languages, 35(1):5–6
- Documentation**, support for, variation among physicians by gender, 35(5):906–911
- Double-blind method**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Down syndrome**, ableism and COVID-19, 35(2):390–393
- Drug-induced abortion**, barriers and facilitators in, 35(3):579–587
- Dupuytren's contracture**, practical management, 35(6):1194–1203
- Dyslipidemias**, and food insecurity, 35(4):656–667
- Early medical intervention**, evaluation of a HCV screening intervention, 35(5):990–997
- eConsult**, service, and COVID-19 questions, 35(3):601–604
- Editorial Office News and Notes**
The Most Frequently Read Articles of 2021, 35(4):652–654
- Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2021, 35(2):219–222
- Welcome, Family Medicine Residents!, 35(6):1042
- Editorials**
Three JABFM Articles Are in the Primary Care Collaborative Curated List of 24 Essential Primary Care Research Articles, 35(4):655
- Editors' Notes**
Clinically Useful Family Medicine Research, 35(6):1039–1041
Family Medicine Researchers Explore the Social Determinants of Health, COVID-19 Issues, and Cancer Survivor Care, 35(4):649–651
Health Care Equity for Family Medicine Patients and Family Physician Equity, 35(1):1–4
Mental Health of Patients and Clinicians Before and During the COVID-19 Pandemic, 35(5):883–885
The "Telehealth Divide"—Who Are the Underserved, and What Care Is Improved?, 35(3):451–453
This Issue's Emphasis: Inequity and COVID-19, Intertwined, 35(2):215–218
- Electronic health records**
child obesity EHR tool, 35(4):742–750
documentation support among physicians by gender, 35(5):906–911
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
transitional care management and reduced readmissions, 35(3):537–547
- Electronic medical record**, evaluation of a HCV screening intervention, 35(5):990–997
- Electronic prescribing**, ambulatory medication safety in primary care, 35(3):610–628
- Emergency medicine**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Employment**, impact of COVID-19 on exercise habits, 35(2):295–309
- Epidermal inclusion cysts**, practical management, 35(6):1194–1203
- Episode of care**, gender differences in diagnosed diseases, 35(1):73–84
- Equity**, editors' note, 35(1):1–4
- Ethical issues**, in sports medicine, 35(6):1230–1238
- Ethnic groups**
ABFM's 8 years of DIF analysis, 35(1):18–25
representation among ABFM certification candidates, 35(1):9–17
- Ethnicity**, patient research interest differences, 35(2):225–234
- Evidence-based medicine**
decision threshold for infectious mononucleosis, 35(6):1065–1071
mastalgia and breast imaging, 35(5):998–1006
- online communication of drug efficacy information, 35(4):833–835
- Evidence-based practice**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Exercise**
child obesity EHR tool, 35(4):742–750
food intake and childhood obesity, 35(6):1072–1080
- Faculty**
interventions to increase colorectal cancer screening uptake, 35(4):840–858
medical school dean demographics, 35(1):163–168
point-of-care ultrasound use, 35(4):809–813
- Family leave**, policies and resources to prepare youth for caregiving, 35(4):814–820
- Family medicine**
ABFM's 8 years of DIF analysis, 35(1):18–25
adequacy of OSA diagnosis in primary care, 35(2):320–328
ambulatory medication safety in primary care, 35(3):610–628
antiracism training, policies, and practices, 35(4):803–808
barriers and facilitators in medication abortion, 35(3):579–587
building a PBRN in western Colorado, 35(1):115–123
changes in career thinking among educators, 35(5):933–939
clinical quality measures and family physicians, 35(2):427–434
Colorado family physicians and medical marijuana, 35(1):102–114
counterculture history and an anti-racist future, 35(1):169–172
COVID-19 and intended scope of practice, 35(6):1191–1193
delivery of care in diverse languages, 35(1):5–6
diagnosis and management of plantar dermatoses, 35(2):435–442
disparities among leadership in family medicine, 35(5):902–905
disparities in use of patient portals, 35(3):559–569
diversity of department chairs in, 35(1):152–157
documentation support among physicians by gender, 35(5):906–911
economic inequality and the primary care physician workforce, 35(1):35–43
eConsult service and COVID-19 questions, 35(3):601–604
external environment of building PBRNs, 35(4):762–792
gender pay gap, 35(1):7–8
impact of COVID-19 on exercise habits, 35(2):295–309
impact of COVID-19 pandemic, 35(6):1187–1190
impact of telehealth on physician panel sizes, 35(5):1007–1014

- implementation of transgender care, 35(2):235–243
- integrating buprenorphine treatment with primary care, 35(1):206–208
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- malpractice claims study, 35(2):380–386
- mammogram order completion rates and diabetes, 35(1):158–162
- medical school dean demographics, 35(1):163–168
- mental health and discrimination in physicians and residents, 35(5):912–920
- minority physicians care for vulnerable populations, 35(2):223–224
- model person-centered primary care measure, 35(4):751–761
- “other” race selection and data collection, 35(5):1030–1031
- opioid management during West Virginia's opioid crisis, 35(5):940–950
- pandemic-related loneliness, 35(3):593–596
- patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- physician income disparities by race and gender, 35(4):859–861
- physician-patient relationships and burnout, 35(4):716–723
- point-of-care ultrasound use, 35(4):809–813
- policy for routine screening for ACEs, 35(4):862–866
- practice adjustments made during COVID-19, 35(2):274–283
- practice participation in facilitation during a QI initiative, 35(1):124–139
- predictors of primary care practice among medical students, 35(2):370–379
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- relationship between community program location and needs, 35(1):55–72
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- stopgap of mental health services during COVID-19, 35(5):891–896
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- video visits in a fee-for-service model, 35(3):497–506
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Family physicians**
barriers and facilitators in medication abortion, 35(3):579–587
- care delivery in diverse languages, 35(1):5–6
- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and graduate medical education, 35(6):1187–1190
- COVID-19 and intended scope of practice, 35(6):1191–1193
- income disparities by race and gender, 35(4):859–861
- and medical marijuana, Colorado, 35(1):102–114
- minority physicians care for vulnerable populations, 35(2):223–224
- “other” race selection and data collection, 35(5):1030–1031
- point-of-care ultrasound use, 35(4):809–813
- practice adjustments made during COVID-19, 35(2):274–283
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Family practice**, physician-patient trust, 35(6):1179–1182
- Fasting**, metformin prescription rates for prediabetes, 35(4):821–826
- Fee-for-service plans**, video visits in a fee-for-service model, 35(3):497–506
- Fingers**, lumps and bumps of, practical management, 35(6):1194–1203
- Fitness trackers**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Focus groups**, role of children in parents' diabetes management, 35(2):341–351
- Follow-up studies**
metformin prescription rates for prediabetes, 35(4):821–826
patient barriers to resources for social needs, 35(4):793–802
walking during the COVID-19 pandemic, 35(5):897–901
- Follow-up visits**, short interval, telehealth with, 35(3):485–490
- Food insecurity**
and dyslipidemia, 35(4):656–667
patient barriers to resources for social needs, 35(4):793–802
perspectives on data-sharing to address, 35(1):85–95
relationship between community program location and needs, 35(1):55–72
- Framework**, appropriate telemedicine in primary care, 35(3):507–516
- Ganglion cysts**, practical management, 35(6):1194–1203
- Gastroenterology**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- Gender**, disparities among leadership in family medicine, 35(5):902–905
- Gender differences**
in diagnosed diseases, 35(1):73–84
- family medicine's gender pay gap, 35(1):7–8
- family physician income, 35(4):859–861
- mental health and discrimination in physicians and residents, 35(5):912–920
- support for documentation, 35(5):906–911
- Gender dysphoria**, implementation of transgender care, 35(2):235–243
- Genetics**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Geospatial analysis**, relationship between community program location and needs, 35(1):55–72
- Geriatric psychiatry**, telehealth and the needs of vulnerable elders, 35(3):638–639
- Geriatrics**
chemosensory dysfunction, 35(2):406–419
education level and the Montreal Cognitive Assessment, 35(6):1043–1057
telehealth and the needs of vulnerable elders, 35(3):638–639
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Giant cell tumors**, practical management, 35(6):1194–1203
- Gini coefficient**, economic inequality and the primary care physician workforce, 35(1):35–43
- Glucagon-like peptide 1**, prescription patterns, 35(2):255–263
- Group-Based Medical Mistrust Scale**, validating, with Latino parents, 35(2):244–254
- Gun violence**, as a patient priority, 35(5):961–967
- Hair diseases**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hand**, lumps and bumps of, practical management, 35(6):1194–1203
- HbA1c**
metformin prescription rates for prediabetes, 35(4):821–826
SDoH and associations with chronic conditions, 35(4):668–678
- Health behavior**
Colorado family physicians and medical marijuana, 35(1):102–114
group-based medical mistrust scale with Latino parents, 35(2):244–254
impact of COVID-19 on exercise habits, 35(2):295–309
relationship between community program location and needs, 35(1):55–72
- Health care disparities**
COVID-19 pandemic in a Hispanic population, 35(4):686–693
equity and telehealth policy, 35(3):588–592
mammogram order completion rates and diabetes, 35(1):158–162

- Health care outcome assessment**
economic inequality and the primary care physician workforce, 35(1):35–43
nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health communication**
online communication of drug efficacy information, 35(4):833–835
physician–patient trust, 35(6):1179–1182
- Health equity**
antiracism training, policies, and practices, 35(4):803–808
clinician’s guide to artificial intelligence, 35(1):175–184
differences in hypertension medication prescribing for Black Americans, 35(1):26–34
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
race and racism in academic medicine, 35(6):1239–1245
- Health inequities**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Health information management**, disparities in use of patient portals, 35(3):559–569
- Health insurance**, decimation of ACA CO-OPs, 35(4):867–869
- Health literacy**
mastalgia and breast imaging, 35(5):998–1006
nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health personnel**
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
practice participation in facilitation during a QI initiative, 35(1):124–139
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health policy**
antiracism training, policies, and practices, 35(4):803–808
barriers and facilitators in medication abortion, 35(3):579–587
decimation of ACA CO-OPs, 35(4):867–869
decriminalization of buprenorphine, 35(2):394–397
envisioning the future of virtual primary care, 35(3):527–536
equity and telehealth policy, 35(3):588–592
health care navigation and primary care, 35(1):44–54
impending collapse of primary care, 35(6):1183–1186
policies and resources to prepare youth for caregiving, 35(4):814–820
policy for routine screening for ACEs, 35(4):862–866
race and racism in academic medicine, 35(6):1239–1245
reduction of opioid prescribing after policy change, 35(2):352–369
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health promotion**
interventions to increase colorectal cancer screening uptake, 35(4):840–858
policies and resources to prepare youth for caregiving, 35(4):814–820
- Health services accessibility**
barriers and facilitators in medication abortion, 35(3):579–587
COVID-19’s perceived impact on primary care, 35(2):265–273
decimation of ACA CO-OPs, 35(4):867–869
decriminalization of buprenorphine, 35(2):394–397
delay of care for multiple chronic conditions, 35(6):1081–1091
eConsult service and COVID-19 questions, 35(3):601–604
equity and telehealth policy, 35(3):588–592
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
impact of telehealth on physician panel sizes, 35(5):1007–1014
impending collapse of primary care, 35(6):1183–1186
minority physicians care for vulnerable populations, 35(2):223–224
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
patient barriers to resources for social needs, 35(4):793–802
practice adjustments made during COVID-19, 35(2):274–283
scope of practice by physician race and ethnicity, 35(3):454–456
stopgap of mental health services during COVID-19, 35(5):891–896
telemedicine impact on visit completion rate, 35(3):475–484
tools and infrastructure for a diverse workforce, 35(3):557–600
transportation screening questions in social risk assessment, 35(2):400–405
- Health services research**
practice participation in facilitation during a QI initiative, 35(1):124–139
psychotherapy and psychiatry visits in the US, 35(5):886–890
- Health surveys**
life satisfaction among older Asian Americans, 35(1):203–205
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Healthy lifestyle**, child obesity EHR tool, 35(4):742–750
- Heart disease risk factors**, EvidenceNOW practice support initiative, 35(5):979–989
- Hepatitis C**, evaluation of a HCV screening intervention, 35(5):990–997
- Hispanic Americans**, health care navigation and primary care, 35(1):44–54
- Hispanic or Latino**, parents, group-based medical mistrust scale, 35(2):244–254
- Hispanics**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Housing**, relationship between community program location and needs, 35(1):55–72
- Housing instability**, patient barriers to resources for social needs, 35(4):793–802
- Humanities**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hunger**, food insecurity and dyslipidemia, 35(4):656–667
- Hyperlipidemia**, improving cardiovascular disease preventive services, 35(5):968–978
- Hypertension**
improving cardiovascular disease preventive services, 35(5):968–978
medication, differences in prescribing for Black Americans, 35(1):26–34
out-of-office BP checks for diagnosing hypertension, 35(2):310–319
SDoH and associations with chronic conditions, 35(4):668–678
vitamin D for, 35(6):1217–1229
- ICD codes**, telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- Illicit drugs**, healthcare and mental health, transgender persons, 35(6):1092–1102
- Implementation science**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Incidence**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Income**, family medicine’s gender pay gap, 35(1):7–8
- Infant health**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Infectious diseases**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Infectious mononucleosis**, decision threshold for, 35(6):1065–1071
- Influenza**, COVID-19 mitigation strategies on, 35(4):680–685
- Information systems**, transitional care management and reduced readmissions, 35(3):537–547
- Information technology**
clinician’s guide to artificial intelligence, 35(1):175–184
qualitative examination of telemedicine implementation, 35(3):517–526
- Insurance**, minority physicians care for vulnerable populations, 35(2):223–224
- Integrated delivery of health care**, to address unmet social needs, 35(1):185–189
- Integrated health care systems**, isolation and memory loss among older adults, 35(6):1168–1173

- Intellectual disability**, ableism and COVID-19, 35(2):390–393
- Internet**, online communication of drug efficacy information, 35(4):833–835
- Isthmic spondylolisthesis**, diagnosis and management, 35(6):1204–1216
- Kansas**, COVID-19 and burnout among physicians, 35(5):921–932
- Knowledge translation**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Language**, diversity, family physicians' delivery of care, 35(1):5–6
- Language development**, effect of reading to infants, 35(6):1156–1162
- Laxatives**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- LDL triglyceride**, food insecurity and dyslipidemia, 35(4):656–667
- Leadership**
disparities among leadership in family medicine, 35(5):902–905
diversity of department chairs in family medicine, 35(1):152–157
guideline concordance of chronic disease care, 35(6):1128–1142
medical school dean demographics, 35(1):163–168
prior experience in quality improvement initiatives, 35(6):1115–1127
race and racism in academic medicine, 35(6):1239–1245
- Learning health system**, transitional care management and reduced readmissions, 35(3):537–547
- Legal issues**, in sports medicine, 35(6):1230–1238
- LGBTQ persons**, implementation of transgender care, 35(2):235–243
- Licensed practical nurses**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Lifestyle**
adaptation of the DPP to address pre-diabetes, 35(3):548–558
impact of COVID-19 on exercise habits, 35(2):295–309
- Limited English proficiency**, family physicians deliver care in diverse languages, 35(1):5–6
- Linear models**
delay of care for multiple chronic conditions, 35(6):1081–1091
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
prior experience in quality improvement initiatives, 35(6):1115–1127
stigma in VDOT for TB patients, 35(5):951–960
walking during the COVID-19 pandemic, 35(5):897–901
- Linguistics**
family physicians deliver care in diverse languages, 35(1):5–6
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Logistic models**
adequacy of OSA diagnosis in primary care, 35(2):320–328
antiracism training, policies, and practices, 35(4):803–808
child obesity EHR tool, 35(4):742–750
decision threshold for infectious mononucleosis, 35(6):1065–1071
documentation support among physicians by gender, 35(5):906–911
intention to vaccinate children against COVID-19, 35(6):1174–1178
isolation and memory loss among older adults, 35(6):1168–1173
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
predictors of primary care practice among medical students, 35(2):370–379
prescription patterns of antihyperglycemic medications, 35(2):255–263
SDoH and associations with chronic conditions, 35(4):668–678
- Loneliness**
pandemic-related, 35(3):593–596
reflections in family medicine, 35(2):443–444
- Long-COVID**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Los Angeles**, health care navigation and primary care, 35(1):44–54
- Low back pain**
nonadherence to guidelines for opioid prescribing, 35(4):724–732
spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Low-value care**, mastalgia and breast imaging, 35(5):998–1006
- Machine learning**, clinician's guide to artificial intelligence, 35(1):175–184
- Maine**, decimation of ACA CO-OPs, 35(4):867–869
- Malpractice**, claims study, family medicine, 35(2):380–386
- Mammography**
and mastalgia, 35(5):998–1006
order completion rates and diabetes, 35(1):158–162
- Management**, impact of COVID-19 on exercise habits, 35(2):295–309
- Massachusetts**, clinical quality measures and family physicians, 35(2):427–434
- Mastalgia**, and breast imaging, 35(5):998–1006
- Medicaid**, reduction of opioid prescribing after policy change, 35(2):352–369
- Medical anthropology**, gun violence as a patient priority, 35(5):961–967
- Medical decision-making**, appropriate telemedicine in primary care, 35(3):507–516
- Medical education**
ABFM's 8 years of DIF analysis, 35(1):18–25
changes in career thinking among educators, 35(5):933–939
counterculture history and an anti-racist future, 35(1):169–172
ethical and legal issues in sports medicine, 35(6):1230–1238
states' loan repayment and forgiveness programs, 35(5):1015–1025
- Medical ethics**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Medical expenditure panel survey (MEPS)**, psychotherapy and psychiatry visits in the US, 35(5):886–890
- Medical faculty**, disparities among leadership in family medicine, 35(5):902–905
- Medical marijuana**, and Colorado family physicians, 35(1):102–114
- Medical schools**
diversity of department chairs in family medicine, 35(1):152–157
medical school dean demographics, 35(1):163–168
predictors of primary care practice among medical students, 35(2):370–379
- Medical students**, mental health and discrimination in physicians and residents, 35(5):912–920
- Medically underserved area**
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
telemedicine approaches for mental health disorders, 35(3):465–474
- Medically unexplained symptoms**, gender differences in diagnosed diseases, 35(1):73–84
- Medically uninsured**, patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- Medicare**
isolation and memory loss among older adults, 35(6):1168–1173
standardized patient assessments at the wellness visit, 35(3):605–609
- Medication-assisted treatment**, integrating buprenorphine treatment with primary care, 35(1):206–208
- Medication safety**, in primary care, 35(3):610–628
- Medication therapy management**, telemedicine approaches for mental health disorders, 35(3):465–474
- Medicolegal**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Melatonin**, and vitamin C, for mild-to-moderate COVID-19, 35(4):695–707
- Memory disorders**, isolation and memory loss among older adults, 35(6):1168–1173
- Mental health**
COVID-19 and burnout among physicians, 35(5):921–932
delay of care for multiple chronic conditions, 35(6):1081–1091
and discrimination in physicians and residents, 35(5):912–920
gun violence as a patient priority, 35(5):961–967

- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- integrating buprenorphine treatment with primary care, 35(1):206–208
- life satisfaction among older Asian Americans, 35(1):203–205
- mental health, and substance use, transgender persons, 35(6):1092–1102
- pandemic-related loneliness, 35(3):593–596
- patient research interest differences, 35(2):225–234
- psychotherapy and psychiatry visits in the US, 35(5):886–890
- relationship between community program location and needs, 35(1):55–72
- telemedicine approaches for mental health disorders, 35(3):465–474
- walking during the COVID-19 pandemic, 35(5):897–901
- Mental health services**, stopgap of, during COVID-19, 35(5):891–896
- Meta-analysis**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Metabolic syndrome**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Metformin**, prescription rates for prediabetes, 35(4):821–826
- Mexico**, mental health and discrimination in physicians and residents, 35(5):912–920
- mHealth**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Michigan**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
 - family medicine malpractice claims study, 35(2):380–386
 - predictors of primary care practice among medical students, 35(2):370–379
- Mifepristone**, barriers and facilitators in medication abortion, 35(3):579–587
- Minority groups**
- ABFM's 8 years of DIF analysis, 35(1):18–25
 - counterculture history and an anti-racist future, 35(1):169–172
 - disparities in use of patient portals, 35(3):559–569
 - diversity of department chairs in family medicine, 35(1):152–157
 - medical school dean demographics, 35(1):163–168
 - representation among ABFM certification candidates, 35(1):9–17
- Minority health**
- counterculture history and an anti-racist future, 35(1):169–172
 - COVID-19 pandemic in a Hispanic population, 35(4):686–693
 - equity and telehealth policy, 35(3):588–592
 - group-based medical mistrust scale with Latino parents, 35(2):244–254
 - health care navigation and primary care, 35(1):44–54
 - healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
 - implementation of transgender care, 35(2):235–243
 - life satisfaction among older Asian Americans, 35(1):203–205
 - minority physicians care for vulnerable populations, 35(2):223–224
 - race and racism in academic medicine, 35(6):1239–1245
- Mobile applications**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Montana**, decimation of ACA CO-OPs, 35(4):867–869
- Montreal Cognitive Assessment**, education level and, 35(6):1043–1057
- Motivation**
- effect of reading to infants on language score, 35(6):1156–1162
 - role of children in parents' diabetes management, 35(2):341–351
- Motivational interviewing**, strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- Multimorbidity**, video-visit use, disparities in, 35(3):634–637
- Multiple chronic conditions**, delay of care for, 35(6):1081–1091
- Multivariate analysis**, nonadherence to guidelines for opioid prescribing, 35(4):724–732
- National Health Service Corps**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Needs assessment**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Network meta-analysis**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Neuropsychology**, education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- New England**, COVID-19's perceived impact on primary care, 35(2):265–273
- New York City**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- No-show patients**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Nominal group technique**, building a PBRN in western Colorado, 35(1):115–123
- Nonverbal communication**, qualitative examination of telemedicine implementation, 35(3):517–526
- North American Primary Care Research Group (NAPCRG)**, reflections in family medicine, 35(4):872–873
- North Carolina**, economic inequality and the primary care physician workforce, 35(1):35–43
- Nurses**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Nutrition assessment**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Obesity**
- metformin prescription rates for prediabetes, 35(4):821–826
 - prescription patterns of antihyperglycemic medications, 35(2):255–263
- Obstetrics**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Obstructive sleep apnea (OSA)**, diagnosis, adequacy of, in primary care, 35(2):320–328
- Oklahoma**, oncology and primary care views on cancer survivorship, 35(2):329–340
- Olfaction disorders**, chemosensory dysfunction, 35(2):406–419
- Ontario**, eConsult service and COVID-19 questions, 35(3):601–604
- Opiates**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioid-related disorders**
- decriminalization of buprenorphine, 35(2):394–397
 - integrating buprenorphine treatment with primary care, 35(1):206–208
 - pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioids**
- decriminalization of buprenorphine, 35(2):394–397
 - prescribing, nonadherence to guidelines for, 35(4):724–732
 - prescribing, reduction of, after policy change, 35(2):352–369
- Oregon**, reduction of opioid prescribing after policy change, 35(2):352–369
- Organizational policy**, race and racism in academic medicine, 35(6):1239–1245
- Otolaryngology**, chemosensory dysfunction, 35(2):406–419
- Outcome assessment**
- delay of care for multiple chronic conditions, 35(6):1081–1091
 - isolation and memory loss among older adults, 35(6):1168–1173
 - pandemic-related loneliness, 35(3):593–596
- Outcomes research**, mammogram order completion rates and diabetes, 35(1):158–162
- Outpatients**
- COVID-19 pandemic in a Hispanic population, 35(4):686–693
 - lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203
 - risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Pain**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216

Pandemics

- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and intended scope of practice, 35(6):1191–1193
- COVID-19's perceived impact on primary care, 35(2):265–273
- delay of care for multiple chronic conditions, 35(6):1081–1091
- eConsult service and COVID-19 questions, 35(3):601–604
- envisioning the future of virtual primary care, 35(3):527–536
- Hispanic population, COVID-19 infection, 35(4):686–693
- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- impact of COVID-19 on exercise habits, 35(2):295–309
- impact of COVID-19 pandemic on medical education system, 35(6):1187–1190
- mitigation strategies, collateral benefit of, on influenza, 35(4):680–685
- pandemic-related loneliness, 35(3):593–596
- practice adjustments made during COVID-19, 35(2):274–283
- stopgap of mental health services during COVID-19, 35(5):891–896
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- video-visit use, disparities in, 35(3):634–637
- walking during the COVID-19 pandemic, 35(5):897–901
- Parenting**, role of children in parents' diabetes management, 35(2):341–351

Parents

- effect of reading to infants on language score, 35(6):1156–1162
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Latino, group-based medical mistrust scale, 35(2):244–254

Patient acceptance of health care

- group-based medical mistrust scale with Latino parents, 35(2):244–254

Patient care

- COVID-19's perceived impact on primary care, 35(2):265–273
- eConsult service and COVID-19 questions, 35(3):601–604
- family physicians deliver care in diverse languages, 35(1):5–6

Patient care team

- child obesity EHR tool, 35(4):742–750
- integrated primary care to address unmet social needs, 35(1):185–189

Patient-centered care

- barriers and facilitators in medication abortion, 35(3):579–587
- diabetes shared medical appointments, 35(6):1103–1114

- disparities in use of patient portals, 35(3):559–569
- integrated primary care to address unmet social needs, 35(1):185–189
- pain management during West Virginia's opioid crisis, 35(5):940–950
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine approaches for mental health disorders, 35(3):465–474

Patient compliance, mammogram order completion rates and diabetes, 35(1):158–162**Patient hand-off**, cancer survivors return to primary care, 35(4):827–832**Patient navigation**, patient barriers to resources for social needs, 35(4):793–802**Patient portals**, disparities in use of, 35(3):559–569**Patient Protection and Affordable Care Act**, decimation of ACA CO-OPs, 35(4):867–869**Patient readmission**, transitional care management and reduced readmissions, 35(3):537–547**Patient reported outcome measures** delay of care for multiple chronic conditions, 35(6):1081–1091

diabetes shared medical appointments, 35(6):1103–1114

novel person-centered primary care measure, 35(4):751–761

patient barriers to resources for social needs, 35(4):793–802

Patient satisfaction

- family physicians deliver care in diverse languages, 35(1):5–6
- novel person-centered primary care measure, 35(4):751–761
- video visits in a fee-for-service model, 35(3):497–506

Pay for performance, clinical quality measures and family physicians, 35(2):427–434**Pediatric obesity**

- EHR tool, 35(4):742–750
- food intake and exercise, 35(6):1072–1080

Pediatrics

- effect of reading to infants on language score, 35(6):1156–1162
- spondylolysis and isthmic spondylolysis, 35(6):1204–1216

Pennsylvania, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064**Perceived discrimination**, mental health and discrimination in physicians and residents, 35(5):912–920**Perception**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294**Personal satisfaction**

- life satisfaction among older Asian Americans, 35(1):203–205
- satisfaction of using a toilet stool for constipation, 35(4):836–839

Pharmaceutical preparations

- antibiotic prescribing for respiratory infection, 35(4):733–741
- metformin prescription rates for prediabetes, 35(4):821–826
- online communication of drug efficacy information, 35(4):833–835

Pharmacoepidemiology, prescription patterns of antihyperglycemic medications, 35(2):255–263**Pharyngitis**, decision threshold for infectious mononucleosis, 35(6):1065–1071**Photovoice**, building a PBRN in western Colorado, 35(1):115–123**Physician assistants**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319**Physician–patient relations**

- family physicians deliver care in diverse languages, 35(1):5–6
- physician–patient trust, 35(6):1179–1182
- video visits in a fee-for-service model, 35(3):497–506

Physicians

- counterculture history and an anti-racist future, 35(1):169–172
- diversity of department chairs in family medicine, 35(1):152–157
- integrating buprenorphine treatment with primary care, 35(1):206–208
- out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- pandemic-related loneliness, 35(3):593–596
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- predictors of primary care practice among medical students, 35(2):370–379
- reflections in family medicine, 35(2):443–444

Physician's practice patterns, reduction of opioid prescribing after policy change, 35(2):352–369**Plastic surgery**, lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203**Point-of-care systems**, ultrasound use, 35(4):809–813**Point-of-care testing**, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101**Policy**

- minority physicians care for vulnerable populations, 35(2):223–224
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600

Polymerase chain reaction, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101

- Population health**
 decimation of ACA CO-OPs, 35(4):867–869
 economic inequality and the primary care physician workforce, 35(1):35–43
 interventions to increase colorectal cancer screening uptake, 35(4):840–858
 metformin prescription rates for prediabetes, 35(4):821–826
 patient barriers to resources for social needs, 35(4):793–802
- Population health management**, prior experience in quality improvement initiatives, 35(6):1115–1127
- Postpartum**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Poverty**, health care navigation and primary care, 35(1):44–54
- Practice-based research networks**
 building, external environment of, 35(4):762–792
 building, in western Colorado, 35(1):115–123
 patient research interest differences, 35(2):225–234
- Practice management**
 documentation support among physicians by gender, 35(5):906–911
 states' loan repayment and forgiveness programs, 35(5):1015–1025
- Precision medicine**, differences in hypertension medication prescribing for Black Americans, 35(1):26–34
- Prediabetes**, metformin prescription rates for, 35(4):821–826
- Pregnancy**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Prenatal care**
 interventions to increase colorectal cancer screening uptake, 35(4):840–858
 vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Prescriptions**
 differences in hypertension medication prescribing for Black Americans, 35(1):26–34
 metformin prescription rates for prediabetes, 35(4):821–826
 pain management during West Virginia's opioid crisis, 35(5):940–950
 patterns, of antihyperglycemic medications, 35(2):255–263
 reduction of opioid prescribing after policy change, 35(2):352–369
- Prevalence**
 nonadherence to guidelines for opioid prescribing, 35(4):724–732
 previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Preventive care**
 chemosensory dysfunction, 35(2):406–419
 evaluation of a HCV screening intervention, 35(5):990–997
- Preventive health services**, standardized patient assessments at the wellness visit, 35(3):605–609
- Primary care physicians**
 caring for cancer survivors, 35(4):708–715
 impact of telehealth on physician panel sizes, 35(5):1007–1014
 medical school dean demographics, 35(1):163–168
 minority physicians care for vulnerable populations, 35(2):223–224
 workforce, and economic inequality, 35(1):35–43
- Primary health care**
 adaptation of the DPP to address prediabetes, 35(3):548–558
 adequacy of OSA diagnosis, 35(2):320–328
 barriers and facilitators in medication abortion, 35(3):579–587
 building a PBRN in western Colorado, 35(1):115–123
 cancer survivors return to, 35(4):827–832
 cardiovascular disease risk calculator adoption, 35(6):1143–1155
 child obesity EHR tool, 35(4):742–750
 clinician's guide to artificial intelligence, 35(1):175–184
 Colorado family physicians and medical marijuana, 35(1):102–114
 COVID-19 pandemic in a Hispanic population, 35(4):686–693
 decision threshold for infectious mononucleosis, 35(6):1065–1071
 delay of care for multiple chronic conditions, 35(6):1081–1091
 diagnosis and management of plantar dermatoses, 35(2):435–442
 differences in hypertension medication prescribing for Black Americans, 35(1):26–34
 disparities in use of patient portals, 35(3):559–569
 documentation support among physicians by gender, 35(5):906–911
 economic inequality and the primary care physician workforce, 35(1):35–43
 eConsult service and COVID-19 questions, 35(3):601–604
 effect of reading to infants on language score, 35(6):1156–1162
 ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
 evaluation of a HCV screening intervention, 35(5):990–997
 EvidenceNOW practice support initiative, 35(5):979–989
 external environment of building PBRNs, 35(4):762–792
 family medicine's gender pay gap, 35(1):7–8
 family physicians deliver care in diverse languages, 35(1):5–6
 gender differences in diagnosed diseases, 35(1):73–84
 guideline concordance of chronic disease care, 35(6):1128–1142
 gun violence as a patient priority, 35(5):961–967
 and health care navigation, 35(1):44–54
 impact of COVID-19 on exercise habits, 35(2):295–309
 impact of telehealth on physician panel sizes, 35(5):1007–1014
 impending collapse of, 35(6):1183–1186
 implementation of transgender care, 35(2):235–243
 improving cardiovascular disease preventive services, 35(5):968–978
 integrated primary care to address unmet social needs, 35(1):185–189
 integrating buprenorphine treatment with, 35(1):206–208
 interventions to increase colorectal cancer screening uptake, 35(4):840–858
 life satisfaction among older Asian Americans, 35(1):203–205
 lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203
 mammogram order completion rates and diabetes, 35(1):158–162
 medical school dean demographics, 35(1):163–168
 medication safety in, 35(3):610–628
 novel person-centered primary care measure, 35(4):751–761
 out-of-office BP checks for diagnosing hypertension, 35(2):310–319
 pain management during West Virginia's opioid crisis, 35(5):940–950
 pandemic-related loneliness, 35(3):593–596
 patient- and provider-level factors and telemedicine utilization, 35(3):457–464
 patient research interest differences, 35(2):225–234
 perceived impact of COVID-19, 35(2):265–273
 perspectives on data-sharing to address food insecurity, 35(1):85–95
 physician income disparities by race and gender, 35(4):859–861
 physician-patient relationships and burnout, 35(4):716–723
 policy for routine screening for ACEs, 35(4):862–866
 practice, among medical students, predictors of, 35(2):370–379
 practice participation in facilitation during a QI initiative, 35(1):124–139
 primary care physicians caring for cancer survivors, 35(4):708–715
 prior experience in quality improvement initiatives, 35(6):1115–1127
 psychotherapy and psychiatry visits in the US, 35(5):886–890
 racial/ethnic representation among ABFM certification candidates, 35(1):9–17
 reduction of opioid prescribing after policy change, 35(2):352–369
 satisfaction of using a toilet stool for constipation, 35(4):836–839
 standardized patient assessments at the wellness visit, 35(3):605–609
 states' loan repayment and forgiveness programs, 35(5):1015–1025
 stopgap of mental health services during COVID-19, 35(5):891–896

- telemedicine approaches for mental health disorders, 35(3):465–474
- appropriate use of, qualitative work towards framework for, 35(3):507–516
- appropriate use of, working framework for, 35(3):629–633
- impact on visit completion rate, 35(3):475–484
- implementation, qualitative examination of, 35(3):517–526
- with short interval follow-up, 35(3):485–490
- video-visit use, disparities in, 35(3):634–637
- video visits in a fee-for-service model, 35(3):497–506
- views on cancer survivorship, 35(2):329–340
- virtual care services, envisioning the future of, 35(3):527–536
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- walking during the COVID-19 pandemic, 35(5):897–901
- Professional burnout**
- and COVID-19 pandemic, 35(5):921–932
- documentation support among physicians by gender, 35(5):906–911
- Program evaluation**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Prospective studies**
- cancer survivors return to primary care, 35(4):827–832
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Pseudofolliculitis barbae**, ethnic equity implications, 35(1):173–174
- Psoriasis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Psychiatry**
- telemedicine approaches for mental health disorders, 35(3):465–474
- visits in the US, 35(5):886–890
- Psychometrics**
- ABFM's 8 years of DIF analysis, 35(1):18–25
- education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Psychotherapy**
- telemedicine approaches for mental health disorders, 35(3):465–474
- visits in the US, 35(5):886–890
- PTSD**, gun violence as a patient priority, 35(5):961–967
- Public health**
- impending collapse of primary care, 35(6):1183–1186
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Qualitative methods**
- qualitative examination of telemedicine implementation, 35(3):517–526
- working framework for virtual primary care, 35(3):629–633
- Qualitative research**
- appropriate telemedicine in primary care, 35(3):507–516
- barriers and facilitators in medication abortion, 35(3):579–587
- COVID-19's perceived impact on primary care, 35(2):265–273
- guideline concordance of chronic disease care, 35(6):1128–1142
- gun violence as a patient priority, 35(5):961–967
- pain management during West Virginia's opioid crisis, 35(5):940–950
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- physician-patient relationships and burnout, 35(4):716–723
- practice participation in facilitation during a QI initiative, 35(1):124–139
- role of children in parents' diabetes management, 35(2):341–351
- telemedicine approaches for mental health disorders, 35(3):465–474
- Quality control**, ABFM's 8 years of DIF analysis, 35(1):18–25
- Quality improvement**
- cardiovascular disease risk calculator adoption, 35(6):1143–1155
- clinician's guide to artificial intelligence, 35(1):175–184
- EvidenceNOW practice support initiative, 35(5):979–989
- guideline concordance of chronic disease care, 35(6):1128–1142
- improving cardiovascular disease preventive services, 35(5):968–978
- novel person-centered primary care measure, 35(4):751–761
- oncology and primary care views on cancer survivorship, 35(2):329–340
- practice participation in facilitation during a QI initiative, 35(1):124–139
- prior experience in quality improvement initiatives, 35(6):1115–1127
- transitional care management and reduced readmissions, 35(3):537–547
- Quality of health care**, clinical quality measures and family physicians, 35(2):427–434
- Quality of life**
- chemosensory dysfunction, 35(2):406–419
- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Race**
- family physician income disparities, 35(4):859–861
- "other" race selection and data collection, 35(5):1030–1031
- Racism**
- counterculture history and an anti-racist future, 35(1):169–172
- race and racism in academic medicine, 35(6):1239–1245
- Radiology**, mastalgia and breast imaging, 35(5):998–1006
- Reading**, to infants, effect on language score, 35(6):1156–1162
- Referral and consultation**
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- telemedicine approaches for mental health disorders, 35(3):465–474
- Registries**
- nonadherence to guidelines for opioid prescribing, 35(4):724–732
- patient research interest differences, 35(2):225–234
- Regression analysis**
- disparities in use of patient portals, 35(3):559–569
- melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Renal function**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Reproductive health**, barriers and facilitators in medication abortion, 35(3):579–587
- Research priority identification**, building a PBRN in western Colorado, 35(1):115–123
- Residency**
- COVID-19 and intended scope of practice, 35(6):1191–1193
- impact of COVID-19 pandemic, 35(6):1187–1190
- predictors of primary care practice among medical students, 35(2):370–379
- Respiratory tract infections**, antibiotic prescribing for, 35(4):733–741
- Retrospective studies**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
- antibiotic prescribing for respiratory infection, 35(4):733–741
- COVID-19 pandemic in a Hispanic population, 35(4):686–693
- differences in hypertension medication prescribing for Black Americans, 35(1):26–34
- disparities in use of patient portals, 35(3):559–569
- impact of COVID-19 on exercise habits, 35(2):295–309
- implementation of transgender care, 35(2):235–243
- integrating buprenorphine treatment with primary care, 35(1):206–208
- mastalgia and breast imaging, 35(5):998–1006
- patient- and provider-level factors and telemedicine utilization, 35(3):457–464

- prescription patterns of antihyperglycemic medications, 35(2):255–263
- reduction of opioid prescribing after policy change, 35(2):352–369
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- telemedicine impact on visit completion rate, 35(3):475–484
- thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Risk assessment**
- isolation and memory loss among older adults, 35(6):1168–1173
- satisfaction of using a toilet stool for constipation, 35(4):836–839
- Risk factors**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
- food insecurity and dyslipidemia, 35(4):656–667
- SDoH and associations with chronic conditions, 35(4):668–678
- Routine diagnostic tests**, decision threshold for infectious mononucleosis, 35(6):1065–1071
- Rural health**
- counterculture history and an anti-racist future, 35(1):169–172
- integrating buprenorphine treatment with primary care, 35(1):206–208
- states' loan repayment and forgiveness programs, 35(5):1015–1025
- telemedicine approaches for mental health disorders, 35(3):465–474
- telemedicine impact on visit completion rate, 35(3):475–484
- transitional care management and reduced readmissions, 35(3):537–547
- Rural population**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Salaries**, physician income disparities by race and gender, 35(4):859–861
- SARS-CoV-2**
- effect of mitigation strategies on influenza, 35(4):680–685
- intention to vaccinate children against, 35(6):1174–1178
- previous infection and persistent symptoms, 35(3):570–578
- thromboembolic events following diagnosis, 35(6):1163–1167
- workplace testing, real-time PCR, 35(1):96–101
- SARS-CoV-2 variants**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Scope of practice**
- barriers and facilitators in medication abortion, 35(3):579–587
- impact of COVID-19 pandemic, 35(6):1187–1190
- by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Scoping review**, external environment of building PBRNs, 35(4):762–792
- Screen time**, and childhood obesity, 35(6):1072–1080
- Screening**
- mammogram order completion rates and diabetes, 35(1):158–162
- policy for routine screening for ACEs, 35(4):862–866
- workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Screening intervention**, HCV, evaluation of, 35(5):990–997
- Screening tool**, transportation screening questions in social risk assessment, 35(2):400–405
- Self-management**, role of children in parents' diabetes management, 35(2):341–351
- Self-report**
- diabetes shared medical appointments, 35(6):1103–1114
- isolation and memory loss among older adults, 35(6):1168–1173
- mental health and discrimination in physicians and residents, 35(5):912–920
- physician income disparities by race and gender, 35(4):859–861
- walking during the COVID-19 pandemic, 35(5):897–901
- Serum uric acid**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Sexual and gender minorities**, health-care, mental health, and substance use, 35(6):1092–1102
- Shared medical appointments**, diabetes, 35(6):1103–1114
- Simulation model**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Smell**, chemosensory dysfunction, 35(2):406–419
- Social determinants of health**
- and associations with chronic conditions, 35(4):668–678
- building a PBRN in western Colorado, 35(1):115–123
- diabetes shared medical appointments, 35(6):1103–1114
- food insecurity and dyslipidemia, 35(4):656–667
- gun violence as a patient priority, 35(5):961–967
- integrated primary care to address unmet social needs, 35(1):185–189
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- isolation and memory loss among older adults, 35(6):1168–1173
- minority physicians care for vulnerable populations, 35(2):223–224
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- prescription patterns of antihyperglycemic medications, 35(2):255–263
- relationship between community program location and needs, 35(1):55–72
- transportation screening questions in social risk assessment, 35(2):400–405
- Social isolation**
- and memory loss, older adults, 35(6):1168–1173
- pandemic-related loneliness, 35(3):593–596
- reflections in family medicine, 35(2):443–444
- Social justice**
- ABFM's 8 years of DIF analysis, 35(1):18–25
- antiracism training, policies, and practices, 35(4):803–808
- clinician's guide to artificial intelligence, 35(1):175–184
- counterculture history and an anti-racist future, 35(1):169–172
- race and racism in academic medicine, 35(6):1239–1245
- Social needs**, unmet, integrated primary care to address, 35(1):185–189
- Social problems**
- patient barriers to resources for social needs, 35(4):793–802
- reflections in family medicine, 35(2):443–444
- Social risk factors**, integrated primary care to address unmet social needs, 35(1):185–189
- Socioeconomic factors**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Socioeconomic status**, prescription patterns of antihyperglycemic medications, 35(2):255–263
- Sodium-glucose cotransporter 2 inhibitors**, prescription patterns, 35(2):255–263
- Special communications**
- Addressing and Dismantling the Legacy of Race and Racism in Academic Medicine: A Socioecological Framework, 35(6):1239–1245
- Can Family Medicine's Counterculture History Help Shape an Anti-Racist Future?, 35(1):169–172
- Clinical Quality Measures: A Challenge for—and to—Family Physicians, 35(2):427–434
- A Clinician's Guide to Artificial Intelligence (AI): Why and How Primary Care Should Lead the Health Care AI Revolution, 35(1):175–184
- Ethnic Equity Implications in the Management of Pseudofolliculitis Barbae, 35(1):173–174
- Motivational Interviewing Strategies for Addressing COVID-19 Vaccine Hesitancy, 35(2):420–426
- Stalled Progress: Medical School Dean Demographics, 35(1):163–168
- Working Framework for Appropriate Use of Virtual Care in

- Primary Care, 35(3):629–633
- Spondylolysis**, diagnosis and management, 35(6):1204–1216
- Sports medicine**, ethical and legal issues in, 35(6):1230–1238
- Stakeholder participation**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Standard of care**, family medicine malpractice claims study, 35(2):380–386
- Statistical factor analysis**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Stigmatization**, effect of VDOT on stigma levels in TB patients, 35(5):951–960
- Students**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Surveys and questionnaires**
 antiracism training, policies, and practices, 35(4):803–808
 building a PBRN in western Colorado, 35(1):115–123
 Colorado family physicians and medical marijuana, 35(1):102–114
 COVID-19 and burnout among physicians, 35(5):921–932
 economic inequality and the primary care physician workforce, 35(1):35–43
 family medicine's gender pay gap, 35(1):7–8
 food intake, exercise, and childhood obesity, 35(6):1072–1080
 impact of COVID-19 on exercise habits, 35(2):295–309
 out-of-office BP checks for diagnosing hypertension, 35(2):310–319
 perspectives on data-sharing to address food insecurity, 35(1):85–95
 policies and resources to prepare youth for caregiving, 35(4):814–820
 practice participation in facilitation during a QI initiative, 35(1):124–139
 predictors of primary care practice among medical students, 35(2):370–379
 prior experience in quality improvement initiatives, 35(6):1115–1127
 racial/ethnic representation among ABFM certification candidates, 35(1):9–17
 stopgap of mental health services during COVID-19, 35(5):891–896
- Survivorship**, cancer, oncology and primary care views on, 35(2):329–340
- Systematic review**
 ambulatory medication safety in primary care, 35(3):610–628
 urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Taste**, chemosensory dysfunction, 35(2):406–419
- Team-based care**, integrated primary care to address unmet social needs, 35(1):185–189
- Technology**
 adaptation of the DPP to address prediabetes, 35(3):548–558
 child obesity EHR tool, 35(4):742–750
 clinician's guide to artificial intelligence, 35(1):175–184
- Telemedicine**
 adaptation of the DPP to address prediabetes, 35(3):548–558
 approaches for mental health disorders, 35(3):465–474
 appropriate, in primary care, 35(3):507–516
 COVID-19's perceived impact on primary care, 35(2):265–273
 disparities in use of patient portals, 35(3):559–569
 eConsult service and COVID-19 questions, 35(3):601–604
 envisioning the future of virtual primary care, 35(3):527–536
 equity and telehealth policy, 35(3):588–592
 impact of telehealth on physician panel sizes, 35(5):1007–1014
 impact on visit completion rate, 35(3):475–484
 implementation, qualitative examination of, 35(3):517–526
 and the needs of vulnerable elders, 35(3):638–639
 stigma in VDOT for TB patients, 35(5):951–960
 stopgap of mental health services during COVID-19, 35(5):891–896
 telehealth with short interval follow-up, 35(3):485–490
 telephone, televideo, and in-office visits diagnoses, 35(3):491–496
 utilization, and patient- and provider-level factors, 35(3):457–464
 video-visit use, disparities in, 35(3):634–637
 video visits in a fee-for-service model, 35(3):497–506
 working framework for virtual primary care, 35(3):629–633
- Texas**, patient research interest differences, 35(2):225–234
- Tinea pedis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Transgender persons**
 health care services, 35(2):235–243
 healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
- Transitional care**, management, and reduced readmissions, 35(3):537–547
- Translational research**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Transportation of patients**, transportation screening questions in social risk assessment, 35(2):400–405
- Triage**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Trust**
 group-based medical mistrust scale with Latino parents, 35(2):244–254
 physician-patient trust, 35(6):1179–1182
- Tuberculosis**, patients, stigma levels, effect of VDOT, 35(5):951–960
- Type 2 diabetes mellitus**
 metformin prescription rates for prediabetes, 35(4):821–826
 prescription patterns of antihyperglycemic medications, 35(2):255–263
 role of children in parents' diabetes management, 35(2):341–351
 shared medical appointments, 35(6):1103–1114
 vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Ultrasonography**, point-of-care use, 35(4):809–813
- Underrepresented in medicine**
 diversity of department chairs in family medicine, 35(1):152–157
 medical school dean demographics, 35(1):163–168
- Underserved populations**
 COVID-19 pandemic in a Hispanic population, 35(4):686–693
 equity and telehealth policy, 35(3):588–592
- Universities**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Urban health**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Utah**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Vaccination hesitancy**, COVID-19, strategies for addressing, 35(2):420–426
- Vaccines**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Venous thromboembolism**, following COVID-19 diagnosis, 35(6):1163–1167
- Video directly observed therapy (VDOT)**, effect on stigma levels in TB patients, 35(5):951–960
- Virginia**
 EvidenceNOW practice support initiative, 35(5):979–989
 gun violence as a patient priority, 35(5):961–967
- Vitamin C**, melatonin and, for mild-to-moderate COVID-19, 35(4):695–707
- Vitamin D**, for common and high-mortality conditions, 35(6):1217–1229
- Vulnerable populations**
 care for, by minority physicians, 35(2):223–224
 SDoH and associations with chronic conditions, 35(4):668–678
- Walking**, during COVID-19 pandemic, 35(5):897–901
- West Virginia**, opioid crisis, pain management during, 35(5):940–950

- Wisconsin**, decimation of ACA CO-OPs, 35(4):867–869
- Women physicians**
documentation support among physicians by gender, 35(5):906–911
family medicine’s gender pay gap, 35(1):7–8
- Work-life balance**, COVID-19’s perceived impact on primary care, 35(2):265–273
- Workflow**
practice adjustments made during COVID-19, 35(2):274–283
transitional care management and reduced readmissions, 35(3):537–547
- Workforce**
changes in career thinking among educators, 35(5):933–939
diversity, tools and infrastructure for, 35(3):557–600
documentation support among physicians by gender, 35(5):906–911
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
family medicine’s gender pay gap, 35(1):7–8
- family physicians deliver care in diverse languages, 35(1):5–6
impact of telehealth on physician panel sizes, 35(5):1007–1014
impending collapse of primary care, 35(6):1183–1186
“other” race selection and data collection, 35(5):1030–1031
physician income disparities by race and gender, 35(4):859–861
physician-patient relationships and burnout, 35(4):716–723
practice participation in facilitation during a QI initiative, 35(1):124–139
predictors of primary care practice among medical students, 35(2):370–379
primary care physician, and economic inequality, 35(1):35–43
primary care physicians caring for cancer survivors, 35(4):708–715
prior experience in quality improvement initiatives, 35(6):1115–1127
racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Workload**, changes in career thinking among educators, 35(5):933–939
- Workplace**
diagnosis and management of plantar dermatoses, 35(2):435–442
disparities among leadership in family medicine, 35(5):902–905
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
policies and resources to prepare youth for caregiving, 35(4):814–820
real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Wrist**, lumps and bumps of, practical management, 35(6):1194–1203
- WURSS**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Young adults**, policies and resources to prepare for caregiving, 35(4):814–820