

Subject Index to Volume 36, 2023

- Abortion**, provision, and core values of family medicine, 36(4):583–590
- Academic detailing**, panel management, and colorectal cancer stool-DNA testing, 36(6):933–941
- Access to health care**, non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Access to primary care**, integrating harm reduction into medical care, 36(3):449–461
- Accountable care organization**, deployment of digital advance care planning platform, 36(6):966–975
- Accreditation Council for Graduate Medical Education (ACGME)** implementing competency-based ABFM board eligibility, 36(4):703–707
new family and medical leave policy, 36(1):190–192
- Acute pain**, initial care for low back pain, 36(6):986–995
- Adolescent**
failure to participate in sports, 36(6):1033–1037
integrating a vaping assessment tool into the EHR, 36(3):405–413
- Advance care planning**, deployment of digital platform, 36(6):966–975
- Advanced practice providers**, in family medicine departments, 36(6):1058–1061
- Adverse childhood experiences (ACEs)**, parental, and child weight, 36(1):39–50
- Adverse drug event**, ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163
- Aging**
deployment of digital advance care planning platform, 36(6):966–975
peripheral neuropathy and reduced life expectancy, 36(3):431–438
- Altruism**, an exploration of professionalism in practice, 36(3):515–519
- American Board of Family Medicine (ABFM)**
implementing competency-based ABFM board eligibility, 36(4):703–707
Introducing the Inaugural ABFM Research and Editing Fellow, 36(4):530
- Angioedema**, of the small bowel, ACE inhibitor-induced, 36(1):160–163
- Angiotensin-converting enzyme (ACE) inhibitors**, and angioedema of the small bowel, 36(1):160–163
- Antibacterial drug resistance**, non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Antidepressants**, tapering routine, 36(1):145–151
- Antimicrobial stewardship**, non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Anxiety disorders**, antidepressant tapering routine, 36(1):145–151
- Arizona**, ICAN Discussion Aid and patient burdens, 36(2):277–288
- Artificial intelligence (AI)**, applications in primary care, 36(2):210–220
- Asthma**
diagnosis documentation, childhood wheeze and, 36(6):1038–1042
quality of care for Latinx children with, 36(4):616–625
reducing carbon footprint when prescribing inhalers, 36(2):356–359
what patients call their inhalers, 36(4):650–661
- Athletes**, failure of preparticipation sports physicals, 36(6):1033–1037
- Behavioral medicine**
clinical model of suffering, 36(2):344–355
ICAN Discussion Aid and patient burdens, 36(2):277–288
- Behavioral science**, non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Bipolar disorder**, antidepressant tapering routine, 36(1):145–151
- Bisphosphonates**, versus denosumab, for reducing fractures, 36(1):175–185
- Body composition**
models for delivering weight management, 36(4):603–615
weight loss management in primary care, 36(1):51–65
- Body mass index**, parental ACEs and child weight, 36(1):39–50
- Breast cancer**
lung cancer screening among mammography patients, 36(4):557–564
patient confidence in screening mammography, 36(6):942–951
women at high risk for, 36(6):1029–1032
- Breast density**, patient confidence in screening mammography, 36(6):942–951
- Breastfeeding**
detection and management of perinatal depression, 36(6):1071–1086
infant and maternal vitamin D supplementation, 36(1):95–104
- Buprenorphine**
end of the “X-waiver” program, 36(5):867–872
follow-up care, nurse standing orders for, 36(5):723–730
- Burden of illness**, ICAN Discussion Aid and patient burdens, 36(2):277–288
- Canada**
AI applications in primary care, 36(2):210–220
continuity, payment, and terms in Canadian health, 36(1):130–141
providers and staff perceptions of AI, 36(2):221–228
- Cancer**, survivorship guidelines, use of, 36(5):789–802
- Cancer screening**
data challenges for rural colorectal cancer screening, 36(1):118–129
effects of multi-component intervention, 36(6):933–941
experiences with lung cancer screening implementation, 36(6):952–965
patient confidence in screening mammography, 36(6):942–951
women at high risk for breast cancer, 36(6):1029–1032
- Cancer survivors**, use of cancer survivorship guidelines, 36(5):789–802
- Cannabinoids**, integrating a vaping assessment tool into the EHR, 36(3):405–413
- Cannabis**
physician perspectives on medical cannabis, 36(4):670–681
use for pain versus use for other reasons, 36(6):996–1007
- Carbon dioxide**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Carbon footprint**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Cardiology**
cardiovascular disease risk reduction of quality improvement initiative, 36(3):462–476
clinical decision support and medication prescribing, 36(5):777–788
- Cardiovascular diseases**
clinical decision support and medication prescribing, 36(5):777–788
risk reduction of quality improvement initiative, 36(3):462–476
- Career choice**
practice type and scope of care, 36(1):79–87
reflections in family medicine, 36(5):873–875
- Caregiver burden**, ICAN Discussion Aid and patient burdens, 36(2):277–288
- Caregivers**
children’s special health care needs during COVID-19, 36(5):731–738
home health workers’ interactions for heart failure, 36(2):369–375
patient and patient caregiver perspectives on social screening, 36(1):66–78
- Case report**, ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163
- Catastrophizing**, high pain catastrophizing and opioid-related awareness, 36(2):267–276
- Cesarean section**, family physicians providing, 36(4):565–573

- Chemoprophylaxis**, women at high risk for breast cancer, 36(6):1029–1032
- Chief executive officers**, increasing primary care physicians in top leadership roles, 36(4):687–689
- Child health**
 childhood wheeze and asthma diagnosis documentation, 36(6):1038–1042
 children's special health care needs during COVID-19, 36(5):731–738
 quality of care for Latinx children with asthma, 36(4):616–625
- Childhood obesity**, parental ACEs and, 36(1):39–50
- Chronic disease**
 adherence to diabetes medications during COVID-19, 36(2):289–302
 clinical model of suffering, 36(2):344–355
 continuity of care and hospitalization, 36(2):303–312
 goal-oriented prevention, 36(2):333–338
 health insurance and chronic health conditions, 36(5):839–850
 home health workers' interactions for heart failure, 36(2):369–375
 ICAN Discussion Aid and patient burdens, 36(2):277–288
 impact of COVID-19 on care coordination patients, 36(4):662–669
 obesity and patient-physician relationship, 36(2):325–332
 tool to enhance functional status assessment, 36(1):4–14
- Chronic obstructive pulmonary disease**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Chronic pain**
 cannabis use for pain versus use for other reasons, 36(6):996–1007
 urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- Climate change**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Clinical competence**, role of practical wisdom in primary care, 36(4):531–536
- Clinical decision-making**
 goal-oriented prevention, 36(2):333–338
 role of practical wisdom in primary care, 36(4):531–536
- Clinical decision rules**, patient-reporting system for predicting influenza, 36(5):766–776
- Clinical decision support systems**, clinical decision support and medication prescribing, 36(5):777–788
- Clinical medicine**
 clinical model of suffering, 36(2):344–355
 goal-oriented prevention, 36(2):333–338
 ICAN Discussion Aid and patient burdens, 36(2):277–288
 outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
 patient and patient caregiver perspectives on social screening, 36(1):66–78
- Clinical pharmacy service**, home-based primary care for older adults with limited mobility, 36(4):550–556
- Clinical trials**
 clinical decision support and medication prescribing, 36(5):777–788
 FDA initiative for diversity in clinical trials, 36(2):366–368
 medical-legal partnership randomized clinical trials, 36(3):414–424
- Coccidioides**, extra-articular coccidioidomycosis in the knee, 36(2):376–379
- Coccidioidomycosis**, extra-articular coccidioidomycosis in the knee, 36(2):376–379
- Cohort studies**, use of patient-reporting system for predicting influenza, 36(5):766–776
- Collaborative learning**, implementing whole person primary care, 36(4):542–549
- Colonoscopy**
 data challenges for rural colorectal cancer screening, 36(1):118–129
 severe harm due to screening colonoscopy, 36(3):493–500
- Colorado**, weight loss management in primary care, 36(1):51–65
- Colorectal cancer**
 data challenges for rural screening, 36(1):118–129
 effects of multi-component intervention on screening, 36(6):933–941
 guidelines for germline testing of, 36(2):360–365
 severe harm due to screening colonoscopy, 36(3):493–500
- Commentaries**
 The ACGME's New Paid Family and Medical Leave Policy: Just the Beginning, 36(1):190–192
 Delivering High-Quality Primary Care Requires Work That Is Worthwhile for Medical Assistants, 36(1):193–199
 Diversifying the Federal Family Medicine Physician Workforce, 36(1):200–202
 The End of the X-waiver: Excitement, Apprehension, and Opportunity, 36(5):867–872
 Ensuring Community Is at the Table in Family and Community Medicine Research: Highlighting Dr. Kevin Grumbach's Speech as Recipient of the 2022 NAPCRG Wood Award, 36(6):1068–1070
 The FDA Initiative to Assure Racial and Ethnic Diversity in Clinical Trials, 36(2):366–368
 Few Primary Care Physicians Lead Hospitals, Despite Their Immense Value: Systems Change and Delivery System Evolution Can Reverse This Trend, 36(4):687–689
 Fraud, Access, and the Future of Telemedicine, 36(5):864–866
 Medicare Advantage: Growth Amidst Mounting Scrutiny, 36(6):1062–1064
 Pharmacy Benefit Managers in the Eye of the Storm: Growing Multipartite Scrutiny, 36(6):1065–1067
 A Response to the Decline in Family Practitioners Performing Obstetric Care, 36(4):690–691
 Supporting the Capture of Social Needs Through Natural Language Processing, 36(3):513–514
- Communication**
 clinical model of suffering, 36(2):344–355
 ICAN Discussion Aid and patient burdens, 36(2):277–288
- Community-based research**
 children's special health care needs during COVID-19, 36(5):731–738
 delays in COVID-19-related hospitalization, 36(5):832–838
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Community health centers**
 clinical decision support and medication prescribing, 36(5):777–788
 FQHC telemedicine care redesign, 36(5):712–722
 health insurance and chronic health conditions, 36(5):839–850
 virtual music therapy for substance use disorders, 36(6):1043–1049
- Community medicine**
 appointment cancellations and hospital utilization, 36(2):339–343
 failure to participate in sports, 36(6):1033–1037
 nurse standing orders for buprenorphine follow-up care, 36(5):723–730
- Community resources**, social isolation and a resource referral platform, 36(5):803–816
- Competency-based education**, implementing competency-based ABFM board eligibility, 36(4):703–707
- Comprehensive health care**, clinical model of suffering, 36(2):344–355
- Connective tissue**, extra-articular coccidioidomycosis in the knee, 36(2):376–379
- Continuing medical education**, standards for dermoscopy education in primary care, 36(1):25–38
- Continuity of patient care**
 appointment cancellations and hospital utilization, 36(2):339–343
 clinical model of suffering, 36(2):344–355
 continuity, payment, and terms in Canadian health, 36(1):130–141
 continuity of care and hospitalization, 36(2):303–312

- physician continuity and cost of care, 36(6):976–985
- Correspondence**
 approach to hair loss in hijab-wearing individuals in primary care, 36(1):186–187
 developing and validating a novel tool to enhance functional status assessment: the Tennessee Functional Status Questionnaire (TFSQ), 36(6):1094–1095
 estimate of severe harms due to screening colonoscopy: a systematic review, 36(6):1092–1093
 estimating the cardiovascular disease risk reduction of quality improvement initiative in primary care: findings from EvidenceNOW, 36(6):1087–1090
 evaluating the uptake of antiracism training, policies, and practices in departments of family medicine, 36(6):1090–1092
 expert consensus statement on proficiency standards for dermatology education in primary care, 36(4):695–696
 FDA initiative to assure racial and ethnic diversity in clinical trials, 36(6):1095–1096
 integrating a systematic, comprehensive e-cigarette and vaping assessment tool into the electronic health record, 36(6):1096–1097
 it's time to retire the term "provider" from *JABFM's* pages, 36(3):520–521
 keeping score of the scores: additional perspectives on the decline of family medicine ITE scores, 36(5):876–877
 local economic inequality and the primary care physician workforce in North Carolina, 36(4):697
 prevalence of low-value prostate cancer screening in primary care clinics: a study using the National Ambulatory Medical Care Survey, 36(3):521
 programs can improve the diversity workforce in family medicine, 36(4):695–696
- Cost**, of care, physician continuity and, 36(6):976–985
- COVID-19**
 acceptance of social needs navigation, 36(2):229–239
 ACGME's new family and medical leave policy, 36(1):190–192
 adherence to diabetes medications during, 36(2):289–302
 appointment cancellations and hospital utilization, 36(2):339–343
 burnout and commitment after, 36(1):105–117
 children's special health care needs during, 36(5):731–738
 colorectal cancer screening outreach during, 36(6):933–941
 and community health center care delivery, 36(6):916–926
 death, risk of, telephonic follow-up and, 36(1):164–169
 FQHC telemedicine care redesign, 36(5):712–722
 fraud, access, and future of telemedicine, 36(5):864–866
 hospitalization, COVID-19-related, delays in, 36(5):832–838
 hospitalization, health care costs following, 36(6):883–891
 IBH adaptations during, 36(6):1023–1028
 impact of on care coordination patients, 36(4):662–669
 impact on family physicians, 36(6):905–915
 intimate partner violence and telemedicine usage, 36(5):755–765
 Medicaid expansion and practice ownership, 36(6):892–904
 mRNA vaccination trends, 36(6):927–932
 telehealth and policy implications for equity, 36(5):746–754
 vaccination and financial incentives, 36(1):170–174
 vaccine, mRNA vaccination trends, 36(6):927–932
- Craving**, virtual music therapy for substance use disorders, 36(6):1043–1049
- Cross-cultural comparison**, FDA initiative for diversity in clinical trials, 36(2):366–368
- Cross-sectional studies**
 acceptance of social needs navigation, 36(2):229–239
 continuity of care and hospitalization, 36(2):303–312
 family physicians providing cesarean sections, 36(4):565–573
 high pain catastrophizing and opioid-related awareness, 36(2):267–276
 home health workers' interactions for heart failure, 36(2):369–375
 non-adherence behaviors and diabetes outcomes, 36(1):15–24
 patient confidence in screening mammography, 36(6):942–951
 periodontitis among US adults with multimorbidity, 36(2):313–324
 physician continuity and cost of care, 36(6):976–985
- Cultural diversity**, FDA initiative for diversity in clinical trials, 36(2):366–368
- Culturally sensitive research**
 delays in COVID-19-related hospitalization, 36(5):832–838
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- Culture change**, increasing primary care physicians in top leadership roles, 36(4):687–689
- Data set**, landscape of pregnancy care in community health centers, 36(4):574–582
- Decision-making**, clinical decision support and medication prescribing, 36(5):777–788
- Delivery of health care**
 high-quality care requires worthwhile work, 36(1):193–199
 home health workers' interactions for heart failure, 36(2):369–375
 impact of COVID-19 on care coordination patients, 36(4):662–669
 outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
 patient and patient caregiver perspectives on social screening, 36(1):66–78
- Delphi method**, standards for dermatology education in primary care, 36(1):25–38
- Demography**, demographics and engagement in interprofessional collaboration, 36(1):88–94
- Denosumab**, versus bisphosphonates, for reducing fractures, 36(1):175–185
- Depression**
 antidepressant tapering routine, 36(1):145–151
 perinatal, detection and management in primary care, 36(6):1071–1086
- Dermoscopy**, education, standards for, in primary care, 36(1):25–38
- Diabetes mellitus**
 adherence to diabetes medications during COVID-19, 36(2):289–302
 non-adherence behaviors and diabetes outcomes, 36(1):15–24
- Diagnostic imaging**, women at high risk for breast cancer, 36(6):1029–1032
- Dietary supplements**, infant and maternal vitamin D supplementation, 36(1):95–104
- Disability**, hearing loss with hospitalization, 36(3):439–448
- Disease management**
 ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163
 adherence to diabetes medications during COVID-19, 36(2):289–302
 clinical model of suffering, 36(2):344–355
 goal-oriented prevention, 36(2):333–338
 home-based primary care for older adults with limited mobility, 36(4):550–556
 use of cancer survivorship guidelines, 36(5):789–802
 utilization of MAT for opioid use disorder, 36(2):251–266
- Disinformation**, reflections in family medicine, 36(4):692–694
- Diversity**
 diversifying federal family medicine, 36(1):200–202
 physician racial diversity in federal sites, 36(1):188–189
- DNA**, colorectal cancer stool-DNA testing, 36(6):933–941
- Drug costs**, pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067
- Drug prescriptions**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Drug tapering**, antidepressant tapering routine, 36(1):145–151

Dry powder inhalers, reducing carbon footprint when prescribing inhalers, 36(2):356–359

Early detection of cancer
 low-value prostate cancer screening in primary care, 36(1):152–159
 lung cancer screening among mammography patients, 36(4):557–564
 severe harm due to screening colonoscopy, 36(3):493–500

Early medical intervention, virtual Medicare Annual Wellness Visit intervention, 36(3):501–509

Editorial Office News and Notes
 Introducing the Inaugural ABFM Research and Editing Fellow, 36(4):530
 Peer Reviewers for the Journal of the American Board of Family Medicine in 2022, 36(3):386–389

Editors' Notes
 Family Physicians Can/Should Do: What? Where? And How?, 36(1):1–3
 Lingering Impact of COVID-19, Preventive Care Considerations, and US Health System Challenges, 36(6):879–882
 Practicing Family Medicine in a Pandemic World: Lessons for Telemedicine, Health Care Delivery, and Mental Health Care, 36(5):709–711
 Research Addressing the Ongoing Changes in the Practice of Family Medicine, 36(3):383–385
 Research Representing the Changing Landscape of Family Medicine, 36(2):207–209
 Thinking and Practicing Thoughtfully and Thoroughly, 36(4):527–529

Elderly, Medicare Advantage, growth amidst mounting scrutiny, 36(6):1062–1064

Electronic cigarettes, integrating a vaping assessment tool into the EHR, 36(3):405–413

Electronic health records
 attrition in a multispecialty ambulatory practice network, 36(6):1050–1057
 childhood wheeze and asthma diagnosis documentation, 36(6):1038–1042
 COVID-19 and community health center care delivery, 36(6):916–926
 data challenges for rural colorectal cancer screening, 36(1):118–129
 determining patients' social needs in, 36(3):510–512
 integrating a vaping assessment tool into, 36(3):405–413

Empathy, clinical model of suffering, 36(2):344–355

End of life care, clinical model of suffering, 36(2):344–355

Entrustable professional services, implementing competency-based

ABFM board eligibility, 36(4):703–707

Environmental medicine, reducing carbon footprint when prescribing inhalers, 36(2):356–359

Epidemiology
 children's special health care needs during COVID-19, 36(5):731–738
 patient's characteristics and management of symptom diagnoses, 36(3):477–492

Equity
 diversifying federal family medicine, 36(1):200–202
 physician racial diversity in federal sites, 36(1):188–189

Ethnic and racial minorities, race and ethnicity differences in solo practices, 36(2):380–381

Evidence-based medicine, role of practical wisdom in primary care, 36(4):531–536

Exercise
 failure to participate in sports, 36(6):1033–1037
 tool to enhance functional status assessment, 36(1):4–14

Expert opinion, standards for dermoscopy education in primary care, 36(1):25–38

Family health history, women at high risk for breast cancer, 36(6):1029–1032

Family leave, ACGME's new family and medical leave policy, 36(1):190–192

Family medicine
 academic detailing, panel management, and colorectal cancer stool-DNA testing, 36(6):933–941
 ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163
 AI applications in primary care, 36(2):210–220
 appointment cancellations and hospital utilization, 36(2):339–343
 clinical model of suffering, 36(2):344–355
 core values of, and abortion provision, 36(4):583–590
 COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
 departments, advanced practice providers in, 36(6):1058–1061
 end of the "X-waiver" program, 36(5):867–872
 family physician early-career compensation, 36(5):851–863
 federal, diversifying, 36(1):200–202
 high pain catastrophizing and opioid-related awareness, 36(2):267–276
 IBH adaptations during COVID-19, 36(6):1023–1028
 IBH implementation and training in primary care, 36(6):1008–1019
 ICAN Discussion Aid and patient burdens, 36(2):277–288
 increasing treatment rates for hepatitis C, 36(4):591–602

landscape of pregnancy care in community health centers, 36(4):574–582
 medical-legal partnership randomized clinical trials, 36(3):414–424
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404
 outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
 patient's characteristics and management of symptom diagnoses, 36(3):477–492
 physician racial diversity in federal sites, 36(1):188–189
 practice type and scope of care, 36(1):79–87
 providers and staff perceptions of AI, 36(2):221–228
 reducing carbon footprint when prescribing inhalers, 36(2):356–359
 weight loss management in primary care, 36(1):51–65

Family physicians
 advanced practice providers in family medicine departments, 36(6):1058–1061
 attending deliveries and providing perinatal care, 36(4):685–686
 decline in provision of obstetric care, 36(4):690–691
 determining patients' social needs in EHRs, 36(3):510–512
 diversifying federal family medicine, 36(1):200–202
 early-career compensation, 36(5):851–863
 impact of COVID-19 on, 36(6):905–915
 providing cesarean sections, 36(4):565–573
 race and ethnicity differences in solo practices, 36(2):380–381
 racial diversity in federal sites, 36(1):188–189

Focus groups
 increasing treatment rates for hepatitis C, 36(4):591–602
 standards for dermoscopy education in primary care, 36(1):25–38

Follow-up care, experiences with lung cancer screening implementation, 36(6):952–965

Follow-up studies
 burnout and commitment after COVID-19, 36(1):105–117
 telephonic follow-up and risk of COVID-19 death, 36(1):164–169

Food assistance, food insecurity screening in safety-net clinics, 36(2):240–250

Food insecurity, screening, in safety-net clinics, 36(2):240–250

Fraud, access, and future of telemedicine, 36(5):864–866

Friendship, reflections in family medicine, 36(6):1020–1022

Functional performance, tool to enhance functional status assessment, 36(1):4–14

Gender differences, demographics and engagement in interprofessional collaboration, 36(1):88–94

Gender equity, family physician early-career compensation, 36(5):851–863

General practitioners, standards for dermoscopy education in primary care, 36(1):25–38

Genetic testing, guidelines for germline testing of colorectal cancer, 36(2):360–365

Geriatrics
 deployment of digital advance care planning platform, 36(6):966–975
 health insurance and chronic health conditions, 36(5):839–850
 home-based primary care for older adults with limited mobility, 36(4):550–556
 low-value prostate cancer screening in primary care, 36(1):152–159
 peripheral neuropathy and reduced life expectancy, 36(3):431–438
 tool to enhance functional status assessment, 36(1):4–14
 virtual Medicare Annual Wellness Visit intervention, 36(3):501–509

Germline mutation, guidelines for germline testing of colorectal cancer, 36(2):360–365

Global warming, reducing carbon footprint when prescribing inhalers, 36(2):356–359

Government regulation and oversight, pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067

Graduate medical education, ACGME's new family and medical leave policy, 36(1):190–192

Greenhouse gases, reducing carbon footprint when prescribing inhalers, 36(2):356–359

Harm reduction, integrating harm reduction into medical care, 36(3):449–461

HCV antibodies, increasing treatment rates for hepatitis C, 36(4):591–602

Health behavior, non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Health care disparities
 childhood wheeze and asthma diagnosis documentation, 36(6):1038–1042
 community health center social risk screening initiatives, 36(5):817–831
 continuity of care and hospitalization, 36(2):303–312
 COVID-19 and community health center care delivery, 36(6):916–926
 FDA initiative for diversity in clinical trials, 36(2):366–368
 health insurance and chronic health conditions, 36(5):839–850
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Health care economics, health care costs following COVID-19 hospitalization, 36(6):883–891

Health care financing
 Medicare Advantage, growth amidst mounting scrutiny, 36(6):1062–1064
 pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067

Health care seeking strategies of patients, non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Health care surveys, obesity and patient-physician relationship, 36(2):325–332

Health communication, non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Health equity
 clinical decision support and medication prescribing, 36(5):777–788
 community health center social risk screening initiatives, 36(5):817–831
 deployment of digital advance care planning platform, 36(6):966–975
 quality of care for Latinx children with asthma, 36(4):616–625
 telehealth and policy implications for equity, 36(5):746–754

Health expenditures
 health care costs following COVID-19 hospitalization, 36(6):883–891
 home-based primary care for older adults with limited mobility, 36(4):550–556

Health-harming legal needs, medical-legal partnership randomized clinical trials, 36(3):414–424

Health information technology, social isolation and a resource referral platform, 36(5):803–816

Health insurance
 and chronic health conditions, 36(5):839–850
 Medicare Advantage, 36(6):1062–1064
 pharmacy benefit managers, 36(6):1065–1067

Health literacy
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404
 what patients call their inhalers, 36(4):650–661

Health personnel, high-quality care requires worthwhile work, 36(1):193–199

Health policy
 COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
 financial incentives and COVID-19 vaccination, 36(1):170–174
 pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067
 physician perspectives on medical cannabis, 36(4):670–681
 telehealth and policy implications for equity, 36(5):746–754

Health promotion
 goal-oriented prevention, 36(2):333–338
 lung cancer screening among mammography patients, 36(4):557–564
 tool to enhance functional status assessment, 36(1):4–14

Health services
 impact of COVID-19 on care coordination patients, 36(4):662–669
 pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067

Health services accessibility
 attending deliveries and providing perinatal care, 36(4):685–686
 COVID-19, and community health center care delivery, 36(6):916–926
 COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
 decline in family practitioners performing obstetric care, 36(4):690–691
 delays in COVID-19-related hospitalization, 36(5):832–838
 FQHC telemedicine care redesign, 36(5):712–722
 fraud, access, and future of telemedicine, 36(5):864–866
 health insurance and chronic health conditions, 36(5):839–850
 landscape of pregnancy care in community health centers, 36(4):574–582
 race and ethnicity differences in solo practices, 36(2):380–381
 virtual music therapy for substance use disorders, 36(6):1043–1049

Hearing loss, with hospitalization, 36(3):439–448

Heart failure, home health workers' interactions, 36(2):369–375

Hepatitis C, increasing treatment rates for, 36(4):591–602

Hispanics
 delays in COVID-19-related hospitalization, 36(5):832–838
 non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Hoax, reflections in family medicine, 36(4):692–694

Home care services, home-based primary care for older adults with limited mobility, 36(4):550–556

Home health care, home health workers' interactions for heart failure, 36(2):369–375

Homebound persons, home-based primary care for older adults with limited mobility, 36(4):550–556

Homelessness, reflections in family medicine, 36(6):1020–1022

Hospitalists, ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163

Hospitalization
 COVID-19, health care costs following, 36(6):883–891
 COVID-19-related, delays in, 36(5):832–838
 hearing loss with, 36(3):439–448

Hospitals
 increasing primary care physicians in top leadership roles, 36(4):687–689
 primary care leadership in top ranked US hospitals, 36(4):682–684

Humanities, an exploration of professionalism in practice, 36(3):515–519

- Hypertension**, ACE inhibitor-induced angioedema of the small bowel, 36(1):160–163
- ICAN Discussion Aid**, and patient burdens, 36(2):277–288
- Immunization**, adult MMR boosters and seroconversion, 36(1):142–144
- Immunocompromised patients**, COVID-19 mRNA vaccination trends, 36(6):927–932
- Implementation science**
acceptance of social needs navigation, 36(2):229–239
community health center social risk screening initiatives, 36(5):817–831
FQHC telemedicine care redesign, 36(5):712–722
social screening within US health care settings, 36(4):626–649
- Inclusiveness**
diversifying federal family medicine, 36(1):200–202
physician racial diversity in federal sites, 36(1):188–189
- Income**, family physician early-career compensation, 36(5):851–863
- Infectious diseases**, use of patient-reporting system for predicting influenza, 36(5):766–776
- Influenza**, predicting, use of patient-reporting system for, 36(5):766–776
- Informatics**, providers and staff perceptions of AI, 36(2):221–228
- Inhalers**
reducing carbon footprint when prescribing, 36(2):356–359
what patients call, 36(4):650–661
- Integrated behavioral health (IBH)**
adaptations during COVID-19, 36(6):1023–1028
implementation and training in primary care, 36(6):1008–1019
- Integrated delivery systems**, IBH implementation and training in primary care, 36(6):1008–1019
- Integrated health care systems**, IBH adaptations during COVID-19, 36(6):1023–1028
- Integrative medicine**
implementing whole person primary care, 36(4):542–549
virtual music therapy for substance use disorders, 36(6):1043–1049
- Interdisciplinary health team**, demographics and engagement in interprofessional collaboration, 36(1):88–94
- Interpersonal psychotherapy**, detection and management of perinatal depression, 36(6):1071–1086
- Intimate partner violence**, and telemedicine usage, 36(5):755–765
- Journal of the American Board of Family Medicine (JABFM)**
it's time to retire the term “provider” from JABFM's pages, 36(3):520–521
- peer reviewers for, 36(3):386–389
- Judgment**, role of practical wisdom in primary care, 36(4):531–536
- Knowledge translation**, role of practical wisdom in primary care, 36(4):531–536
- Lactation**, detection and management of perinatal depression, 36(6):1071–1086
- Language concordance**, quality of care for Latinx children with asthma, 36(4):616–625
- Latinx**
delays in COVID-19-related hospitalization, 36(5):832–838
quality of care for Latinx children with asthma, 36(4):616–625
- Leadership**
an exploration of professionalism in practice, 36(3):515–519
attrition in a multispecialty ambulatory practice network, 36(6):1050–1057
high-quality care requires worthwhile work, 36(1):193–199
increasing primary care physicians in top leadership roles, 36(4):687–689
in top ranked US hospitals, 36(4):682–684
- Life expectancy**, reduced, and peripheral neuropathy, 36(3):431–438
- Lifestyle**, goal-oriented prevention, 36(2):333–338
- Linear regression**
demographics and engagement in interprofessional collaboration, 36(1):88–94
weight loss management in primary care, 36(1):51–65
- Logistic models**
low-value prostate cancer screening in primary care, 36(1):152–159
telephonic follow-up and risk of COVID-19 death, 36(1):164–169
- Logistic regression**
acceptance of social needs navigation, 36(2):229–239
children's special health care needs during COVID-19, 36(5):731–738
continuity of care and hospitalization, 36(2):303–312
family physicians providing cesarean sections, 36(4):565–573
high pain catastrophizing and opioid-related awareness, 36(2):267–276
periodontitis among US adults with multimorbidity, 36(2):313–324
urine drug testing in patients prescribed opioid therapy, 36(4):537–541
use of cancer survivorship guidelines, 36(5):789–802
- Loneliness**
intimate partner violence and telemedicine usage, 36(5):755–765
reflections in family medicine, 36(6):1020–1022
- social isolation and a resource referral platform, 36(5):803–816
- Long-term adverse effects**, severe harm due to screening colonoscopy, 36(3):493–500
- Longitudinal studies**
COVID-19 and community health center care delivery, 36(6):916–926
intimate partner violence and telemedicine usage, 36(5):755–765
- Low back pain**, acute, initial care for, 36(6):986–995
- Lung cancer**, screening among mammography patients, 36(4):557–564
implementation, experiences with, 36(6):952–965
- Lung injury**, integrating a vaping assessment tool into the EHR, 36(3):405–413
- Mammography**
patients, lung cancer screening among, 36(4):557–564
screening, patient confidence in, 36(6):942–951
women at high risk for breast cancer, 36(6):1029–1032
- Maryland**, integrating a vaping assessment tool into the EHR, 36(3):405–413
- Mass screening**, acceptance of social needs navigation, 36(2):229–239
- Massachusetts**, delays in COVID-19-related hospitalization, 36(5):832–838
- Maternal health services**
attending deliveries and providing perinatal care, 36(4):685–686
decline in family practitioners performing obstetric care, 36(4):690–691
family physicians providing cesarean sections, 36(4):565–573
- Measles-mumps-rubella (MMR) vaccine**, adult MMR boosters and seroconversion, 36(1):142–144
- Medicaid**
continuity of care and hospitalization, 36(2):303–312
expansion, COVID-19, and practice ownership, 36(6):892–904
- Medical assistants**, high-quality care requires worthwhile work, 36(1):193–199
- Medical decision-making**, urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- Medical education**
implementing competency-based ABFM board eligibility, 36(4):703–707
physician perspectives on medical cannabis, 36(4):670–681
- Medical ethics**, clinical model of suffering, 36(2):344–355
- Medical information**, clinical decision support and medication prescribing, 36(5):777–788
- Medical marijuana**
physician perspectives on, 36(4):670–681

- use for pain versus use for other reasons, 36(6):996–1007
- Medically underserved areas**
COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
virtual music therapy for substance use disorders, 36(6):1043–1049
- Medically uninsured**
health insurance and chronic health conditions, 36(5):839–850
telehealth and policy implications for equity, 36(5):746–754
- Medicare**
health insurance and chronic health conditions, 36(5):839–850
Medicare Advantage, growth amidst mounting scrutiny, 36(6):1062–1064
physician continuity and cost of care, 36(6):976–985
virtual Medicare Annual Wellness Visit intervention, 36(3):501–509
- Medicare Advantage**, growth amidst mounting scrutiny, 36(6):1062–1064
- Medication-assisted treatment (MAT)**, utilization of MAT for opioid use disorder, 36(2):251–266
- Melanoma**, standards for dermoscopy education in primary care, 36(1):25–38
- Men's health**, low-value prostate cancer screening in primary care, 36(1):152–159
- Mental health**
antidepressant tapering routine, 36(1):145–151
burnout and commitment after COVID-19, 36(1):105–117
children's special health care needs during COVID-19, 36(5):731–738
delays in COVID-19-related hospitalization, 36(5):832–838
IBH adaptations during COVID-19, 36(6):1023–1028
ICAN Discussion Aid and patient burdens, 36(2):277–288
impact of COVID-19 on care coordination patients, 36(4):662–669
medical-legal partnership randomized clinical trials, 36(3):414–424
parental ACEs and child weight, 36(1):39–50
- Meta-analysis**, denosumab versus bisphosphonates for reducing fractures, 36(1):175–185
- Metabolic equivalent**, tool to enhance functional status assessment, 36(1):4–14
- Metered dose inhalers**, carbon footprint, 36(2):356–359
- Michigan**, hearing loss with hospitalization, 36(3):439–448
- Minnesota**, parental ACEs and child weight, 36(1):39–50
- Minority health**
non-prescription antibiotic use among Hispanic patients, 36(3):390–404
virtual music therapy for substance use disorders, 36(6):1043–1049
- Monetary incentives**, and COVID-19 vaccination, 36(1):170–174
- Morbidity**, patient's characteristics and management of symptom diagnoses, 36(3):477–492
- Motivation**, high pain catastrophizing and opioid-related awareness, 36(2):267–276
- Multidisciplinary care team**, home-based primary care for older adults with limited mobility, 36(4):550–556
- Multimorbidity**
health insurance and chronic health conditions, 36(5):839–850
periodontitis among US adults with, 36(2):313–324
- Musculoskeletal diseases**, outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
- Musculoskeletal pain**, initial care for acute low back pain, 36(6):986–995
- Music therapy**, virtual, for substance use disorders, 36(6):1043–1049
- Narcotics**, utilization of MAT for opioid use disorder, 36(2):251–266
- National Ambulatory Medical Care Survey (NAMCS)**
low-value prostate cancer screening in primary care, 36(1):152–159
obesity and the patient-physician relationship, 36(2):325–332
- Natural language processing (NLP)**, capture of social needs through, 36(3):513–514
- New York**
home health workers' interactions for heart failure, 36(2):369–375
integrating harm reduction into medical care, 36(3):449–461
- Newborns**
attending deliveries and providing perinatal care, 36(4):685–686
decline in family practitioners performing obstetric care, 36(4):690–691
landscape of pregnancy care in community health centers, 36(4):574–582
- Nicotine**, integrating a vaping assessment tool into the EHR, 36(3):405–413
- Norflurane**, reducing carbon footprint when prescribing inhalers, 36(2):356–359
- Nurses**, standing orders for buprenorphine follow-up care, 36(5):723–730
- Nutrition surveys**
cardiovascular disease risk reduction of quality improvement initiative, 36(3):462–476
periodontitis among US adults with multimorbidity, 36(2):313–324
- Obesity**
models for delivering weight management, 36(4):603–615
and patient-physician relationship, 36(2):325–332
- Obstetrics**
family physicians providing cesarean sections, 36(4):565–573
landscape of pregnancy care in community health centers, 36(4):574–582
- Occupational burnout**
after COVID-19, 36(1):105–117
impact of COVID-19 on family physicians, 36(6):905–915
- Ohio**, financial incentives and COVID-19 vaccination, 36(1):170–174
- Opiate substitution treatment**, integrating harm reduction into medical care, 36(3):449–461
- Opioid-related disorders**
end of the "X-waiver" program, 36(5):867–872
integrating harm reduction into medical care, 36(3):449–461
nurse standing orders for buprenorphine follow-up care, 36(5):723–730
utilization of MAT for, 36(2):251–266
- Opioids**
end of the "X-waiver" program, 36(5):867–872
high pain catastrophizing and opioid-related awareness, 36(2):267–276
nurse standing orders for buprenorphine follow-up care, 36(5):723–730
urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- Oregon**
acceptance of social needs navigation, 36(2):229–239
data challenges for rural colorectal cancer screening, 36(1):118–129
experiences with lung cancer screening implementation, 36(6):952–965
- Organizational innovation**
implementing whole person primary care, 36(4):542–549
models for delivering weight management, 36(4):603–615
- Orthopedics**, outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
- Osteoporosis**, denosumab versus bisphosphonates for reducing fractures, 36(1):175–185
- Osteoporotic fractures**, reducing, denosumab versus bisphosphonates, 36(1):175–185
- Outcomes assessment**
non-adherence behaviors and diabetes outcomes, 36(1):15–24
quality of care for Latinx children with asthma, 36(4):616–625
what patients call their inhalers, 36(4):650–661
- Outcomes research**, home health workers' interactions for heart failure, 36(2):369–375
- Outpatients**, virtual music therapy for substance use disorders, 36(6):1043–1049
- Pain**, high pain catastrophizing and opioid-related awareness, 36(2):267–276

Palliative care, clinical model of suffering, 36(2):344–355

Pandemics

ACGME's new family and medical leave policy, 36(1):190–192
adherence to diabetes medications during COVID-19, 36(2):289–302
burnout and commitment after COVID-19, 36(1):105–117
children's special health care needs during COVID-19, 36(5):731–738
COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
COVID-19 and community health center care delivery, 36(6):916–926
FQHC telemedicine care redesign, 36(5):712–722
fraud, access, and future of telemedicine, 36(5):864–866
health care costs following COVID-19 hospitalization, 36(6):883–891
IBH adaptations during COVID-19, 36(6):1023–1028
impact of COVID-19 on care coordination patients, 36(4):662–669
impact of COVID-19 on family physicians, 36(6):905–915
intimate partner violence and telemedicine usage, 36(5):755–765
telehealth and policy implications for equity, 36(5):746–754

Parenting, parental ACEs and child weight, 36(1):39–50

Patient adherence, lung cancer screening among mammography patients, 36(4):557–564

Patient care team

an exploration of professionalism in practice, 36(3):515–519
continuity, payment, and terms in Canadian health, 36(1):130–141
demographics and engagement in interprofessional collaboration, 36(1):88–94
IBH implementation and training in primary care, 36(6):1008–1019
nurse standing orders for buprenorphine follow-up care, 36(5):723–730

Patient-centered care

clinical model of suffering, 36(2):344–355
community health center social risk screening initiatives, 36(5):817–831
goal-oriented prevention, 36(2):333–338
ICAN Discussion Aid and patient burdens, 36(2):277–288

Patient-centered medical home, pharmacist e-consult in primary care, 36(3):425–430

Patient confidence, in screening mammography, 36(6):942–951

Patient education, high pain catastrophizing and opioid-related awareness, 36(2):267–276

Patient harm, severe harm due to screening colonoscopy, 36(3):493–500

Patient-oriented research, non-prescription antibiotic use among Hispanic patients, 36(3):390–404

Patient readmission

appointment cancellations and hospital utilization, 36(2):339–343
hearing loss with hospitalization, 36(3):439–448

Pediatrics, childhood wheeze and asthma diagnosis documentation, 36(6):1038–1042

Pennsylvania, physician perspectives on medical cannabis, 36(4):670–681

Periodontitis, among US adults with multimorbidity, 36(2):313–324

Peripheral nervous system, diseases, and reduced life expectancy, 36(3):431–438

Peripheral neuropathies, and reduced life expectancy, 36(3):431–438

Person-centered care, implementing whole person primary care, 36(4):542–549

Personal satisfaction, intimate partner violence and telemedicine usage, 36(5):755–765

Personnel relations, attrition in a multispecialty ambulatory practice network, 36(6):1050–1057

Pharmacists

e-consult in primary care, 36(3):425–430
increasing treatment rates for hepatitis C, 36(4):591–602

Pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067

Physician-patient relations

and obesity, 36(2):325–332
reflections in family medicine, 36(6):1020–1022
urine drug testing in patients prescribed opioid therapy, 36(4):537–541
what patients call their inhalers, 36(4):650–661

Physicians

attrition in a multispecialty ambulatory practice network, 36(6):1050–1057
end of the “X-waiver” program, 36(5):867–872
increasing treatment rates for hepatitis C, 36(4):591–602
leadership in top ranked US hospitals, 36(4):682–684
low-value prostate cancer screening in primary care, 36(1):152–159
physician continuity and cost of care, 36(6):976–985
utilization of MAT for opioid use disorder, 36(2):251–266

Physician's role, practical wisdom in primary care, 36(4):531–536

Policy

ACGME's new family and medical leave policy, 36(1):190–192
end of the “X-waiver” program, 36(5):867–872

Population health, community health center social risk screening initiatives, 36(5):817–831

Population health management, data challenges for rural colorectal cancer screening, 36(1):118–129

Postmenopause, denosumab versus bisphosphonates for reducing fractures, 36(1):175–185

Postpartum depression, detection and management of, 36(6):1071–1086

Postpartum period

attending deliveries and providing perinatal care, 36(4):685–686
decline in family practitioners performing obstetric care, 36(4):690–691
landscape of pregnancy care in community health centers, 36(4):574–582

Practice-based research

COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904

IBH implementation and training in primary care, 36(6):1008–1019

Practice guidelines, clinical decision support and medication prescribing, 36(5):777–788

Practice management, practice type and scope of care, 36(1):79–87

Pregnancy

attending deliveries and providing perinatal care, 36(4):685–686
decline in family practitioners performing obstetric care, 36(4):690–691
detection and management of perinatal depression, 36(6):1071–1086
pregnancy care in community health centers, 36(4):574–582

Prenatal care, in community health centers, 36(4):574–582

Preparticipation physical examinations, and failure to participate in sports, 36(6):1033–1037

Prescription drugs, pharmacy benefit managers, growing scrutiny of, 36(6):1065–1067

Prescriptions

end of the “X-waiver” program, 36(5):867–872
Medicare Advantage: growth amidst mounting scrutiny, 36(6):1062–1064

Preventive care

cardiovascular disease risk reduction of quality improvement initiative, 36(3):462–476
goal-oriented prevention, 36(2):333–338

Preventive health services, virtual Medicare Annual Wellness Visit intervention, 36(3):501–509

Preventive medicine

lung cancer screening among mammography patients, 36(4):557–564
severe harm due to screening colonoscopy, 36(3):493–500

Primary care

adherence to diabetes medications during COVID-19, 36(2):289–302
antidepressant tapering routine, 36(1):145–151
appointment cancellations and hospital utilization, 36(2):339–343
burnout and commitment after COVID-19, 36(1):105–117

- cannabis use for pain versus use for other reasons, 36(6):996–1007
- cardiovascular disease risk reduction of quality improvement initiative, 36(3):462–476
- clinical decision support and medication prescribing, 36(5):777–788
- clinical model of suffering, 36(2):344–355
- continuity, payment, and terms in Canadian health, 36(1):130–141
- continuity of care and hospitalization, 36(2):303–312
- COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
- COVID-19 and community health center care delivery, 36(6):916–926
- demographics and engagement in interprofessional collaboration, 36(1):88–94
- experiences with lung cancer screening implementation, 36(6):952–965
- food insecurity screening in safety-net clinics, 36(2):240–250
- FQHC telemedicine care redesign, 36(5):712–722
- goal-oriented prevention, 36(2):333–338
- guidelines for germline testing of colorectal cancer, 36(2):360–365
- high-quality care requires worthwhile work, 36(1):193–199
- home-based primary care for older adults with limited mobility, 36(4):550–556
- IBH adaptations during COVID-19, 36(6):1023–1028
- IBH implementation and training in, 36(6):1008–1019
- impact of COVID-19 on care coordination patients, 36(4):662–669
- impact of COVID-19 on family physicians, 36(6):905–915
- implementing whole person primary care, 36(4):542–549
- increasing treatment rates for hepatitis C, 36(4):591–602
- initial care for acute low back pain, 36(6):986–995
- integrating harm reduction into medical care, 36(3):449–461
- low-value prostate cancer screening in, 36(1):152–159
- non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- obesity and patient-physician relationship, 36(2):325–332
- outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
- peripheral neuropathy and reduced life expectancy, 36(3):431–438
- pharmacist e-consult in, 36(3):425–430
- physician continuity and cost of care, 36(6):976–985
- practice type and scope of care, 36(1):79–87
- quality of care for Latinx children with asthma, 36(4):616–625
- role of practical wisdom in, 36(4):531–536
- standards for dermoscopy education in, 36(1):25–38
- telehealth and policy implications for equity, 36(5):746–754
- telephonic follow-up and risk of COVID-19 death, 36(1):164–169
- use of cancer survivorship guidelines, 36(5):789–802
- virtual music therapy for substance use disorders, 36(6):1043–1049
- weight loss management in, 36(1):51–65
- Primary care physicians**
- leadership in top ranked US hospitals, 36(4):682–684
- top leadership roles, increasing, 36(4):687–689
- Professionalism**, an exploration of professionalism in practice, 36(3):515–519
- Prognosis**, peripheral neuropathy and reduced life expectancy, 36(3):431–438
- Program evaluation**, nurse standing orders for buprenorphine follow-up care, 36(5):723–730
- Propensity score**, health care costs following COVID-19 hospitalization, 36(6):883–891
- Prospective studies**
- hearing loss with hospitalization, 36(3):439–448
- initial care for acute low back pain, 36(6):986–995
- patient confidence in screening mammography, 36(6):942–951
- use of patient-reporting system for predicting influenza, 36(5):766–776
- Prostate cancer**, low-value prostate cancer screening in primary care, 36(1):152–159
- Prostate-specific antigen**, low-value prostate cancer screening in primary care, 36(1):152–159
- Psychiatry**
- antidepressant tapering routine, 36(1):145–151
- detection and management of perinatal depression, 36(6):1071–1086
- Psychological burnout**
- ACGME's new family and medical leave policy, 36(1):190–192
- attrition in a multispecialty ambulatory practice network, 36(6):1050–1057
- impact of COVID-19 on family physicians, 36(6):905–915
- Psychosocial intervention**, detection and management of perinatal depression, 36(6):1071–1086
- Public health**
- adult MMR boosters and seroconversion, 36(1):142–144
- FDA initiative for diversity in clinical trials, 36(2):366–368
- food insecurity screening in safety-net clinics, 36(2):240–250
- non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- reflections in family medicine, 36(6):1020–1022
- Qualitative research**
- AI applications in primary care, 36(2):210–220
- attrition in a multispecialty ambulatory practice network, 36(6):1050–1057
- burnout and commitment after COVID-19, 36(1):105–117
- community health center social risk screening initiatives, 36(5):817–831
- core values of family medicine and abortion provision, 36(4):583–590
- delays in COVID-19-related hospitalization, 36(5):832–838
- financial incentives and COVID-19 vaccination, 36(1):170–174
- food insecurity screening in safety-net clinics, 36(2):240–250
- FQHC telemedicine care redesign, 36(5):712–722
- IBH implementation and training in primary care, 36(6):1008–1019
- impact of COVID-19 on care coordination patients, 36(4):662–669
- integrating harm reduction into medical care, 36(3):449–461
- models for delivering weight management, 36(4):603–615
- non-prescription antibiotic use among Hispanic patients, 36(3):390–404
- physician perspectives on medical cannabis, 36(4):670–681
- providers and staff perceptions of AI, 36(2):221–228
- virtual music therapy for substance use disorders, 36(6):1043–1049
- Quality improvement**
- cardiovascular disease risk reduction of quality improvement initiative, 36(3):462–476
- clinical decision support and medication prescribing, 36(5):777–788
- deployment of digital advance care planning platform, 36(6):966–975
- FQHC telemedicine care redesign, 36(5):712–722
- increasing treatment rates for hepatitis C, 36(4):591–602
- physician perspectives on medical cannabis, 36(4):670–681
- Quality of life**
- clinical model of suffering, 36(2):344–355
- medical-legal partnership randomized clinical trials, 36(3):414–424
- Radiography**, outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
- Referral and consultation**
- experiences with lung cancer screening implementation, 36(6):952–965
- medical-legal partnership randomized clinical trials, 36(3):414–424
- pharmacist e-consult in primary care, 36(3):425–430
- social isolation and a resource referral platform, 36(5):803–816
- women at high risk for breast cancer, 36(6):1029–1032
- Remote consultation**
- pharmacist e-consult in primary care, 36(3):425–430
- telephonic follow-up and risk of COVID-19 death, 36(1):164–169

- Residency**, IBH implementation and training in primary care, 36(6):1008–1019
- Respiratory tract diseases**, patient-reporting system for predicting influenza, 36(5):766–776
- Retrospective studies**
 appointment cancellations and hospital utilization, 36(2):339–343
 COVID-19 mRNA vaccination trends, 36(6):927–932
 deployment of digital advance care planning platform, 36(6):966–975
 health insurance and chronic health conditions, 36(5):839–850
 hearing loss with hospitalization, 36(3):439–448
 landscape of pregnancy care in community health centers, 36(4):574–582
 outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
 patient's characteristics and management of symptom diagnoses, 36(3):477–492
 urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- Rickets**, infant and maternal vitamin D supplementation, 36(1):95–104
- Risk assessment**, guidelines for germline testing of colorectal cancer, 36(2):360–365
- Rural health**
 data challenges for colorectal cancer screening, 36(1):118–129
 multi-component intervention for colorectal cancer screening, 36(6):933–941
 practice type and scope of care, 36(1):79–87
- Rural population**
 family physicians providing cesarean sections, 36(4):565–573
 telehealth and policy implications for equity, 36(5):746–754
- Safety-net clinics**
 food insecurity screening in, 36(2):240–250
 FQHC telemedicine care redesign, 36(5):712–722
- SARS-CoV-2**, telephonic follow-up and risk of COVID-19 death, 36(1):164–169
- Scope of care**, practice type and, 36(1):79–87
- Scoping review**, implementation of social screening within US health care settings, 36(4):626–649
- Screening**
 community health center social risk screening initiatives, 36(5):817–831
 data challenges for rural colorectal cancer screening, 36(1):118–129
 experiences with lung cancer screening implementation, 36(6):952–965
 implementation of social screening within US health care settings, 36(4):626–649
- lung cancer screening among mammography patients, 36(4):557–564
- multi-component intervention and colorectal cancer screening, 36(6):933–941
- patient and patient caregiver perspectives on social screening, 36(1):66–78
- patient confidence in screening mammography, 36(6):942–951
- preparticipation sports physicals, 36(6):1033–1037
- reflections in family medicine, 36(6):1020–1022
- social isolation and a resource referral platform, 36(5):803–816
- women at high risk for breast cancer, 36(6):1029–1032
- Selective serotonin reuptake inhibitors**, detection and management of perinatal depression, 36(6):1071–1086
- Seroconversion**, adult MMR boosters and seroconversion, 36(1):142–144
- Shared decision-making**, ICAN Discussion Aid and patient burdens, 36(2):277–288
- Sick leave**, ACGME's new family and medical leave policy, 36(1):190–192
- Signs and symptoms**, patient's characteristics and management of symptom diagnoses, 36(3):477–492
- Skin cancer**, standards for dermoscopy education in primary care, 36(1):25–38
- Small intestine**, ACE inhibitor-induced angioedema of, 36(1):160–163
- Social care**, patient and patient caregiver perspectives on social screening, 36(1):66–78
- Social determinants of health**
 acceptance of social needs navigation, 36(2):229–239
 capture of social needs through NLP, 36(3):513–514
 community health center social risk screening initiatives, 36(5):817–831
 determining patients' social needs in EHRs, 36(3):510–512
 FDA initiative for diversity in clinical trials, 36(2):366–368
 food insecurity screening in safety-net clinics, 36(2):240–250
 implementation of social screening within US health care settings, 36(4):626–649
 medical-legal partnership randomized clinical trials, 36(3):414–424
 outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
 patient and patient caregiver perspectives on social screening, 36(1):66–78
 reflections in family medicine, 36(6):1020–1022
 social isolation and a resource referral platform, 36(5):803–816
- Social isolation**, reflections in family medicine, 36(6):1020–1022
- Social problems**, reflections in family medicine, 36(6):1020–1022
- Social risk factors**
 implementation of social screening within US health care settings, 36(4):626–649
 social isolation and a resource referral platform, 36(5):803–816
- Socioeconomic factors**, patient and patient caregiver perspectives on social screening, 36(1):66–78
- Solo practice**, race and ethnicity differences in solo practices, 36(2):380–381
- Southwestern United States**, extra-articular coccidioidomycosis in the knee, 36(2):376–379
- Special communications**
 An Exploration of Professionalism in Everyday Practice, 36(3):515–519
 A Comprehensive Clinical Model of Suffering, 36(2):344–355
 Thinking "Green" When Treating "Pink Puffers" and "Blue Bloaters"—Reducing Carbon Footprint When Prescribing Inhalers, 36(2):356–359
- Special health care needs**, children's, during COVID-19, 36(5):731–738
- Specialty boards**, implementing competency-based ABFM board eligibility, 36(4):703–707
- Sports medicine**
 extra-articular coccidioidomycosis in the knee, 36(2):376–379
 failure to participate in sports, 36(6):1033–1037
- Standards**, role of practical wisdom in primary care, 36(4):531–536
- Standing orders**, nurse, for buprenorphine follow-up care, 36(5):723–730
- Structural equation modeling**, parental ACEs and child weight, 36(1):39–50
- Students**
 failure to participate in sports, 36(6):1033–1037
 use of patient-reporting system for predicting influenza, 36(5):766–776
- Substance-abuse testing**, urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- Substance-related disorders**
 an exploration of professionalism in practice, 36(3):515–519
 virtual music therapy for substance use disorders, 36(6):1043–1049
- Substance use disorders**, nurse standing orders for buprenorphine follow-up care, 36(5):723–730
- Suffering**, clinical model of, 36(2):344–355
- Surveys and questionnaires**
 advanced practice providers in family medicine departments, 36(6):1058–1061
 comparing cannabis use for pain to use for other reasons, 36(6):996–1007
 COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904

- detection and management of perinatal depression, 36(6):1071–1086
determining patients' social needs in EHRs, 36(3):510–512
financial incentives and COVID-19 vaccination, 36(1):170–174
impact of COVID-19 on family physicians, 36(6):905–915
patient confidence in screening mammography, 36(6):942–951
tool to enhance functional status assessment, 36(1):4–14
- Survivorship**, use of cancer survivorship guidelines, 36(5):789–802
- Sustained virologic response**, increasing treatment rates for hepatitis C, 36(4):591–602
- Systematic review**
implementation of social screening within US health care settings, 36(4):626–649
patient and patient caregiver perspectives on social screening, 36(1):66–78
severe harm due to screening colonoscopy, 36(3):493–500
- Systems change**, increasing primary care physicians in top leadership roles, 36(4):687–689
- Telemedicine**
acceptance of social needs navigation, 36(2):229–239
FQHC telemedicine care redesign, 36(5):712–722
fraud, access, and future of telemedicine, 36(5):864–866
intimate partner violence and telemedicine usage, 36(5):755–765
outcomes of in-person and telemedicine musculoskeletal radiographs, 36(5):739–745
telehealth and policy implications for equity, 36(5):746–754
use of patient-reporting system for predicting influenza, 36(5):766–776
virtual music therapy for substance use disorders, 36(6):1043–1049
- Telephone**, follow-up, and risk of COVID-19 death, 36(1):164–169
- Tennessee**, tool to enhance functional status assessment, 36(1):4–14
- Training**, implementing whole person primary care, 36(4):542–549
- Treatment adherence**, non-adherence behaviors and diabetes outcomes, 36(1):15–24
- Triage**, use of patient-reporting system for predicting influenza, 36(5):766–776
- Uncertainty**, role of practical wisdom in primary care, 36(4):531–536
- Urgent care**, practice type and scope of care, 36(1):79–87
- Urine collection**, urine drug testing in patients prescribed opioid therapy, 36(4):537–541
- U.S. Department of Health and Human Services**, fraud, access, and future of telemedicine, 36(5):864–866
- U.S. Department of Veterans Affairs**
diversifying federal family medicine, 36(1):200–202
physician racial diversity in federal sites, 36(1):188–189
- Vaccination**
adult MMR boosters and seroconversion, 36(1):142–144
COVID-19 mRNA vaccination trends, 36(6):927–932
health care costs following COVID-19 hospitalization, 36(6):883–891
- Vaccination hesitancy**, financial incentives and COVID-19 vaccination, 36(1):170–174
- Values**, core, of family medicine, and abortion provision, 36(4):583–590
- Vaping**, assessment tool, integrating into the EHR, 36(3):405–413
- Veterans**, adherence to diabetes medications during COVID-19, 36(2):289–302
- Veterans Health Administration**, pharmacist e-consult in primary care, 36(3):425–430
- Virginia**
COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
physician continuity and cost of care, 36(6):976–985
- Virtual systems**, Medicare Annual Wellness Visit intervention, 36(3):501–509
- Vitamin D**, infant and maternal vitamin D supplementation, 36(1):95–104
- Vulnerable populations**
integrating a vaping assessment tool into the EHR, 36(3):405–413
landscape of pregnancy care in community health centers, 36(4):574–582
virtual music therapy for substance use disorders, 36(6):1043–1049
- Washington**, cannabis use for pain versus use for other reasons, 36(6):996–1007
- Weight loss**
models for delivering weight management, 36(4):603–615
weight loss management in primary care, 36(1):51–65
- Workflow**, experiences with lung cancer screening implementation, 36(6):952–965
- Workforce**
advanced practice providers in family medicine departments, 36(6):1058–1061
attending deliveries and providing perinatal care, 36(4):685–686
burnout and commitment after COVID-19, 36(1):105–117
COVID-19, Medicaid expansion, and practice ownership, 36(6):892–904
decline in family practitioners performing obstetric care, 36(4):690–691
demographics and engagement in interprofessional collaboration, 36(1):88–94
diversifying federal family medicine, 36(1):200–202
family physician early-career compensation, 36(5):851–863
family physicians providing cesarean sections, 36(4):565–573
high-quality care requires worthwhile work, 36(1):193–199
impact of COVID-19 on family physicians, 36(6):905–915
implementing whole person primary care, 36(4):542–549
pharmacist e-consult in primary care, 36(3):425–430
physician racial diversity in federal sites, 36(1):188–189
practice type and scope of care, 36(1):79–87