

**SPECIAL COMMUNICATION**

# Research Published in 2003 by U.S. Family Medicine Authors

*Donald E. Pathman, MD, MPH, Anthony J. Viera, MD, MPH, and Warren P. Newton, MD, MPH*

**Objectives:** The discipline of family medicine seeks to build its research enterprise. To assess the state of family medicine research in the United States, this study identifies and describes research articles published by family medicine researchers from the United States in 2003 and assesses the growth in articles, authors, and publishing journals since 2000.

**Methods:** We searched for all research articles published in 2003 in scholarly, English-language journals authored by individuals in US family medicine organizations and by family physicians from the United States. Search approaches included a hard copy review of 22 journals and Medline searches of articles by family medicine authors and organizations. Similar search approaches, previously reported, were used to identify articles published in 2000.

**Results:** For 2003 we found 790 research articles dispersed across 285 journals from 801 family medicine researcher-authors. Twenty-nine journals published 6 or more family medicine research articles; 159 journals published just 1 research article from the discipline. Family medicine journals published 18% of the discipline's research articles. People in academic departments authored the vast majority (89%) of the discipline's research. Between 2000 and 2003 family medicine's research articles increased by an estimated 58%, its authors increased by 41%, and journals used increased by 82%.

**Conclusions:** Family medicine's research enterprise in the United States is larger and more productive than generally recognized, and it is growing. Nevertheless, family medicine likely publishes fewer research articles than some other clinical disciplines. (J Am Board Fam Med 2008;21:6–16.)

Building a healthy research enterprise is central to family medicine's ability to provide the best possible care to patients and is important to the future of the discipline.<sup>1,2</sup> Although family medicine benefits from the research of other clinical disciplines and from research in the basic and social sciences, its practitioners also need answers to clinical questions

from studies involving family medicine's own patient populations and practice settings.<sup>3–6</sup> Similarly, innovations in the organization of family physicians' offices and in the training of future family physicians depend on data from family medicine's health services and education researchers. Some observers within and outside the discipline have felt that family medicine does not carry out enough research<sup>7–10</sup> and that increasing financial and other pressures within its academic departments are making research more difficult.<sup>11–12</sup> Recognizing these concerns and the discipline's need for research, family medicine's national leaders have lobbied to support the discipline's researchers with more funding, training programs, and publishing venues.<sup>1,13–16</sup>

Whether family medicine's research enterprise is healthy and growing or succumbing to external pressures should be understood and monitored. The health of a discipline's research enterprise—having a sizable and productive researcher workforce, committed and capable research institutions,

This article was externally peer reviewed.

Submitted 7 June 2007; revised 9 August 2007; accepted 13 August 2007.

From the Department of Family Medicine (DEP, AJV, WPN) and the Cecil G. Sheps Center for Health Services Research (DEP), University of North Carolina at Chapel Hill.

Funding: none.

Prior Presentation: Portions of this study and its findings were presented at the Annual Meeting of the North American Primary Care Research Group, Quebec City, Quebec, Canada, October 18, 2005; and at the Associations of Departments of Family Medicine Winter Meeting, Albuquerque, New Mexico, February 26, 2006.

Conflict of interest: none declared.

Corresponding author: Donald Pathman, Department of Family Medicine, University of North Carolina School of Medicine, CB 7595, Chapel Hill, NC, 27599-7595 (E-mail: don\_pathman@unc.edu).

adequate research funding, and vibrant scientific methods—is likely best reflected in what it produces, ie, by what is seen in the corpus of the discipline’s published papers. A large number of research articles published by a broad body of researchers and institutions in journals reaching a wide and appropriate audience reflects a flourishing research enterprise. Many biomedical disciplines have assessed the state of their research efforts by using a variety of bibliographic search techniques to identify their fields’ published articles and then analyzing them.<sup>17–19</sup> Prior evaluations in family medicine have assessed the discipline’s published “scholarship” without distinguishing research reports from other forms of writing, like clinical reviews and editorials,<sup>7,11,20,21</sup> or have assessed family medicine’s research published only within the disciplines’ handful of journals.<sup>10</sup> Only one previous effort has attempted to characterize family medicine’s complete research output, a study we conducted in collaboration with the North American Primary Care Research Group Committee on Building Research Capacity, which identified all research articles published by family medicine organizations in the United States in the years 1999 and 2000. This earlier study found that, when viewed in its entirety, family medicine’s research output is greater than generally assumed.<sup>22,23</sup> The current study updates this earlier investigation by identifying and describing research articles published by the discipline of family medicine in the United States in 2003, and estimating the growth in papers and publishing authors, institutions, and journals since 2000. We define the “discipline of family medicine” as all family physicians and all people working in family medicine’s organizations, including family medicine academic departments and family medicine residencies.

## Methods

### *Eligibility Criteria*

#### *Eligible Journals*

Research articles were eligible when published in the United States or in international scholarly English-language journals in 2003 in print or electronic formats (Table 1). Scholarly journals are periodicals whose purpose is to add to the knowledge base of specific fields, that publish articles submitted by authors not on the staff of the journals themselves, that are published by a scholarly or

**Table 1. Eligibility Criteria for US Family Medicine’s Research Articles in 2000 and 2003**

Eligible articles must be (1) published in eligible journals, (2) eligible as research, and (3) authored or co-authored by a US family medicine researcher-author

#### Eligible Journals

Scholarly journals published in English in an issue with a 2003 publication date

- Includes journals published in hard copy and electronic formats
- Includes journals published in the United States and internationally
- Includes journals whether peer-reviewed or indexed on Medline
- Excludes popular magazines, news and general interest periodicals, books, and unpublished reports

#### Articles Eligible as Research

Articles formally reporting data that were systematically gathered and analyzed

- Includes descriptive and hypothesis-driven studies, evaluations of educational and service programs, and literature syntheses using systematic and formal analyses
- Excludes nonsystematic clinical reviews, editorials, book reviews, synopses of articles published elsewhere, most letters to the editor
- Excludes case reports but includes case series and case studies
- Study methods, subject matter, and quality not considered in eligibility determination

#### Authors Eligible as “Family Medicine Researcher-Authors”

Authors who work in US family medicine organizations or who are family physicians

- Includes those working in academic family medicine departments; family medicine divisions of joint academic departments (e.g., departments of family and community medicine); non-university, hospital-based family medicine residencies; other family medicine organizations (e.g., AAFP); and clinicians in family medicine practices
- Includes those working in allopathic and osteopathic organizations
- Includes family physicians, other physicians and nonphysicians working in eligible family medicine organizations
- Includes those with secondary appointments in academic family medicine departments, but excludes those with adjunct appointments

professional organization or university, and whose readership is the researchers and/or practitioners of their fields.<sup>24,25</sup> This excluded articles appearing in popular magazines, news, and general interest periodicals; non-periodicals (eg, books); and those produced without a publisher (eg, committee reports and working papers).

#### *Articles Eligible as Research*

We classified articles as research if they demonstrated a systematic approach to gathering and an-

alyzing data, consistent with federal definitions.<sup>26,27</sup> Articles eligible as research included traditional hypothesis-driven and exploratory studies, evaluations of educational and service programs that report systematically gathered outcome data, and meta-analyses and other types of formal literature synthesis that systematically assessed (as data) methods and/or findings across studies. Ineligible articles included traditional (nonsystematic) clinical reviews, editorials, synopses of articles published in other journals including “patient-oriented evidence that matters,”<sup>28</sup> book reviews, and virtually all letters to the editor. Although case reports of 1 or 2 subjects were ineligible, case series that provided descriptive statistics of pooled subjects were eligible, as were case studies that presented detailed descriptions of educational, community, or clinical interventions with outcome data. Some Family Physicians Inquiries Network reports<sup>29</sup> were eligible, but most loosely synthesized the scant data available on their topics and, therefore, were ineligible as research. Articles presenting research were eligible regardless of the nature of their research questions, their relevance to practicing family physicians, their study methods, or the quality of the research.

#### *Eligible Authors*

Eligible authors were those, regardless of their academic degrees or disciplines, working in US family medicine organizations. This included academic family medicine departments (allopathic and osteopathic), family medicine divisions of joint departments (eg, departments of “family and community medicine” and “family and preventive medicine”), family medicine residencies set within nonacademic medical centers, family medicine clinical departments of hospitals, and other family medicine organizations (eg, family medicine-run practice-based research networks and the American Academy of Family Physicians). In addition, all family physicians from the United States were eligible regardless of where they worked. Those who were not family physicians but had secondary academic appointments in family medicine departments were eligible; those with adjunct appointments were not.

#### *Steps in Identifying Published Research*


To identify the discipline’s research published in 2003, we used a variety of complementary and

overlapping search approaches that, when followed sequentially, added fewer and fewer new papers, suggesting that there were fewer articles remaining unbound after each approach. The search approaches were generally the same as those we used when reviewing publications in 1999 and 2000,<sup>22</sup> but with some changes made principally to improve search efficiency.

We previously found that, in 1999 and 2000, 18 journals published 51% of the discipline’s research articles.<sup>22</sup> We began our search for 2003 articles with an issue-by-issue hard copy search of these 18 journals, along with the 4 family medicine journals newly publishing research since 2000 (Fig 1). We next conducted a series of searches of the National Library of Medicine’s Medline bibliographic database using the search limits of 2003 publication year and English language. We first searched the affiliation field (ie, organization) for all authors, whether listed as first author, second author, etc, under the terms <“family” and “practice”> and <“family” and “medicine”>. We then electronically searched for 2003 articles under the last names and first initials of all 385 authors of 2 or more research articles in 1999 and 2000. We tried searching under the names of a sample of 75 of the 409 authors of only one research article over the 2 earlier years, but this yielded few articles for 2003 so we did not search the rest of the names. We next searched under the names of 2003 to 2004 members of the North American Primary Care Research Group from the United States who had not been searched up to this point (n = 417), and then searched under the names of the approximately 200 new family medicine co-authors of eligible articles identified thus far for 2003. We concluded the process by searching under the names of new authors suggested to us by the chairs of 33 academic joint departments (see below) and by adding new articles found in compendia provided to the study by a sample of 15 US family medicine departments (see below).

#### *Steps in Assessing Article and Author Eligibility*

We obtained a complete hard copy of every potentially eligible article and 2 reviewers independently assessed its eligibility as “research.” A third investigator independently reviewed and concurred in all instances with the eligibility designations of a sample of 120 articles deemed to be research and



**Figure 1. Sequence of steps taken to identify US family medicine's 2003 research articles and the number of new articles found at each step.**

the ineligibility determinations of 107 articles deemed not to be research.

The eligibility of authors was determined principally by their institutional affiliations noted on their articles. In ambiguous cases, authors' affiliations were clarified through their organizations' web sites and/or we verified that authors were family physicians and, therefore, automatically eligible, using on-line physician databases.

It was sometimes unclear whether individuals working in a joint department, such as a "Department of Family and Community Medicine," were in its family medicine division. We surveyed the chairs of 41 joint departments and asked them to confirm whether each author we identified from their department was in its family medicine division, was a family physician, considered him/herself to be a "family medicine researcher," and whether the chair felt we should count this person as a family medicine researcher. They also suggested

names of other 2003 authors in their department. Thirty-three usable surveys (80%) were returned.

### ***Differences in Search Approaches Used in 1999/2000 and 2003***

Compared with the present study, the earlier study that assessed family medicine's research published in 1999 and 2000 used identical author and article eligibility criteria and the same general search strategies, but differed at 3 search steps<sup>22</sup>: (1) for 2003 we started with a hand search of only 22 journals, whereas for 1999 and 2000 we began with a hand search of 80 seemingly relevant journals; (2) for 2003 we included electronic searches of the names of authors of 2 or more eligible articles in 1999 and 2000; and (3) for 2003 we electronically searched the names of North American Primary Care Research Group members who had not already been searched.



## Analysis

Analyses were primarily descriptive, presenting total and subgroup counts of identified research articles, family medicine authors and their organizations, and journals for 2003. Tallies were made of the articles published in “family medicine journals,” defined as journals with “family medicine,” “family practice” or “family physician” in their titles, and in the 5 weekly general medicine journals, specifically, *The Journal of the American Medical Association*, *New England Journal of Medicine*, *BMJ*, *Lancet*, and *Annals of Internal Medicine*. Comparison figures for numbers of articles, authors, and journals for the specific publication year of 2000 were generated from the databases of articles and authors previously reported jointly for 1999 and 2000.<sup>22,23</sup>

We assessed how completely the group of eligible articles identified through the above steps reflected all research articles published by US family medicine organizations and family physicians in 2003 and in 1999/2000. Many departments maintain lists of their publications that they perceive to be reasonably complete; these lists have been used as a source of “all” publications in previous research.<sup>21</sup> We obtained compendia of publications from a purposive sample of academic departments for which we had found few, some, or many eligible articles and that were located in all regions of the United States. We assessed the research eligibility of each article on departments’ lists and then assessed the proportion of these research articles that had been found through our online and hard-copy search processes at each time period.

This study using principally publicly available data were submitted to and exempted from human subjects review by the Office of Human Research Ethics of the University of North Carolina School of Medicine.

## Results

### Eligible Research Articles

We found 790 research articles by US family medicine researcher-authors published in 2003 (Figure 1). Seventy percent were found through the first 2 steps of hard copy searches of 22 journals and electronic searches for “family” plus “medicine” or “practice” in the author affiliation field. Four hundred seventy-seven of the 790 articles (60%) listed a family medicine researcher as the lead author.

**Table 2. Numbers of Family Medicine Researcher-Authors and the Number of Articles they Authored in 2003**

Family medicine researcher-authors (n)	801
Family-medicine researchers who were lead authors on one or more papers (n)	344
Articles per family medicine researcher-author (n, mean)	1.875
Family medicine researchers (n [%]) who authored:	
1 article	510 (63.7)
2 articles	138 (17.2)
3 or 4 articles	96 (12.0)
5–7 articles	42 (5.2)
≥8 articles	15 (1.9)
Total	801 (100)
Distribution of academic degrees of family medicine researcher-authors (n [%])	
MD	292 (36.5)
MD with masters (MPH, MS, etc.)	132 (16.5)
MD with doctorate (PhD, DrPH, etc.)	24 (3.0)
DO, MBBS or MB, with or without other masters or doctorate	19 (2.4)
Doctorates (among non-physicians)	185 (23.1)
Masters (among non-physicians)	69 (8.6)
Bachelors (BA, BS, BSN, etc.)	22 (2.7)
No degree or information missing	58 (7.2)
Total	801 (100)

### Authors

In 2003, 801 US family physicians and others working in family medicine organizations authored research articles (Table 2). Three hundred forty-four (43%) of the 801 authors were lead authors on at least one research article. Almost two-thirds (64%) of family medicine researcher-authors were listed on just one paper and, on average, family medicine researcher-authors were listed on 1.88 research articles. The most prolific family medicine researcher authored 16 research articles; 57 people authored 5 or more research articles.

Most family medicine researcher-authors had MD degrees (56%); of these, one-third also had master’s or doctoral degrees (Table 2). Adding in those with DO, MB, and MBBS degrees, physicians as a whole comprised 58.3% of all family medicine researcher-authors. Nonphysicians with doctorates constituted the second largest group of authors (23%).

### Journals

Research articles from US family medicine authors were published in 285 different journals in 2003

**Table 3. Journals Publishing Family Medicine Research Articles in 2003**

Journals (n)	
Number of journals publishing:	
1 article	159
2 articles	55
3–5 articles	42
6–11 articles	21
≥12 articles	8
Total	285
Articles (n)	
Journals publishing ≥12 family medicine research articles in 2003	
<i>Family Medicine</i>	69
<i>Journal of the American Board of Family Medicine</i>	27
<i>Academic Medicine</i>	27
<i>Annals of Family Medicine</i>	20
<i>Journal of Rural Health</i>	19
<i>American Journal of Public Health</i>	13
<i>Journal of the American Geriatric Society</i>	12
<i>Journal of Women's Health</i>	12
Articles in "family medicine" journals ( <i>American Family Physician, Annals of Family Medicine, Archives of Family Medicine, BMC Family Practice, Family Medicine, Family Practice, Journal of the American Board of Family Medicine</i> )	142 (18.0%)
Articles in 5 weekly general medicine journals ( <i>Journal of the American Medical Association, New England Journal of Medicine, BMJ, Lancet, Annals of Internal Medicine</i> )	22

(Table 3). Most of these journals (56%) published only one such article that year. These one-article journals included those with both prominent and limited circulation that were focused on specific diseases, organs, and disciplines (eg, *Hypertension, Contraception, Thyroid, Circulation, and Urology*); journals from state medical societies, and international journals (eg, *European Journal of Public Health* and *Scandinavian Journal of Primary Health Care*).

Twenty-nine journals published 6 or more family medicine research articles in 2003. These 29 journals together published more than one-third of the discipline's 790 research articles. "Family medicine journals" published 147 research articles in 2003, which was 18.0% of all research articles. Twenty-two articles (2.8%) were published by the 5 weekly general medicine journals.

**Organizations**

The vast majority (n = 699; 89%) of the discipline's research articles in 2003 listed one or more

**Table 4. Number and Percentages\* of Family Medicine Research Articles from the Various Types of Organizations in 2003**

Academic family medicine department	699 (88.5)
Family medicine residency based in non-university hospital	49 (6.2)
Family physician in clinical practice	19 (2.4)
Other family medicine organization	28 (3.5)
Family medicine military site	7 (0.9)
Family physician in non-family medicine organization	36 (4.6)
	838 (106.1)

\*Data presented as n (%). Summed numbers and percentages exceed the actual total number of articles and 100% because some articles were co-authored by individuals in 2 types of organizations.

authors from a family medicine academic department (Table 4). Forty-nine articles (6%) listed authors affiliated with non-university hospital-based residencies and 90 articles (11%) listed family medicine authors working in all remaining settings combined.

Authors in relatively few of family medicine's allopathic academic departments produced a disproportionate amount of the discipline's published research (Table 5). Thirteen of the 98 allopathic family medicine departments that published research articles in 2003 together authored 294 articles, or 37.2% of the discipline's 790 total research articles. In contrast, 52 (54%) of publishing allopathic departments published 5 or fewer articles, together accounting for 134 articles, or 17% of all articles.

Authors in 4 osteopathic departments of family medicine were listed on 9 research articles in 2003. People in 32 nonacademic medical center-based or administered family medicine residencies (some with university affiliations) were listed as authors.

**Table 5. Research Article Output from Allopathic Academic Departments of Family Medicine in 2003**

Articles per Department (n)	Allopathic Departments (n [%])
1 or 2	28 (29)
3–5	24 (24)
6–10	19 (19)
11–15	14 (14)
≥16	13 (13)
Total	98 (100)

**Table 6. Comparisons of Articles, Authors, Journals, and Departments for 2000\* and 2003†**

	2000	2003	Change (%)
Total articles (n)	499	790	+58
Articles with family medicine-researcher as lead author (n [%])	328 (66)	477 (60)	+45 (-5)
Total family medicine researcher-authors (n)	569	801	+41
Articles per family medicine researcher-author (n, mean)	1.698	1.875	+10
Physicians (MD, DO, MBBS, MB) among family medicine researcher-authors (n [%])	361 (63)	467 (58)	+106 (-5)
Total journals (n)	157	285	+82
Journals publishing 1 article (n)	94	159	+69
Journals publishing 6 or more articles (n)	16	29	+81
Articles in "family medicine" journals (n [%])	176 (35)	142 (18)	-24 (-17)
Articles in top-tier general medical journals (n)	14	22	+57
Articles listing an author from an academic family medicine departments (n [%])	443 (89)	699 (89)	+58 (0)

\*Data for 2000 are from an earlier study of research published in 1999 and 2000.<sup>22,23</sup>

†There are some differences in the study article search approaches for the 2 time periods, as described in the Methods and Limitations sections.

### **Comparisons to Data from 2000**

The 790 eligible research articles found for 2003 were 58% more than the 499 articles found for 2000 (Table 6). From 2000 to 2003 there was also a 41% increase in the number of family medicine researcher-authors (from 569 to 801), an 82% increase in the number of journals that published family medicine research articles (from 157 to 285), an 81% increase in the number of journals that published 6 or more articles (from 16 to 29), and a 57% increase in the number of articles published in top-tier journals (from 14 to 22). Conversely, the number of research articles published in family medicine journals decreased 19% (from 176 to 142), which, when coupled with the increase in total number of articles, yielded a 49% decrease in the proportion of all family medicine research articles published in family medicine journals (from 35.3% to 18.0%). The proportion of articles published by academic departments remained unchanged at 89%.

### **Evaluating the Completeness of the Group of Articles Found**

We counted 122 eligible research articles from 2003 on the compendia of publications we obtained from 15 academic departments. One hundred (82%) of them had been identified through this study's search approaches. Our search processes for the 2 years 1999 and 2000 identified 146 of 184 (79%) of the eligible articles contained on the compendia of 12 academic departments. The capture

rates of eligible articles of the 2 periods, therefore, seemed comparable. With approximately 20% of eligible articles missed, we estimate that the full number of research articles published by US family medicine authors in 2003 was 964.

### **Discussion**

Family medicine is a broad discipline with no well-circumscribed field of scientific inquiry to target with key words in online searches, no compendium with the names of all its researchers whose work can be searched, and no finite searchable list of journals that its researchers use. This study, therefore, used a variety of search strategies to find research articles from 2003 from family physicians and others in family medicine organizations in the United States. We found far more articles (n = 790) from more family medicine researcher-authors (n = 801) published in more journals (n = 285) than had been found in 2000 and more than in any previous study of family medicine's publications, research or otherwise.

That research from US family medicine researcher-authors appeared in 285 domestic and international journals in a single year in large part explains why the scope of their work is not generally recognized.<sup>8,11</sup> Evaluations that assess the content of only family medicine-specific journals<sup>9,30,31</sup> will now miss approximately 80% of the discipline's published research; such studies are useful in assessing the contributions of family medicine jour-

nals but they will not reflect the discipline's overall research.<sup>32</sup> Although broad disciplines like family medicine may be especially prone to publishing outside of their discipline's journals, all disciplines are likely doing so; half of the research published from 1961 to 2005 by the seemingly focused field of nephrology appeared in non-renal journals.<sup>33</sup>

With family medicine's researchers using many journals, "family medicine journals" delivered only 18% of the discipline's research to readers in 2003. There have been concerns that family medicine's researchers are sometimes unable to publish their work because of a shortage of available journal space. Our data demonstrate that there is an ample number of journals available for the discipline's work. A more appropriate question is whether there are enough journals and journal space for family medicine's researchers to reach practicing family physicians with relevant and important study findings. The answer to this question, however, depends more on clinicians' journal reading preferences and their other approaches to acquiring information—clinicians prefer review articles to primary research<sup>34</sup>—than on numbers of journals willing to publish work from the discipline. Other important influences include how often family medicine researchers now publishing quality work in non-family medicine journals would have preferred to publish in family medicine's journals and in which type of journals their work reaches the largest and most appropriate audiences and has greatest impact.

Are nearly 1000 research articles per year the right volume for the discipline? There are no set benchmarks. With over 207 million office visits each year to over 80,000 family physicians in the United States,<sup>35,36</sup> we might assume that one paper for approximately every 200,000 office visits and 80 practitioners is too few. Comparisons with publishing volumes for other clinical disciplines provides some perspective. One study<sup>18</sup>, using search methods reasonably close to ours, counted 4287 cardiology research and review articles in 77 Medline-indexed cardiology journals in 2002 with first authors from the United States, and presumably (although not verified) most of these authors were cardiologists or researchers in cardiology organizations. A similarly structured study<sup>17</sup> found 2031 research and review articles in 2003 in 30 respiratory journals that were by first authors from the United States, of whom most probably worked in

pulmonary divisions and departments. Although not fully comparable to our study in their search methods, these studies from other disciplines likely reflect a volume of research articles that is several times greater than the 477 articles we found for 2003 from US family medicine first authors.

Despite the interest of some within the discipline in seeing all family physicians integrally involved in the generation of new knowledge<sup>1</sup> and requirements that all family medicine residents receive training in research,<sup>37</sup> these data show that, as in other disciplines, the vast majority of family medicine's research comes from people in its academic departments. Only 19 articles in 2003 were from practitioners in purely clinical settings and only 49 were from people working in residencies outside academic centers. Although all family physicians should know how to critically read the literature and use data to assess outcomes in their practices, these data indicate that nonacademic family physicians are not the ones creating and disseminating knowledge. This suggests that the discipline should strategically focus its research and development efforts on its academic departments.

There was great variation across academic departments in the number of research articles published in 2003, with the 13 most productive departments authoring over one-third of the discipline's total published research. It is not known whether family medicine's research is concentrated in fewer high-producing departments than research in other clinical disciplines and if family medicine's success in research is therefore at greater risk from any downturn in circumstances at these relatively few centers. It remains to be seen whether some departments that now publish just a few research articles each year can, with the right supports, produce more.<sup>38</sup>

Our data do not tell us how often family medicine's published research is read by and influences other researchers, clinicians, educators, and policy makers, or how much it ultimately contributes to people's health. It is also not clear whether family medicine's growing research output is serving the information needs of the discipline's practitioners or if it is answering the discipline's call for new knowledge. Given the nearly 300 journals where it is published, family medicine's research is clearly reaching many outside the discipline, and perhaps this is where it is having greatest impact.



There have been concerns that the mounting financial stresses on academic medical centers and time pressures on faculty are causing family medicine's research enterprise to flounder.<sup>11,12</sup> Data from this study indicate that this is not occurring: from 2000 to 2003 the discipline's published research output grew by more than 50% in number of articles, 41% in number of family medicine researcher-authors, and 82% in number of journals used. Research growth in the face of financial adversity may be because of a growing discipline-wide culture that values research and creating a stronger evidence base for what family physicians do,<sup>1</sup> which could be motivating people and departments to prioritize research despite its challenges.

The discipline's recent growth in research is likely also because of, in part, family medicine's 20-year investment in building its research enterprise. This investment has included the American Academy of Family Physicians and its Foundation's support for research centers of excellence, the Joint Grant Awards Program,<sup>39</sup> the Robert Graham Center,<sup>40</sup> practice-based research networks,<sup>41,42</sup> and the Grant Generating Project, the latter in partnership with the North American Primary Care Research Group and the Society of Teachers of Family Medicine.<sup>16</sup> Successful advocacy has also helped create Federal and foundation fellowship programs to expand training opportunities for primary care researchers.<sup>43-45</sup>

### Limitations

This study, begun in 2004, assessed research published in 2003. It is not known how the discipline's research has fared since 2003. This study did not assess family medicine's production of other types of written scholarship like book chapters, editorials, and clinical reviews and did not assess the numerous research articles from family medicine investigators in other countries.<sup>7</sup>

Two new search steps used for 2003 could have inflated growth estimates from 2000: (1) electronically searching under the names of authors of 2 or more research articles in 1999 and 2000 and (2) searching under the names of North American Primary Care Research Group members who had not yet been searched for 2003. These 2 steps together yielded 102 articles and, therefore, could account for at most one-third of the growth measured between 2000 and 2003. We further note that although the first step of hand searching issues of

journals involved 80 journals for 2000 and only 22 journals for 2003, and the second step of searching for articles listed with family medicine affiliations was the same in both years, these 2 steps together yielded 11% *more* articles in 2003 (n = 553) than found through *all* search steps in 2000 (n = 499). Again, growth is clearly not entirely a methods artifact. Comparisons of the articles we found at each time period against compendia from departments suggest that a similar 20% was missed at both reviews. Despite somewhat differing search approaches, we believe that the measured growth amount is reasonably accurate. If estimates were off by the maximum possible one-third, it would not meaningfully change the overall conclusion of substantial growth over the 3 years.

Some authors listed as their affiliations on their articles their universities, schools, hospitals, and practices and not their departments or other units that carry the "family medicine" or "family practice" label. This might occur more often for authors in settings such as community hospitals and practices, leading us to miss more of their articles in the affiliation field search step and then underestimate the number of articles from their settings.

### Conclusions

We conclude that research in family medicine in the United States is a larger and more productive enterprise than is generally appreciated and it is growing. Should we believe or feel that there is now enough research happening in family medicine? Against crude relative benchmarks, the volume of research in family medicine is likely still less than that of other disciplines. For a discipline that overlaps with the content of all other clinical disciplines and addresses the physical, psychological, and community aspects of people's lives, how could the discipline ever feel there is enough research? It is likely that an "appropriate" volume of research will be reached not only at some threshold number of published papers, but when research in the field attains real visibility and an appearance of adequacy to those within and outside the discipline, and when it engenders a sense that progress is being made in answering the discipline's most important questions. Calls for more family medicine research suggest that it is not yet visible enough and that too many of the discipline's questions remain unanswered. The dispersion of the discipline's research

across hundreds of non-family medicine journals will continue to make it hard to recognize the field's full cumulative contributions.

With a substantial and growing number of research articles, the discipline should move beyond pessimistic discussions about the survivability of family medicine research to a more informed, data-based discourse on how best to accelerate its growth, refine its direction, bolster its visibility, and maximize its impact on patients and the discipline.

---

The authors thank the Academic Family Medicine Organizations' leadership for encouraging the collection of these data in the belief that it is important for the discipline to document its progress in research development. We also thank the North American Primary Care Research Group's prior Committee on Building Research Capacity/Academic Family Medicine Organization Research Subcommittee for initiating this effort. Further, we are grateful to Jennifer Groves and Larry Logan, who assembled this report's database of articles for 2003, and thank the host of research assistants who conducted this study's library work and many hundreds of literature searches. Drs. Robert Gwyther and Larry Green provided helpful comments on an early draft of this paper.

## References

1. Future of Family Medicine Project Leadership Committee. The future of family medicine: a collaborative project of the family medicine community. *Ann Fam Med* 2004;2:S3-S32.
2. Van Weel C, Rosser WW. Improving health care globally: a critical review of the necessity of family medicine research and recommendations to build research capacity. *Ann Fam Med* 2004;2(suppl 2):S5-S16.
3. Roberts RG, Snape PS, Burke K. Task Force Report 5. Report of the Task Force on family medicine's role in shaping the future health care delivery system. *Ann Fam Med* 2004;2(suppl 1):S88-S99.
4. De Maeseneer JM, De Sutter A. Why research in family medicine? A superfluous question. *Ann Fam Med* 2004;2(suppl 2):S17-S22.
5. Hutchinson A, Becker LA. How the philosophies, styles, and methods of family medicine affect the research agenda. *Ann Fam Med* 2004;2(suppl 2):S41-S44.
6. Mant D, Del Mar C, Glasziou P, Knottnerus A, Wallace P, van Weel C. The state of primary-care research. *Lancet* 2004;364:1004-6.
7. Mendis K, Solangaarachchi I. PubMed perspective of family medicine research: where does it stand? *Fam Pract* 2005;22:570-5.
8. Is primary care research a lost cause? *Lancet* 2003; 361:977.
9. Weiss BD. The death of academic family medicine: can it be prevented? *Fam Med* 1995;27:139-42.
10. Merenstein J, Rao G, D'Amico F. Clinical research in family medicine: quantity and quality of published articles. *Fam Med* 2003;35:284-8.
11. Weiss BD. Publications by family medicine faculty in the biomedical literature 1989-1999. *Fam Med* 2002;34:10-6.
12. Rosenthal MP, Dickinson PW, Bogdewic SP, Sherwood RA. The state of family medicine research, or stop, hey what's that sound? Everybody look what's going down! *Fam Med* 2002;34:48-50.
13. North American Primary Care Research Group Committee on Building Research Capacity, Academic Family Medicine Organizations Research Subcommittee. What does it mean to build research capacity? *Fam Med* 2002;34:678-84.
14. Chen F, Brungardt S. NAPCRG action plan for the Future of Family Medicine. *Ann Fam Med* 2004;2: 614-5.
15. Dickinson WP, Rosenthal MP. Research and the Society of Teachers of Family Medicine. *Ann Fam Med* 2003;1:58-9.
16. University of Missouri-Columbia, Family and Community Medicine. Grant Generating Project (23 January 2007). Available at <http://www.fcm.missouri.edu/research-ggp.htm>. Accessed 10 April 2007.
17. Michalopoulos A, Falagas ME. A bibliometric analysis of global research production in respiratory medicine. *Chest* 2005;128:3993-8.
18. Rosmarakis ES, Vergidis PI, Soteriades ES, Parachakis K, Papastamataki PA, Falagas ME. Estimates of global production in cardiovascular diseases research. *Int J Cardiol* 2005;100:443-9.
19. Lewison G, Grant J, Jansen P. International gastroenterology research: subject areas, impact, and funding. *Gut* 2001;49:295-302.
20. Ingram TG. A cross-sectional analysis of family medicine publications in the indexed medical literature. *Fam Med* 1992;24:303-6.
21. Mainous AG, Hueston WJ, Ye X, Bazell C. A comparison of family medicine research in research intense and less intense institutions. *Arch Fam Med* 2000;9:1100-4.
22. Pathman D, Gamble G, Thaker S, Newton W. Report on research productivity in family medicine, 199 & 2000. Available at <http://www.fmresearch.org/x5760.xml>. Accessed 9 August 2007.
23. Pathman DE, Gamble G, Thaker S, Newton WP. A metric of progress for Family Medicine research. *Ann Fam Med* 2005;3:88-9.
24. Cornell University Library. Distinguishing scholarly journals from other periodicals. Available at <http://www.library.cornell.edu/olinuris/ref/research/skill20.html>. Accessed 10 April 2007.
25. Simon Fraser University Library. What is a scholarly journal? Available at <http://www.lib.sfu.ca/research-help/publicationtypes/periodicaltypes.htm>. Accessed 10 April 2007.
26. National Institutes of Health, National Commission for the Protection of Human Subjects of Biomedical

- and Behavioral Research. The Belmont Report. Ethical principles and guidelines for the protection of human subjects of research (18 April 1979). Available at <http://ohsr.od.nih.gov/guidelines/belmont.html>. Accessed 10 April 2007.
27. US Department of Health and Human Services. Basic HHS Policy for Protection of Human Research Subjects. 45 CFR 46.102(d). Available at <http://www.hhs.gov/ohrp/humansubjects/guidance/45cfr46.htm#46.102>. Accessed 10 April 2007.
  28. Slawson DC, Shaughnessy AF. Becoming an information master. *J Fam Pract* 2000;49:63–7.
  29. Family Physicians Inquiries Network. About FPIN. Available at <http://www.fpin.org/about/>. Accessed 11 April 2007.
  30. Ruffin MT, Sheets KJ. Primary care research funding sources. *J Fam Pract* 1992;35:281–97.
  31. Peleg R, Biderman A. Pediatric publications in family medicine journals. *Can Fam Physician* 2005;51:994.
  32. Smith-Barbaro P, Coleridge ST. Where FM academics are really publishing: the experiences of one FM department. *Fam Med* 2002;34:638–9.
  33. Garg AX, Iansavichus AV, Kastner M, et al. Lost in publication: half of all renal practice evidence is published in non-renal journals. *Kidney Int* 2006;70:1995–2005. Epub 2006 Oct 11.
  34. Loke YK, Derry S. Does anybody read “evidence-based” articles? *BMC Med Res Methodol* 2003;3:14.
  35. Hing E, Cherry DK, Woodwell DA. National Ambulatory Medical Care Survey: 2004 summary. Advance Data from Vital and Health Statistics, no. 374. Hyattsville (MD): National Center for Health Statistics; 2006.
  36. Smart DR, Department of Data Quality and Measurement, Division of Data and Operations, American Medical Association. Physician characteristics and distribution in the US, 2006 edition. Chicago (IL): American Medical Association; 2006.
  37. Accreditation Council for Graduate Medical Education. Program requirements for graduate medical education in family medicine. Available at [http://www.acgme.org/acWebsite/downloads/RRC\\_progReq/120pr706.pdf](http://www.acgme.org/acWebsite/downloads/RRC_progReq/120pr706.pdf). Accessed 11 April 2007.
  38. Mainous AG, Hueston WJ. Is family medicine ready to move toward having professional researchers? *Fam Med* 2006;38:361–2.
  39. American Academy of Family Physicians Foundation. Joint Grant Awards Program fact sheet. Available at <http://www.aafpfoundation.org/x439.xml>. Accessed 10 April 2007.
  40. Robert Graham Center. Policy studies in family medicine and primary care. Available at <http://www.graham-center.org/>. Accessed 10 April 2007.
  41. American Academy of Family Physicians. Clinical Care & Research National Research Network. Available at <http://www.aafp.org/online/en/home/clinical/research/natnet.html>. Accessed 10 April 2007.
  42. American Academy of Family Physicians Foundation. Practice Based Research Network (PBRN) stimulation grants. Available at <http://www.aafpfoundation.org/x445.xml>. Accessed 10 April 2007.
  43. US Department of Health and Human Services, Health Resources and Services Administration. Find grant awards. Program: NRSA for Primary Medical Care (T32). Available at <http://granteefind.hrsa.gov/searchbyprogram.aspx?select=T32&index=123%20>. Accessed 10 April 2007.
  44. Robert Wood Johnson Clinical Scholars Program. Robert Wood Johnson Clinical Scholars Program (homepage). Available at <http://rwjcsp.unc.edu/>. Accessed 10 April 2007.
  45. University of Texas Health Sciences Center San Antonio. Generalist Physician Faculty Scholars Program (homepage). Available at <http://www.gpscholar.uthscsa.edu/gpscholar/FacultyScholars/index.html>. Accessed 10 April 2007.