

Subject Index to Volume 22, 2009

- Abortion**, first trimester procedural, in family medicine, 22(2):169–174, 22(6):707
- Adderall XR**, and alcohol, myocardial infarction associated with, 22(2):197–201, 22(5):590
- African-American patients**, elderly, with hypertension, consistency of care and blood pressure control, 22(3):307–315
- Age factors**
elderly patients
hypertension, consistency of care and blood pressure control, 22(3):307–315
prostate-specific antigen testing, 22(3):257–265, 22(6):707–708
geriatric patients, foot and ankle surgery, 22(3):316–324
older adults, providing quality primary care, 22(3):239–241
- Alcohol**
Adderall XR and, myocardial infarction associated with, 22(2):197–201, 22(5):590
screening, virtual reality skills training for health care professionals, 22(4):387–398
- Allergy**, skin testing, atopic respiratory conditions and stroke mortality, association between, 22(6):604–609
- Alma Ata**, learning from, medical home and comprehensive primary health care, 22(3):242–246
- Alzheimer disease**, reflections in family medicine, 22(2):196
- Ambulatory care**, settings, anticoagulation for patients with atrial fibrillation, 22(3):299–306
- American Recovery and Reinvestment Act**, opportunity for service-minded family physicians, 22(5):582–584
- Analgesics**, overtreating chronic back pain, (22)1:62–68
- Anesthesia**, epidural, postepidural headache, 22(2):202–205, 22(5):591–592
- Angiotensin-converting enzyme inhibitors**, use for cardiovascular protection, 22(6):686–697
- Angiotensin receptor blockers**, use for cardiovascular protection, 22(6):686–697
- Ankle surgery**, considerations, geriatric patients, 22(3):316–324
- Antibiotics**
effect on vulvovaginal candidiasis, correspondence, 22(2):223
methicillin, -resistant *Staphylococcus aureus* skin and soft tissue infections
clinical importance of purulence, 22(6):647–654
risk factors for, 22(4):375–379
- Antibodies**, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
- Anticoagulation**, for patients with atrial fibrillation, ambulatory care settings, 22(3):299–306
- Antiplatelet therapy**, dual, for prevention of cardiovascular events, 22(1):51–56
- Anxiety**, in primary care patients, brief intervention, 22(2):175–186
- Aortic valve**, calcification, progression, lack of effect of oral calcium supplements, 22(6):610–616
- Aspirin**, clopidogrel and, dual antiplatelet therapy for prevention of cardiovascular events, 22(1):51–56
- Atopic respiratory conditions**, allergy skin testing, stroke mortality and, association between, 22(6):604–609
- Atrial fibrillation**, anticoagulation, ambulatory care setting, 22(3):299–306
- Autonomy**, perceived, among primary care physicians, 22(19):24–33
- Back pain**, chronic
improvement with vitamin D repletion, (22)1:69–74
overtreating, (22)1:62–68
- Back surgery**
failed, improvement with vitamin D repletion, (22)1:69–74
overtreating chronic back pain, (22)1:62–68
- Blood pressure**, control, elderly patients with hypertension, 22(3):307–315
- Bone density**, testing, interventions to improve osteoporosis screening, 22(4):360–367
- Breast cancer**
risk assessment, diffusion of, in primary care, 22(3):272–279
women at high risk for, role of primary care physicians, 22(1):43–50
- Breathing**, sleep-disordered, during pregnancy, 22(2):158–168
- Bullous lesions**, on skin graft donor site, 22(1):89–92
- Calcific tendonitis**, retropharyngeal, 22(1):84–88
- Calcification**
aortic valve, progression, lack of effect of oral calcium supplements, 22(6):610–616
coronary artery, progression, lack of effect of oral calcium supplements, 22(6):610–616
- Calcium**, oral supplements, lack of effect on progression of aortic valve calcification or coronary artery calcification, 22(6):610–616
- Canada**, pan-Canadian primary care sentinel surveillance network, 22(4):412–422
- Cancer**
breast
risk assessment, diffusion of, in primary care, 22(3):266–271
women at high risk for, role of primary care physicians, 22(1):43–50
colorectal, screening, high performance, 22(2):141–146
prostate
localized, patients' survival expectations and treatment, 22(3):239–241
prostate-specific antigen testing among the elderly, 22(3):257–265
- Cardiovascular events**, prevention, appraisal of dual antiplatelet therapy, 22(1):51–56
- Cardiovascular protection**, use of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers, 22(6):686–697
- Career satisfaction**, among primary care physicians, 22(19):24–33
- Case management**, telephonic, use to link a special-needs population with a primary care physician, 22(5):585–587
- Childbirth**, postpartum return to work, characteristics of mother-provider interactions, 22(5):498–506
- Chronic back pain**
improving with vitamin D repletion, (22)1:69–74
overtreating, (22)1:62–68
- Chronic illness**, comorbid depression, diagnosis and treatment, primary care settings, 22(2):123–135
- Cinnamon**, effectiveness for lowering hemoglobin A1C, patients with type 2 diabetes, 22(5):507–512
- Clopidogrel**, aspirin and, dual antiplatelet therapy for prevention of cardiovascular events, 22(1):51–56
- Colorectal cancer**, screening, high performance, 22(2):141–146
- Commentary**
the complexity of weight loss counseling, 22(2):113–114
guest family physician commentaries, 22(4):352, 22(5):471–472, 22(6):602–603
increasing the role of practice networks in medical research, 22(4):348–351
learning from Alma Ata: the medical home and comprehensive primary health care, 22(3):242–246
providing quality primary care to older adults, 22(3):239–241
retaining optimism in the face of adversity, 22(1):6–8
- Community-based family medicine practices**, prostate-specific anti-

- gen testing, elderly patients, 22(3):257–265, 22(6):707–708
- Community-based participatory research**, practice-based research networks and, 22(4):428–435
- Community engagement**, practice-based research, 22(4):423–427
- Comorbidities**, chronic illness and depression, 22(2):123–135
- Complementary and alternative medicine**, use in Hispanic patients, impact of immigration, 22(3):337–338
- Complexity of care**, perceived, among primary care physicians, 22(19):24–33
- Complications**, urinary tract infections in women over age 65, 22(3):266–271
- Computed tomography (CT)**, diagnosis of retropharyngeal calcific tendonitis, 22(1):84–88
- Congenital heart defects**, patent ductus arteriosus, incidental discovery in adults, 22(2):214–218
- Coronary arteries**, calcification, progression, lack of effect of oral calcium supplements, 22(6):610–616
- Correspondence**
effect of antibiotics on vulvovaginal candidiasis, 22(2):223
effectiveness of vitamin B₁₂ in treating recurrent aphthous stomatitis, 22(5):590–591
first trimester abortion in family medicine, 22(6):707
myocardial infarction associated with Adderall and alcohol use in a young man, 22(5):590
outcomes from treatment of infertility with natural procreative technology in an Irish general practice, 22(1):94–96
patient-centered home medical movement—promise and peril for family medicine, 22(1):93–94
postepidural headache: how late can it occur?, 22(5):591–592
predictive value of exercise stress testing in a family medicine population, 22(2):223–224
prostate-specific antigen testing among the elderly in community-based family medicine practices, 22(6):707–708
relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, 22(3):339
- Counseling**
smoking cessation, 22(6):625–632
weight loss, complexity of, 22(2):113–114
- Depression**
diagnosis and treatment, comorbid chronic illness and, primary care settings, 22(2):123–135
postpartum
evidence-based management, web-based training for, 22(5):588–589
in family medicine, 22(5):465–467
risk factors, seasonal variation, 22(5):492–497
screening tools, comparison, 22(5):483–491
stepped care treatment, impact on treatment, health, and work outcomes, 22(5):473–482
symptoms, prevalence, outpatients with complaint of headache, 22(6):633–637
- Dermatitis**, hand, review of etiology, diagnosis, and treatment, 22(3):325–330
- Diabetes**, type 2
assessment of attitudes, behaviors, and outcomes, 22(3):280–291
decision to intensify therapy, 22(5):513–520
lifestyle intervention study, 22(5):535–543
lowering hemoglobin A_{1C} levels, effectiveness of cinnamon, 22(5):507–512
prevalence of vitamin B₁₂ deficiency, 22(5):528–534
relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
- Diabetic nephropathy**, association with vitamin D deficiency and insufficiency, 22(5):521–527
- Discoid lupus erythematosus**, early diagnosis and treatment, 22(2):206–213
- Diving medicine**, review of current evidence, 22(4):399–407
- Dual antiplatelet therapy**, with clopidogrel and aspirin, for prevention of cardiovascular events, 22(1):51–56
- Editorial**, TOP Docs: Family Physicians with Competing Demands and the Right Priorities—Individual, Family, and Community Health, 22(2):110–112
- Editorial Office News and Notes**
Introduction of More Editorial Board Members and *Journal of the American Board of Family Medicine's* Position on the National Institutes of Health Public Access Policy, 22(2):107–109
Introduction of More Editorial Board Members and New Guest Commentary Feature, 22(5):468–470
Introduction of More Editorial Board Members and New *Journal of the American Board of Family Medicine* Features, 22(4):346–347
Introduction of More Editorial Board Members and the Most Frequently Read Articles in 2008, 22(3):234–238
Introduction of More Editorial Board Members and Top *Journal of the American Board of Family Medicine* Reviewers, 22(6):600–601
JABFM Editorial Board Member's Election to the Institute of Medicine and New Journal Alerts and Features, 22(1):4–5
- Editors' Notes**
Fourth *Journal of the American Board of Family Medicine* Practice-based Research Theme Issue, 22(4):343–345
Optimism: A Good Theme for Family Medicine, 22(1):1–3
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2008, 22(2):102–106
On Postpartum Depression, Hormonal Problems, and Practice Management for Medical Home Implementation, 22(5):465–467
In This Issue: Mini-Theme on Geriatric Care and Cancer Screening, 22(3):231–233
A Typical Day in the Family Medicine Office, 23(6):597–599
Women's Physical Health, Mental Health, and Practical Hints for Common Practice Issues, 22(2):99–101
- Elderly**
with hypertension, consistency of care and blood pressure control, 22(3):307–315
prostate-specific antigen testing, 22(6):707–708, 22(3):257–265
- Electronic health records**, use in exam room, patient satisfaction and, 22(5):553–562
- Epidural anesthesia**, postepidural headache, 22(2):202–205, 22(5):591–592
- Epilepsy**, idiopathic generalized, congenital long QT syndrome masquerading as, 22(3):331–334
- Errata**, 22(2):229, 22(5):596, 22(6):712
- Evidence-based clinical medicine**
angiotensin-converting enzyme inhibitors and angiotensin receptor blockers for cardiovascular protection, 22(6):686–697
vitamin D, evidence-based review, 22(6):698–706
- Exercise stress testing**, predictive value, family medicine population, correspondence, 22(2):223–224
- Family medicine**
first trimester procedural abortion, 22(2):169–174, 22(6):707
office, typical day (editorial), 23(6):597–599
practices, community-based, prostate-specific antigen testing among the elderly, 22(3):257–265, 22(6):707–708
publications, in Israel, thirty years (1975–2004), 22(1):57–61
reflections
LOST. . . (Reflection on Alzheimer Disease), 22(2):196

- personal essay on retirement, 22(3):335–336
- role in health care for patients with serious mental illness, 22(2):187–195
- Family planning**, fertility awareness-based methods, 22(2):147–157
- Fertility awareness-based methods**, for family planning, 22(2):147–157
- Foot surgery**, considerations, geriatric patients, 22(3):316–324
- Fractures**, vertebral compression, osteoporotic, Kummel disease as complication, 22(1):75–78
- Fusion surgery**, overtreating chronic back pain, 22(1):62–68
- Geriatric patients**, foot and ankle surgery, 22(3):316–324
- Glucose**
- relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
 - tolerance, impaired, lifestyle intervention study, 22(5):535–543
- Glycohemoglobin testing**, comparison of point of care and HbA1c analysis, 22(4):461–463
- Group B streptococcal (GBS) specimens**, patient self-collection during pregnancy, 22(2):136–140
- Hand dermatitis**, review of etiology, diagnosis, and treatment, 22(3):325–330
- Headache**
- complaint of, prevalence of depression symptoms in outpatients with, 22(6):633–637
 - postepidural, 22(2):202–205, 22(5):591–592
- Health outcomes**, impact of stepped care treatment of postpartum depression, 22(5):473–482
- Hearing acuity**, portable entertainment use and, 22(1):17–23
- Heart defects**, patent ductus arteriosus, incidental discovery in adults, 22(2):214–218
- Hemoglobin A_{1c} levels**, lowering, effectiveness of cinnamon, patients with type 2 diabetes, 22(5):507–512
- Hepatitis**, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
- Hepatitis C**, underserved communities, report from the Primary Care Multiethnic Network (PRIME Net) Consortium, 22(6):638–646
- Hispanic patients**, impact of immigration of complementary and alternative medicine use, 22(3):337–338
- Hormonal problems**, in family medicine, 22(5):465–467
- Hormone therapy**, low-dose, efficacy, safety, and tolerability in managing menopausal symptoms, 22(5):563–573
- Horner syndrome**, unusual presentation of Lyme disease, 22(2):219–222
- Human papillomavirus (HPV) vaccine**, acceptance by men, variables associated with, 22(1):34–42
- Hyperparathyroidism**, secondary, pathophysiology and treatment, 22(5):574–581
- Hypertension**, consistency of care and blood pressure control, elderly patients, 22(3):307–315
- Immigration**, impact on complementary and alternative medicine use, Hispanic patients, 22(3):337–338
- Infants**, improving maternal care with continuous quality improvement strategy, 22(4):380–386
- Infections**
- skin and soft tissue, methicillin-resistant *Staphylococcus aureus*
 - clinical importance of purulence, 22(6):647–654
 - risk factors for, 22(4):375–379
 - urinary tract, women over 65, 22(3):266–271
- Injuries**, diving, review of current evidence, 22(4):399–407
- Institutional review boards**, practice-based research network studies and, 22(4):453–460
- Internet-based training**, practice-based research network consortium, 22(4):446–452
- Israel**, family medicine publications, thirty years (1975–2004), 22(1):57–61
- Journal of the American Board of Family Medicine (JABFM)*
- editorial board members, 22(1):4–5, 22(2):107–109, 22(3):234–238, 22(4):346–347, 22(5):468–470, 22(6):600–601
 - introduction of new features, 22(1):4–5, 22(4):346–347
 - practice-based research theme, 22(4):343–345
- Kummel disease**, complication of osteoporotic vertebral compression fractures, 22(1):75–78
- Labor**, epidural anesthesia, postepidural headache, 22(2):202–205, 22(5):591–592
- Laboratory testing**
- comparison of HbA1c analysis and point of care, 22(4):461–463
 - results notification, patient preferences and physician practices, 22(6):670–676
- Left wrist myositis**, genetically similar individuals, 22(4):408–411
- Lemierre syndrome**, following oropharyngeal infection, 22(1):79–83
- Lifestyle intervention study**, patients with diabetes or impaired glucose tolerance, 22(5):535–543
- Liver enzymes**, relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes, correspondence, 22(3):339
- Long QT syndrome**, congenital, masquerading as idiopathic generalized epilepsy, 22(3):331–334
- Longus colli muscle**, retropharyngeal calcific tendonitis, 22(1):84–88
- Low birth weight**, improving maternal care with continuous quality improvement strategy, 22(4):380–386
- Lupus erythematosus**, discoid, early diagnosis and treatment, 22(2):206–213
- Lyme disease**
- left wrist myositis, genetically similar individuals, 22(4):408–411
 - unusual presentation, Horner syndrome with negative serology, 22(2):219–222
- Magnetic resonance imaging (MRI)**, overtreating chronic back pain, 22(1):62–68
- Maternal care**, improving, with continuous quality improvement strategy, 22(4):380–386
- Medical home**
- comprehensive primary health care and, 22(3):242–246
 - implementation, practice management for, 22(5):465–467
- Medication**
- intensification of therapy in type 2 diabetes, 22(5):513–520
 - list, patient involvement in medical care, 22(6):677–685
- Men**, acceptance of HPV vaccine, variables associated with, 22(1):34–42
- Menopausal symptoms**, efficacy, safety, and tolerability of low-dose hormone therapy, 22(5):563–573
- Mental health**, personal health behaviors and physical and mental unhealthy days, 22(4):368–374
- Mental illness**, serious, role of family medicine in health care, 22(2):187–195
- Methicillin**, -resistant *Staphylococcus aureus* skin and soft tissue infections
- clinical importance of purulence, 22(6):647–654

- risk factors for, 22(4):375–379
- MP3 players**, hearing acuity and, 22(1):17–23
- Myocardial infarction**, associated with Adderall XR and alcohol, 22(2):197–201, 22(5):590
- National Health Service Corps**, opportunity for service-minded family physicians, 22(5):582–584
- Neck pain**, retropharyngeal calcific tendinitis, 22(1):84–88
- Nephropathy**, diabetic, association with vitamin D deficiency and insufficiency, 22(5):521–527
- Noise-induced hearing loss**, portable entertainment use and hearing acuity, 22(1):17–23
- Non-group A streptococci**, role in acute pharyngitis, 22(6):663–669
- Obesity**
 complexity of weight loss counseling, 22(2):113–114
 documentation and management, in primary care, 22(5):544–552
 physician recommendations, 22(2):115–122
- Older adults**, providing quality primary care, 22(3):239–241
- Opioid therapy**, overtreating chronic back pain, 22(1):62–68
- Oral supplements**, calcium, lack of effect on progression of aortic valve calcification or coronary artery calcification, 22(6):610–616
- Oropharyngeal infection**, Lemierre syndrome following, 22(1):79–83
- Osteoporosis**
 screening
 increased rates associated with provision of preventive health examination, 22(6):655–662
 interventions to improve, 22(4):360–367
 vertebral compression fractures, Kummel disease as complication, 22(1):75–78
- Outcome assessment**, patients with type 2 diabetes, 22(3):280–290
- Outpatients**, with complaint of headache, prevalence of depression symptoms in, 22(6):633–637
- Overweight**
 complexity of weight loss counseling, 22(2):113–114
 documentation and management, in primary care, 22(5):544–552
 physician recommendations, 22(2):115–122
- Patent ductus arteriosus**, incidental discovery in adults, 22(2):214–218
- Patient-centered medical home**, comprehensive primary health care and, 22(3):242–246
- Patient preferences**, for laboratory test results notification, 22(6):670–676
- Patient satisfaction**, and use of electronic records in exam room, 22(5):553–562
- Patient survival expectations**, before localized prostate cancer treatment by treatment status, 22(3):247–256
- Patients**
 involvement in medical care, medication list, 22(6):677–685
 patient-physician interaction, impact of personal digital assistants, 22(4):353–359
 personal health behaviors and physical and mental unhealthy days, 22(4):368–374
- Personal digital assistants**, impact on patient-physician interaction, 22(4):353–359
- Pharyngitis**, acute, role of non-group A streptococci, 22(6):663–669
- Physicians**
 patient-physician interaction, impact of personal digital assistants, 22(4):353–359
 practices, for laboratory test results notification, 22(6):670–676
 primary care
 perceived complexity of care, perceived autonomy, and career satisfaction, 22(19):24–33
 role in identification and screening of women at high risk for breast cancer, 22(1):43–50
 telephonic case management, 22(5):585–587
- Point of care**, laboratory HbA1c analysis and, comparison, 22(4):461–463
- Portable music players**, hearing acuity and, 22(1):17–23
- Postepidural headache**, 22(2):202–205, 22(5):591–592
- Postpartum depression**
 evidence-based management, web-based training for, 22(5):588–589
 in family medicine, 22(5):465–467
 risk factors, seasonal variation, 22(5):492–497
 screening tools, comparison, 22(5):483–491
 stepped care treatment, impact on treatment, health, and work outcomes, 22(5):473–482
- Practice-based research networks**
 barriers, enablers, and incentives for research participation, 22(4):436–445
 community-based participatory research and, 22(4):428–435
 community engagement, 22(4):423–427
 consortium, Internet-based training, 22(4):446–452
 pan-Canadian primary care sentinel surveillance network, 22(4):412–422
- personal health behaviors and physical and mental unhealthy days, 22(4):368–374
- studies, institutional review boards and, 22(4):453–460
- Pregnancy**
 fertility awareness-based methods of family planning, 22(2):147–157
 first trimester procedural abortion, 22(2):169–174, 22(6):707
 patient collection of group B streptococcal specimens, 22(2):136–140
 sleep-disordered breathing during, 22(2):158–168
- Preterm infants**, improving maternal care with continuous quality improvement strategy, 22(4):380–386
- Preventive health examination**, increased osteoporosis screening rates associated with, 22(6):655–662
- Primary care**
 diffusion of breast cancer risk assessment, 22(3):272–279
 documentation and management of overweight and obesity, 22(5):544–552
 methicillin-resistant *Staphylococcus aureus* skin and soft tissue infections, 22(4):375–379, 22(6):647–654
 pan-Canadian primary care sentinel surveillance network, 22(4):412–422
 patients, brief intervention for anxiety, 22(2):175–186
 physicians
 perceived complexity of care, perceived autonomy, and career satisfaction, 22(19):24–33
 role in identification and screening of women at high risk for breast cancer, 22(1):43–50
 telephonic case management, 22(5):585–587
 quality, providing to older adults, 22(3):239–241
 settings, diagnosis and treatment of depression, comorbid chronic illness and, 22(2):123–135
- Primary Care Multiethnic Network (PRIME Net) Consortium**, report, hepatitis C in underserved communities, 22(6):638–646
- Prostate cancer**
 localized, patients' survival expectations and treatment, 22(3):239–241
 prostate-specific antigen testing among the elderly, 22(3):257–265, 22(6):707–708
- Ptois**, Horner syndrome, unusual presentation of Lyme disease, 22(2):219–222
- Publications**, family medicine, in Israel, thirty years (1975–2004), 22(1):57–61
- Purulence**, clinical importance, methicillin-resistant *Staphylococcus au-*

- reus* skin and soft tissue infections, 22(6):647–654
- Quality of life**, prostate cancer survival expectations by treatment status, 22(3):247–256
- Recurrent aphthous stomatitis**, treatment, effectiveness of vitamin B₁₂, 22(1):9–16, 22(5):590–591
- Research networks**, primary care, development of pan-Canadian primary care sentinel surveillance network, 22(4):412–422
- Research participation**, barriers, enablers, and incentives for, 22(4):436–445
- Respiratory conditions**, atopic, allergy skin testing, stroke mortality and, association between, 22(6):604–609
- Retirement**, personal essay, reflections in family medicine, 22(3):335–336
- Retropharyngeal calcific tendonitis**, 22(1):84–88
- Return to work**, postpartum, characteristics of mother-provider interactions, 22(5):498–506
- Risk behaviors**, personal health behaviors and physical and mental unhealthy days, 22(4):368–374
- Screening**
 alcohol, virtual reality skills training for health care professionals, 22(4):387–398
 colorectal cancer, high performance, 22(2):141–146
 osteoporosis
 increased screening rates associated with provision of preventive health examination, 22(6):655–662
 interventions to improve, 22(4):360–367
 postpartum depression, comparison of screening tools, 22(5):483–491
 prostate-specific antigen testing, elderly patients, 22(3):257–265, 22(6):707–708
- Scuba diving**, diving medicine, review of current evidence, 22(4):399–407
- Seasonal variation**, postpartum depression and, 22(5):492–497
- Secondary hyperparathyroidism**, pathophysiology and treatment, 22(5):574–581
- Self-collection**, patient, of group B streptococcal specimens during pregnancy, 22(2):136–140
- Skin**, discoid lupus erythematosus, early diagnosis and treatment, 22(2):206–213
- Skin disease**, hand dermatitis, review of etiology, diagnosis, and treatment, 22(3):325–330
- Skin graft**, donor site, bullous lesions on, 22(1):89–92
- Skin infections**
 methicillin-resistant *Staphylococcus aureus*, clinical importance of purulence, 22(6):647–654
 methicillin-resistant *Staphylococcus aureus*, risk factors for, 22(4):375–379
- Skin testing**, allergy, atopic respiratory conditions, stroke mortality and, association between, 22(6):604–609
- Sleep**, -disordered breathing during pregnancy, 22(2):158–168
- Smoking**, as vital sign, prompts to ask and assess increase cessation counseling, 22(6):625–632
- Soft tissue infections**, methicillin-resistant *Staphylococcus aureus* clinical importance of purulence, 22(6):647–654
 risk factors for, 22(4):375–379
- Special communications**
 American Recovery and Reinvestment Act and the National Health Service Corps: a great opportunity for service-minded family physicians, 22(5):582–584
 health care for patients with serious mental illness: family medicine's role, 22(2):187–195
 marriage of community-based participatory research and practice-based research networks, 22(4):428–435
 practice-based research is community engagement, 22(4):423–427
- Special-needs populations**, telephonic case management, use to link with primary care physicians, 22(5):585–587
- Speculum examination**, for patients with vaginal symptoms, 22(6):617–624
- Spinal injections**, overtreating chronic back pain, (22)1:62–68
- Spine surgery**, overtreating chronic back pain, (22)1:62–68
- Staphylococcus aureus***, methicillin-resistant, skin and soft tissue infections
 clinical importance of purulence, 22(6):647–654
 risk factors for, 22(4):375–379
- Stepped care treatment**, of postpartum depression, impact on treatment, health, and work outcomes, 22(5):473–482
- Stratum corneum**, disruption of, in hand dermatitis, 22(3):325–330
- Streptococci**, non-group A, role in acute pharyngitis, 22(6):663–669
- Stroke**, mortality, allergy skin testing, atopic respiratory conditions and, association between, 22(6):604–609
- Survival expectations**, of patients, before localized prostate cancer treatment by treatment status, 22(3):247–256
- Telephonic case management**, use to link a special-needs population with a primary care physician, 22(5):585–587
- Tendons**, retropharyngeal calcific tendonitis, 22(1):84–88
- Treatment outcomes**, impact of stepped care treatment of postpartum depression, 22(5):473–482
- Underserved communities**, hepatitis C, report from the Primary Care Multiethnic Network (PRIME Net) Consortium, 22(6):638–646
- Unhealthy behaviors**, personal health behaviors and physical and mental unhealthy days, 22(4):368–374
- Urinary tract infections**, women over 65, 22(3):266–271
- Vaccines**, human papillomavirus, acceptance by men, variables associated with, 22(1):34–42
- Vaginal symptoms**, speculum examination and wet mount, 22(6):617–624
- Vertebral compression fractures**, osteoporotic, Kummel disease as complication, 22(1):75–78
- Virtual reality skills**, training for health care professionals in alcohol screening and intervention, 22(4):387–398
- Vitamin B₁₂**
 deficiency, prevalence, patients with type 2 diabetes, 22(5):528–534
 effectiveness in treating recurrent aphthous stomatitis, 22(1):9–16, 22(5):590–591
- Vitamin D**
 deficiency and insufficiency, association with diabetic nephropathy, 22(5):521–527
 evidence-based review, 22(6):698–706
 repletion, improvement of chronic back pain or failed back surgery, (22)1:69–74
- Vulvovaginal candidiasis**, effects of antibiotics on, correspondence, 22(2):223
- Web-based training**, for implementing evidence-based management of postpartum depression, 22(5):588–589

Weight loss

- counseling, complexity of, 22(2):113–114
- physician recommendations, 22(2):115–122

Wet mount, for patients with vaginal symptoms, 22(6):617–624

White patients, elderly, with hypertension, consistency of care and

blood pressure control, 22(3):307–315

Women

- at high risk for breast cancer, role of primary care physicians, 22(1):43–50
- over age 65, urinary tract infections, 22(3):266–271

Work

- outcomes, impact of stepped care treatment of postpartum depression, 22(5):473–482
- return to, postpartum, characteristics of mother-provider interactions, 22(5):498–506

Wrist, left wrist myositis, genetically similar individuals, 22(4):408–411