

Subject Index to Volume 23, 2010

- Abortion**, medical, outcomes, family medicine setting, 23(4):509–513
- Acanthosis nigrans**, high prevalence with diabetes, 23(4):476–485
- Access to health care**, pilot program to finance primary care for uninsured patients, 23(3):393–401
- Acquired immunodeficiency syndrome (AIDS)**, investigational medications for HIV patients, 23(5):566–570
- Adherence**, asthma medication, 23(2):159–165
- Adolescence**
childhood cancer, lifetime follow-up care after, 23(5):647–654
males, delivery of confidential care, 23(6):728–735
risks of alcoholic energy drinks for youth, 23(4):555–558
surveying adolescents in a regional health care delivery organization, 23(4):534–541
- Adult-onset Still disease**, 23(3):418–422
- Age factors**, see Older patients
- Alcohol**, risks of alcoholic energy drinks for youth, 23(4):555–558
- American Board of Family Medicine (ABFM)**
Maintenance of Certification, variations in self-assessment modules uptake within the 2006 cohort, 23(1):49–58
40th anniversary issue, 23(3):S1–S48
- Antidepressant medication**, use for primary care patients with and without medical comorbidities, 23(4):499–508
- Arthritis**, adult-onset Still disease, 23(3):418–422
- Arthropod vectors**
cat scratch disease and, 23(5):685–686
southern tick-associated rash illness, 23(6):720–727
- Asthma**, interactive voice response intervention to improve asthma medication adherence, 23(2):159–165
- Back pain**, perceived benefit of complementary and alternative medicine, national survey, 23(3):354–362
- Bartonella henselae**, cat scratch disease and arthropod vectors, 23(5):685–686
- Bartonellosis**, cat scratch disease and arthropod vectors, 23(5):685–686
- Behavioral intervention**, to reduce infant crying, 23(3):315–322, 23(5):689–691
- Behavioral science**
independent living in vulnerable older adults, 23(5):614–621
nonsuicidal self-injury, review of current research, 23(2):240–259
risks of alcoholic energy drinks for youth, 23(4):555–558
- Behavior mechanisms**, psychosocial correlates of insomnia severity, 23(2):204–211
- Beneficence**, acknowledging beneficence tension, 23(5):674–676
- Biological markers**, hyperparathyroidism and depression, 23(5):677–680
- Bites**
cat scratch disease and arthropod vectors, 23(5):685–686
southern tick-associated rash illness, 23(6):720–727
- Board certification**, future of maintenance of certification, 23(3):S42–S45
new era of public accountability, 23(3):S32–S39, 23(5):687–688
specialty board movement at the crossroads, 23(3):S40–S41
- Body mass index**
discussing excess weight, 23(5):606–613
impact of family YMCA membership on childhood obesity, 23(3):323–333
- Bone density**, testing, interventions to improve osteoporosis screening, correspondence, 23(1):131–133
- Breast cancer**
screening
personal health care provider and, 23(1):75–81
promoting screening mammography, 23(6):775–782
survival, physician supply and, 23(1):104–108
- Cancer**
breast
personal health care provider and screening, 23(1):75–81
physician supply and survival, 23(1):104–108
promoting screening mammography, 23(6):775–782
cervical, personal health care provider and screening, 23(1):75–81
childhood
lifetime follow-up care after, 23(5):647–654
survivors, self-reported health problems of young adults, 23(3):306–314
research, strategies for in-person recruitment, 23(4):523–533
screening, intimate partner violence and, 23(3):343–353
survivors
lifetime follow-up care after childhood cancer, 23(5):647–654
physician supply and breast cancer survival, 23(1):104–108
self-reported health problems of young adults, 23(3):306–314
war on, family medicine in the research revolution, 23(4):431–439
- Cannabinoid hyperemesis**, compulsive bathing and, 23(6):790–793
- Cardiovascular disorders**, pectus excavatum, current management, 23(2):230–239
- Career satisfaction**, of primary care physicians, 23(6):762–769
- Cat scratch disease**, arthropod vectors and, 23(5):685–686
- Centers for Disease Control and Prevention (CDC)**, etiology of southern tick-associated rash illness, 23(6):720–727
- Centricity Health Care User Research Network (CHURN)**, 23(4):499–508
- Certification boards**, future of maintenance of certification, 23(3):S42–S45
new era of public accountability, 23(3):S32–S39, 23(5):687–688
specialty board movement at the crossroads, 23(3):S40–S41
- Cervical cancer**, screening, personal health care provider and, 23(1):75–81
- Cervical dysplasia**, treating, 23(2):151–153, 23(2):154–158
- Checklist**, self-reported health problems of young adults, 23(3):306–314
- Chelation therapy**, mercury poisoning from dental fillings, 23(6):797–798
- Chest wall deformities**, pectus excavatum, current management, 23(2):230–239
- Children**
behavioral intervention to reduce infant crying, 23(3):315–322, 23(5):689–691
childhood cancer
lifetime follow-up care after, 23(5):647–654
survivors, self-reported health problems of young adults in clinical settings, 23(3):306–314
obesity
impact of family YMCA membership, 23(3):323–333
screening and counseling, 23(3):334–342
sick child after travel, 23(6):704–713
- Chiropractic**, perceived benefit of complementary and alternative medicine for back pain, 23(3):354–362
- Cholesterol**, treatment, role of usual source of care, 23(2):179–185
- Chronic Care Model (CCM)**, features associated with behavioral counseling and diabetes care in community primary care, 23(3):295–305

- Chronic disease**
antidepressant medication use, 23(4):499–508
chronic kidney disease in primary care, 23(4):542–530
perceived benefit of complementary and alternative medicine for back pain, 23(3):354–362
vulnerable patients with, impact of a clinic move, GIS analysis, 23(1):128–130
- Clindamycin**, for community-associated MRSA skin infections, 23(6):714–719
- Clinical medicine**
hyperparathyroidism and depression, 23(5):677–680
law of diminishing returns: how much risk reduction is enough?, 23(3):371–375
- Clinical trials**
behavioral intervention to reduce infant crying, 23(3):315–322, 23(5):689–691
interactive voice response intervention to improve asthma medication adherence, 23(2):159–165
- Clinic moves**, impact on vulnerable patients with chronic disease, 23(1):128–130
- Colitis**, ischemic, related to sumatriptan overuse, 23(1):124–127
- Colocutaneous fistulization**, diarrhea and PEG-associated fistula, 23(5):681–684
- Commentary**
family medicine in the research revolution, 23(4):431–439
guest family physician commentaries, 23(1):6–8, 23(2):149–150, 23(3):283–284, 23(4):429–430, 23(5):564–565, 23(6):702–703
screening for veteran status in the primary care setting, 23(6):700–701
treating cervical dysplasia: why does it matter?, 23(2):151–153
what do we get from participating in practice-based research networks?, 23(4):440–441
- Common illnesses**, spread through communities, using GIS for surveillance, 23(1):32–41
- Communication**
acknowledging beneficence tension, 23(5):674–676
deciding to pull the tube, 23(5):671–673
discussing excess weight, 23(5):606–613
is there a shaman in the house?, 23(6):794–796
language and health care among Latinos, 23(6):745–752
- Communities**
health systems, incentives to participate in research, 23(4):452–454
primary care needs, using GIS to understand, 23(1):13–21
spread of common illnesses, using GIS for surveillance, 23(1):32–41
- Community-associated MRSA (CA-MRSA)**, skin infections, trimethoprim-sulfamethoxazole or clindamycin for, 23(6):714–719
- Community-based participatory research (CBPR)**, unmet dental needs, 23(4):514–522
- Community-based research**, reflections of practice-based researchers, 23(4):442–451
- Community-oriented primary care**, harnessing GIS to enable, 23(1):22–31
- Complementary and alternative medicine**
dry needling and musculoskeletal pain, 23(5):640–646
perceived benefit for back pain, national survey, 23(3):354–362
- Compulsive bathing**, cannabinoid hyperemesis and, 23(6):790–793
- Confidentiality**, of care to adolescent males, 23(6):728–735
- Conflict**, acknowledging beneficence tension, 23(5):674–676
- Congenital defects**
early detection of meningocele, 23(2):270–272
pectus excavatum, current management, 23(2):230–239
- Congestive heart failure**, complications, elephantiasis nostras verrucosa, 23(3):413–417
- Connective tissue**, dry needling and musculoskeletal pain, 23(5):640–646
- Consensus**, acknowledging beneficence tension, 23(5):674–676
- Correspondence**
does having a personal physician improve quality of care in diabetes?, 23(3):423–425
future of board certification in a new era of public accountability, 23(5):687–688
interventions to improving osteoporosis screening: an Iowa Research Network (IRENE) study, 23(1):131–133
lifestyle intervention study in patients with diabetes or impaired glucose tolerance: translation of research intervention into practice, 23(2):273–274
parental acceptance of mandatory human papillomavirus (HPV) vaccination program, 23(5):688–689
a randomized, controlled trial of a behavioral intervention to reduce crying among infants, 23(5):689–691
role of non-group A streptococci in acute pharyngitis, 23(3):423–425
- Cost-benefit analysis**, surveying adolescents in a regional health care delivery organization, 23(4):534–541
- Counseling**
behavioral, diabetes care, 23(3):295–305
childhood obesity, 23(3):334–342
- Cross-cultural issues**, language and health care among Latinos, 23(6):745–752
- Cross-sectional studies**, psychosocial correlates of insomnia severity, 23(2):204–211
- Crying**, infant, behavioral intervention to reduce, 23(3):315–322, 23(5):689–691
- Cyclical vomiting**, cannabinoid hyperemesis and compulsive bathing, 23(6):790–793
- Data pooling**, cholesterol treatment, role of usual source of care, 23(2):179–185
- Death ideation**, screening among older primary care patients, 23(2):260–269
- Decision-making**
clinical, law of diminishing returns in clinical medicine, 23(3):371–375
independent living in vulnerable older adults, 23(5):614–621
is there a shaman in the house?, 23(6):794–796
- Delivery of health care**, patient navigator approach, 23(6):736–744
- Dementia**, screening, intervention to improve, 23(4):486–498
- Dental decay**, common acute conditions of the oral cavity, 23(3):285–294
- Dental fillings**, mercury poisoning from, care of patients who are worried about, 23(6):797–798
- Dental needs**, unmet, in rural primary care, 23(4):514–522
- Depression**
antidepressant medication use, 23(4):499–508
care improvements, sustainability, 23(5):598–605
hyperparathyroidism and, 23(5):677–680
postpartum, 23(4):455–464
screening, suicide ideation, older patients, 23(2):260–269
using coleaders for improvements, 23(5):632–639
- Depressive disorder**, psychosocial correlates of insomnia severity, 23(2):204–211
- Developing countries**, sick child after travel, 23(6):704–713
- Developmental disabilities**, diarrhea and PEG-associated fistula, 23(5):681–684
- Diabetes**
acanthosis nigrans, high prevalence, 23(4):476–485
barriers to cardiovascular disease risk factor control, 23(2):171–178
care
features of Chronic Care Model associated with, 23(3):295–305
improving quality, effect of having a personal physician, 23(1):82–87, 23(3):423–425
lifestyle intervention study, correspondence, 23(2):273–274

- patients with, using GIS to assess outcome disparities, 23(1):88–96
- Diagnosis**, effects of labeling patients as prehypertensive, 23(5):571–583
- Domestic violence**, partner violence and cancer screening, 23(3):343–353
- Drug abuse**
alcoholic energy drinks, risks for youth, 23(4):555–558
marijuana, cannabinoid hyperemesis, 23(6):790–793
- Dry needling**, management of musculoskeletal pain, 23(5):640–646
- Editorial Office News and Notes**
Content Usage and the Most Frequently Read Articles in 2009, 23(3):280–282
Introduction of More Editorial Board Members and Google Maps and Google Earth: the Physician’s Cheap Geographic Information System (GIS), 23(1):4–5
More Editorial Board Members and Kudos for the 2009 Practice-Based Research Network Poster Award, 23(2):143–144
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2009, 23(2):145–148
- Editors’ Notes**
International Issues, Infectious Diseases, Medical Liability, and Medical Home Ideas, 23(6):697–699
Key Questions and Technology in Clinical Practice, 23(2):139–142
Mapping Primary Care: Putting Our Patients in Context, 23(1):1–3
Policy and Financing in Family Medicine and the Medical Home, 23(3):277–279
The Words We Use, the Procedures We Do, and How We Change (Medical Care Information for Family Physicians), 23(5):561–563
- Education**, family medicine, future of, 23(3):S23–S27, 23(3):S28–S29, 23(3):S30–S31
- Electrodiagnostic testing**, conducted in primary care, clinical outcomes, 23(5):584–590
- Electronic medical records**
antidepressant medication use, 23(4):499–508
systematic review of health information exchange, 23(5):647–654
- Elephantiasis nostras verrucosa**, as complication of congestive heart failure and obesity, 23(3):413–417
- Empirical research**, career satisfaction of primary care physicians, 23(6):762–769
- Endocrinology**, hyperparathyroidism and depression, 23(5):677–680
- End-of-life care**
deciding to pull the tube, 23(5):671–673
is there a shaman in the house?, 23(6):794–796
- Energy drinks**, alcoholic, risks for youth, 23(4):555–558
- Errata**, 23(1):138, 23(5):695
- Ethics**, deciding to pull the tube, 23(5):671–673
- Evidence-based medicine**, law of diminishing returns in clinical medicine, 23(3):371–375
- Exercise**, impact of family YMCA membership on childhood obesity, 23(3):323–333
- Expanded access**, investigational medications for HIV patients, 23(5):566–570
- Family health**, sick child after travel to developing countries, 23(6):704–713
- Family Health Center**, investigational medications for HIV patients, 23(5):566–570
- Family medicine**
perspectives: practice, training, and certification, 23(3):S1–S48
physicians
liability claims in patients treated by, 23(6):753–761
recognition and management of common acute conditions of the oral cavity, 23(3):285–294
review of current research, nonsuicidal self-injury, 23(2):240–259
women, personal experiences, Republic of Moldova, 23(6):783–789
reflections
is there a shaman in the house?, 23(6):794–796
primary care perspective, 23(1):121–123
research revolution, 23(4):431–439
residency selection, statewide preceptorship program and, relationship between, 23(1):67–74
setting, medical abortion outcomes, 23(4):509–513
- Family reintegration**, veterans, 23(6):770–774
- Fatigue**, causal role in stress-perceived health relationship, MetroNet study, 23(2):212–219
- Fever**, adult-onset Still disease, 23(3):418–422
- Financial incentives**, effect on improvement in medical quality indicators, 23(5):622–631
- Fischer cone biopsy excisor (FCBE)**, treating cervical dysplasia, 23(2):154–158
- Fleas**, cat scratch disease and arthropod vectors, 23(5):685–686
- Focus groups**, confidential care to adolescent males, 23(6):728–735
- Gastrointestinal disorders**
cannabinoid hyperemesis and compulsive bathing, 23(6):790–793
diarrhea and PEG-associated fistula, 23(5):681–684
ischemic colitis and sumatriptan overuse, 23(1):124–127
- Genetics**, hyperparathyroidism and depression, 23(5):677–680
- Geographic information systems (GIS)**
analysis of impact of a clinic move on vulnerable patients with chronic disease, 23(1):128–130
assessing outcome disparities in patients with type 2 diabetes and hyperlipidemia, 23(1):88–96
demonstrating primary care needs for a transitioning Hispanic community, 23(1):109–120
harnessing, to enable community-oriented primary care, 23(1):22–31
importance of place in primary care research and practice, 23(1):9–12
incorporating into program evaluation, lessons from a rural medicine initiative, 23(1):59–66
surveillance, observing spread of common illnesses through a community, 23(1):32–41
using, to understand a community’s primary care needs, 23(1):13–21
- Geriatric patients**, see Older patients
- Glomerular filtration rate**, chronic kidney disease in primary care, 23(4):542–530
- Glucose**, tolerance, impaired, lifestyle intervention study, correspondence, 23(2):273–274
- Graduate medical education**, in family medicine, future of, 23(3):S28–S29
- Greater Rochester Practice-Based Research Network (GRPBRN)**, 23(4):452–454
- Health care economics**
challenges in building the medical home, 23(3):384–392
measuring primary care expenses, 23(3):376–383
- Health care financing**
physician specialty and quality of medical care in Taiwan, 23(3):402–412
pilot program to finance primary care for uninsured patients, 23(3):393–401
- Health care systems**
challenges in building the medical home, 23(3):384–392
preparing for high-performance system, 23(3):S11–S16
- Health information exchange**, systematic review, 23(5):655–654
- Health literacy**, “newest vital sign” ease of use and correlates, 23(2):195–203
- Health policy**, challenges in building the medical home, 23(3):384–392
- Health services**, using coleaders for improvements, 23(5):632–639

- Health status**, effects of labeling patients as prehypertensive, 23(5):571–583
- Heavy metals**, mercury poisoning from dental fillings, 23(6):797–798
- Hispanics**
foreign-born Latinos, health care quality perceptions, 23(6):745–752
transitioning community, GIS demonstrating primary care needs, 23(1):109–120
- Human immunodeficiency virus (HIV)**, investigational medications for patients, 23(5):566–570
- Human papillomavirus (HPV)**, vaccination program, mandatory, parental acceptance of, 23(2):220–229, 23(5):688–689
- Hypercalcemia**, hyperparathyroidism and depression, 23(5):677–680
- Hyperemesis**, cannabinoid, compulsive bathing and, 23(6):790–793
- Hyperlipidemia**, patients with, using GIS to assess outcome disparities, 23(1):88–96
- Hyperparathyroidism**, depression and, 23(5):677–680
- Hypertension**, effects of labeling patients as prehypertensive, 23(5):571–583
- Hyperthyroidism**, thyrotoxic periodic paralysis subsequent to prednisone, 23(4):551–554
- Independent living**, vulnerable older adults, 23(5):614–621
- Infants**, behavioral intervention to reduce crying, 23(3):315–322, 23(5):689–691
- Inhalers**, asthma, interactive voice response intervention to improve asthma medication adherence, 23(2):159–165
- Insomnia**, severity, psychosocial correlates, primary care, 23(2):204–211
- Interactive voice response**, intervention, improving asthma medication adherence, 23(2):159–165
- Intimate partner violence**, cancer screening and, 23(3):343–353
- Investigational drugs**, medications for HIV patients, 23(5):566–570
- Iowa Research Network (IRENE)**, 23(1):131–133
- Ischemic colitis**, related to sumatriptan overuse, 23(1):124–127
- Journal of the American Board of Family Medicine (JABFM)**
content usage and the most frequently read articles in 2009, 23(3):280–282
peer reviewers for, 23(2):145–148
special 40th anniversary issue, 23(3):S1–S48
- Kidney disorders**, in primary care, 23(4):542–530
- Language**, patient-provider concordance, health care among Latinos, 23(6):745–752
- Laryngeal neoplasms**, nasolaryngoscopy indications, findings, and economics, 23(5):591–597
- Laryngopharyngeal reflux**, nasolaryngoscopy indications, findings, and economics, 23(5):591–597
- Laryngoscopy**, indications, findings, and economics, 23(5):591–597
- Late effects**, lifetime follow-up care after childhood cancer, 23(5):647–654
- Latinos**, foreign-born, health care quality perceptions, 23(6):745–752
- Liability issues**
patients treated by family medicine physicians, 23(6):753–761
promoting screening mammography, 23(6):775–782
- Lifestyle intervention study**, patients with diabetes or impaired glucose tolerance, correspondence, 23(2):273–274
- Lipids**, cholesterol treatment, role of usual source of care, 23(2):179–185
- Loop electrosurgical excision procedure (LEEP)**, treating cervical dysplasia, 23(2):151–153
- Lymphedema**, elephantiasis nostras verrucosa, 23(3):413–417
- Maintenance of Certification for Family Physicians (MC-FP)**
ABFM and, variations in self-assessment modules uptake within the 2006 cohort, 23(1):49–58
future of, 23(3):S42–S45
- Malpractice**, liability claims in family medicine, 23(6):753–761
- Mammograms**, promoting screening mammography, 23(6):775–782
- Marijuana**, cannabinoid hyperemesis and compulsive bathing, 23(6):790–793
- Medical errors**
diarrhea and PEG-associated fistula, 23(5):681–684
liability claims in family medicine, 23(6):753–761
- Medical home**
model, patient-centered, benefit of, for veterans, 23(6):770–774
patient navigator approach, 23(6):736–744
policy challenges in building, 23(3):384–392
primary care, 23(3):S21–S22
- Medical students**
preceptorship program participants, family medicine residency selection, 23(1):67–74
rural medicine initiative, incorporating GIS into program evaluation, 23(1):59–66
- Medical terminology**, discussing excess weight, 23(5):606–613
- Memory**, older adults, intervention to improve dementia screening, 23(4):486–498
- Men**, validation of male osteoporosis risk estimation score, 23(2):186–194
- Meningomyelocele**, early detection using 3-D ultrasound imaging, family medicine center, 23(2):270–272
- Mental health**
abuse and psychiatric symptoms among urban women on Medicaid, 23(3):363–370
intervention to improve dementia screening, 23(4):486–498
surveying adolescents in a regional health care delivery organization, 23(4):534–541
- Mercury poisoning**, from dental fillings, care of patients who are worried about, 23(6):797–798
- MetroNet**, 23(2):212–219
- Misoprotol**, medical abortion outcomes, family medicine setting, 23(4):509–513
- Moldova, Republic of**, women family physicians' personal experiences, 23(6):783–789
- Musculoskeletal and connective tissue**, pectus excavatum, current management, 23(2):230–239
- Musculoskeletal pain**, management, dry needling, 23(5):640–646
- Myofascial trigger points**, dry needling and musculoskeletal pain, 23(5):640–646
- Nasolaryngoscopy**, indications, findings, and economics, 23(5):591–597
- National Research Network (NRN)**, 23(4):455–464
- Nerve conduction**, clinical outcomes of electrodiagnostic testing, 23(5):584–590
- Neural tube defects**, early detection of meningomyelocele, 23(2):270–272
- New Jersey Primary Care Research Network (NJPCRN)**, 23(4):523–533
- Newest Vital Sign (NVS)**, ease of use and correlates, 23(2):195–203
- Night sweats**, prognostic implications, two cohorts of older patients, 23(1):97–103
- Non-group A streptococci**, role in acute pharyngitis, correspondence, 23(3):423–425
- Nonsuicidal self-injury**, review of current research, 23(2):240–259
- North Carolina Network Consortium (NCNC)**, 23(6):720–727
- Nutrition**, hyperparathyroidism and depression, 23(5):677–680
- Obesity**
childhood
impact of family YMCA membership, 23(3):323–333
screening and counseling, 23(3):334–342
complications, elephantiasis nostras verrucosa, 23(3):413–417

- discussing excess weight, 23(5):606–613
- Older patients**
 prognostic implications of night sweats, 23(1):97–103
 screening for suicide ideation, 23(2):260–269
 vulnerable populations, independent living, 23(5):614–621
- Oral cavity**, recognition and management of common acute conditions, 23(3):285–294
- Oral health**, unmet dental needs in rural primary care, 23(4):514–522
- Osteoporosis**
 screening, interventions to improve, correspondence, 23(1):131–133
 validation of male osteoporosis risk estimation score, 23(2):186–194
- Otolaryngology**, common acute conditions of the oral cavity, 23(3):285–294
- Outcome**
 clinical, electrodiagnostic testing conducted in primary care, 23(5):584–590
 disparities, patients with type 2 diabetes and hyperlipidemia, assessment using GIS, 23(1):88–96
 medical abortion, family medicine setting, 23(4):509–513
- Pain**
 back, perceived benefit of complementary and alternative medicine
 national survey, 23(3):354–362
 musculoskeletal, dry needling and, 23(5):640–646
 tooth, common acute conditions of the oral cavity, 23(3):285–294
- Palliative care**, acknowledging beneficence tension, 23(5):674–676
- Parental acceptance**, mandatory HPV vaccination program, 23(2):220–229, 23(5):688–689
- Participant recruitment**, research, strategies for in-person recruitment, 23(4):523–533
- Patient-centered care**
 challenges in building the medical home, 23(3):384–392
 medical home model, benefit of, 23(6):770–774
 patient navigator approach, 23(6):736–744
- Patient navigation**, meeting needs of primary care, 23(6):736–744
- Pay for performance**, incentives and improvements in medical quality indicators, 23(5):622–631
- Peak expiratory flow**, monitoring, sitting *versus* standing, 23(2):166–170
- Pectus excavatum**, current management, 23(2):230–239
- Pediatric patients**, see Children
- Perceived health**, stress-perceived health relationship, causal role of fatigue, MetroNet study, 23(2):212–219
- Percutaneous endoscopic gastro-tomy**, diarrhea and PEG-associated fistula, 23(5):681–684
- Performance improvement**, incentives and improvements in medical quality indicators, 23(5):622–631
- Periodontal disease**, common acute conditions of the oral cavity, 23(3):285–294
- Personal health care provider**, cancer screening and, 23(1):75–81
- Personal physician**, quality of care in diabetes, 23(1):82–87, 23(3):423–425
- Pharyngitis**
 acute, role of non-group A streptococci, correspondence, 23(3):423–425
 adult-onset Still disease, 23(3):418–422
- Physical abuse**, among urban women on Medicaid, 23(3):363–370
- Physician-patient relations**
 barriers to cardiovascular disease risk factor control, 23(2):171–178
 discussing excess weight, 23(5):606–613
 is there a shaman in the house?, 23(6):794–796
 language and health care among Latinos, 23(6):745–752
- Physicians**
 family medicine
 liability claims in patients treated by, 23(6):753–761
 recognition and management of common acute conditions of the oral cavity, 23(3):285–294
 review of current research, nonsuicidal self-injury, 23(2):240–259
 women, personal experiences, Republic of Moldova, 23(6):783–789
 primary care
 career satisfaction, factors influencing, 23(6):762–769
 review of current research, nonsuicidal self-injury, 23(2):240–259
 role, lifetime follow-up care after childhood cancer, 23(5):647–654
 specialty, Taiwan National Health Insurance System, 23(3):402–412
 21st-century, preparing to practice patient-centered family medicine, 23(3):S23–S27
 supply, breast cancer survival and, 23(1):104–108
- Postpartum depression**, participating in practice-based research network study, 23(4):455–464
- Practice-based research (PBR)**
 patient navigator approach, 23(6):736–744
 surveying adolescents in a regional health care delivery organization, 23(4):534–541
- Practice-based research networks (PBRNs)**
 acanthosis nigricans, high prevalence with diabetes, 23(4):476–485
 antidepressant medication use, 23(4):499–508
- commentaries, 23(4):429, 23(4):440–441
 etiology of southern tick-associated rash illness, 23(6):720–727
 evaluating, review of currently available tools, 23(4):465–475
 incentives to participate in research, 23(4):442–451
 intervention to improve dementia screening, 23(4):486–498
 medical abortion outcomes, 23(4):509–513
 researchers, reflections of, 23(4):442–451
 study of postpartum depression, 23(4):455–464
 unmet dental needs in rural primary care, 23(4):514–522
- Practice improvement**
 depression care, 23(5):598–605
 using coleaders for improvements, 23(5):632–639
- Prednisone**, thyrotoxic periodic paralysis subsequent to, 23(4):551–554
- Pregnancy**, early detection of meningomyelocele, 23(2):270–272
- Prevention**
 incentives and improvements in medical quality indicators, 23(5):622–631
 screening and counseling for childhood obesity, 23(3):334–342
- Primary care**
 barriers to cardiovascular disease risk factor control, 23(2):171–178
 challenges in building the medical home, 23(3):384–392
 clinical outcomes of electrodiagnostic testing, 23(5):584–590
 community-oriented, harnessing GIS to enable, 23(1):22–31
 confidential care to adolescent males, 23(6):728–735
 discussing excess weight, 23(5):606–613
 function, receptor sites, 23(3):S17–S20
 incentives and improvements in medical quality indicators, 23(5):622–631
 incentives to participate in research, 23(4):442–451
 intervention to improve dementia screening, 23(4):486–498
 measuring expenses, 23(3):376–383
 patient navigator approach, 23(6):736–744
 perspective, bandaging society's wounds, 23(1):121–123
 physicians
 career satisfaction, factors influencing, 23(6):762–769
 review of current research, nonsuicidal self-injury, 23(2):240–259
 specialty and quality of medical care in Taiwan, 23(3):402–412
 psychosocial correlates of insomnia severity, 23(2):204–211
 reflections of practice-based researchers, 23(4):442–451
 research and practice, importance of place, 23(1):9–12

- rural, unmet dental needs, 23(4):514–522
- self-reported health problems of young adults, 23(3):306–314
- setting, screening for veteran status, 23(6):700–701
- strategies for in-person recruitment, 23(4):523–533
- systematic review of health information exchange, 23(5):655–670
- using coleaders for improvements, 23(5):632–639
- Primary Care Multiethnic Network (PRIME Net)**, 23(4):476–485
- Psychiatry**, abuse and psychiatric symptoms among urban women on Medicaid, 23(3):363–370
- Qualitative research**
- independent living in vulnerable older adults, 23(5):614–621
- patient navigator approach, 23(6):736–744
- Quality of care**
- diabetes
- barriers to cardiovascular disease risk factor control, 23(2):171–178
- effect of having a personal physician, 23(1):82–87, 23(3):423–425
- experiences, quality of Taiwan National Health Insurance System, 23(3):402–412
- incentives and improvements in medical quality indicators, 23(5):622–631
- perceptions among foreign-born Latinos, 23(6):745–752
- using coleaders for improvements, 23(5):632–639
- Reliability**, peak expiratory flow monitoring, 23(2):166–170
- Research revolution**, family medicine, 23(4):431–439
- Residency selection**, family medicine, statewide preceptorship program and, relationship between, 23(1):67–74
- Retail clinics**, sociodemographic characteristics of communities served by, 23(1):42–48
- Risk assessment**, nonsuicidal self-injury, review of current research, 23(2):240–259
- Risk estimation**, validation of male osteoporosis risk estimation score, 23(2):186–194
- Risk management**, liability claims in family medicine, 23(6):753–761
- Risk reduction**, law of diminishing returns in clinical medicine: how much risk reduction is enough?, 23(3):371–375
- Risks**, alcoholic energy drinks for youth, 23(4):551–554
- Rural communities**
- incorporating GIS into program evaluation, 23(1):59–66
- intervention to improve dementia screening, 23(4):486–498
- primary care, unmet dental needs, 23(4):514–522
- Rural Older Adult Memory (ROAM)**, 23(4):486–498
- Screening**
- breast cancer, 23(1):75–81, 23(6):775–782
- cancer, intimate partner violence and, 23(3):343–353
- cervical cancer, 23(1):75–81
- childhood obesity, 23(3):334–342
- dementia, intervention to improve screening process, 23(4):486–498
- depression care improvements, 23(5):598–605
- incentives and improvements in medical quality indicators, 23(5):622–631
- osteoporosis, interventions to improve, correspondence, 23(1):131–133
- suicide ideation, among older primary care patients, 23(2):260–269
- Self-efficacy**, psychosocial correlates of insomnia severity, 23(2):204–211
- Self-injury**, nonsuicidal, review of current research, 23(2):240–259
- Services areas**, changing, of health care clinics, impact on vulnerable patients with chronic disease, GIS analysis, 23(1):128–130
- Sexual abuse**, among urban women on Medicaid, 23(3):363–370
- Sitting**, peak expiratory flow monitoring, 23(2):166–170
- Skin infections**, community-associated MRSA, trimethoprim-sulfamethoxazole or clindamycin for, 23(6):714–719
- Sociodemographic characteristics**, communities served by retail clinics, 23(1):42–48
- Sore throat**, adult-onset Still disease, 23(3):418–422
- Southern tick-associated rash illness (STARI)**, etiology, 23(6):720–727
- Special communications**
- geographic information systems (GIS): importance of place in primary care research and practice, 23(1):9–12
- law of diminishing returns in clinical medicine: how much risk reduction is enough?, 23(3):371–375
- measuring primary care expenses, 23(3):376–383
- promoting screening mammography, 23(6):775–782
- surveying adolescents enrolled in a regional health care delivery organization: mail and phone follow-up—what works at what cost?, 23(4):534–541
- veteran family reintegration, primary care needs, and the benefit of the patient-centered medical home model, 23(6):770–774
- Spirituality**, is there a shaman in the house?, 23(6):794–796
- Standing**, peak expiratory flow monitoring, 23(2):166–170
- Statewide preceptorship program**, family medicine residency selection and, relationship between, 23(1):67–74
- Statin**, cholesterol treatment, role of usual source of care, 23(2):179–185
- Streptococci**, non-group A, role in acute pharyngitis, correspondence, 23(3):423–425
- Stress**, -perceived health relationship, causal role of fatigue, MetroNet study, 23(2):212–219
- Suicide ideation**, screening among older primary care patients, 23(2):260–269
- Sumatriptan**, overuse, ischemic colitis related to, 23(1):124–127
- Surveillance**, using GIS for, observing spread of common illnesses through communities, 23(1):32–41
- Surveys**
- adolescents in a regional health care delivery organization, 23(4):534–541
- career satisfaction of primary care physicians, 23(6):762–769
- perceived benefit of complementary and alternative medicine for back pain, 23(3):354–362
- Taiwan National Health Insurance System**, physician specialty and quality of care, 23(3):402–412
- Thyrototoxic periodic paralysis (TPP)**, subsequent to prednisone, 23(4):551–554
- Ticks**
- cat scratch disease and arthropod vectors, 23(5):685–686
- southern tick-associated rash illness, 23(6):720–727
- Tooth decay**, common acute conditions of the oral cavity, 23(3):285–294
- Trauma**, dental, common acute conditions of the oral cavity, 23(3):285–294
- Travel medicine**, sick child after travel to developing countries, 23(6):704–713
- Trimethoprim-sulfamethoxazole**, for community-associated MRSA skin infections, 23(6):714–719
- Tropical medicine**, sick child after travel to developing countries, 23(6):704–713
- Tubogram**, diarrhea and PEG-associated fistula, 23(5):681–684
- Ultrasound**, 3-dimensional, early detection of meningomyelocele, 23(2):270–272
- Uninsured patients**, pilot program to finance primary care, 23(3):393–401

- Urban areas**, women on Medicaid, abuse and psychiatric symptoms, 23(3):363–370
- Usual source of care**, cholesterol treatment, 23(2):179–185
- Utilization**, abuse and psychiatric symptoms among urban women on Medicaid, 23(3):363–370
- Vaccination**, HPV, parental acceptance of mandatory program, 23(2):220–229, 23(5):688–689
- Validation**, male osteoporosis risk estimation score, 23(2):186–194
- Veterans**
family reintegration, primary care needs, and the benefit of the patient-centered medical home model, 23(6):770–774
screening for veteran status in primary care setting, 23(6):700–701
- Vitamin D deficiency**, hyperparathyroidism and depression, 23(5):677–680
- Vomiting**, cannabinoid hyperemesis and compulsive bathing, 23(6):790–793
- Vulnerable populations**
with chronic disease, impact of a clinic move, 23(1):128–130
older adults, independent living, 23(5):614–621
- Weight**, excess, discussing, 23(5):606–613
- Women**, urban, on Medicaid, abuse and psychiatric symptoms, 23(3):363–370
- Women physicians**, personal experiences, Republic of Moldova, 23(6):783–789
- YMCA membership**, family, impact on childhood obesity, 23(3):323–333
- Young adults**, self-reported health problems, clinical settings, 23(3):306–314