

Subject Index to Volume 25, 2012

- Academic health center**, role in supporting physicians who work in challenging contexts, 25(6):756-758
- Accreditation**, accommodating proposed maternity care training requirements, 25(6):827-831
- Acquired immunodeficiency syndrome (AIDS)**, septicemia in, 25(3):318-322
- Active surveillance**, prostate cancer, patient perspective, 25(6):763-770
- Acupuncture**, for hot flashes, breast cancer survivors, 25(3):323-332
- Adolescence**, primary care, depression, and anxiety, 25(3):291-299
- Adult attention deficit-hyperactivity disorder (ADHD)**, self-report scale, 25(6):840-846
- Agranulocytosis**, cocaine use and, 25(4):528-530
- Alcohol consumption**
excessive, primary care program to reverse, 25(5):712-722
improving multiple health risk behaviors in primary care, 25(5):701-712
lifestyle habits and mortality in overweight individuals, 25(1):9-15
screening and counseling tool for alcohol misuse, 25(5):605-613
- Alcoholism**
primary care program to reverse excessive alcohol consumption, 25(5):712-722
screening and counseling tool for alcohol misuse, 25(5):605-613
- Aldosterone**, hyperaldosteronism, patients with hypertension, 25(1):98-103
- Alternative medicine**, acupuncture for hot flashes, breast cancer survivors, 25(3):323-332
- American Board of Family Medicine (ABFM)**
examinations
cheating, implications for examinees, 25(3):400-401
reliability of, implications for test takers, 25(1):131-133
"sum of subtest to overall score discrepancy," 25(2):260-261
heart failure self-assessment module simulation actions vis-à-vis guideline recommendations, 25(4):551-552
- American Board of Medical Specialties**, self-assessment modules, knowledge assessment responses, 25(6):939-940
- American Recovery and Reinvestment Act**, NHSC workforce with, 25(5):723-733
- Amyotrophic lateral sclerosis**, dyspnea caused by respiratory muscle weakness, 25(3):396-397
- Angina pectoris**, undiagnosed, low education and, 25(4):416-421
- Antibiotics**
antibiotic prescription in febrile children, 25(6):810-818
azithromycin for bronchial asthma in adults, 25(4):443-459
- Antiplatelets**, oral, focus update on prasugrel, 25(3):343-349
- Anxiety**, in adolescents, somatic and emotional predictors, 25(3):291-299
- Apnea**, insomnia and obstructive sleep apnea, 25(1):104-110
- Arthritis**
septic, sternoclavicular joint, 25(6):908-912
shoulder injury related to vaccine administration, 25(6):919-922
- Asthma**
action plans, team approach, 25(2):247-249
bronchial, azithromycin for, 25(4):443-459
- Bacteremia**, septicemia in patients with AIDS, 25(3):318-322
- Bacterial infections**, soil-related, 25(5):734-744
- Behavioral counseling**, screening and counseling tool for alcohol misuse, 25(5):605-613
- Behavioral symptoms**, Klinefelter syndrome in prepubertal age, 25(5):745-749
- Bell palsy**, diabetes mellitus and, 25(6):819-826
- Bipolar disorder**, EHR-based tools for screening, 25(3):283-290
- BIRADS**, incomplete screening mammograms based on age and race, 25(1):128-130
- Body mass index**, diabetes, hypertension, and mortality, 25(4):422-431
- Breast cancer**
incomplete screening mammograms based on age and race, 25(1):128-130
survivors, acupuncture for hot flashes, 25(3):323-332
- Cancer risk**, weight status and perception of colorectal cancer risk, 25(6):792-797
- Cancer screening**
colorectal cancer, 25(1):63-72, 25(1):73-82, 25(3):308-317, 25(6):771-781, 25(6):782-791, 25(6):792-797
incomplete screening mammograms based on age and race, 25(1):128-130
long-term cancer survivors, 25(4):460-469
prostate cancer, 25(1):111-119, 25(6):927-929
- Cardiovascular abnormalities**
anomalous coronary arteries found in syncopal workup, 25(4):541-546
children and young adults with sudden cardiac arrest, 25(4):408-415
French approach to risk factor management, 25(4):477-486
resistant hypertension, 25(4):487-495
- Cardiovascular diseases**, focus update on prasugrel, 25(3):343-349
- Career choice**, match rates into family medicine, 25(6):894-907
- Career satisfaction**, "grit" and, in rural and nonrural doctors, 25(6):832-839
- Case reports**
agranulocytosis and cocaine use, 25(4):528-530
anomalous coronary artery found in syncopal workup, 25(4):541-546
endoscopic repair of colonic perforation, 25(3):383-389
eosinophilic gastroenteritis with anemia and syncope, 25(6):913-918
Klinefelter syndrome in prepubertal age, 25(5):745-749
levamisole-altered cocaine, 25(4):531-535
mental health treatment initiation, 25(2):255-259
mesh and irritable bowel syndrome, 25(1):120-123
muscle disease in children with elevated transaminase, 25(4):536-540
septic arthritis, sternoclavicular joint, 25(6):908-912
septicemia in patients with AIDS, 25(3):318-322
strongyloides as a cause of fever, 25(3):390-393
target lesions and other paintball injuries, 25(1):124-127
- Catheterization**, focus update on prasugrel, 25(3):343-349
- Cell phones**, communication technology usage among patients, 25(5):625-634
- Children**
antibiotic prescription in febrile children, 25(6):810-818
declining numbers of family physicians caring for, 25(2):139-140
depression and anxiety in adolescents, 25(3):291-299
family physicians closing their doors to, 25(2):141-142
muscle disease in children with elevated transaminase, 25(4):536-540
phototherapy use in newborns, 25(4):437-441
stringency of pediatric quality care measures, 25(5):686-693
- Chlorthalidone**, diuretic of choice in hypertension simulations, 25(6):805-809
- Chronic disease**
care for patients with pain, 25(5):652-660

- reducing emergency department utilization by the uninsured, 25(2):184–191
- Clinical epidemiology**
clinical decision rule for diagnosis of influenza, 25(1):55–62
EHR measurement of depression and suicide, 25(5):582–593
- Clinical practice guidelines**, phototherapy use in newborns, 25(4):437–441
- Clinical trials**, azithromycin for bronchial asthma in adults, 25(4):443–459
- Cocaine**
levamisole-altered, case series, 25(4):531–535
use, agranulocytosis and, 25(4):528–530
- Collaboration**
difficulties encountered in collaborative care, 25(2):168–176
quality improvement collaboratives and practice change, 25(2):149–157
- Colonoscopy**, endoscopic repair of colonic perforation, 25(3):383–389
- Colorectal cancer**
care, providers' needs for information about, 25(5):635–651
risk, weight status and perception of, 25(6):792–797
screening
discussions by screening rates, 25(6):771–781
educational materials to improve, 25(1):73–82
intervention trial, 25(1):63–72
physician recommendation and patient adherence, 25(6):782–791
rural areas, 25(3):308–317
- Commentary**
critical access hospital graduate medical education: too little, and maybe too late, 25(1):6
essentials for great teams: trust, diversity, communication . . . and joy, 25(2):146–148
family physicians closing their doors to children: considering the implications, 25(1):141–142
guest family physician commentaries, 25(1):5, 25(3):274
the impending crisis in the decline of family physicians providing maternity care, 25(3):272–273
measuring the impact of practice-based research networks, 25(5):557–559
more house calls by fewer physicians, 25(6):759–760
Share the Care™: building teams in primary care practices, 25(2):143–145
supporting physicians who work in challenging contexts: a role for the academic health center, 25(6):756–758
- Communication**, technology usage among patients, 25(5):625–634
- Community health centers**, satisfaction of family physicians, 25(4):470–476
- Community health networks**, stringency of pediatric quality care measures, 25(5):686–693
- Community medicine**
impact of a wellness portal on preventive care, 25(2):158–167
lessons and challenges, 25(5):560–564
pain and depression, underserved cohort, 25(3):300–307
recommendation and adherence for colorectal cancer screening, 25(6):782–791
- Comorbidity**
mental health treatment initiation, 25(2):255–259
team approach to chronic care management for diabetic patients, 25(2):245–246
- Competency-based education**, accommodating proposed maternity care training requirements, 25(6):827–831
- Complementary medicine**, acupuncture for hot flashes in breast cancer survivors, 25(3):323–332
- Computed tomography (CT)**, increased emergency department use for common chest symptoms without clear patient benefits, 25(1):33–41
- Computers**
communication technology usage among patients, 25(5):625–634
computer-assisted diagnosis, Cushing syndrome, 25(2):199–208
impact of a wellness portal on preventive care, 25(2):158–167
- Contraception**, informed consent, medications with potential adverse fetal effects, 25(5):661–668
- Coordinating centers**, multi-practice-based research networks and, 25(5):577–581
- Coping skills**
impact of patient safety incidents on physicians and staff, 25(2):177–183
trauma in a group of inner-city family physicians, 25(6):840–846
- Correspondence**
consider muscle disease in children with elevated transaminase, 25(3):937–938
irritable bowel syndrome: a “mesh” of a situation, 25(3):398–399
maternal depressive symptomatology: 16-month follow-up of infant and maternal health-related quality of life, 25(3):398
- Cortisol**, in Cushing syndrome, 25(2):199–208
- Cost analysis**, cost of integrating a physical activity counselor, 25(2):250–252
- Cost effectiveness**, reducing emergency department utilization by the uninsured, 25(2):184–191
- Counseling**
cost of integrating a physical activity counselor, 25(2):250–252
- improving multiple health risk behaviors in primary care, 25(5):701–712
tools, for alcohol misuse, 25(5):605–613
- Crisis intervention**, improving multiple health risk behaviors in primary care, 25(5):701–712
- Critical access hospitals (CAHs)**
increasing GME in, 25(1):7–8
role in GME, 25(1):6
- Cross-cultural comparison**, French approach to cardiovascular risk factor management, 25(4):477–486
- Cross-sectional studies**
low education and undiagnosed angina, 25(4):416–421
survey, satisfaction of family physicians, community health centers, 25(4):470–476
- Culture**, perspectives on process, people, politics, and presence, 25(5):930–936
- Cushing syndrome**, diagnosis, 25(2):199–208
- Data reporting**, data collection and reporting costs for diabetes quality improvement, 25(3):275–282
- Decision making**
clinical decision rule for diagnosis of influenza, 25(1):55–62
diagnostic errors in primary care, 25(1):87–97
impact of a wellness portal on preventive care, 25(2):158–167
prostate cancer, 25(6):753–755, 25(6):763–770
- Delivery of health care**
Care by Design™ and the patient-centered medical home, 25(2):216–223
colorectal cancer screening discussions by screening rates, 25(6):771–781
French approach to cardiovascular risk factor management, 25(4):477–486
managing patient populations in primary care, 25(2):238–244
mental health treatment initiation, 25(2):255–259
team approach to providing asthma action plans, 25(2):247–249
- Dementia**
cognitive and behavioral problems, management guidelines, 25(3):350–366
recognition and diagnosis, practical guidelines, 25(3):367–382
- Depression**
in adolescents, somatic and emotional predictors, 25(3):291–299
EHR-based tools for bipolar screening, 25(3):283–290
EHR measurement of, 25(5):582–593
pain and, in underserved cohort, 25(3):300–307
- Diabetes**, type 2
dietary fiber for treatment of, meta-analysis, 25(1):16–23

proton pump inhibitor therapy, lower glycosylated hemoglobin levels associated with, 25(1):50–54

Diabetes care

preventative, insurance coverage and, 25(1):42–49
quality improvement, data collection and reporting costs, 25(3):275–282

Diabetes mellitus

Bell palsy and, 25(6):819–826
body mass index, diabetes, hypertension, and mortality, 25(4):422–431
role of the champion in primary care change efforts, 25(5):676–685
team approach to chronic care management, 25(2):245–246

Diagnosis

Cushing syndrome, 25(2):199–208
dementia, 25(3):367–382
influenza, 25(1):55–62

Diagnostic errors, in primary care, 25(1):87–97

Diaphoresis, night sweats, 25(6):869–877

Diet, improving multiple health risk behaviors in primary care, 25(5):701–712

Dietary fiber, for treatment of type 2 diabetes, meta-analysis, 25(1):16–23

Diuretics, diuretic of choice in hypertension simulations, 25(6):805–809

Doctor-patient relations

addressing intimate partner violence, 25(3):333–342
colorectal cancer screening discussions by screening rates, 25(6):771–781
difficult encounters with psychiatric patients, 25(5):669–675
French approach to cardiovascular risk factor management, 25(4):477–486

Domestic violence, addressing intimate partner violence, 25(3):333–342

Drug industry, expired sample closet medications, 25(3):394–395

Drug utilization, agranulocytosis and cocaine use, 25(4):528–530

Dyspnea, caused by respiratory muscle weakness, 25(3):396–397

Editorial Office News and Notes

Content Usage and the Most Frequently Read Articles by Issue in 2011, 25(3):266–269
Peer Reviewers for *JABFM* in 2011, 25(2):135–138

Editor's Notes

Answers to Common Clinical Questions, 25(1):1–4
Cardiovascular Diseases and Other Evidence for Primary Care Clinical Practice, 25(4):403–405
Focus on Clinical Practice: Improving the Quality of Health Care, 25(3):263–265

Primary Care Research Conducted in Networks: Getting Down to Business, 25(5):553–556

Prostate Cancer Decision-Making, Health Services, and the Family Physician Workforce, 25(6):753–755

Education, low, undiagnosed angina and, 25(4):416–421

Electronic health records (EHR)

electronic standing orders in primary care, 25(5):594–604
lessons and challenges, 25(5):560–564
measurement of depression and suicide, 25(5):582–593
stringency of pediatric quality care measures, 25(5):686–693
tools to screen for bipolar disorder, 25(3):283–290

Electronic medical records (EMRs)

implementation after 2 years, 25(4):522–527
insurance coverage and receipt of diabetes care, 25(1):42–49
perspectives on implementation, 25(4):511–521

Electronic prescribing, early adopters of, struggle with meaningful use, 25(1):24–32

Emergency medicine

increased CT use for common chest symptoms without clear patient benefits, 25(1):33–41
reducing emergency department utilization by the uninsured, 25(2):184–191

Endocrine diseases, Cushing syndrome, 25(2):199–208

Endoscopic repair, iatrogenic colonic perforation during diagnostic colonoscopy, 25(3):383–389

Eosinophilic gastroenteritis, with anemia and syncope, 25(6):913–918

Evidence-based medicine

clinical decision rule for diagnosis of influenza, 25(1):55–62
impact of a wellness portal on preventive care, 25(2):158–167

Exercise

lifestyle habits and mortality, overweight individuals, 25(1):9–15
owners and pets exercising together, 25(6):923–926

Family medicine

antibiotic prescription in febrile children, 25(6):810–818
insomnia and obstructive sleep apnea, 25(1):104–110
match rates into, 25(6):894–907
reflections
perspectives on process, people, politics, and presence, 25(5):930–936
quiet healing, 25(4):547–549
Teams in a Patient-Centered Medical Home Practice, 25(2):224–231
trauma in a group of inner-city family physicians, 25(6):840–846

Family medicine research

colorectal cancer screening intervention trial, 25(1):63–72
communication technology usage among patients, 25(5):625–634
impact of patient safety incidents on physicians and staff, 25(2):177–183
practice-based research networks in 2011, 25(5):565–571
team approach to chronic care management for diabetic patients, 25(2):245–246
use of the AIM-HI for fitness in family practice, 25(5):694–700

Family physicians

declining numbers caring for children, 25(2):139–140
declining percentage attending to women's gender-specific health needs, 25(4):406–407
declining proportion providing maternity care, 25(3):270–271
electronic medical record implementation after 2 years, 25(4):511–521
engagement in Maintenance of Certification, 25(6):761–762
impact of patient safety incidents, 25(2):177–183
perspectives on electronic medical record implementation, 25(4):522–527
providing maternity care, decline of, impending crisis in, 25(3):272–273
satisfaction, community health centers, 25(4):470–476

Fever

antibiotic prescription in febrile children, 25(6):810–818
fever of unknown origin, strongyloides as a cause of, 25(3):390–393

Focus groups, building a patient-centered medical home, 25(2):192–198

Formulary checks, early adopters of electronic prescribing, 25(1):24–32

France, approach to cardiovascular risk factor management, 25(4):477–486

Fungal infections, soil-related, 25(5):734–744

Gastrointestinal disorders

eosinophilic gastroenteritis with anemia and syncope, 25(6):913–918
irritable bowel syndrome and surgical mesh, 25(1):120–123
soil-related bacterial and fungal infections, 25(5):734–744

Gastrointestinal tract, endoscopic repair of colonic perforation, 25(3):383–389

Geriatric patients, see Older patients

Glycosylated hemoglobin, lower levels in type 2 diabetes, proton pump inhibitor therapy associated with, 25(1):50–54

Graduate medical education (GME)

increasing, in CAHs, 25(1):7–8
role of CAHs, 25(1):6

Grit, satisfaction and, in rural and non-rural doctors, 25(6):832–839

Guidelines
 clinical practice, phototherapy use in newborns, 25(4):437–441
 management of cognitive and behavioral problems in dementia, 25(3):350–366
 recognition and diagnosis of dementia, 25(3):367–382

Hawthorne Effect, in practice-based research, 25(1):83–86

Health behavior, improving multiple health risk behaviors in primary care, 25(5):701–712

Health care disparities, colorectal cancer screening in rural areas, 25(3):308–317

Health care economics, managing patient populations in primary care, 25(2):238–244

Health care reform
 Care by Design™ and the patient-centered medical home, 25(2):216–223
 teams in a patient-centered medical home practice, 25(2):224–231

Health care seeking behavior, mental health treatment initiation, 25(2):255–259

Health care surveys, national survey of hemochromatosis patients, 25(4):432–436

Health care systems, lessons and challenges, 25(5):560–564

Health care teams
 approach to chronic care management for diabetic patients, 25(2):245–246
 approach to providing asthma action plans, 25(2):247–249
 Care by Design™ and the patient-centered medical home, 25(2):216–223
 cost of integrating a physical activity counselor, 25(2):250–252
 delegating responsibility to nonprofessionals, 25(2):209–215
 difficulties encountered in collaborative care, 25(2):168–176
 patient care team, “office nurse” level of training, 25(6):854–861
 patient-centered medical home practice, 25(2):224–231
 reducing emergency department utilization by the uninsured, 25(2):184–191
 Shared Care Model for the homeless, 25(2):253–254

Health education, educational materials to improve colorectal cancer screening, 25(1):73–82

Health information technology
 practice-based research networks, meeting future challenges, 25(5):572–576
 quality vs. practice size and, 25(5):614–624

Health insurance, coverage and receipt of diabetes care, 25(1):42–49

Health knowledge, low education and undiagnosed angina, 25(4):416–421

Health personnel, NHSC workforce with the American Recovery and Reinvestment Act, 25(5):723–733

Health policy
 data collection and reporting costs for diabetes quality improvement, 25(3):275–282
 engagement of family physicians in Maintenance of Certification, 25(6):761–762
 insurance coverage and receipt of diabetes care, 25(1):42–49
 managing patient populations in primary care, 25(2):238–244
 match rates into family medicine, 25(6):894–907
 NHSC workforce with the American Recovery and Reinvestment Act, 25(5):723–733

Hematology
 agranulocytosis and cocaine use, 25(4):528–530
 national survey of hemochromatosis patients, 25(4):432–436

Hemochromatosis, national survey of patients, 25(4):432–436

Herniorrhaphy, mesh and irritable bowel syndrome, 25(1):120–123

Hospitals
 critical access hospitals
 increasing GME in, 25(1):7–8
 role in GME, 25(1):6
 emergency departments
 increased CT use for common chest symptoms, 25(1):33–41
 reducing utilization by the uninsured, 25(2):184–191

Hot flashes, acupuncture for breast cancer survivors, 25(3):323–332

House calls
 Medicare beneficiaries, trends, 25(6):862–868
 more, by fewer physicians, 25(6):759–760

Hydrochlorothiazide, diuretic of choice in hypertension simulations, 25(6):805–809

Hyperaldosteronism, prevalence in patients with resistant hypertension, 25(1):98–103

Hyperbilirubinemia, phototherapy use in newborns, 25(4):437–441

Hypertension
 body mass index, diabetes, hypertension, and mortality, 25(4):422–431
 control, delegating responsibility to nonprofessionals, 25(2):209–215
 resistant, 25(1):98–103, 25(4):487–495
 simulations, diuretic of choice in, 25(6):805–809

Iatrogenic colonic repair, of colonic perforation during diagnostic colonoscopy, 25(3):383–389

Immunizations
 adult, update on, 25(4):496–510

shoulder injury related to vaccine administration, 25(6):919–922

Immunology, shoulder injury related to vaccine administration, 25(6):919–922

Infants, phototherapy use in newborns, 25(4):437–441

Infectious diseases
 antibiotic prescription in febrile children, 25(6):810–818
 azithromycin for bronchial asthma in adults, 25(4):443–459
 strongyloides as a cause of fever, 25(3):390–393

Influenza, diagnosis, development and validation of clinical decision rule, 25(1):55–62

Informed consent, medications with potential adverse fetal effects, 25(5):661–668

Insomnia, as independent predictor of obstructive sleep apnea, 25(1):104–110

Intellectual disability, Klinefelter syndrome in prepubertal age, 25(5):745–749

Interprofessional relations, difficulties encountered in collaborative care, 25(2):168–176

Iowa Research Network (IRENE) practices, educational materials to improve colorectal cancer screening, 25(1):73–82

Irritable bowel syndrome, mesh and, 25(1):120–123

Journal of the American Board of Family Medicine (JABFM), peer reviewers for, 25(2):135–138

Klinefelter syndrome, characteristic cognitive and behavioral pattern, prepubertal age, 25(5):745–749

Learning disorders, Klinefelter syndrome in prepubertal age, 25(5):745–749

Leukopenia, levamisole-altered cocaine, case series, 25(4):531–535

Levamisole
 agranulocytosis and cocaine use, 25(4):528–530
 -altered cocaine, case series, 25(4):531–535

Lifestyle habits, mortality and, overweight and obese individuals, 25(1):9–15

Lifestyle modification, use of the AIM-HI for fitness in family practice, 25(5):694–700

Low-income population, stringency of pediatric quality care measures, 25(5):686–693

Lubrication, speculum, Pap test accuracy and, 25(6):798–804

Maintenance of Certification-Family Practice (MC-FP)
 engagement of family physicians, 25(6):761–762

- “sum of subtest to overall score discrepancy,” 25(2):260–261
- Mammography**, incomplete screening mammograms based on age and race, 25(1):128–130
- Managed care**, guidelines, cognitive and behavioral problems in dementia, 25(3):350–366
- Marketing**, expired sample closet medications, 25(3):394–395
- Maternity care**
accommodating proposed training requirements, 25(6):827–831
decline of family physicians providing, impending crisis in, 25(3):272–273
declining proportion family physicians providing, 25(3):270–271
- Meaningful use**, early adopters of electronic prescribing, 25(1):24–32
- Medical education**
accommodating proposed maternity care training requirements, 25(6):827–831
match rates into family medicine, 25(6):894–907
perspectives on process, people, politics, and presence, 25(5):930–936
- Medical errors**, impact of patient safety incidents on physicians and staff, 25(2):177–183
- Medical home**, patient-centered building, 25(2):192–198
Care by Design™ and, 25(2):216–223
teams in, 25(2):224–231
- Medical oncology**, prostate cancer, watchful waiting/active surveillance, patient perspective, 25(6):763–770
- Medical specialty**, “grit” and, in rural and nonrural doctors, 25(6):832–839
- Medicare**, beneficiaries, trends in physician house calls, 25(6):862–868
- Medication history documentation**, early adopters of electronic prescribing, 25(1):24–32
- Mental health**
adult ADHD self-report scale, 25(6):840–846
depression and anxiety in adolescents, 25(3):291–299
difficult encounters with psychiatric patients, 25(5):669–675
EHR-based tools for bipolar screening, 25(3):283–290
pain and depression, underserved cohort, 25(3):300–307
treatment initiation, 25(2):255–259
- Metabolism**, Cushing syndrome, 25(2):199–208
- Methicillin-resistant staphylococcus aureus**, Hawthorne Effect in practice-based research, 25(1):83–86
- Minority health**, colorectal cancer screening in rural areas, 25(3):308–317
- Mortality**
healthy lifestyle habits and, overweight and obese individuals, 25(1):9–15
short-term, body mass index and, 25(4):422–431
- Motor activity**, cost of integrating a physical activity counselor, 25(2):250–252
- Muscle disease**, children with elevated transaminase, 25(4):536–540
- Muscular dystrophy**, muscle disease in children with elevated transaminase, 25(4):536–540
- Mycoses**, soil-related bacterial and fungal infections, 25(5):734–744
- Narrative**, perspectives on process, people, politics, and presence, 25(5):930–936
- National Health Service Corps (NHSC)**, workforce with the American Recovery and Reinvestment Act, 25(5):723–733
- Neurology**
diabetes mellitus and Bell palsy, 25(6):819–826
muscle disease in children with elevated transaminase, 25(4):536–540
- Neuromuscular disorders**, dyspnea caused by respiratory muscle weakness, 25(3):396–397
- Newborns**, phototherapy use in, clinical adherence to guideline, 25(4):437–441
- Night sweats**, 25(6):869–877
- Nursing**, “office nurse” level of training, 25(6):854–861
- Nutrition**, lifestyle habits and mortality, overweight individuals, 25(1):9–15
- Obesity**
body mass index, diabetes, hypertension, and mortality, 25(4):422–431
healthy lifestyle habits and mortality in individuals, 25(1):9–15
owners and pets exercising together, 25(6):923–926
weight status and perception of colorectal cancer risk, 25(6):792–797
- Obstetrics**, accommodating proposed maternity care training requirements, 25(6):827–831
- Obstructive sleep apnea**, insomnia as independent predictor of, 25(1):104–110
- Older patients**
anomalous coronary artery found in syncopal workup, 25(4):541–546
patient assessment of quality of primary care, 25(4):e1–e12
trends in physician house calls to Medicare beneficiaries, 25(6):862–868
- Opioid prescriptions**, care for patients with chronic nonmalignant pain, 25(5):652–660
- Otolaryngology**, diabetes mellitus and Bell palsy, 25(6):819–826
- Outreach facilitators**, helping clinicians improve patient outcomes, 25(2):232–237
- Overweight**, healthy lifestyle habits and mortality, 25(1):9–15
- Pain**
depression and, in underserved cohort, 25(3):300–307
management, opioid prescriptions, 25(5):652–660
speculum lubrication, Pap test accuracy and, 25(6):798–804
- Paintball**, target lesions and other injuries, 25(1):124–127
- Papanicolaou test**, accuracy, speculum lubrication and, 25(6):798–804
- Patient-centered care**
building a patient-centered medical home, 25(2):192–198
Care by Design™ and the patient-centered medical home, 25(2):216–223
impact of a wellness portal on preventive care, 25(2):158–167
teams in a patient-centered medical home practice, 25(2):224–231
- Patient education**, team approach to providing asthma action plans, 25(2):247–249
- Patient outcomes**, outreach facilitators help clinicians improve, 25(2):232–237
- Patient safety**
impact of incidents on physicians and staff, 25(2):177–183
quality vs. practice size and health information technology, 25(5):614–624
- Patient satisfaction**, building a patient-centered medical home, 25(2):192–198
- Pediatrics**, see Children
- Performance**, “office nurse” level of training, 25(6):854–861
- Personal health records**, impact of a wellness portal on preventive care, 25(2):158–167
- Pets**, owners and, exercising together, 25(6):923–926
- Pharmacological therapy**
focus update on prasugrel, 25(3):343–349
managing cognitive and behavioral problems in dementia, 25(3):350–366
- Pharmacology**, contraception, consent, and medications with potential adverse fetal effects, 25(5):661–668
- Philosophy**, perspectives on process, people, politics, and presence, 25(5):930–936
- Phototherapy**, use in newborns, clinical adherence to guideline, 25(4):437–441
- Physical activity**
improving multiple health risk behaviors in primary care, 25(5):701–712
owners and pets exercising together, 25(6):923–926

- Physician behavior**, contraception, consent, and medications with potential adverse fetal effects, 25(5):661–668
- Physicians**
house calls by, 25(6):759–760
practice patterns, expired sample closet medications, 25(3):394–395
recruitment and retention, in rural America, 25(1):7–8
work in challenging contexts, 25(6):756–758
- Polypropylene mesh**, irritable bowel syndrome and, 25(1):120–123
- Practice-based research**
adult ADHD self-report scale, 25(6):840–846
assessment of Hawthorne Effect, 25(1):83–86
care for pain and opioid prescriptions, 25(5):652–660
colorectal cancer screening intervention trial, 25(1):63–72
difficult encounters with psychiatric patients, 25(5):669–675
early adopters of electronic prescribing struggle, 25(1):24–32
educational materials to improve colorectal cancer screening, 25(1):73–82
EHR measurement of depression and suicide, 25(5):582–593
electronic standing orders in primary care, 25(5):594–604
impact of a wellness portal on preventive care, 25(2):158–167
improving multiple health risk behaviors in primary care, 25(5):701–712
lessons and challenges, 25(5):560–564
medications with potential adverse fetal effects, 25(5):661–668
providers' needs for information about colorectal cancer care, 25(5):635–651
quality vs. practice size and health information technology, 25(5):614–624
recommendation and adherence for colorectal cancer screening, 25(6):782–791
role of the champion in primary care change efforts, 25(5):676–685
screening and counseling tool for alcohol misuse, 25(5):605–613
use of the AIM-HI for fitness in family practice, 25(5):694–700
- Practice-based research networks**
adult ADHD self-report scale, 25(6):840–846
azithromycin for bronchial asthma in adults, 25(4):443–459
care for pain and opioid prescriptions, 25(5):652–660
coordinating centers and, 25(5):577–581
data collection and reporting costs for diabetes quality improvement, 25(3):275–282
description of, in 2011, 25(5):565–571
difficult encounters with psychiatric patients, 25(5):669–675
EHR measurement of depression and suicide, 25(5):582–593
electronic standing orders in primary care, 25(5):594–604
improving multiple health risk behaviors in primary care, 25(5):701–712
lessons and challenges, 25(5):560–564
measuring impact of, 25(5):557–559
medications with potential adverse fetal effects, 25(5):661–668
meeting future challenges, 25(5):572–576
providers' needs for information about colorectal cancer care, 25(5):635–651
quality vs. practice size and health information technology, 25(5):614–624
role of the champion in primary care change efforts, 25(5):676–685
screening and counseling tool for alcohol misuse, 25(5):605–613
use of the AIM-HI for fitness in family practice, 25(5):694–700
- Practice facilitation**, outreach facilitators help clinicians improve patient outcomes, 25(2):232–237
- Prasugrel**, focus update on, 25(3):343–349
- Preconception care**, medications with potential adverse fetal effects, 25(5):661–668
- Prevention**
cancer screening of long-term cancer survivors, 25(4):460–469
children and young adults with sudden cardiac arrest, 25(4):408–415
impact of a wellness portal on preventive care, 25(2):158–167
update on adult immunizations, 25(4):496–510
- Primary care**
perspectives on process, people, politics, and presence, 25(5):930–936
quality, patient assessment, subsequent outcomes and, 25(4):e1–e12
- Primary health care**
antibiotic prescription in febrile children, 25(6):810–818
cancer screening of long-term cancer survivors, 25(4):460–469
Care by Design™ and the patient-centered medical home, 25(2):216–223
clinical decision rule for diagnosis of influenza, 25(1):55–62
coordinating centers and multi-practice-based research network research, 25(5):577–581
cost of integrating a physical activity counselor, 25(2):250–252
data collection and reporting costs for diabetes quality improvement, 25(3):275–282
delegating responsibility to nonprofessionals, 25(2):209–215
diagnostic errors, 25(1):87–97
difficulties encountered in collaborative care, 25(2):168–176
early adopters of electronic prescribing, 25(1):24–32
EHR-based tools for bipolar screening, 25(3):283–290
electronic medical record implementation after 2 years, 25(4):522–527
electronic standing orders, 25(5):594–604
engagement of family physicians in Maintenance of Certification, 25(6):761–762
“grit” and, in rural and nonrural doctors, 25(6):832–839
Hawthorne Effect in practice-based research, 25(1):83–86
hyperaldosteronism in patients with hypertension, 25(1):98–103
impact of a wellness portal on preventive care, 25(2):158–167
improving multiple health risk behaviors in primary care, 25(5):701–712
insomnia and obstructive sleep apnea, 25(1):104–110
lessons and challenges, 25(5):560–564
mental health treatment initiation, 25(2):255–259
NHSC workforce with the American Recovery and Reinvestment Act, 25(5):723–733
outreach facilitators and patient outcomes, 25(2):232–237
pain and depression, underserved cohort, 25(3):300–307
program to reverse excessive alcohol consumption, 25(5):712–722
providers' needs for information about colorectal cancer care, 25(5):635–651
quality improvement collaboratives and practice change, 25(2):149–157
quality vs. practice size and health information technology, 25(5):614–624
reducing emergency department utilization by the uninsured, 25(2):184–191
role of the champion in primary care change efforts, 25(5):676–685
satisfaction of family physicians, community health centers, 25(4):470–476
- Prostate cancer**
chemoprevention of, 25(1):111–119
decision-making, health services, and the family physician workforce, 25(6):753–755
effect of lowering prostate-specific antigen normal cutoff, 25(6):927–929
localized, watchful waiting/active surveillance, patient perspective, 25(6):763–770
- Proton pump inhibitors**, therapy, associated with lower glycosylated hemoglobin levels in type 2 diabetes, 25(1):50–54

- Psychiatry**, difficult encounters with psychiatric patients, 25(5):669–675
- Psychology**, trauma in a group of inner-city family physicians, 25(6):840–846
- Purpura**
levamisole-altered cocaine, 25(4):531–535
target lesions and other paintball injuries, 25(1):124–127
- Qualitative research**
building a patient-centered medical home, 25(2):192–198
electronic medical record implementation after 2 years, 25(4):522–527
- Quality improvement**
data collection and reporting costs for diabetes quality improvement, 25(3):275–282
quality improvement collaboratives and practice change, 25(2):149–157
- Quality of health care**
building a patient-centered medical home, 25(2):192–198
collaboratives and practice change, 25(2):149–157
data collection and reporting costs for diabetes, 25(3):275–282
diagnostic errors in primary care, 25(1):87–97
EHR-based tools for bipolar screening, 25(3):283–290
expired sample closet medications, 25(3):394–395
focus on clinical practice, 25(3):263–265
French approach to cardiovascular risk factor management, 25(4):477–486
managing patient populations in primary care, 25(2):238–244
program to reverse excessive alcohol consumption, 25(5):712–722
quality vs. practice size and health information technology, 25(5):614–624
reducing emergency department utilization by the uninsured, 25(2):184–191
role of the champion in primary care change efforts, 25(5):676–685
stringency of pediatric quality care measures, 25(5):686–693
- Radiation**, increased emergency department CT use for common chest symptoms, 25(1):33–41
- Registries**, cancer screening of long-term cancer survivors, 25(4):460–469
- Renin**, hyperaldosteronism in patients with hypertension, 25(1):98–103
- Respiratory muscles**, dyspnea caused by respiratory muscle weakness, 25(3):396–397
- Respiratory tract diseases**
clinical decision rule for diagnosis of influenza, 25(1):55–62
soil-related bacterial and fungal infections, 25(5):734–744
- Retrospective studies**
children and young adults with sudden cardiac arrest, 25(4):408–415
phototherapy use in newborns, 25(4):437–441
- Risk behaviors**, improving in primary care, 25(5):701–712
- Rural communities**, physician recruitment and retention by, possible effect of increasing GME in CAHs, 25(1):7–8
- Rural health**
educational materials to improve colorectal cancer screening, 25(1):73–82
NHSC workforce with the American Recovery and Reinvestment Act, 25(5):723–733
- Sample closets**, expired medications, 25(3):394–395
- Screening**
alcohol misuse, 25(5):605–613
colorectal cancer, 25(1):63–72, 25(1):73–82, 25(3):308–317, 25(6):771–781, 25(6):782–791, 25(6):792–797
depression and anxiety, adolescents, 25(3):291–299
hyperaldosteronism, patients with hypertension, 25(1):98–103
incomplete screening mammograms based on age and race, 25(1):128–130
instruments, adult ADHD self-report scale, 25(6):840–846
long-term cancer survivors, 25(4):460–469
prostate cancer, 25(1):111–119
sudden cardiac arrest, children and young adults, 25(4):408–415
- Septic arthritis**, sternoclavicular joint, 25(6):908–912
- Septicemia**, patients with AIDS, 25(3):318–322
- Shoulder**, injury related to vaccine administration, 25(6):919–922
- Smoking**, improving multiple health risk behaviors in primary care, 25(5):701–712
- Social problems**, team approach to chronic care management for diabetic patients, 25(2):245–246
- Soft tissue infections**, Hawthorne Effect in practice-based research, 25(1):83–86
- Soil microbiology**, bacterial and fungal infections, 25(5):734–744
- Special communications**
collaboration with partners to strengthen skills in pregnancy, delivery, and newborn care, 25(4):511–521
managing patient populations in primary care: points of leverage, 25(2):238–244
navigating change: how outreach facilitators can help clinicians improve patient outcomes, 25(2):232–237
- Sports medicine**
children and young adults with sudden cardiac arrest, 25(4):408–415
shoulder injury related to vaccine administration, 25(6):919–922
- Standing orders**, electronic standing orders in primary care, 25(5):594–604
- Sternoclavicular joint**, septic arthritis of, 25(6):908–912
- Strongyloides**, as a cause of fever, 25(3):390–393
- Substance abuse**, trauma in a group of inner-city family physicians, 25(6):840–846
- Sudden cardiac arrest**, children and young adults, 25(4):408–415
- Suicide ideation**, EHR measurement of, 25(5):582–593
- Surgical mesh**, irritable bowel syndrome and, 25(1):120–123
- Survivors**, cancer
breast cancer, acupuncture for hot flashes, 25(3):323–332
long-term, cancer screening of, 25(4):460–469
providers' needs for information about colorectal cancer care, 25(5):635–651
- Syncope**
anomalous coronary artery found in syncopal workup, 25(4):541–546
eosinophilic gastroenteritis with anemia and syncope, 25(6):913–918
- Teratogens**, medications with potential adverse fetal effects, 25(5):661–668
- Thermoregulation**, night sweats, 25(6):869–877
- Thiazide diuretics**, diuretic of choice in hypertension simulations, 25(6):805–809
- Tobacco use cessation**, lifestyle habits and mortality, overweight individuals, 25(1):9–15
- Transaminases**, elevated, muscle disease in children with, 25(4):536–540
- Underserved populations**
pain and depression, 25(3):300–307
Shared Care Model for the homeless, 25(2):253–254
trauma in a group of inner-city family physicians, 25(6):840–846
- Uninsured patients**
insurance coverage and receipt of diabetes care, 25(1):42–49
reducing emergency department utilization by, 25(2):184–191
- Vaccination**
administration, shoulder injury related to, 25(6):919–922
update on adult immunizations, 25(4):496–510

Vaginal speculum, lubrication with pain and Pap test accuracy, 25(6):798–804
Vasculitis, levamisole-altered cocaine, 25(4):531–535

Watchful waiting, prostate cancer, patient perspective, 25(6):763–770

Weight status
healthy lifestyle habits and mortality, 25(1):9–15

perception of colorectal cancer risk and, 25(6):792–797

Wellness portal, impact on preventive care, 25(2):158–167

Women's health

addressing intimate partner violence, 25(3):333–342

declining percentage of family physicians attending to, 25(4):406–407

speculum lubrication with pain and Pap test accuracy, 25(6):798–804

Workload, “office nurse” level of training, 25(6):854–861

Workplace wellness, use of the AIM-HI for fitness in family practice, 25(5):694–700