

# Subject Index to Volume 26, 2013

**Abdominal pain**, misdiagnosed, 26(6):738–744

**Abortion**, induced, early pregnancy failure and, 26(6):751–758

## About Practice-based research networks (PBRNS)

Communication Is the key to Success in Pragmatic Clinical Trials in Practice-based Research Networks (PBRNs), 26(5):571–578

**Acupuncture**, for chronic pain, outcomes in urban primary care, 26(6):692–700

**Adolescence**, reproductive health care of women, 26(4):460–469

## Aged

benefits of having a confidant, 26(1):7–8

detecting geriatric cognitive impairment, 26(4):429–435

herpes zoster by race, 26(1):45–51

shared decision making in PSA testing, 26(4):401–408

**Airway**, asthma and COPD, overlap syndrome, 26(4):470–477

**Alabama**, vs Cuba, low birth weight outcomes, 26(2):187–195

**Allopathic medical schools**, graduates, self-reported ability to perform procedures, 26(1):28–34

**Alternative medicine**, auriculotherapy for smoking cessation, 26(1):61–70

## American Board of Family Medicine (ABFM), Certification Examination

differential item functioning, 26(6):807–809

engagement of groups in Maintenance of Certification, 26(2):149–158

pass rates, 26(4):453–459

performance by country of medical training, 26(1):78–81

recertification candidate pass rates, 26(4):478–479

**American Board of Medical Specialties (ABMS)**, board certification, 26(6):620–622

**Anterior cutaneous nerve entrapment syndrome**, misdiagnosed abdominal pain, 26(6):738–744

**Antibiotics**, treatment failure and costs in MRSA infections, 26(5):508–517

**Antidepressive agents**, adherence to, influence of patient and clinician language, 26(4):409–420

**Antihypertensives**, therapeutic classes and treatment strategies, 26(5):529–538

**Anxiety**, facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182

## Asthma

COPD and, overlap syndrome, 26(4):470–477

improved care for, method for building a COS, 26(3):254–263

**Attitudes**, toward medical marijuana, Colorado family physicians, 26(1):52–60

**Auriculotherapy**, for smoking cessation, 26(1):61–70

**Behavior modification**, use of website to accomplish, 26(2):168–176

**Bisexuals**, LGBT surrogate health care decision-making rights, 26(6):802–804

## Blood pressure

antihypertensive classes and treatment strategies, 26(5):529–538

evidence-based blood pressure control, 26(5):539–557

measuring, self-reported physician adherence to guidelines for, 26(2):215–217

noncontrol, and LDL noncontrol, comparison, in primary care offices, 26(6):658–668

**Body temperature**, duration of fever in children with illness, 26(4):445–452

**Breast cancer**, survivors, underserved, follow-up care, 26(6):628–636

**Breast feeding**, postpartum protocol for avoiding pregnancy, 26(1):35–44

**Bronchodilators**, in COPD treatment, megatrials for, 26(2):221–224

## Cancer screening

colon cancer, rural family medicine, 26(5):486–497

colorectal cancer, improving screening for, 26(5):498–507

increased, method for building a COS, 26(3):254–263

web-based skin cancer course for providers, 26(6):648–657

**Cannabis**, medical, Colorado family physicians' attitudes toward, 26(1):52–60

**Capitation fee**, payments to providers and delivery of patient education, 26(4):350–355

**Career choice**, what it means to be a personal physician, 26(1):96–97

**Case reports**, peripheral intravenous catheter fracture, 26(6):805–806

**Certification Examination**, ABFM differential item functioning, 26(6):807–809

engagement of groups in Maintenance of Certification, 26(2):149–158

pass rates, 26(4):453–459

performance by country of medical training, 26(1):78–81

recertification candidate pass rates, 26(4):478–479

## Certified nurse midwives

routine work with family physicians, 26(3):244–245

working together in the best interest of patients, 26(3):241–243

**Cesarean section**, delivery outcomes, rural family physicians and obstetricians, 26(4):366–372

**Child nutrition**, effect of intervention on BMI in overweight children, 26(2):126–137

## Childbirth

cesarean section, delivery outcomes, rural family physicians and obstetricians, 26(4):366–372

low birth weight outcomes, Cuba vs Alabama, 26(2):187–195

postpartum period, protocol for avoiding pregnancy, 26(1):35–44

spontaneous peripartum coronary artery dissection, 26(1):82–89

## Children

with illness, duration of fever in, 26(4):445–452

overweight, effect of intervention on BMI, 26(2):126–137

**Cholesterol**, blood pressure and LDL control in primary care, 26(6):658–668

## Chronic disease

asthma and COPD, 26(4):470–477

caring for patients with multiple chronic conditions, 26(5):484–485

diagnostic algorithms for 5 chronic conditions, 26(2):159–167

management, COS for, 26(3):311–315

megatrials for bronchodilators in COPD treatment, 26(2):221–224

multimorbidity and, prevalence in primary care practice, 26(5):518–524

patient care outcomes of the SEAHEC IPIP experience, 26(1):16–23

using Bydureon™ in patients with diabetes mellitus, 26(2):203–210

**Chronic obstructive pulmonary disease (COPD)**

asthma and, overlap syndrome, 26(4):470–477

treatment, megatrials for bronchodilators, 26(2):221–224

## Chronic pain

acupuncture for, outcomes, urban primary care, 26(6):692–700

changes in opioid prescribing for, 26(4):394–400

**Clinical practice guidelines**, blood pressure and LDL control in primary care, 26(6):658–668

**Clinical trials**, in PBRNs, success, role of communication, 26(5):571–578

**Cocaine**, levamisole-adulterated, case series, correspondence, 26(1):98

**Cognitive impairment**, geriatric, detecting, 26(4):429–435

**Cold spots**, linking primary care and public health, 26(3):239–240

## Colorectal cancer

screening improving, 26(5):498–507

increased, method for building a COS, 26(3):254–263

rural family medicine, 26(5):486–497

## Commentary

- Advancing Quality Health Care through Continuing American Board of Medical Specialties Board Certification, 26(6):620–622
- Caring for Patients with Multiple Chronic Conditions: Balancing Evidenced-based and Patient-Centered Care, 26(5):484–485
- Cold-Spotting: Linking Primary Care and Public Health to Create Communities of Solution, 26(3):239–240
- Communities of Solution: Partnerships for Population Health, 26(3):232–238
- Continuous Primary Care Is Central to Comprehensive Cancer Care: Are We Ready to Meet Growing Needs? 26(6):623–625
- Patient-Centered Research Happens in Practice-based Research Networks, 26(5):481–483
- The Role of Family Physicians in Mental Health Care Delivery in the United States: Implications for Health Reform, 26(2):111–113
- Uncloaking Family Medicine Research: So Much to Know, So Little Time, 26(1):4–6
- Working Together in the Best Interest of Patients, 26(3):241–243

## Communication

- language, influence on adherence to antidepressant medication, 26(4):409–420
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- role of success, clinical trials, PBRNs, 26(5):571–578

## Communities of solution (COS)

- chronic disease management, 26(3):311–315
- increasing access to care for Brazos Valley, Texas, 26(3):246–253
- JABFM* issue on, correspondence, 26(6):612–614
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- linking primary care and public health, 26(3):239–240
- method for building, 26(3):254–263
- military health system, 26(3):264–270
- partnerships for population health, 26(3):232–238
- rural, for cardiovascular health, 26(3):299–310
- support for a medical village from the OCHIN COS, 26(3):271–278
- and U.S. educational system, 26(3):323–326

## Community-based participatory research, method for building a COS, 26(3):254–263

## Community health care, support for a medical village from the OCHIN COS, 26(3):271–278

## Community health centers, building CHC research infrastructure, 26(5):579–587

## Community health networks

- building CHC research infrastructure, 26(5):579–587
- increasing access to care for Brazos Valley, Texas, 26(3):246–253

## Community medicine

- addressing homelessness, mental illness, and health disparities, 26(3):279–287
- COS for chronic disease management, 26(3):311–315
- COS for the military health system, 26(3):264–270
- emergence of primary care in Latin America, 26(2):183–186
- evidence-based blood pressure control, 26(5):539–557
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- practice and community strategies in San Antonio, 26(3):288–298

## Comparative effectiveness research, antihypertensive classes and treatment strategies, 26(5):529–538

## Complementary medicine, acupuncture for chronic pain, 26(6):692–700

## Confidentiality, adolescent patients, reproductive health care, 26(4):460–469

## Conflict of interest

- lessons learned from a pharma-free practice transformation, 26(3):332–338
- physician payment disclosure under health care reform, 26(3):327–331

## Continuity of patient care, provider practice characteristics, 26(4):356–365

## Contraception

- postpartum protocol for avoiding pregnancy, 26(1):35–44
- reproductive health care of adolescent women, 26(4):460–469

## Coronary arteries, spontaneous peripartum dissection, presentation and outcome, 26(1):82–89

## Correspondence

- emergence of primary care in Latin America, reflections from the field, 26(5):612
- home visits and the social context, 26(3):339–340
- impact of prior authorization requirements on primary care physicians' offices, 26(3):340–341
- JABFM* issue on communities of solution, 26(5):612–614
- levamisole-adulterated cocaine, 26(1):98

## Cost of illness, treatment failure and costs in MRSA infections, 26(5):508–517

## Cuba, vs Alabama, low birth weight outcomes, 26(2):187–195

## Decision making

- facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- LGBT surrogate health care decision-making rights, 26(6):802–804
- shared, in PSA testing, men older than 70 years, 26(4):401–408
- validation of MORES, 26(4):436–444

## Delivery of health care

- addressing homelessness, mental illness, and health disparities, 26(3):279–287
- COS for the military health system, 26(3):264–270
- emergence of primary care in Latin America, 26(2):183–186
- nonemergent emergency department use, 26(6):680–691
- payments to providers and delivery of patient education, 26(4):350–355
- practice and community strategies in San Antonio, 26(3):288–298
- rural COS for cardiovascular health, 26(3):299–310

## Dementia, detecting geriatric cognitive impairment, 26(4):429–435

## Depression

- adherence to medication, influence of patient and clinician language, 26(4):409–420
- facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182

## Dermatology

- melanoma outcomes among Medicare beneficiaries, 26(6):637–647
- psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- resistant “candidal intertrigo,” 26(2):211–214

## Diabetes mellitus

- care, quality and patient panel characteristics, 26(6):669–679
- care, quality improvement initiative, 26(6):711–719
- self-management guidelines, implementing, 26(1):90–92
- using Bydureon™ in patients with, 26(2):203–210

## Diagnosis, diagnostic algorithms for 5 chronic conditions, 26(2):159–167

## Diagnostic use, HPV testing in low-risk women, 26(6):720–727

## DNA testing, HPV, in low-risk women, 26(6):720–727

## Drug industry

- lessons learned from a pharma-free practice transformation, 26(3):332–338
- physician payment disclosure under health care reform, 26(3):327–331
- sample closet medications, 26(4):380–387

## Drug therapy

- antihypertensive classes and treatment strategies, 26(5):529–538
- Bydureon™, use in patients with diabetes mellitus, 26(2):203–210

- Early medical intervention (educational)**, colon cancer screening in rural family medicine, 26(5):486–497
- Editorial Office News and Notes**  
Content Usage and the Most Frequently Read Articles by Issue in 2012, 26(3):229–231  
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2012, 26(2):108–110
- Editors' Notes**  
Common Illnesses, Patient Physician Interactions, Continuity, and Practice Organization, 26(4):347–349  
Family Physicians Improve Patient Health Care Quality and Outcomes, 26(6):617–619  
Researching Together and Improving Practice Outcomes, 26(1):1–3  
Successful Behavioral Interventions, International Comparisons, and a Wonderful Variety of Topics for Clinical Practice, 26(2):105–107
- Education research**, self-reported ability to perform procedures, 26(1):28–34
- Education systems**, COS and the U.S. educational system, 26(3):323–326
- Educational measurement**, ABFM Certification Examination  
pass rates, 26(4):453–459  
performance on, by country, 26(1):78–81
- Educational research**, web-based skin cancer course for providers, 26(6):648–657
- Elderly**  
detecting geriatric cognitive impairment, 26(4):429–435  
health-related quality of life, benefits of having a confidant, 26(1):7–8  
herpes zoster by race, 26(1):45–51
- Electronic health records**  
adoption of, by family physicians, factors influencing, 26(4):388–393  
blood pressure and LDL control in primary care, 26(6):658–668  
prior authorization requirements, impact on physicians' offices, 26(1):93–95  
prior authorization requirements, impact on physicians' offices, correspondence, 26(3):340–341  
support for a medical village from the OCHIN COS, 26(3):271–278
- Electronic medical records**  
automated clinical reminders and obesity, 26(6):745–750  
meaningful use in primary care practices, 26(5):603–611
- Embolism**, peripheral intravenous catheter fracture, 26(6):805–806
- Emergency treatment**, nonemergent emergency department use, 26(6):680–691
- End of life care**, LGBT surrogate health care decision-making rights, 26(6):802–804
- English as a Second Language (ESL)**, prenatal program, 26(6):728–737
- Environmental health**, lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- Epidemiology**  
hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783  
treatment failure and costs in MRSA infections, 26(5):508–517
- Ethnicity**  
hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783  
quality of care for health center patients, 26(6):768–777
- Evaluation research**, prenatal program, population with limited English proficiency, 26(6):728–737
- Evidence-based medicine**  
blood pressure control, 26(5):539–557  
Bydureon™ in patients with diabetes mellitus, 26(2):203–210  
caring for patients with multiple chronic conditions, 26(5):484–485
- Family health**  
duration of fever in children with illness, 26(4):445–452  
effect of intervention on BMI in overweight children, 26(2):126–137  
home visits and social context, correspondence, 26(3):339–340
- Family medicine**  
clinics, health literacy in metro Detroit, 26(5):566–570  
emergence of primary care in Latin America, 26(2):183–186  
improving colorectal cancer screening, 26(5):498–507  
patients, hospitalized, predictors of thirty-day readmission among, 26(1):71–77  
reflections in, what it means to be a personal physician, 26(1):96–97
- Family physicians**  
adoption of EHRs, factors influencing, 26(4):388–393  
attitudes toward medical marijuana, 26(1):52–60  
caring for patients with multiple chronic conditions, 26(5):484–485  
changes in opioid prescribing for chronic pain, 26(4):394–400  
home visits and social context, correspondence, 26(3):339–340  
improvement of patient health care quality and outcomes, 26(6):617–619  
mental health care delivery and, 26(2):114–115  
participation in quality improvement, 26(6):626–627
- rural, retention after 20–25 years, 26(1):24–27  
self-reported adherence to guidelines for measuring blood pressure, 26(2):215–217  
working together in the best interest of patients, 26(3):241–243
- Family practice**, ABFM Certification Examination pass rates, 26(4):453–459
- Feedback**, blood pressure and LDL control in primary care, 26(6):658–668
- Fever**, duration of, in children with illness, 26(4):445–452
- Gays**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Gender**, physician, patient health care utilization and mortality and, 26(2):138–148
- Geographic factors**, ABFM Certification Examination  
pass rates, 26(4):453–459  
performance on, by country, 26(1):78–81
- Geriatrics**, detecting geriatric cognitive impairment, 26(4):429–435
- Graduate medical education**, early pregnancy failure and induced abortion, 26(6):751–758
- Guidelines**, self-management, diabetes mellitus, implementing, 26(1):90–92
- Health behavior**, health insurance association with preventive care, 26(6):759–767
- Health care delivery**, COS and the U.S. educational system, 26(3):323–326
- Health care disparities**, quality of care for health center patients, 26(6):768–777
- Health care financing**, COS and the U.S. educational system, 26(3):323–326
- Health care reform**  
COS and the U.S. educational system, 26(3):323–326  
physician payment disclosure under health care reform, 26(3):327–331
- Health care systems**  
COS and the U.S. educational system, 26(3):323–326  
diabetes care and patient panel characteristics, 26(6):669–679  
use of website to accomplish health behavior change, 26(2):168–176
- Health care team**  
practices attain PCMH recognition through university collaboration, 26(6):784–786  
quality improvement initiative for diabetes care, 26(6):711–719
- Health expenditures**, gender of physician and mortality, 26(2):138–148
- Health informatics**, diagnostic algorithms for 5 chronic conditions, 26(2):159–167



- Health information management**, blood pressure and LDL control in primary care, 26(6):658–668
- Health information technology**  
 meaningful use in primary care practices, 26(5):603–611  
 smoking cessation using health intervention tool, 26(2):116–125  
 support for a medical village from the OCHIN COS, 26(3):271–278
- Health insurance**  
 association with preventive care but not personal health behaviors, 26(6):759–767  
 diabetes care and patient panel characteristics, 26(6):669–679  
 prior authorization requirements, impact on physicians' offices, 26(1):93–95  
 quality of care for health center patients, 26(6):768–777
- Health literacy**  
 in metro Detroit, 26(5):566–570  
 newest vital sign and, 26(5):558–565
- Health personnel**, gender of physician and mortality, 26(2):138–148
- Health policy**  
 COS and the U.S. educational system, 26(3):323–326  
 diabetes care and patient panel characteristics, 26(6):669–679  
 physician payment disclosure under health care reform, 26(3):327–331  
 retention of rural physicians after 20–25 years, 26(1):24–27  
 sample closet medications, 26(4):380–387
- Health services**, use of website to accomplish health behavior change, 26(2):168–176
- Health services for the aged**, herpes zoster by race, 26(1):45–51
- Health services research**, nonemergent emergency department use, 26(6):680–691
- Health surveys**, health insurance association with preventive care, 26(6):759–767
- Herpes zoster**, knowledge, prevalence, and vaccination rate by race, 26(1):45–51
- Home blood pressure monitoring**, evidence-based blood pressure control, 26(5):539–557
- Homeless persons**, addressing homelessness, mental illness, and health disparities, 26(3):279–287
- Hospitals**  
 nonemergent emergency department use, 26(6):680–691  
 thirty-day hospital readmission predictors, 26(1):71–77
- House calls**, home visits and social context, correspondence, 26(3):339–340
- Human papillomavirus (HPV)**  
 immunization, reproductive health care of adolescent women, 26(4):460–469  
 testing in low-risk women, 26(6):720–727
- Hypertension**  
 antihypertensive classes and treatment strategies, 26(5):529–538  
 evidence-based blood pressure control, 26(5):539–557  
 self-reported physician adherence to guidelines for measuring blood pressure, 26(2):215–217
- Immunization**  
 herpes zoster, by race, 26(1):45–51  
 HPV, adolescent women, 26(4):460–469
- Implementation research**, integrating behavioral and physical health care, 26(5):588–602
- Infants**  
 with illness, duration of fever in, 26(4):445–452  
 low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
- Infectious diseases**, treatment failure and costs in MRSA infections, 26(5):508–517
- Insomnia**, validation of the Insomnia Severity Index, 26(6):701–710
- Integrated care**, integrating behavioral and physical health care, 26(5):588–602
- International medical schools**, graduates, self-reported ability to perform procedures, 26(1):28–34
- Internationality**, self-reported ability to perform procedures, 26(1):28–34
- Interpersonal relations**, older people and benefits of having a confidant, 26(1):7–8
- Intertrigo**, resistant “candidal intertrigo” and psoriasis, 26(2):211–214
- Intervention**, effect on BMI in overweight children, 26(2):126–137
- Iran**, hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783
- Irritable bowel syndrome**, misdiagnosed abdominal pain, 26(6):738–744
- Journal of the American Board of Family Medicine (JABFM)**  
 content usage and the most frequently read articles by issue in 2012, 26(3):229–231  
 issue on COS, correspondence, 26(6):612–614
- Lactation**, postpartum protocol for avoiding pregnancy, 26(1):35–44
- Lesbians**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Levamisole**, -adulterated cocaine, case series, correspondence, 26(1):98
- Lifestyle**, use of website to accomplish health behavior change, 26(2):168–176
- Logistic models**, thirty-day hospital readmission predictors, 26(1):71–77
- Low birth weight**, outcomes, Cuba vs Alabama, 26(2):187–195
- Low-density lipoprotein**, noncontrol, and blood pressure noncontrol, comparison, in primary care offices, 26(6):658–668
- Low income population**, follow-up care of underserved breast cancer survivors, 26(6):628–636
- Maintenance of Certification**  
 engagement of groups, 26(2):149–158  
 recertification candidate pass rates, 26(4):478–479
- Marijuana**, medical, Colorado family physicians' attitudes toward, 26(1):52–60
- Mastoiditis**, opacified mastoid on CT scan, 26(2):218–220
- Maternal morbidity**, cesarean section delivery outcomes, rural family physicians and obstetricians, 26(4):366–372
- Meaningful use**, in primary care practices, 26(5):603–611
- Medical education**  
 Colorado family physicians' attitudes toward medical marijuana, 26(1):52–60  
 a COS for the military health system, 26(3):264–270  
 medical school graduates, self-reported ability to perform procedures, 26(1):28–34  
 performance on the ABFM Certification Examination by country, 26(1):78–81  
 retention of rural physicians after 20–25 years, 26(1):24–27  
 web-based skin cancer course for providers, 26(6):648–657
- Medical ethics**  
 lessons learned from a pharma-free practice transformation, 26(3):332–338  
 LGBT surrogate health care decision-making rights, 26(6):802–804  
 physician payment disclosure under health care reform, 26(3):327–331
- Medical home**  
 provider practice characteristics that promote interpersonal continuity, 26(4):356–365  
 what it means to be a personal physician, 26(1):96–97
- Medical practice management**, micropractices, work satisfaction and, 26(5):525–528
- Medically underserved areas**, adoption of EHRs by family physicians, 26(4):388–393
- Medicare**, beneficiaries, melanoma outcomes among, 26(6):637–647
- Melanoma**, outcomes among Medicare beneficiaries, 26(6):637–647
- Memory**, detecting geriatric cognitive impairment, 26(4):429–435

**Men's health**

addressing, to optimize pregnancy outcomes, 26(2):196–202  
validation of MORES, 26(4):436–444

**Mental health care**

addressing homelessness, mental illness, and health disparities, 26(3):279–287  
delivery, family physicians and, 26(2):114–115  
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182  
integrating behavioral and physical health care, 26(5):588–602

**Methicillin-resistant *staphylococcus aureus*, infections, treatment**

failure and costs, 26(5):508–517

**Military medicine, COS for the military health system, 26(3):264–270****Miscarriage, early pregnancy failure and induced abortion, 26(6):751–758****Mixed methods**

integrating behavioral and physical health care, 26(5):588–602  
research, prenatal program, population with limited English proficiency, 26(6):728–737

**Mortality, gender of physician and, 26(2):138–148****Multimorbidity, prevalence of, in primary care practice, 26(5):518–524****Natural family planning methods, postpartum protocol, 26(1):35–44****Newest vital sign, health literacy and, 26(5):558–565****Nurse practitioners**

changes in opioid prescribing for chronic pain, 26(4):394–400  
routine work with family physicians, 26(3):244–245  
working together in the best interest of patients, 26(3):241–243

**Nursing homes, detecting geriatric cognitive impairment, 26(4):429–435****Nutrition surveys, hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783****Obesity**

automated clinical reminders and, 26(6):745–750  
intervention improves BMI in overweight children, 26(2):126–137  
women's perspectives on physicians' roles in weight management, 26(4):421–428

**Obstetrics, cesarean section delivery outcomes, rural family physicians and obstetricians, 26(4):366–372****Opioids, changes in prescribing for chronic pain, 26(4):394–400****Osteoporosis, validation of MORES, 26(4):436–444****Otolaryngology, opacified mastoid on CT scan, 26(2):218–220****Out-of-hours medical care, primary care, follow-up after telephone consultations, 26(4):373–379****Overlap syndrome, asthma and COPD, 26(4):470–477****Overweight, children, effect of intervention on BMI, 26(2):126–137****Ovulation detection, postpartum protocol for avoiding pregnancy, 26(1):35–44****Patient adherence, antidepressant medication, influence of patient and clinician language, 26(4):409–420****Patient care, outcomes of the SEAHEC IPIP experience, 26(1):16–23****Patient care team, rural COS for cardiovascular health, 26(3):299–310****Patient-centered care**

caring for patients with multiple chronic conditions, 26(5):484–485  
practices attain PCMH recognition through university collaboration, 26(6):784–786  
provider practice characteristics that promote interpersonal continuity, 26(4):356–365  
what it means to be a personal physician, 26(1):96–97

**Patient-centered medical home (PCMH)**

practices attain PCMH recognition through university collaboration, 26(6):784–786  
support for a medical village from the OCHIN COS, 26(3):271–278

**Patient-centered research, practice-based research networks, 26(5):481–483****Patient education**

delivery of, effects of practice payment, 26(4):350–355  
lessons and challenges from the Healthy Mendocino COS, 26(3):316–322  
LGBT surrogate health care decision-making rights, 26(6):802–804

**Patient readmission, thirty-day hospital readmission predictors, 26(1):71–77****Patient safety, medical school graduates' self-reported ability to perform procedures, 26(1):28–34****Patient satisfaction, follow-up at out-of-hours primary care, 26(4):373–379****Pediatric patients, see Children****Peripartum coronary artery dissection, spontaneous, presentation and outcome, 26(1):82–89****Peripheral intravenous catheter, fracture, 26(6):805–806****Personal health**

communities of solution, 26(3):232–238  
services, what it means to be a personal physician, 26(1):96–97

**Pharmaceutical industry**

lessons learned from a pharma-free practice transformation, 26(3):332–338  
physician payment disclosure under health care reform, 26(3):327–331

**Pharmacotherapy**

megatrials for bronchodilators in COPD treatment, 26(2):221–224  
using Bydureon™ in patients with diabetes mellitus, 26(2):203–210

**Physician assistants**

routine work with family physicians, 26(3):244–245  
working together in the best interest of patients, 26(3):241–243

**Physician-patient relations**

nonemergent emergency department use, 26(6):680–691  
what it means to be a personal physician, 26(1):96–97  
women's perspectives on physicians' roles in weight management, 26(4):421–428

**Physicians**

changes in opioid prescribing for chronic pain, 26(4):394–400  
micropractices and work satisfaction, 26(5):525–528

**Policy barriers, family physicians and mental health care delivery, 26(2):114–115****Population health, communities of solution, 26(3):232–238****Postpartum period, protocol for avoiding pregnancy, 26(1):35–44****Practice-based research**

antihypertensive classes and treatment strategies, 26(5):529–538  
chronic diseases and multimorbidity, 26(5):518–524  
colon cancer screening in rural family medicine, 26(5):486–497  
diagnostic algorithms for 5 chronic conditions, 26(2):159–167  
improving colorectal cancer screening, 26(5):498–507  
increasing access to care for Brazos Valley, Texas, 26(3):246–253  
method for building a COS, 26(3):254–263  
older people, benefits of having a confidant, 26(1):7–8  
prior authorization requirements, impact on physicians' offices, 26(1):93–95  
smoking cessation using health intervention tool, 26(2):116–125  
treatment failure and costs in MRSA infections, 26(5):508–517  
use of website to accomplish health behavior change, 26(2):168–176

**Practice-based research networks**

building CHC research infrastructure, 26(5):579–587  
clinical trials, communication as key to success, 26(5):571–578

- patient-centered research, 26(5):481–483
- support for a medical village from the OCHIN COS, 26(3):271–278
- Practice management**
  - automated clinical reminders and obesity, 26(6):745–750
  - lessons learned from a pharma-free practice transformation, 26(3):332–338
  - micropractices, work satisfaction and, 26(5):525–528
  - prior authorization requirements, impact on physicians' offices, 26(1):93–95
  - prior authorization requirements, impact on physicians' offices, correspondence, 26(1):340–341
  - sample closet medications, 26(4):380–387
- Preconception care**, addressing men's health, 26(2):196–202
- Pregnancy**
  - avoiding, postpartum protocol for, 26(1):35–44
  - failure, early, induced abortion and, 26(6):751–758
  - outcomes, optimizing, men's health, 26(2):196–202
  - spontaneous coronary artery dissection, 26(1):82–89
- Prenatal care**
  - low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
  - program for population with limited English proficiency, 26(6):728–737
- Preschool children**, with illness, duration of fever, 26(4):445–452
- Prevalence studies**, misdiagnosed abdominal pain, 26(6):738–744
- Prevention**
  - facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
  - improving colorectal cancer screening, 26(5):498–507
  - validation of MORES, 26(4):436–444
  - web-based skin cancer course for providers, 26(6):648–657
- Preventive medicine**, health insurance association with preventive care, 26(6):759–767
- Primary care physicians**
  - follow-up care of underserved breast cancer survivors, 26(6):628–636
  - visits, influence on melanoma outcomes among Medicare beneficiaries, 26(6):637–647
- Primary health care**
  - addressing homelessness, mental illness, and health disparities, 26(3):279–287
  - antihypertensive classes and treatment strategies, 26(5):529–538
  - care, quality improvement initiative, 26(6):711–719
  - changes in opioid prescribing for chronic pain, 26(4):394–400
  - chronic diseases and multimorbidity, 26(5):518–524
  - efforts to enhance team-based care, 26(3):244–245
  - emergence of, in Latin America, 26(2):183–186
  - emergence of, in Latin America, correspondence, 26(6):612
  - engagement of groups in Maintenance of Certification, 26(2):149–158
  - evidence-based blood pressure control, 26(5):539–557
  - facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
  - follow-up at out-of-hours primary care, 26(4):373–379
  - gender of physician and mortality, 26(2):138–148
  - health literacy in metro Detroit, 26(5):566–570
  - home visits and social context, correspondence, 26(3):339–340
  - implementing diabetes self-management guidelines, 26(1):90–92
  - improving colorectal cancer screening, 26(5):498–507
  - integrating behavioral and physical health care, 26(5):588–602
  - linking practice and community strategies in San Antonio, 26(3):288–298
  - meaningful use, 26(5):603–611
  - older people, benefits of having a confidant, 26(1):7–8
  - payments to providers and delivery of patient education, 26(4):350–355
  - physicians' offices, impact of prior authorization requirements, 26(1):93–95
  - physicians' offices, impact of prior authorization requirements, correspondence, 26(3):340–341
  - practice and community strategies in San Antonio, 26(3):288–298
  - practices attain PCMH recognition through university collaboration, 26(6):784–786
  - psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
  - rural COS for cardiovascular health, 26(3):299–310
  - sample closet medications, 26(4):380–387
  - treatment failure and costs in MRSA infections, 26(5):508–517
  - use of website to accomplish health behavior change, 26(2):168–176
  - validation of MORES, 26(4):436–444
  - validation of the Insomnia Severity Index, 26(6):701–710
  - web-based skin cancer course for providers, 26(6):648–657
  - women's perspectives on physicians' roles in weight management, 26(4):421–428
  - working together in the best interest of patients, 26(3):241–243
- Prior authorization**, requirements impact on physicians' offices, 26(1):93–95
- impact on physicians' offices, correspondence, 26(3):340–341
- Procedures**
  - medical school graduates' self-reported ability to perform, 26(1):28–34
  - peripheral intravenous catheter fracture, 26(6):805–806
- Prostate cancer**, shared decision making in PSA testing, men older than 70 years, 26(4):401–408
- Prostate-specific antigen (PSA)**, testing, shared decision making in, men older than 70 years, 26(4):401–408
- Provider practice characteristics**, interpersonal continuity and, 26(4):356–365
- Psoriasis**
  - inverse, resistant "candidal intertrigo" and, 26(2):211–214
  - psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- Psychiatrists**, family physicians and mental health care delivery, 26(2):114–115
- Public health**
  - addressing homelessness, mental illness, and health disparities, 26(3):279–287
  - herpes zoster by race, 26(1):45–51
  - increasing access to care for Brazos Valley, Texas, 26(3):246–253
  - lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- Qualitative research**, evidence-based blood pressure control, 26(5):539–557
- Quality improvement**
  - engagement of groups in Maintenance of Certification, 26(2):149–158
  - family physician participation in, 26(6):626–627
  - initiative, diabetes care, 26(6):711–719
  - meaningful use in primary care practices, 26(5):603–611
  - patient care outcomes of the SEA-HEC IPIP experience, 26(1):16–23
  - patient health care, family physicians and, 26(6):617–619
- Quality of health care**
  - continuing ABMS board certification, 26(6):620–622
  - engagement of groups in Maintenance of Certification, 26(2):149–158
  - experience by health center patients, 26(6):768–777
  - family physicians and, 26(6):617–619
  - follow-up care of underserved breast cancer survivors, 26(6):628–636
  - sample closet medications, 26(4):380–387
  - what it means to be a personal physician, 26(1):96–97



- Quality of life**, health-related, older people, benefits of having a confidant, 26(1):7–8
- Quantitative evaluation**, language predicts adherence to antidepressant medication, 26(4):409–420
- Racial differences**  
herpes zoster knowledge, prevalence, and vaccination rate, 26(1):45–51  
quality of care for health center patients, 26(6):768–777  
women's perspectives on physicians' roles in weight management, 26(4):421–428
- Randomized controlled trial**, colon cancer screening in rural family medicine, 26(5):486–497
- Registries**, patient care outcomes of the SEAHEC IPIP experience, 26(1):16–23
- Reminder systems**, colon cancer screening in rural family medicine, 26(5):486–497
- Residency**, ABFM Certification Exam pass rates, 26(4):453–459
- Respiratory tract diseases**, COPD, treatment, megatrials for bronchodilators, 26(2):221–224
- Risk factors**  
low birth weight outcomes, Cuba vs Alabama, 26(2):187–195  
thirty-day hospital readmission predictors, 26(1):71–77
- Rural health**  
cesarean section, delivery outcomes for family physicians and obstetricians, 26(4):366–372  
colon cancer screening, 26(5):486–497  
COS for cardiovascular health, 26(3):299–310  
family physicians and mental health care delivery, 26(2):114–115  
increasing access to care for Brazos Valley, Texas, 26(3):246–253  
lessons and challenges from the Healthy Mendocino COS, 26(3):316–322  
method for building a COS, 26(3):254–263  
practices attain PCMH recognition through university collaboration, 26(6):784–786  
retention of rural physicians after 20–25 years, 26(1):24–27
- Sample closet medications**, novelty and usefulness, analysis, 26(4):380–387
- Screening**  
colorectal cancer, method for building a COS, 26(3):254–263  
detecting geriatric cognitive impairment, 26(4):429–435  
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182  
health literacy and the newest vital sign, 26(5):558–565  
HPV testing in low-risk women, 26(6):720–727  
prostate cancer, shared decision making in PSA testing, 26(4):401–408  
validation of MORES, 26(4):436–444  
validation of the Insomnia Severity Index, 26(6):701–710  
web-based skin cancer course for providers, 26(6):648–657
- Sedentary lifestyle**  
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182  
intervention improves BMI in overweight children, 26(2):126–137
- SEER program**, melanoma outcomes among Medicare beneficiaries, 26(6):637–647
- Self-management**, diabetes mellitus, implementing guidelines, 26(1):90–92
- Shared decision making**, PSA testing, men older than 70 years, 26(4):401–408
- Skin cancer**, web-based course for providers, 26(6):648–657
- Skin diseases**  
inverse psoriasis, resistant “candidal intertrigo” and, 26(2):211–214  
psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- Skin infections**, MRSA, treatment failure and costs, 26(5):508–517
- Smoking cessation**  
auriculotherapy for, 26(1):61–70  
health intervention tool, 26(2):116–125
- Soft tissue infections**, MRSA, treatment failure and costs, 26(5):508–517
- Solo practice**, adoption of EHRs by family physicians, 26(4):388–393
- Special communications**  
Advanced Primary Care in San Antonio: Linking Practice and Community Strategies to Improve Health, 26(3):288–298  
Breaking Barriers to Care: A Community of Solution for Chronic Disease Management, 26(3):311–315  
Building Research Infrastructure in Community Health Centers: A Community Health Applied Research Network (CHARN) Report, 26(5):579–587  
Community of Solution for the U.S. Health Care System: Lessons from the U.S. Educational System, 26(3):323–326  
Early Lessons and Challenges from the Healthy Mendocino Community of Solution, 26(3):316–322  
HeartBeat Connections: A Rural Community of Solution for Cardiovascular Health, 26(3):299–310  
Performance on the ABFM Certification Examination by Country of Medical Training, 26(1):78–81
- Specialty boards**, ABFM Certification Exam pass rates, 26(4):453–459
- Spontaneous coronary artery dissection**, peripartum, presentation and outcome, 26(1):82–89
- Substance abuse**, facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- Surveys**, self-reported physician adherence to guidelines for measuring blood pressure, 26(2):215–217
- Telemedicine**, follow-up at out-of-hours primary care, 26(4):373–379
- Tobacco cessation**  
auriculotherapy for, 26(1):61–70  
health intervention tool, 26(2):116–125
- Transgenderers**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Triage**, follow-up at out-of-hours primary care, 26(4):373–379
- Underserved populations**  
acupuncture for chronic pain, 26(6):692–700  
adoption of EHRs by family physicians, 26(4):388–393  
breast cancer survivors, follow-up care, 26(6):628–636  
prenatal program for population with limited English proficiency, 26(6):728–737
- Urban health services**  
health literacy in metro Detroit, 26(5):566–570  
primary care, acupuncture for chronic pain, 26(6):692–700
- Utilization**, follow-up at out-of-hours primary care, 26(4):373–379
- Vaccination**, herpes zoster, by race, 26(1):45–51
- Vaginal smears**, HPV testing in low-risk women, 26(6):720–727
- Vasculopathy**, induced by levamisole-adulterated cocaine, correspondence, 26(1):98
- Vegetable oils**, hydrogenated, consumption in northern Iran, 26(6):778–783
- Veterans**, auriculotherapy for smoking cessation, 26(1):61–70
- Websites**, use for health behavior change, 26(2):168–176
- Women's health**  
adolescent patients, reproductive health care, 26(4):460–469  
cesarean section, delivery outcomes, 26(4):366–372  
early pregnancy failure and induced abortion, 26(6):751–758  
follow-up care of underserved breast cancer survivors, 26(6):628–636  
HPV testing in low-risk women, 26(6):720–727

perspectives on physicians' roles in  
weight management, 26(4):421–  
428  
postpartum period, protocol for  
avoiding pregnancy, 26(1):35–44

prenatal program for population with  
limited English proficiency,  
26(6):728–737  
spontaneous peripartum coronary  
artery dissection, 26(1):82–89

**Work satisfaction**, micropractices and,  
26(5):525–528  
**World health**, emergence of primary  
care in Latin America, 26(2):  
183–186