

Subject Index to Volume 26, 2013

- Abdominal pain**, misdiagnosed, 26(6):738–744
- Abortion**, induced, early pregnancy failure and, 26(6):751–758
- About Practice-based research networks (PBRNS)**
Communication Is the key to Success in Pragmatic Clinical Trials in Practice-based Research Networks (PBRNs), 26(5):571–578
- Acupuncture**, for chronic pain, outcomes in urban primary care, 26(6):692–700
- Adolescence**, reproductive health care of women, 26(4):460–469
- Aged**
benefits of having a confidant, 26(1):7–8
detecting geriatric cognitive impairment, 26(4):429–435
herpes zoster by race, 26(1):45–51
shared decision making in PSA testing, 26(4):401–408
- Airway**, asthma and COPD, overlap syndrome, 26(4):470–477
- Alabama**, vs Cuba, low birth weight outcomes, 26(2):187–195
- Allopathic medical schools**, graduates, self-reported ability to perform procedures, 26(1):28–34
- Alternative medicine**, auriculotherapy for smoking cessation, 26(1):61–70
- American Board of Family Medicine (ABFM)**, Certification Examination
differential item functioning, 26(6):807–809
engagement of groups in Maintenance of Certification, 26(2):149–158
pass rates, 26(4):453–459
performance by country of medical training, 26(1):78–81
recertification candidate pass rates, 26(4):478–479
- American Board of Medical Specialties (ABMS)**, board certification, 26(6):620–622
- Anterior cutaneous nerve entrapment syndrome**, misdiagnosed abdominal pain, 26(6):738–744
- Antibiotics**, treatment failure and costs in MRSA infections, 26(5):508–517
- Antidepressive agents**, adherence to, influence of patient and clinician language, 26(4):409–420
- Antihypertensives**, therapeutic classes and treatment strategies, 26(5):529–538
- Anxiety**, facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- Asthma**
COPD and, overlap syndrome, 26(4):470–477
improved care for, method for building a COS, 26(3):254–263
- Attitudes**, toward medical marijuana, Colorado family physicians, 26(1):52–60
- Auriculotherapy**, for smoking cessation, 26(1):61–70
- Behavior modification**, use of website to accomplish, 26(2):168–176
- Bisexuals**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Blood pressure**
antihypertensive classes and treatment strategies, 26(5):529–538
evidence-based blood pressure control, 26(5):539–557
measuring, self-reported physician adherence to guidelines for, 26(2):215–217
noncontrol, and LDL noncontrol, comparison, in primary care offices, 26(6):658–668
- Body temperature**, duration of fever in children with illness, 26(4):445–452
- Breast cancer**, survivors, underserved, follow-up care, 26(6):628–636
- Breast feeding**, postpartum protocol for avoiding pregnancy, 26(1):35–44
- Bronchodilators**, in COPD treatment, megatrials for, 26(2):221–224
- Cancer screening**
colon cancer, rural family medicine, 26(5):486–497
colorectal cancer, improving screening for, 26(5):498–507
increased, method for building a COS, 26(3):254–263
web-based skin cancer course for providers, 26(6):648–657
- Cannabis**, medical, Colorado family physicians' attitudes toward, 26(1):52–60
- Capitation fee**, payments to providers and delivery of patient education, 26(4):350–355
- Career choice**, what it means to be a personal physician, 26(1):96–97
- Case reports**, peripheral intravenous catheter fracture, 26(6):805–806
- Certification Examination**, ABFM
differential item functioning, 26(6):807–809
engagement of groups in Maintenance of Certification, 26(2):149–158
pass rates, 26(4):453–459
performance by country of medical training, 26(1):78–81
recertification candidate pass rates, 26(4):478–479
- Certified nurse midwives**
routine work with family physicians, 26(3):244–245
working together in the best interest of patients, 26(3):241–243
- Cesarean section**, delivery outcomes, rural family physicians and obstetricians, 26(4):366–372
- Child nutrition**, effect of intervention on BMI in overweight children, 26(2):126–137
- Childbirth**
cesarean section, delivery outcomes, rural family physicians and obstetricians, 26(4):366–372
low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
postpartum period, protocol for avoiding pregnancy, 26(1):35–44
spontaneous peripartum coronary artery dissection, 26(1):82–89
- Children**
with illness, duration of fever in, 26(4):445–452
overweight, effect of intervention on BMI, 26(2):126–137
- Cholesterol**, blood pressure and LDL control in primary care, 26(6):658–668
- Chronic disease**
asthma and COPD, 26(4):470–477
caring for patients with multiple chronic conditions, 26(5):484–485
diagnostic algorithms for 5 chronic conditions, 26(2):159–167
management, COS for, 26(3):311–315
megatrials for bronchodilators in COPD treatment, 26(2):221–224
multimorbidity and, prevalence in primary care practice, 26(5):518–524
patient care outcomes of the SEAHEC IPIP experience, 26(1):16–23
using Bydureon™ in patients with diabetes mellitus, 26(2):203–210
- Chronic obstructive pulmonary disease (COPD)**
asthma and, overlap syndrome, 26(4):470–477
treatment, megatrials for bronchodilators, 26(2):221–224
- Chronic pain**
acupuncture for, outcomes, urban primary care, 26(6):692–700
changes in opioid prescribing for, 26(4):394–400
- Clinical practice guidelines**, blood pressure and LDL control in primary care, 26(6):658–668
- Clinical trials**, in PBRNs, success, role of communication, 26(5):571–578
- Cocaine**, levamisole-adulterated, case series, correspondence, 26(1):98
- Cognitive impairment**, geriatric, detecting, 26(4):429–435
- Cold spots**, linking primary care and public health, 26(3):239–240
- Colorectal cancer**, screening
improving, 26(5):498–507
increased, method for building a COS, 26(3):254–263
rural family medicine, 26(5):486–497

Commentary

- Advancing Quality Health Care through Continuing American Board of Medical Specialties Board Certification, 26(6):620–622
- Caring for Patients with Multiple Chronic Conditions: Balancing Evidenced-based and Patient-Centered Care, 26(5):484–485
- Cold-Spotting: Linking Primary Care and Public Health to Create Communities of Solution, 26(3):239–240
- Communities of Solution: Partnerships for Population Health, 26(3):232–238
- Continuous Primary Care Is Central to Comprehensive Cancer Care: Are We Ready to Meet Growing Needs? 26(6):623–625
- Patient-Centered Research Happens in Practice-based Research Networks, 26(5):481–483
- The Role of Family Physicians in Mental Health Care Delivery in the United States: Implications for Health Reform, 26(2):111–113
- Uncloaking Family Medicine Research: So Much to Know, So Little Time, 26(1):4–6
- Working Together in the Best Interest of Patients, 26(3):241–243

Communication

- language, influence on adherence to antidepressant medication, 26(4):409–420
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- role of success, clinical trials, PBRNs, 26(5):571–578

Communities of solution (COS)

- chronic disease management, 26(3):311–315
- increasing access to care for Brazos Valley, Texas, 26(3):246–253
- JABFM* issue on, correspondence, 26(6):612–614
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- linking primary care and public health, 26(3):239–240
- method for building, 26(3):254–263
- military health system, 26(3):264–270
- partnerships for population health, 26(3):232–238
- rural, for cardiovascular health, 26(3):299–310
- support for a medical village from the OCHIN COS, 26(3):271–278
- and U.S. educational system, 26(3):323–326

Community-based participatory research, method for building a COS, 26(3):254–263

Community health care, support for a medical village from the OCHIN COS, 26(3):271–278

Community health centers, building

CHC research infrastructure, 26(5):579–587

Community health networks

building CHC research infrastructure, 26(5):579–587

increasing access to care for Brazos Valley, Texas, 26(3):246–253

Community medicine

addressing homelessness, mental illness, and health disparities, 26(3):279–287

COS for chronic disease management, 26(3):311–315

COS for the military health system, 26(3):264–270

emergence of primary care in Latin America, 26(2):183–186

evidence-based blood pressure control, 26(5):539–557

lessons and challenges from the Healthy Mendocino COS, 26(3):316–322

practice and community strategies in San Antonio, 26(3):288–298

Comparative effectiveness research, antihypertensive classes and treatment strategies, 26(5):529–538

Complementary medicine, acupuncture for chronic pain, 26(6):692–700

Confidentiality, adolescent patients, reproductive health care, 26(4):460–469

Conflict of interest

lessons learned from a pharma-free practice transformation, 26(3):332–338

physician payment disclosure under health care reform, 26(3):327–331

Continuity of patient care, provider practice characteristics, 26(4):356–365

Contraception

postpartum protocol for avoiding pregnancy, 26(1):35–44

reproductive health care of adolescent women, 26(4):460–469

Coronary arteries, spontaneous peripartum dissection, presentation and outcome, 26(1):82–89

Correspondence

emergence of primary care in Latin America, reflections from the field, 26(5):612

home visits and the social context, 26(3):339–340

impact of prior authorization requirements on primary care physicians' offices, 26(3):340–341

JABFM issue on communities of solution, 26(5):612–614

levamisole-adulterated cocaine, 26(1):98

Cost of illness, treatment failure and costs in MRSA infections, 26(5):508–517

Cuba, vs Alabama, low birth weight outcomes, 26(2):187–195

Decision making

facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182

LGBT surrogate health care decision-making rights, 26(6):802–804

shared, in PSA testing, men older than 70 years, 26(4):401–408

validation of MORES, 26(4):436–444

Delivery of health care

addressing homelessness, mental illness, and health disparities, 26(3):279–287

COS for the military health system, 26(3):264–270

emergence of primary care in Latin America, 26(2):183–186

nonemergent emergency department use, 26(6):680–691

payments to providers and delivery of patient education, 26(4):350–355

practice and community strategies in San Antonio, 26(3):288–298

rural COS for cardiovascular health, 26(3):299–310

Dementia, detecting geriatric cognitive impairment, 26(4):429–435

Depression

adherence to medication, influence of patient and clinician language, 26(4):409–420

facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182

Dermatology

melanoma outcomes among Medicare beneficiaries, 26(6):637–647

psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801

resistant “candidal intertrigo,” 26(2):211–214

Diabetes mellitus

care, quality and patient panel characteristics, 26(6):669–679

care, quality improvement initiative, 26(6):711–719

self-management guidelines, implementing, 26(1):90–92

using Bydureon™ in patients with, 26(2):203–210

Diagnosis, diagnostic algorithms for 5 chronic conditions, 26(2):159–167

Diagnostic use, HPV testing in low-risk women, 26(6):720–727

DNA testing, HPV, in low-risk women, 26(6):720–727

Drug industry

lessons learned from a pharma-free practice transformation, 26(3):332–338

physician payment disclosure under health care reform, 26(3):327–331

sample closet medications, 26(4):380–387

Drug therapy

antihypertensive classes and treatment strategies, 26(5):529–538

Bydureon™, use in patients with diabetes mellitus, 26(2):203–210

- Early medical intervention (educational),** colon cancer screening in rural family medicine, 26(5):486–497
- Editorial Office News and Notes**
Content Usage and the Most Frequently Read Articles by Issue in 2012, 26(3):229–231
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2012, 26(2):108–110
- Editors' Notes**
Common Illnesses, Patient Physician Interactions, Continuity, and Practice Organization, 26(4):347–349
Family Physicians Improve Patient Health Care Quality and Outcomes, 26(6):617–619
Researching Together and Improving Practice Outcomes, 26(1):1–3
Successful Behavioral Interventions, International Comparisons, and a Wonderful Variety of Topics for Clinical Practice, 26(2):105–107
- Education research,** self-reported ability to perform procedures, 26(1):28–34
- Education systems,** COS and the U.S. educational system, 26(3):323–326
- Educational measurement,** ABFM Certification Examination pass rates, 26(4):453–459
performance on, by country, 26(1):78–81
- Educational research,** web-based skin cancer course for providers, 26(6):648–657
- Elderly**
detecting geriatric cognitive impairment, 26(4):429–435
health-related quality of life, benefits of having a confidant, 26(1):7–8
herpes zoster by race, 26(1):45–51
- Electronic health records**
adoption of, by family physicians, factors influencing, 26(4):388–393
blood pressure and LDL control in primary care, 26(6):658–668
prior authorization requirements, impact on physicians' offices, 26(1):93–95
prior authorization requirements, impact on physicians' offices, correspondence, 26(3):340–341
support for a medical village from the OCHIN COS, 26(3):271–278
- Electronic medical records**
automated clinical reminders and obesity, 26(6):745–750
meaningful use in primary care practices, 26(5):603–611
- Embolism,** peripheral intravenous catheter fracture, 26(6):805–806
- Emergency treatment,** nonemergent emergency department use, 26(6):680–691
- End of life care,** LGBT surrogate health care decision-making rights, 26(6):802–804
- English as a Second Language (ESL),** prenatal program, 26(6):728–737
- Environmental health,** lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- Epidemiology**
hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783
treatment failure and costs in MRSA infections, 26(5):508–517
- Ethnicity**
hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783
quality of care for health center patients, 26(6):768–777
- Evaluation research,** prenatal program, population with limited English proficiency, 26(6):728–737
- Evidence-based medicine**
blood pressure control, 26(5):539–557
Bydureon™ in patients with diabetes mellitus, 26(2):203–210
caring for patients with multiple chronic conditions, 26(5):484–485
- Family health**
duration of fever in children with illness, 26(4):445–452
effect of intervention on BMI in overweight children, 26(2):126–137
home visits and social context, correspondence, 26(3):339–340
- Family medicine**
clinics, health literacy in metro Detroit, 26(5):566–570
emergence of primary care in Latin America, 26(2):183–186
improving colorectal cancer screening, 26(5):498–507
patients, hospitalized, predictors of thirty-day readmission among, 26(1):71–77
reflections in, what it means to be a personal physician, 26(1):96–97
- Family physicians**
adoption of EHRs, factors influencing, 26(4):388–393
attitudes toward medical marijuana, 26(1):52–60
caring for patients with multiple chronic conditions, 26(5):484–485
changes in opioid prescribing for chronic pain, 26(4):394–400
home visits and social context, correspondence, 26(3):339–340
improvement of patient health care quality and outcomes, 26(6):617–619
mental health care delivery and, 26(2):114–115
participation in quality improvement, 26(6):626–627
rural, retention after 20–25 years, 26(1):24–27
self-reported adherence to guidelines for measuring blood pressure, 26(2):215–217
working together in the best interest of patients, 26(3):241–243
- Family practice,** ABFM Certification Examination pass rates, 26(4):453–459
- Feedback,** blood pressure and LDL control in primary care, 26(6):658–668
- Fever,** duration of, in children with illness, 26(4):445–452
- Gays,** LGBT surrogate health care decision-making rights, 26(6):802–804
- Gender,** physician, patient health care utilization and mortality and, 26(2):138–148
- Geographic factors,** ABFM Certification Examination pass rates, 26(4):453–459
performance on, by country, 26(1):78–81
- Geriatrics,** detecting geriatric cognitive impairment, 26(4):429–435
- Graduate medical education,** early pregnancy failure and induced abortion, 26(6):751–758
- Guidelines,** self-management, diabetes mellitus, implementing, 26(1):90–92
- Health behavior,** health insurance association with preventive care, 26(6):759–767
- Health care delivery,** COS and the U.S. educational system, 26(3):323–326
- Health care disparities,** quality of care for health center patients, 26(6):768–777
- Health care financing,** COS and the U.S. educational system, 26(3):323–326
- Health care reform**
COS and the U.S. educational system, 26(3):323–326
physician payment disclosure under health care reform, 26(3):327–331
- Health care systems**
COS and the U.S. educational system, 26(3):323–326
diabetes care and patient panel characteristics, 26(6):669–679
use of website to accomplish health behavior change, 26(2):168–176
- Health care team**
practices attain PCMH recognition through university collaboration, 26(6):784–786
quality improvement initiative for diabetes care, 26(6):711–719
- Health expenditures,** gender of physician and mortality, 26(2):138–148
- Health informatics,** diagnostic algorithms for 5 chronic conditions, 26(2):159–167

- Health information management**, blood pressure and LDL control in primary care, 26(6):658–668
- Health information technology**
 meaningful use in primary care practices, 26(5):603–611
 smoking cessation using health intervention tool, 26(2):116–125
 support for a medical village from the OCHIN COS, 26(3):271–278
- Health insurance**
 association with preventive care but not personal health behaviors, 26(6):759–767
 diabetes care and patient panel characteristics, 26(6):669–679
 prior authorization requirements, impact on physicians' offices, 26(1):93–95
 quality of care for health center patients, 26(6):768–777
- Health literacy**
 in metro Detroit, 26(5):566–570
 newest vital sign and, 26(5):558–565
- Health personnel**, gender of physician and mortality, 26(2):138–148
- Health policy**
 COS and the U.S. educational system, 26(3):323–326
 diabetes care and patient panel characteristics, 26(6):669–679
 physician payment disclosure under health care reform, 26(3):327–331
 retention of rural physicians after 20–25 years, 26(1):24–27
 sample closet medications, 26(4):380–387
- Health services**, use of website to accomplish health behavior change, 26(2):168–176
- Health services for the aged**, herpes zoster by race, 26(1):45–51
- Health services research**, non-emergent emergency department use, 26(6):680–691
- Health surveys**, health insurance association with preventive care, 26(6):759–767
- Herpes zoster**, knowledge, prevalence, and vaccination rate by race, 26(1):45–51
- Home blood pressure monitoring**, evidence-based blood pressure control, 26(5):539–557
- Homeless persons**, addressing homelessness, mental illness, and health disparities, 26(3):279–287
- Hospitals**
 nonemergent emergency department use, 26(6):680–691
 thirty-day hospital readmission predictors, 26(1):71–77
- House calls**, home visits and social context, correspondence, 26(3):339–340
- Human papillomavirus (HPV)**
 immunization, reproductive health care of adolescent women, 26(4):460–469
 testing in low-risk women, 26(6):720–727
- Hypertension**
 antihypertensive classes and treatment strategies, 26(5):529–538
 evidence-based blood pressure control, 26(5):539–557
 self-reported physician adherence to guidelines for measuring blood pressure, 26(2):215–217
- Immunization**
 herpes zoster, by race, 26(1):45–51
 HPV, adolescent women, 26(4):460–469
- Implementation research**, integrating behavioral and physical health care, 26(5):588–602
- Infants**
 with illness, duration of fever in, 26(4):445–452
 low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
- Infectious diseases**, treatment failure and costs in MRSA infections, 26(5):508–517
- Insomnia**, validation of the Insomnia Severity Index, 26(6):701–710
- Integrated care**, integrating behavioral and physical health care, 26(5):588–602
- International medical schools**, graduates, self-reported ability to perform procedures, 26(1):28–34
- Internationality**, self-reported ability to perform procedures, 26(1):28–34
- Interpersonal relations**, older people and benefits of having a confidant, 26(1):7–8
- Intertrigo**, resistant “candidal intertrigo” and psoriasis, 26(2):211–214
- Intervention**, effect on BMI in overweight children, 26(2):126–137
- Iran**, hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783
- Irritable bowel syndrome**, misdiagnosed abdominal pain, 26(6):738–744
- Journal of the American Board of Family Medicine (JABFM)**
 content usage and the most frequently read articles by issue in 2012, 26(3):229–231
 issue on COS, correspondence, 26(6):612–614
- Lactation**, postpartum protocol for avoiding pregnancy, 26(1):35–44
- Lesbians**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Levamisole**, -adulterated cocaine, case series, correspondence, 26(1):98
- Lifestyle**, use of website to accomplish health behavior change, 26(2):168–176
- Logistic models**, thirty-day hospital readmission predictors, 26(1):71–77
- Low birth weight**, outcomes, Cuba vs Alabama, 26(2):187–195
- Low-density lipoprotein**, noncontrol, and blood pressure noncontrol, comparison, in primary care offices, 26(6):658–668
- Low income population**, follow-up care of underserved breast cancer survivors, 26(6):628–636
- Maintenance of Certification**
 engagement of groups, 26(2):149–158
 recertification candidate pass rates, 26(4):478–479
- Marijuana**, medical, Colorado family physicians' attitudes toward, 26(1):52–60
- Mastoiditis**, opacified mastoid on CT scan, 26(2):218–220
- Maternal morbidity**, cesarean section delivery outcomes, rural family physicians and obstetricians, 26(4):366–372
- Meaningful use**, in primary care practices, 26(5):603–611
- Medical education**
 Colorado family physicians' attitudes toward medical marijuana, 26(1):52–60
 a COS for the military health system, 26(3):264–270
 medical school graduates, self-reported ability to perform procedures, 26(1):28–34
 performance on the ABFM Certification Examination by country, 26(1):78–81
 retention of rural physicians after 20–25 years, 26(1):24–27
 web-based skin cancer course for providers, 26(6):648–657
- Medical ethics**
 lessons learned from a pharma-free practice transformation, 26(3):332–338
 LGBT surrogate health care decision-making rights, 26(6):802–804
 physician payment disclosure under health care reform, 26(3):327–331
- Medical home**
 provider practice characteristics that promote interpersonal continuity, 26(4):356–365
 what it means to be a personal physician, 26(1):96–97
- Medical practice management**, micropractices, work satisfaction and, 26(5):525–528
- Medically underserved areas**, adoption of EHRs by family physicians, 26(4):388–393
- Medicare**, beneficiaries, melanoma outcomes among, 26(6):637–647
- Melanoma**, outcomes among Medicare beneficiaries, 26(6):637–647
- Memory**, detecting geriatric cognitive impairment, 26(4):429–435

- Men's health**
addressing, to optimize pregnancy outcomes, 26(2):196–202
validation of MORES, 26(4):436–444
- Mental health care**
addressing homelessness, mental illness, and health disparities, 26(3):279–287
delivery, family physicians and, 26(2):114–115
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
integrating behavioral and physical health care, 26(5):588–602
- Methicillin-resistant *staphylococcus aureus*, infections, treatment failure and costs, 26(5):508–517**
- Military medicine, COS for the military health system, 26(3):264–270**
- Miscarriage, early pregnancy failure and induced abortion, 26(6):751–758**
- Mixed methods**
integrating behavioral and physical health care, 26(5):588–602
research, prenatal program, population with limited English proficiency, 26(6):728–737
- Mortality, gender of physician and, 26(2):138–148**
- Multimorbidity, prevalence of, in primary care practice, 26(5):518–524**
- Natural family planning methods, postpartum protocol, 26(1):35–44**
- Newest vital sign, health literacy and, 26(5):558–565**
- Nurse practitioners**
changes in opioid prescribing for chronic pain, 26(4):394–400
routine work with family physicians, 26(3):244–245
working together in the best interest of patients, 26(3):241–243
- Nursing homes, detecting geriatric cognitive impairment, 26(4):429–435**
- Nutrition surveys, hydrogenated vegetable oil consumption in northern Iran, 26(6):778–783**
- Obesity**
automated clinical reminders and, 26(6):745–750
intervention improves BMI in overweight children, 26(2):126–137
women's perspectives on physicians' roles in weight management, 26(4):421–428
- Obstetrics, cesarean section delivery outcomes, rural family physicians and obstetricians, 26(4):366–372**
- Opioids, changes in prescribing for chronic pain, 26(4):394–400**
- Osteoporosis, validation of MORES, 26(4):436–444**
- Otolaryngology, opacified mastoid on CT scan, 26(2):218–220**
- Out-of-hours medical care, primary care, follow-up after telephone consultations, 26(4):373–379**
- Overlap syndrome, asthma and COPD, 26(4):470–477**
- Overweight, children, effect of intervention on BMI, 26(2):126–137**
- Ovulation detection, postpartum protocol for avoiding pregnancy, 26(1):35–44**
- Patient adherence, antidepressant medication, influence of patient and clinician language, 26(4):409–420**
- Patient care, outcomes of the SEAHEC IPIP experience, 26(1):16–23**
- Patient care team, rural COS for cardiovascular health, 26(3):299–310**
- Patient-centered care**
caring for patients with multiple chronic conditions, 26(5):484–485
practices attain PCMH recognition through university collaboration, 26(6):784–786
providing practice characteristics that promote interpersonal continuity, 26(4):356–365
what it means to be a personal physician, 26(1):96–97
- Patient-centered medical home (PCMH)**
practices attain PCMH recognition through university collaboration, 26(6):784–786
support for a medical village from the OCHIN COS, 26(3):271–278
- Patient-centered research, practice-based research networks, 26(5):481–483**
- Patient education**
delivery of, effects of practice payment, 26(4):350–355
lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
LGBT surrogate health care decision-making rights, 26(6):802–804
- Patient readmission, thirty-day hospital readmission predictors, 26(1):71–77**
- Patient safety, medical school graduates' self-reported ability to perform procedures, 26(1):28–34**
- Patient satisfaction, follow-up at out-of-hours primary care, 26(4):373–379**
- Pediatric patients, see Children**
- Peripartum coronary artery dissection, spontaneous, presentation and outcome, 26(1):82–89**
- Peripheral intravenous catheter, fracture, 26(6):805–806**
- Personal health**
communities of solution, 26(3):232–238
services, what it means to be a personal physician, 26(1):96–97
- Pharmaceutical industry**
lessons learned from a pharma-free practice transformation, 26(3):332–338
physician payment disclosure under health care reform, 26(3):327–331
- Pharmacotherapy**
megatrials for bronchodilators in COPD treatment, 26(2):221–224
using Bydureon™ in patients with diabetes mellitus, 26(2):203–210
- Physician assistants**
routine work with family physicians, 26(3):244–245
working together in the best interest of patients, 26(3):241–243
- Physician-patient relations**
nonemergent emergency department use, 26(6):680–691
what it means to be a personal physician, 26(1):96–97
women's perspectives on physicians' roles in weight management, 26(4):421–428
- Physicians**
changes in opioid prescribing for chronic pain, 26(4):394–400
micropractices and work satisfaction, 26(5):525–528
- Policy barriers, family physicians and mental health care delivery, 26(2):114–115**
- Population health, communities of solution, 26(3):232–238**
- Postpartum period, protocol for avoiding pregnancy, 26(1):35–44**
- Practice-based research**
antihypertensive classes and treatment strategies, 26(5):529–538
chronic diseases and multimorbidity, 26(5):518–524
colon cancer screening in rural family medicine, 26(5):486–497
diagnostic algorithms for 5 chronic conditions, 26(2):159–167
improving colorectal cancer screening, 26(5):498–507
increasing access to care for Brazos Valley, Texas, 26(3):246–253
method for building a COS, 26(3):254–263
older people, benefits of having a confidant, 26(1):7–8
prior authorization requirements, impact on physicians' offices, 26(1):93–95
smoking cessation using health intervention tool, 26(2):116–125
treatment failure and costs in MRSA infections, 26(5):508–517
use of website to accomplish health behavior change, 26(2):168–176
- Practice-based research networks**
building CHC research infrastructure, 26(5):579–587
clinical trials, communication as key to success, 26(5):571–578

- patient-centered research, 26(5):481–483
- support for a medical village from the OCHIN COS, 26(3):271–278
- Practice management**
- automated clinical reminders and obesity, 26(6):745–750
- lessons learned from a pharma-free practice transformation, 26(3):332–338
- micropractices, work satisfaction and, 26(5):525–528
- prior authorization requirements, impact on physicians' offices, 26(1):93–95
- prior authorization requirements, impact on physicians' offices, correspondence, 26(1):340–341
- sample closet medications, 26(4):380–387
- Preconception care**, addressing men's health, 26(2):196–202
- Pregnancy**
- avoiding, postpartum protocol for, 26(1):35–44
- failure, early, induced abortion and, 26(6):751–758
- outcomes, optimizing, men's health, 26(2):196–202
- spontaneous coronary artery dissection, 26(1):82–89
- Prenatal care**
- low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
- program for population with limited English proficiency, 26(6):728–737
- Preschool children**, with illness, duration of fever, 26(4):445–452
- Prevalence studies**, misdiagnosed abdominal pain, 26(6):738–744
- Prevention**
- facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- improving colorectal cancer screening, 26(5):498–507
- validation of MORES, 26(4):436–444
- web-based skin cancer course for providers, 26(6):648–657
- Preventive medicine**, health insurance association with preventive care, 26(6):759–767
- Primary care physicians**
- follow-up care of underserved breast cancer survivors, 26(6):628–636
- visits, influence on melanoma outcomes among Medicare beneficiaries, 26(6):637–647
- Primary health care**
- addressing homelessness, mental illness, and health disparities, 26(3):279–287
- antihypertensive classes and treatment strategies, 26(5):529–538
- care, quality improvement initiative, 26(6):711–719
- changes in opioid prescribing for chronic pain, 26(4):394–400
- chronic diseases and multimorbidity, 26(5):518–524
- efforts to enhance team-based care, 26(3):244–245
- emergence of, in Latin America, 26(2):183–186
- emergence of, in Latin America, correspondence, 26(6):612
- engagement of groups in Maintenance of Certification, 26(2):149–158
- evidence-based blood pressure control, 26(5):539–557
- facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- follow-up at out-of-hours primary care, 26(4):373–379
- gender of physician and mortality, 26(2):138–148
- health literacy in metro Detroit, 26(5):566–570
- home visits and social context, correspondence, 26(3):339–340
- implementing diabetes self-management guidelines, 26(1):90–92
- improving colorectal cancer screening, 26(5):498–507
- integrating behavioral and physical health care, 26(5):588–602
- linking practice and community strategies in San Antonio, 26(3):288–298
- meaningful use, 26(5):603–611
- older people, benefits of having a confidant, 26(1):7–8
- payments to providers and delivery of patient education, 26(4):350–355
- physicians' offices, impact of prior authorization requirements, 26(1):93–95
- physicians' offices, impact of prior authorization requirements, correspondence, 26(3):340–341
- practice and community strategies in San Antonio, 26(3):288–298
- practices attain PCMH recognition through university collaboration, 26(6):784–786
- psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- rural COS for cardiovascular health, 26(3):299–310
- sample closet medications, 26(4):380–387
- treatment failure and costs in MRSA infections, 26(5):508–517
- use of website to accomplish health behavior change, 26(2):168–176
- validation of MORES, 26(4):436–444
- validation of the Insomnia Severity Index, 26(6):701–710
- web-based skin cancer course for providers, 26(6):648–657
- women's perspectives on physicians' roles in weight management, 26(4):421–428
- working together in the best interest of patients, 26(3):241–243
- Prior authorization**, requirements
- impact on physicians' offices, 26(1):93–95
- impact on physicians' offices, correspondence, 26(3):340–341
- Procedures**
- medical school graduates' self-reported ability to perform, 26(1):28–34
- peripheral intravenous catheter fracture, 26(6):805–806
- Prostate cancer**, shared decision making in PSA testing, men older than 70 years, 26(4):401–408
- Prostate-specific antigen (PSA)**, testing, shared decision making in, men older than 70 years, 26(4):401–408
- Provider practice characteristics**, interpersonal continuity and, 26(4):356–365
- Psoriasis**
- inverse, resistant "candidal intertrigo" and, 26(2):211–214
- psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- Psychiatrists**, family physicians and mental health care delivery, 26(2):114–115
- Public health**
- addressing homelessness, mental illness, and health disparities, 26(3):279–287
- herpes zoster by race, 26(1):45–51
- increasing access to care for Brazos Valley, Texas, 26(3):246–253
- lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
- Qualitative research**, evidence-based blood pressure control, 26(5):539–557
- Quality improvement**
- engagement of groups in Maintenance of Certification, 26(2):149–158
- family physician participation in, 26(6):626–627
- initiative, diabetes care, 26(6):711–719
- meaningful use in primary care practices, 26(5):603–611
- patient care outcomes of the SEAH-EC IPIP experience, 26(1):16–23
- patient health care, family physicians and, 26(6):617–619
- Quality of health care**
- continuing ABMS board certification, 26(6):620–622
- engagement of groups in Maintenance of Certification, 26(2):149–158
- experience by health center patients, 26(6):768–777
- family physicians and, 26(6):617–619
- follow-up care of underserved breast cancer survivors, 26(6):628–636
- sample closet medications, 26(4):380–387
- what it means to be a personal physician, 26(1):96–97

- Quality of life**, health-related, older people, benefits of having a confidant, 26(1):7–8
- Quantitative evaluation**, language predicts adherence to antidepressant medication, 26(4):409–420
- Racial differences**
herpes zoster knowledge, prevalence, and vaccination rate, 26(1):45–51
quality of care for health center patients, 26(6):768–777
women's perspectives on physicians' roles in weight management, 26(4):421–428
- Randomized controlled trial**, colon cancer screening in rural family medicine, 26(5):486–497
- Registries**, patient care outcomes of the SEAHEC IPIP experience, 26(1):16–23
- Reminder systems**, colon cancer screening in rural family medicine, 26(5):486–497
- Residency**, ABFM Certification Exam pass rates, 26(4):453–459
- Respiratory tract diseases**, COPD, treatment, megatrials for bronchodilators, 26(2):221–224
- Risk factors**
low birth weight outcomes, Cuba vs Alabama, 26(2):187–195
thirty-day hospital readmission predictors, 26(1):71–77
- Rural health**
cesarean section, delivery outcomes for family physicians and obstetricians, 26(4):366–372
colon cancer screening, 26(5):486–497
COS for cardiovascular health, 26(3):299–310
family physicians and mental health care delivery, 26(2):114–115
increasing access to care for Brazos Valley, Texas, 26(3):246–253
lessons and challenges from the Healthy Mendocino COS, 26(3):316–322
method for building a COS, 26(3):254–263
practices attain PCMH recognition through university collaboration, 26(6):784–786
retention of rural physicians after 20–25 years, 26(1):24–27
- Sample closet medications**, novelty and usefulness, analysis, 26(4):380–387
- Screening**
colorectal cancer, method for building a COS, 26(3):254–263
detecting geriatric cognitive impairment, 26(4):429–435
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
health literacy and the newest vital sign, 26(5):558–565
HPV testing in low-risk women, 26(6):720–727
prostate cancer, shared decision making in PSA testing, 26(4):401–408
validation of MORES, 26(4):436–444
validation of the Insomnia Severity Index, 26(6):701–710
web-based skin cancer course for providers, 26(6):648–657
- Sedentary lifestyle**
facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
intervention improves BMI in overweight children, 26(2):126–137
- SEER program**, melanoma outcomes among Medicare beneficiaries, 26(6):637–647
- Self-management**, diabetes mellitus, implementing guidelines, 26(1):90–92
- Shared decision making**, PSA testing, men older than 70 years, 26(4):401–408
- Skin cancer**, web-based course for providers, 26(6):648–657
- Skin diseases**
inverse psoriasis, resistant “candidal intertrigo” and, 26(2):211–214
psoriasis vulgaris, evidence-based guide for primary care, 26(6):787–801
- Skin infections**, MRSA, treatment failure and costs, 26(5):508–517
- Smoking cessation**
auriculotherapy for, 26(1):61–70
health intervention tool, 26(2):116–125
- Soft tissue infections**, MRSA, treatment failure and costs, 26(5):508–517
- Solo practice**, adoption of EHRs by family physicians, 26(4):388–393
- Special communications**
Advanced Primary Care in San Antonio: Linking Practice and Community Strategies to Improve Health, 26(3):288–298
Breaking Barriers to Care: A Community of Solution for Chronic Disease Management, 26(3):311–315
Building Research Infrastructure in Community Health Centers: A Community Health Applied Research Network (CHARN) Report, 26(5):579–587
Community of Solution for the U.S. Health Care System: Lessons from the U.S. Educational System, 26(3):323–326
Early Lessons and Challenges from the Healthy Mendocino Community of Solution, 26(3):316–322
HeartBeat Connections: A Rural Community of Solution for Cardiovascular Health, 26(3):299–310
Performance on the ABFM Certification Examination by Country of Medical Training, 26(1):78–81
- Specialty boards**, ABFM Certification Exam pass rates, 26(4):453–459
- Spontaneous coronary artery dissection**, peripartum, presentation and outcome, 26(1):82–89
- Substance abuse**, facilitating healthy changes in New Zealand using eCHAT, 26(2):177–182
- Surveys**, self-reported physician adherence to guidelines for measuring blood pressure, 26(2):215–217
- Telemedicine**, follow-up at out-of-hours primary care, 26(4):373–379
- Tobacco cessation**
auriculotherapy for, 26(1):61–70
health intervention tool, 26(2):116–125
- Transgenderers**, LGBT surrogate health care decision-making rights, 26(6):802–804
- Triage**, follow-up at out-of-hours primary care, 26(4):373–379
- Underserved populations**
acupuncture for chronic pain, 26(6):692–700
adoption of EHRs by family physicians, 26(4):388–393
breast cancer survivors, follow-up care, 26(6):628–636
prenatal program for population with limited English proficiency, 26(6):728–737
- Urban health services**
health literacy in metro Detroit, 26(5):566–570
primary care, acupuncture for chronic pain, 26(6):692–700
- Utilization**, follow-up at out-of-hours primary care, 26(4):373–379
- Vaccination**, herpes zoster, by race, 26(1):45–51
- Vaginal smears**, HPV testing in low-risk women, 26(6):720–727
- Vasculopathy**, induced by levamisole-adulterated cocaine, correspondence, 26(1):98
- Vegetable oils**, hydrogenated, consumption in northern Iran, 26(6):778–783
- Veterans**, auriculotherapy for smoking cessation, 26(1):61–70
- Websites**, use for health behavior change, 26(2):168–176
- Women's health**
adolescent patients, reproductive health care, 26(4):460–469
cesarean section, delivery outcomes, 26(4):366–372
early pregnancy failure and induced abortion, 26(6):751–758
follow-up care of underserved breast cancer survivors, 26(6):628–636
HPV testing in low-risk women, 26(6):720–727

perspectives on physicians' roles in weight management, 26(4):421–428
postpartum period, protocol for avoiding pregnancy, 26(1):35–44

prenatal program for population with limited English proficiency, 26(6):728–737
spontaneous peripartum coronary artery dissection, 26(1):82–89

Work satisfaction, micropractices and, 26(5):525–528
World health, emergence of primary care in Latin America, 26(2):183–186