

Subject Index to Volume 27, 2014

- Access to health care**, disparities in, chronic conditions and, 27(2):189–198
- Adolescents**, patient age and intrauterine devices, 27(6):822–830
- Affordable Care Act (ACA)**
Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
underinsurance before implementation of, 27(6):855–857
- African Americans**, physicians' views and clinical decision making, 27(2):177–188
- Age factors**
generational differences in CAM use, 27(4):465–473
patient age and intrauterine devices, 27(6):822–830
- Alternative medicine**
generational differences in CAM use, 27(4):465–473
ginger for nausea and vomiting in early pregnancy, 27(1):115–122
- Ambulatory care**, predictive equation for vitamin D replacement, 27(4):495–509
- American Board of Family Medicine (ABFM)**
diplomates, clinical informatics as option for, 27(6):863–864
election of new officers and board members, 27(5):718–720
examinations, consequential validity, 27(3):430–431
Maintenance of Certification for Family Physicians, Part IV, performance in practice, 27(4):576–577
- Americans in Motion-Healthy Interventions (AIM-HI)**, outcomes of biomarker feedback, 27(1):61–69
- Analgesics**, health outcomes with increasing opioid therapy, 27(3):329–338
- Anger**, management program, effects on smoking cessation, 27(5):645–660
- Ankle**, split peroneus brevis tendon, 27(2):297–302
- Antibiotics**, sterile pyuria with infections outside of the urinary tract, 27(1):97–103
- Antibodies**, C-reactive protein rapid test and acute pharyngitis, 27(3):424–426
- Antidepressive agents**, overtreatment of brief depression, 27(5):611–620
- Anxiety**, patients with chronic mental disorders and the workplace, 27(4):486–494
- Aspirin**, prescribing, for prevention of cardiovascular events, 27(1):78–86
- Asthma**
in preschool children, 27(4):538–548
quality of care and guideline adherence, 27(3):391–398
- Atrial fibrillation**, diagnosed through sensory complaints, 27(4):571–574
- Autism**, Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
- Behavioral sciences**
maternal depressive symptoms, employment, and social support, 27(1):87–96
symptom cluster-based approach for major depression, 27(1):151–159
- Biologic therapy**, advanced therapy for inflammatory bowel disease, 27(3):411–420
- Biomarker feedback**, outcomes of, in AIM-HI, 27(1):61–69
- Birth**, family-centered, with gentle cesarean delivery, 27(5):690–693
- Blood coagulation disorders**, management in adults, 27(4):549–564
- Blood platelet disorders**, management in adults, 27(4):549–564
- Bone density**, screening, in adults with intellectual disabilities, 27(1):104–114
- Breast cancer**, screening, chronic diseases associated with, 27(5):669–681
- Breast feeding**, family-centered birth with gentle cesarean delivery, 27(5):690–693
- C-reactive protein**, rapid test and acute pharyngitis, 27(3):424–426
- Cancer**, *Helicobacter pylori* immunoglobulin G levels in patient management, 27(5):682–689
- Cancer screening**
chronic diseases associated with, 27(5):669–681
non-visit, using a management system, 27(4):474–485
nurse navigator follow-up after positive CRC screening test, 27(6):789–795
- Cardiovascular abnormalities**
coronary artery disease and a genomic-based test, 27(2):258–267
elderly heart failure and COPD detection through screening, 27(6):811–821
- Cardiovascular diseases**, prescribing aspirin for prevention of cardiovascular events, 27(1):78–86
- Case reports**
atrial fibrillation diagnosed through sensory complaints, 27(4):571–574
split peroneus brevis tendon, 27(2):297–302
- Certification**
Maintenance of Certification for Family Physicians, Part IV, performance in practice, 27(4):576–577
quality of care and guideline adherence for asthma, 27(3):391–398
recertification success, prediction of, by community size and organization of practice, 27(3):383–390
status of physicians entering MOC, 27(5):581–582
- Cervical cancer**, screening, chronic diseases associated with, 27(5):669–681
- Cesarean section**, family-centered birth, 27(5):690–693
- Childhood obesity**, family intervention clinic for reducing, 27(3):321–328
- Children**, preschool, asthma in, 27(4):538–548
- Chronic care**, complex, providing, 27(1):6–7
- Chronic disease**
associated with cancer screening, 27(5):669–681
chronic care model and lipid control in diabetes, 27(1):34–41
chronic conditions and disparities in access to care, 27(2):189–198
generational differences in CAM use, 27(4):465–473
high-cost, patients with, reliance on primary care physicians, 27(1):11–12
medical care, complex, providing, 27(1):6–7
use of mobile health tools in the WPRN, 27(6):780–788
using PRECIS to refine a PBRN study, 27(6):846–854
- Chronic obstructive pulmonary disease (COPD)**, detection, through screening, elderly heart failure and, 27(6):811–821
- Chronic pain**, treatment seekers, primary care versus tertiary care settings, 27(5):594–601
- Clinical trials as topic**, conducting clinical trials in PBRNs, 27(6):750–758
- Coagulation protein disorders**, management in adults, 27(4):549–564
- Cognitive therapy**, anger management and stress control program for smoking cessation, 27(5):645–660
- Colonoscopy**, nurse navigator follow-up after positive CRC screening test, 27(6):789–795
- Colorectal cancer**
risk calculator, 27(1):42–55
screening
chronic diseases associated with, 27(5):669–681
test, positive, nurse navigator follow-up after, 27(6):789–795
- Commentary**
An Argument for Comprehensiveness as the “Special Sauce” in a Rec-

- ipe for the Patient-Centered Medical Home, 27(1):8–10
- Counterpoint: Rationing on the Fly: The Opportunity Cost of Clinical Guidelines, 27(4):441–443
- Patient-Centered Medical Home (PCMH) Recognition: A Time for Promoting Innovation, Not Measuring Standards, 27(3):309–311
- Praxis-Based Research Networks: An Emerging Paradigm for Research that is Rigorous, Relevant, and Inclusive, 27(6):730–735
- Providing Complex (Rather Than Complicated) Chronic Care, 27(1):6–7
- Rationing on the Fly: The Opportunity Cost of Clinical Guidelines, 27(4):439–441
- Re: Counterpoint: Rationing on the Fly: The Opportunity Cost of Clinical Guidelines, 27(4):443
- Urgent and Emergency Family Physicians in Rural Communities, 27(4):444–446
- Who Will Establish a Proper Data Model for Family Medicine and Primary Care?, 27(6):736–737
- Communication**
- patient and physician weight-related discussions, 27(1):70–77
- point-of-care behavioral health assessment, 27(3):356–366
- risk perceptions and estimates by diabetes patients, 27(4):510–519
- Community**
- engagement
- to increase research participation in PBRNs, 27(6):763–771
- strategies of the DD-PBRN, 27(6):831–838
- size, prediction of family physician recertification success, 27(3):383–390
- Community-based participatory research**, strategies of the DD-PBRN, 27(6):831–838
- Community medicine**
- patient and physician weight-related discussions, 27(1):70–77
- Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
- predictive equation for vitamin D replacement, 27(4):495–509
- Complementary medicine**
- generational differences in CAM use, 27(4):465–473
- ginger for nausea and vomiting in early pregnancy, 27(1):115–122
- Complex chronic care**, providing, 27(1):6–7
- Comprehensiveness**, in the patient-centered medical home, 27(1):8–10
- Computed tomography (CT)**, radiologic findings through research participation, 27(3):314–320
- Contraception**
- levonorgestrel intrauterine device, evidence-based selection of candidates for, 27(1):26–33
- ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429
- patient age and intrauterine devices, 27(6):822–830
- Correspondence**
- hand hygiene and face touching in family medicine offices, 27(5):717
- integrating behavioral and physical health care in the real world, 27(1):161
- trends in physician house calls to Medicare beneficiaries, 27(1):160–161
- Cost effectiveness**, *Helicobacter pylori* immunoglobulin G levels in patient management, 27(5):682–689
- Critical care**, family physicians principally providing urgent care, 27(4):447–448
- Cross-sectional studies**, organizational culture and provider satisfaction, 27(2):219–228
- Data model**, proper, for family medicine and primary care, 27(6):736–737
- Decision making**
- clinical, physicians' views of African Americans and, 27(2):177–188
- medical
- colorectal cancer risk calculator, 27(1):42–55
- coronary artery disease and a genomic-based test, 27(2):258–267
- symptom cluster-based approach for major depression, 27(1):151–159
- risk perceptions and estimates by diabetes patients, 27(4):510–519
- shared
- for depression, 27(2):199–208
- in the safety net, 27(2):292–294
- Delivery of health care**
- bone density screening, adults with intellectual disabilities, 27(1):104–114
- hospital admissions and patient satisfaction, 27(2):249–257
- integrated, health services in patient-centered medical homes, 27(5):637–644
- Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
- Dementia**, patterns, beliefs, and perceived barriers to care, 27(2):275–283
- Depression**
- brief, antidepressant overtreatment of, 27(5):611–620
- major, treatment, symptom cluster-based approach, 27(1):151–159
- maternal depressive symptoms, employment, and social support, 27(1):87–96
- motivational interviewing techniques for, 27(5):621–636
- shared decision making for, 27(2):199–208
- uninsured urban population, 27(4):520–529
- Depressive disorder**, motivational interviewing techniques for, 27(5):621–636
- Developmental disabilities**
- adults with, bone density screening in, 27(1):104–114
- community engagement strategies of the DD-PBRN, 27(6):831–838
- Diabetes, type 2**, risk perceptions and estimates by diabetes patients, 27(4):510–519
- Diabetes mellitus**
- chronic care model and lipid control in diabetes, 27(1):34–41
- professional development programs for Maintenance of Certification, quality of patient care and, 27(1):19–25
- risks and benefits of metformin use, 27(1):136–141
- Diagnosis**, asthma in preschool children, 27(4):538–548
- Diagnostic services**, challenges in laboratory test ordering and results interpretation, 27(2):268–274
- Diet**, outcomes of biomarker feedback in AIM-HI, 27(1):61–69
- Dissemination and implementation science**, research, in PBRNs, 27(6):759–762
- Domestic violence**, men who perpetrate, 27(5):661–668
- Down syndrome**, adults with, bone density screening in, 27(1):104–114
- Drug abuse**
- health outcomes with increasing opioid therapy, 27(3):329–338
- self-reported “doctor shopping” among young adults, 27(5):583–593
- Drug dosage calculations**, predictive equation for vitamin D replacement, 27(4):495–509
- Drug labeling**, Physicians' Use of FDA-Approved Prescription Drug Labels, 27(5):694–698
- Dysosmia**, atrial fibrillation diagnosed through sensory complaints, 27(4):571–574
- Dyspnea**, elderly heart failure and COPD detection through screening, 27(6):811–821
- Early medical intervention**, family intervention clinic for reducing childhood obesity, 27(3):321–328
- Editorial**, PBRNs at the crossroads of research translation, 27(6):725–729

Editorial Office News and Notes

Call for Papers and *JABFM* Editorial Board Member Honored with Fellowship, 27(4):437–438

Content Usage and the Most Frequently Read Articles by Issue in 2013, 27(3):306–308

Introduction of New Editorial Board Members and Appointment of New Associate Editor, 27(1):4–5
Journal of the American Board of Family Medicine Announces Completion of Archiving Project, 27(2):176

Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2013, 27(2):172–175

Editor's Notes

Context and Trade-Offs in Family Medicine, 27(4):433–436

Family Physicians are Complex Care Physicians and Quality of Care Advancement Experts, 27(1):1–3

Investigating Patient-Centered Care, 27(1):169–171

A Panoply of Information for the Practice of Family Medicine, 27(3):303–305

This Issue: Important Clinical Studies with New Useful Information on Problems Encountered Daily by Family Physicians, 27(5):579–580

Education, patient, life and the end of life, 27(5):713–716

Educational assessment, quality of care and guideline adherence for asthma, 27(3):391–398

Elderly, heart failure and COPD detection through screening, 27(6):811–821

Electronic health records (EHRs)
after-visit summary, effects on patient recall, satisfaction, and adherence to EHR content, 27(2):209–218

meaningful use of, 27(6):772–779
using GIS for health insurance outreach, 27(6):804–810

Emergency medicine
family physicians principally providing urgent care, 27(4):447–448
urgent and emergency family physicians in rural communities, 27(4):444–446

Employment, maternal depressive symptoms and social support, 27(1):87–96

End-of-life care, educating patients about life and the end of life, 27(5):713–716

Epidemiology, generational differences in CAM use, 27(4):465–473

Evidence-based medicine
dissemination and implementation research in PBRNs, 27(6):759–762

Helicobacter pylori immunoglobulin G levels in patient management, 27(5):682–689

selection of candidates for levonorgestrel intrauterine device, 27(1):26–33

symptom cluster-based approach for major depression, 27(1):151–159

Exercise, outcomes of biomarker feedback in AIM-HI, 27(1):61–69

Exercise tolerance, elderly heart failure and COPD detection through screening, 27(6):811–821

Face touching, hand hygiene and, in family medicine offices, 27(3):339–346, 27(5):717

Family, family-centered birth with gentle cesarean delivery, 27(5):690–693

Family medicine
history of the future of, 27(6):839–845

offices, hand hygiene and face touching in, 27(3):339–346, 27(5):717

Pisacano Scholars' reflections on family medicine's future, 27(1):142–150

proper data model for, 27(6):736–737

reflections in, poetry in a pill, 27(4):575

Family physicians
certification status of physicians entering MOC, 27(5):581–582
economic impact of practicing rural obstetrics, 27(5):602–610
knowledge of commonly overused treatments and tests, 27(4):699–703

principally providing urgent care, 27(4):447–448

recertification success, prediction of, by community size and organization of practice, 27(3):383–390

urgent and emergency family physicians in rural communities, 27(4):444–446

Fertility, ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429

Fever, sterile pyuria with infections outside of the urinary tract, 27(1):97–103

Frail elderly, heart failure and COPD detection through screening, 27(6):811–821

Gastric ulcer, *Helicobacter pylori* immunoglobulin G levels in patient management, 27(5):682–689

Gastrointestinal disorders
Helicobacter pylori immunoglobulin G levels in patient management, 27(5):682–689

hepatitis C for primary care physicians, 27(2):284–291

Genetics, coronary artery disease and a genomic-based test, 27(2):258–267

Geographic information systems (GIS), using GIS for health insurance outreach, 27(6):804–810

Ginger, for nausea and vomiting in early pregnancy, 27(1):115–122

Graduate education, levonorgestrel intrauterine device, evidence-

based selection of candidates for, 27(1):26–33

Guideline adherence, for asthma, improving through group self-assessment module, 27(3):391–398

Guidelines
changing, prescribing aspirin for prevention of cardiovascular events, 27(1):78–86

counterpoint: rationing on the fly: the opportunity cost of clinical guidelines, 27(4):441–443

rationing on the fly: the opportunity cost of clinical guidelines, 27(4):439–441

re: counterpoint: rationing on the fly: the opportunity cost of clinical guidelines, 27(4):443

Gynecology
benign ovarian teratomas, 27(3):421–423

older women discontinuing Papanicolaou test screening, 27(2):295–296

ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429

patient age and intrauterine devices, 27(6):822–830

preventive visits, addressing other medical problems during, 27(1):13–18

selection of candidates for levonorgestrel intrauterine device, 27(1):26–33

Hand hygiene, face touching and, in family medicine offices, 27(3):339–346, 27(5):717

Headache, benign ovarian teratomas, 27(3):421–423

Health behavior
health services in patient-centered medical homes, 27(5):637–644
point-of-care behavioral health assessment, 27(3):356–366

Health care disparities
in access to care, chronic conditions and, 27(2):189–198

physicians' views of African Americans and clinical decision making, 27(2):177–188

Health care economics and organizations, economic impact of practicing rural obstetrics, 27(5):602–610

Health care systems
hospital admissions and patient satisfaction, 27(2):249–257
meaningful use of EHRs, 27(6):772–779

Health education, family intervention clinic for reducing childhood obesity, 27(3):321–328

Health insurance
underinsurance before Affordable Care Act, 27(6):855–857
using GIS for health insurance outreach, 27(6):804–810

Health policy
certification status of physicians entering MOC, 27(5):581–582

- family physicians principally providing urgent care, 27(4):447–448
 history of the future of family medicine, 27(6):839–845
 practice-based innovations vs. NIH-funded studies, 27(6):738–739
 primary care, behavioral health, provider colocation, and rurality, 27(3):367–374
- Health services misuse**, antidepressant overtreatment of brief depression, 27(5):611–620
- Health services research**, patient experiences by teaching vs. nonteaching facility, 27(2):239–248
- Heart failure**, elderly, and COPD detection through screening, 27(6):811–821
- Helicobacter pylori***, infections, immunoglobulin G levels in patient management, 27(5):682–689
- Hepatitis C**, for primary care physicians, 27(2):284–291
- Hygiene**, hand, and face touching in family medicine offices, 27(3):339–346, 27(5):717
- Immunization**, Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
- Immunoglobulin G**, levels, patients with *Helicobacter pylori* infections, 27(5):682–689
- Immunomodulatory therapy**, advanced therapy for inflammatory bowel disease, 27(3):411–420
- Incidental findings**, CT radiologic findings through research participation, 27(3):314–320
- Infections**, *Helicobacter pylori*, immunoglobulin G levels in patient management, 27(5):682–689
- Infectious diseases**
 hand hygiene and face touching in family medicine offices, 27(3):339–346, 27(5):717
 hepatitis C for primary care physicians, 27(2):284–291
 influenza immunization during pregnancy, vaccine protocols for, 27(1):56–60
 measles, Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
 pharyngitis, acute, C-reactive protein rapid test, 27(3):424–426
 tuberculosis, latent infection, diagnosis and treatment, 27(5):704–712
- Inflammatory bowel disease**, advanced therapy for, 27(3):411–420
- Influenza**, immunization, during pregnancy, vaccine protocols for, 27(1):56–60
- Integrated delivery systems**, primary care, behavioral health, provider colocation, and rurality, 27(3):367–374
- Integrated health care systems**, provider perspectives on integrating primary and behavioral health, 27(3):375–382
- Intellectual disabilities**, adults with, bone density screening in, 27(1):104–114
- Intrauterine devices (IUDs)**
 levonorgestrel, evidence-based selection of candidates for, 27(1):26–33
 patient age and, 27(6):822–830
- Joint instability**, split peroneus brevis tendon, 27(2):297–302
- Journal of the American Board of Family Medicine (JABFM)**, content usage and the most frequently read articles by issue in 2013, 27(3):306–308
- Kidneys**, renal failure using N.O.-Xplode, 27(4):565–569
- Laboratories**
 challenges in laboratory test ordering and results interpretation, 27(2):268–274
 laboratory medicine handoff gaps, 27(6):796–803
 predictive equation for vitamin D replacement, 27(4):495–509
- Lactic acidosis**, metformin-associated, 27(1):136–141
- Levonorgestrel intrauterine device**, evidence-based selection of candidates for, 27(1):26–33
- Lipid control**, in diabetes, chronic care model, 27(1):34–41
- Luteinizing hormone**, ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429
- Maintenance of Certification (MOC)**
 certification status of physicians entering, 27(5):581–582
 professional development programs for, quality of patient care and, 27(1):19–25
- Maintenance of Certification for Family Physicians (MC-FP)**
 certification status of physicians entering MOC, 27(5):581–582
 Part IV, performance in practice, 27(4):576–577
- Meaningful use**, after-visit summary, effects on patient recall, satisfaction, and adherence to EHR content, 27(2):209–218
- Measles**, Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
- Measures**, panel workload assessment in US primary care, 27(4):530–537
- Medical decision making**
 colorectal cancer risk calculator, 27(1):42–55
 coronary artery disease and a genomic-based test, 27(2):258–267
 symptom cluster-based approach for major depression, 27(1):151–159
- Medical education**
 history of the future of family medicine, 27(6):839–845
 motivational interviewing techniques for depression, 27(5):621–636
- Medical ethics**
 CT radiologic findings through research participation, 27(3):314–320
 educating patients about life and the end of life, 27(5):713–716
- Medical home**
 challenges of medical home transformation, 27(4):449–457
 National Committee for Quality Assurance patient-centered medical home recognition among primary care practices, 27(3):312–313
 organizational culture and provider satisfaction, 27(2):219–228
 patient-centered
 argument for comprehensiveness, 27(1):8–10
 comprehensiveness in, 27(1):8–10
 health behavior services, 27(5):637–644
 National Committee for Quality Assurance recognition among primary care practices, 27(3):312–313
 patient experiences by teaching vs. nonteaching facility, 27(2):239–248
 preventive gynecological visits, addressing other medical problems during, 27(1):13–18
- Medical informatics**, meaningful use of EHRs, 27(6):772–779
- Medical residency**, patient experiences by teaching vs. nonteaching facility, 27(2):239–248
- Medication reconciliation**, interventions to improve medication reconciliation, 27(3):347–355
- Men's health**, men who perpetrate intimate partner violence, 27(5):661–668
- Mental disorders**, tobacco use treatment in patients with psychiatric illness, 27(3):399–410
- Mental health**
 maternal depressive symptoms, employment, and social support, 27(1):87–96
 patients with chronic mental disorders and the workplace, 27(4):486–494
 point-of-care behavioral health assessment, 27(3):356–366
 primary care, behavioral health, provider colocation, and rurality, 27(3):367–374
 provider perspectives on integrating primary and behavioral health, 27(3):375–382
 services in patient-centered medical homes, 27(5):637–644
- Metformin**, use, risks and benefits, 27(1):136–141
- Methods**, keeping PBRN practices engaged in studies, 27(1):123–135

- Minority health**, physicians' views of African Americans and clinical decision making, 27(2):177–188
- Mobile health**, tools, use in the WPRN, 27(6):780–788
- Mother-infant interaction**, family-centered birth with gentle cesarean delivery, 27(5):690–693
- Motivational interviewing**, techniques, for depression, 27(5):621–636
- National Institutes of Health (NIH)**, practice-based innovations vs. NIH-funded studies, 27(6):738–739
- Natural family planning**, ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429
- Nausea**, in early pregnancy, ginger for, 27(1):115–122
- Nursing homes**, predictive equation for vitamin D replacement, 27(4):495–509
- Obesity**
childhood, family intervention clinic for reducing, 27(3):321–328
outcomes of biomarker feedback in AIM-HI, 27(1):61–69
patient and physician weight-related discussions, 27(1):70–77
- Obstetrics**, rural, economic impact of practicing, 27(5):602–610
- Older patients**, women discontinuing Papanicolaou test screening, 27(2):295–296
- Opioid therapy**, increasing, health outcomes with, 27(3):329–338
- Opioids**, pain treatment in primary care versus tertiary care, 27(5):594–601
- Organizational culture**
associated with provider satisfaction, 27(2):219–228
team structure, culture, and burnout in primary care, 27(2):229–238
- Organizational innovation**, challenges of medical home transformation, 27(4):449–457
- Organizational structure**, organization of practice, family physician recertification success, 27(3):383–390
- Osteoporosis**
bone density screening in adults with intellectual disabilities, 27(1):104–114
predictive equation for vitamin D replacement, 27(4):495–509
- Outcome**
biomarker feedback in AIM-HI, 27(1):61–69
health, with increasing opioid therapy, 27(3):329–338
- Ovarian teratomas**, benign, multisystem manifestations, 27(3):421–423
- Ovulation predictor kits**, as adjuncts when using FAMS, 27(3):427–429
- Pain**
ankle, split peroneus brevis tendon, 27(2):297–302
chronic, treatment seekers, primary care versus tertiary care settings, 27(5):594–601
generational differences in CAM use, 27(4):465–473
- Pain management**, health outcomes with increasing opioid therapy, 27(3):329–338
- Palliative care**, educating patients about life and the end of life, 27(5):713–716
- Papanicolaou test**
addressing other problems during preventive gynecological visits, 27(1):13–18
screening, older women discontinuing, 27(2):295–296
- Partial thromboplastin time**, management of bleeding disorders in adults, 27(4):549–564
- Patient adherence**, motivational interviewing techniques for depression, 27(5):621–636
- Patient admissions**, sterile pyuria with infections outside of the urinary tract, 27(1):97–103
- Patient care team**, team structure, culture, and burnout in primary care, 27(2):229–238
- Patient-centered care**
challenges of medical home transformation, 27(4):449–457
investigating, 27(2):169–171
organizational culture and provider satisfaction, 27(2):219–228
patient experiences by teaching vs. nonteaching facility, 27(2):239–248
preventive gynecological visits, addressing other medical problems during, 27(1):13–18
shared decision making for depression, 27(2):199–208
symptom cluster-based approach for major depression, 27(1):151–159
- Patient-centered medical home**
comprehensiveness in, 27(1):8–10
health behavior services, 27(5):637–644
National Committee for Quality Assurance recognition among primary care practices, 27(3):312–313
recognition, promoting innovation, 27(3):309–311
- Patient navigators**, nurse navigator follow-up after positive CRC screening test, 27(6):789–795
- Patient recruitment**
community engagement to increase research participation in PBRNs, 27(6):763–771
recruiting physician-patient dyads in PBRNs, 27(6):740–749
- Patient safety**
challenges in laboratory test ordering and results interpretation, 27(2):268–274
interventions to improve medication reconciliation, 27(3):347–355
- Patient satisfaction**
effects of EHR-generated after-visit summary, 27(2):209–218
hospital admissions and, 27(2):249–257
patient experiences by teaching vs. nonteaching facility, 27(2):239–248
shared decision making for depression, 27(2):199–208
- Pharmacotherapy**, symptom cluster-based approach for major depression, 27(1):151–159
- Pharyngitis**, acute, C-reactive protein rapid test and, 27(3):424–426
- Physician-patient dyads**, recruiting, in PBRNs, 27(6):740–749
- Physician-patient relations**
educating patients about life and the end of life, 27(5):713–716
hospital admissions and patient satisfaction, 27(2):249–257
patient and physician weight-related discussions, 27(1):70–77
patients with high-cost chronic conditions rely on primary care physicians, 27(1):11–12
self-reported “doctor shopping” among young adults, 27(5):583–593
- Poetry**, reflections in family medicine, 27(4):575
- Poisoning**, health outcomes with increasing opioid therapy, 27(3):329–338
- Postpartum care**, maternal depressive symptoms, employment, and social support, 27(1):87–96
- Postpartum depression**, employment and social support, 27(1):87–96
- Practice-based research**
coronary artery disease and a genomic-based test, 27(2):258–267
depression in an uninsured urban population, 27(4):520–529
hand hygiene and face touching in family medicine offices, 27(3):339–346, 27(5):717
interventions to improve medication reconciliation, 27(3):347–355
laboratory medicine handoff gaps, 27(6):796–803
meaningful use of EHRs, 27(6):772–779
National Committee for Quality Assurance patient-centered medical home recognition among primary care practices, 27(3):312–313
outcomes of biomarker feedback in AIM-HI, 27(1):61–69
patterns, beliefs, and perceived barriers to dementia care, 27(2):275–283
point-of-care behavioral health assessment, 27(3):356–366
practice-based innovations vs. NIH-funded studies, 27(6):738–739
underinsurance before Affordable Care Act, 27(6):855–857
use of mobile health tools in the WPRN, 27(6):780–788

- using GIS for health insurance outreach, 27(6):804–810
- Practice-based research networks (PBRNs)**
- community engagement to increase research participation, 27(6):763–771
 - strategies of the DD-PBRN, 27(6):831–838
 - conducting clinical trials in, 27(6):750–758
 - at the crossroads of research translation, 27(6):725–729
 - CT radiologic findings through research participation, 27(3):314–320
 - dissemination and implementation research in, 27(6):759–762
 - keeping PBRN practices engaged in studies, 27(1):123–135
 - recruiting physician–patient dyads in, 27(6):740–749
 - using PRECIS to refine a PBRN study, 27(6):846–854
- Practice management**, organizational culture and provider satisfaction, 27(2):219–228
- Pragmatic clinical trials**, using PRECIS to refine a PBRN study, 27(6):846–854
- Pragmatic trials**, dissemination and implementation research in PBRNs, 27(6):759–762
- Praxis-based research networks**, emerging paradigm for research, 27(6):730–735
- Pregnancy**
- early, ginger for nausea and vomiting, 27(1):115–122
 - vaccine protocols for influenza immunization, 27(1):56–60
- Prenatal care**, ginger for nausea and vomiting in early pregnancy, 27(1):115–122
- Preschool**, asthma in preschool children, 27(4):538–548
- Prescribing patterns**, poetry in a pill, 27(4):575
- Prescription drugs**
- Physicians' Use of FDA-Approved Prescription Drug Labels, 27(5):694–698
 - self-reported “doctor shopping” among young adults, 27(5):583–593
- Prevention**
- non-visit cancer screening using a management system, 27(4):474–485
 - point-of-care behavioral health assessment, 27(3):356–366
- Prevention and control**, colorectal cancer risk calculator, 27(1):42–55
- Preventive health services**, gynecological visits, addressing other medical problems during, 27(1):13–18
- Primary health care**
- asthma in preschool children, 27(4):538–548
 - behavioral health, provider colocation, and rurality, 27(3):367–374
- challenges
- in laboratory test ordering and results interpretation, 27(2):268–274
 - of medical home transformation, 27(4):449–457, 27(4):549–557
- chronic care model and lipid control in diabetes, 27(1):34–41
- chronic conditions and disparities in access to care, 27(2):189–198
- community engagement to increase research participation in PBRNs, 27(6):763–771
- dissemination and implementation research in PBRNs, 27(6):759–762
- family physicians principally providing urgent care, 27(4):447–448
- ginger for nausea and vomiting in early pregnancy, 27(1):115–122
- health services in patient-centered medical homes, 27(5):637–644
- history of the future of family medicine, 27(6):839–845
- interventions to improve medication reconciliation, 27(3):347–355
- laboratory medicine handoff gaps, 27(6):796–803
- meaningful use of EHRs, 27(6):772–779
- non-visit cancer screening using a management system, 27(4):474–485
- pain treatment in primary care versus tertiary care, 27(5):594–601
- panel workload assessment in US primary care, 27(4):530–537
- patterns, beliefs, and perceived barriers to dementia care, 27(2):275–283
- Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
- practice-based innovations vs. NIH-funded studies, 27(6):738–739
- practices, National Committee for Quality Assurance patient-centered medical home recognition among, 27(3):312–313
- predictive equation for vitamin D replacement, 27(4):495–509
- preventive gynecological visits, addressing other medical problems during, 27(1):13–18
- proper data model for, 27(6):736–737
- provider perspectives on integrating primary and behavioral health, 27(3):375–382
- recruiting physician–patient dyads in PBRNs, 27(6):740–749
- shared decision making for depression, 27(2):199–208
- team structure, culture, and burnout in primary care, 27(2):229–238
- underinsurance before Affordable Care Act, 27(6):855–857
- use of mobile health tools in the WPRN, 27(6):780–788
- Primary prevention**, prescribing aspirin for prevention of cardiovascular events, 27(1):78–86
- Problem solving**, organizational culture and provider satisfaction, 27(2):219–228
- Progesterone**, ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429
- Program effectiveness**, keeping PBRN practices engaged in studies, 27(1):123–135
- Program sustainability**, practice-based innovations vs. NIH-funded studies, 27(6):738–739
- Prothrombin time**, management of bleeding disorders in adults, 27(4):549–564
- Provider satisfaction**, organizational culture associated with, 27(2):219–228
- Psychiatric illness**, patients with, tobacco use treatment, 27(3):399–410
- Psychological stress**, stress control program for smoking cessation, 27(5):645–660
- Public health**, Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
- Pyuria**, sterile, with infections outside of the urinary tract, 27(1):97–103
- Quality improvement**, chronic care model and lipid control in diabetes, 27(1):34–41
- Quality of health care**
- for asthma, improving through group self-assessment module, 27(3):391–398
 - challenges of medical home transformation, 27(4):449–457, 27(4):549–557
 - chronic conditions and disparities in access to care, 27(2):189–198
 - National Committee for Quality Assurance patient-centered medical home recognition among primary care practices, 27(3):312–313
 - patient experiences by teaching vs. nonteaching facility, 27(2):239–248
 - patients with high-cost chronic conditions rely on primary care physicians, 27(1):11–12
 - Pisacano Scholars' reflections on family medicine's future, 27(1):142–150
 - professional development programs for Maintenance of Certification and, 27(1):19–25
- Quality of life**, using PRECIS to refine a PBRN study, 27(6):846–854
- Quantitative evaluation**, using PRECIS to refine a PBRN study, 27(6):846–854
- Racial bias**, physicians' views of African Americans and clinical decision making, 27(2):177–188

- Randomized clinical trials**, effects of EHR-generated after-visit summary, 27(2):209–218
- Randomized controlled clinical trials**, keeping PBRN practices engaged in studies, 27(1):123–135
- Randomized controlled trials**
interventions to improve medication reconciliation, 27(3):347–355
motivational interviewing techniques for depression, 27(5):621–636
- Renal failure**, using N.O.-Xplode, 27(4):565–569
- Research subjects**, CT radiologic findings through research participation, 27(3):314–320
- Respiratory tract diseases**
COPD, detection, through screening, elderly heart failure and, 27(6):811–821
hand hygiene and face touching in family medicine offices, 27(3):339–346, 27(5):717
latent tuberculosis infection, diagnosis and treatment of, 27(5):704–712
- Risk**
colorectal cancer risk calculator, 27(1):42–55
risk perceptions and estimates by diabetes patients, 27(4):510–519
- Rural health**
chronic diseases associated with cancer screening, 27(5):669–681
community size, organization of practice, and recertification, 27(3):383–390
economic impact of practicing rural obstetrics, 27(5):602–610
family physicians principally providing urgent care, 27(4):447–448
provider perspectives on integrating primary and behavioral health, 27(3):375–382
urgent and emergency family physicians, 27(4):444–446
- Safety net clinics**, shared decision making in the safety net, 27(2):292–294
- Screening**
bone density, adults with intellectual disabilities, 27(1):104–114
cancer, chronic diseases associated with, 27(5):669–681
non-visit cancer, using a management system, 27(4):474–485
Papanicolaou test, older women discontinuing, 27(2):295–296
point-of-care behavioral health assessment, 27(3):356–366
- Shared decision making**
for depression, 27(2):199–208
in the safety net, 27(2):292–294
- Sick leave**, patients with chronic mental disorders and the workplace, 27(4):486–494
- Smoking cessation**, anger management and stress control program for, 27(5):645–660
- Social problems**
depression in an uninsured urban population, 27(4):520–529
maternal depressive symptoms, employment, and social support, 27(1):87–96
- Somalia**, Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
- Special communications**
Back to the Future: Reflections on the History of the Future of Family Medicine, 27(6):839–845
Community-Engagement Strategies of the Developmental Disabilities Practice-based Research Network (DD-PBRN), 27(6):831–838
The Future of Family Medicine Version 2.0: Reflections from Pisano Scholars, 27(1):142–150
Promotion of Family-Centered Birth With Gentle Cesarean Delivery, 27(5):690–693
Using the Pragmatic-Explanatory Continuum Indicator Summary (PRECIS) Model in Clinical Research: Application to Refine a Practice-Based Research Network (PBRN) Study, 27(6):846–854
- Specialty boards**, community size, organization of practice, and recertification, 27(3):383–390
- Streptococcus group A**, C-reactive protein rapid test and acute pharyngitis, 27(3):424–426
- Stress control**, program, effects on smoking cessation, 27(5):645–660
- Substance abuse**
health outcomes with increasing opioid therapy, 27(3):329–338
health services in patient-centered medical homes, 27(5):637–644
men who perpetrate intimate partner violence, 27(5):661–668
self-reported “doctor shopping” among young adults, 27(5):583–593
- Summary report**, effects of EHR-generated after-visit summary, 27(2):209–218
- Team structure**, culture and burnout in primary care, 27(2):229–238
- Technology assessment**, coronary artery disease and a genomic-based test, 27(2):258–267
- Tendons**, split peroneus brevis tendon, 27(2):297–302
- Tertiary care**, chronic pain treatment seekers, 27(5):594–601
- Tobacco**
anger management and stress control program for smoking cessation, 27(5):645–660
use, treatment, patients with psychiatric illness, 27(3):399–410
- Training**
keeping PBRN practices engaged in studies, 27(1):123–135
professional development programs for Maintenance of Certification, quality of patient care and, 27(1):19–25
- Translational medical science**, practice-based innovations vs. NIH-funded studies, 27(6):738–739
- Tuberculosis**, latent infection, diagnosis and treatment, 27(5):704–712
- Underinsurance**, before implementation of Affordable Care Act, 27(6):855–857
- Underserved populations**
community engagement strategies of the DD-PBRN, 27(6):831–838
depression in an uninsured urban population, 27(4):520–529
- Urban health services**
depression in an uninsured urban population, 27(4):520–529
patient age and intrauterine devices, 27(6):822–830
- Urinary tract infections**, sterile pyuria with infections outside of the urinary tract, 27(1):97–103
- Utilization**, hospital admissions and patient satisfaction, 27(2):249–257
- Vaccination**
protocols for influenza immunization during pregnancy, 27(1):56–60
Somali and non-Somali parents' vaccine beliefs, 27(4):458–464
- Vitamin D**, replacement, predictive equation for, 27(4):495–509
- Vomiting**, in early pregnancy, ginger for, 27(1):115–122
- Women's health**
benign ovarian teratomas, 27(3):421–423
economic impact of practicing rural obstetrics, 27(5):602–610
ginger for nausea and vomiting in early pregnancy, 27(1):115–122
maternal depressive symptoms, employment, and social support, 27(1):87–96
older women discontinuing Papanicolaou test screening, 27(2):295–296
ovulation predictor kits as adjuncts when using FAMS, 27(3):427–429
patient age and intrauterine devices, 27(6):822–830
preventive gynecological visits, addressing other medical problems during, 27(1):13–18
selection of candidates for levonorgestrel intrauterine device, 27(1):26–33
vaccine protocols for influenza during pregnancy, 27(1):56–60
- Workload**, panel workload assessment in US primary care, 27(4):530–537
- Workplace**, patients with chronic mental disorders, 27(4):486–494