

Subject Index to Volume 28, 2015

- Access to health care**
CAM use by Hispanic patients, 28(2):175-183
impact of a new eConsult service, 28(3):394-403
primary care colonoscopy for the underserved, 28(6):713-721
- Acupuncture**, auricular, for acute sore throat, 28(6):697-705
- Acute coronary syndrome**, diagnosis and management, 28(2):283-293
- Adolescence**, older sister's HPV vaccination status vs receipt by adolescents, 28(6):816-818
- Agency for Healthcare Research and Quality (AHRQ)**, webinar featuring *JABFM* practice-based research articles, 28(4):438
- Alternative medicine**
acupuncture for acute sore throat, 28(6):697-705
chiropractic care and physician visits for back and neck pain, 28(4):481-490
use by Hispanic patients, 28(2):175-183
- Ambulatory care**, implementing EHR, 28(1):55-64
- American Board of Family Medicine (ABFM)**
charter diplomates' participation in Maintenance of Certification, 28(4):439-440
election of new officers and board members, 28(5):686-688
inauguration of G. Gayle Stephens Keystone Conference Series, 28(4):538-539
scope of practice and ABFM recertification performance, 28(2):265-270
simplification of Maintenance of Certification, 28(3):431-433
- Antibiotics**
intrapartum, childhood dermatitis and, 28(1):82-89
phone care and academic detailing for respiratory infection, 28(2):195-204
- Anticoagulants**, novel, in atrial fibrillation, 28(4):510-522
- Arrhythmia**, novel anticoagulants in atrial fibrillation, 28(4):510-522
- Asthma**, decision support tool integrated into an EHR, 28(3):382-393
- Atrial fibrillation**, novel anticoagulants in, 28(4):510-522
- Attention deficit hyperactivity disorder**, chemical and drug risk factors, 28(4):461-470
- Autism spectrum disorder**, chemical and drug risk factors, 28(4):461-470
- Back pain**, chiropractic care and physician visits, 28(4):481-490
- Behavioral medicine**
consulting, coordinating, and collaborating when integrating care, 28(5):S21-S31
designing clinical space for integrated care, 28(5):S52-S62
EHR workarounds used by practices integrating care, 28(5):S63-S72
integrated primary care and, 28(5):S1-S6
preparing the workforce for integrated care, 28(5):S41-S51
strategies to support the integration of care, 28(5):S102-S106
- Benign paroxysmal positional vertigo**, particle repositioning maneuver for, 28(1):118-120
- Bias**, initial versus experienced physicians on the MC-FP examination, 28(2):294-295
- Biopsy**, obtaining a specimen to diagnose pigmented lesions, 28(4):523-525
- Biostatistics**, identifying limited health literacy in a clinical setting, 28(5):584-594
- Bipolar disorder**, quetiapine mania in possible undertreatment, 28(1):154-158
- Birth**
history is forever, 28(1):121-123
intrapartum antibiotics and childhood dermatitis, 28(1):82-89
- Blood pressure**
control, in adults with diabetes, 28(1):28-37
home blood pressure monitoring program, 28(5):548-555
- Body mass index**
gastric bypass and weight loss in partners, 28(1):90-96
patient understanding of, 28(4):475-480
- Buprenorphine**, treatment, shared medical appointments and, 28(5):676-677
- Burnout, professional**, improving clinician satisfaction with "difficult" visits, 28(1):13-20
- Calf cramps**, myofascial trigger point injections and, 28(1):21-27
- Cancer**
breast, screening rates, improving, 28(1):46-54
colorectal
primary care colonoscopy for the underserved, 28(6):713-721
screening rates, improving, 28(1):46-54
using a screening navigator for, 28(2):280-282
veterans' participation in fecal immunochemical test, 28(4):494-497
lung
community engagement for radon testing, 28(5):617-623
outcomes with targeted therapies, 28(1):124-133
oropharyngeal, HPV-positive, clinical review, 28(4):498-503
prostate, testing following USPSTF recommendations, 28(4):491-493
- Cancer screening**
primary care colonoscopy for the underserved, 28(6):713-721
prostate cancer testing following USPSTF recommendations, 28(4):491-493
rates, improving, breast and colon cancer, 28(1):46-54
using a screening navigator for colorectal cancer, 28(2):280-282
veterans' participation in fecal immunochemical test, 28(4):494-497
- Cardiology**
diagnosis and management of acute coronary syndrome, 28(2):283-293
pocket-sized ultrasound device to measure left ventricular mass, 28(6):706-712
- Cardiovascular pregnancy complications**, family planning with cardiovascular risk, 28(1):105-114
- Care management**, inadequate reimbursement for, 28(2):271-279
- Career choice**, birthing and family medicine, 28(4):535-536
- Case management**, lessons from Medicare coordinated care projects, 28(5):556-564
- Certification**
charter diplomates' participation in ABFM MOC, 28(4):439-440
fracture prevention in patients with osteoporosis, 28(6):819-821
initial versus experienced physicians on the MC-FP examination, 28(2):294-295
scope of practice and ABFM recertification performance, 28(2):265-270
- Chemical exposure**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461-470
- Chemical intolerance**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461-470
- Children**
dermatitis, intrapartum antibiotics and, 28(1):82-89
health care quality measures, 28(5):595-604
infants with rare scalp mass identified through a blog, 28(6):750-758
pyelonephritis, 28(1):151-153
upper gastrointestinal bleeding, 28(1):134-145
- Chiropractic care**, availability, effects on physician visits for neck and back pain, 28(4):481-490
- Chronic disease**
birth history is forever, 28(1):121-123
continuity of care for COPD, 28(2):222-230

- ICD-9 codes for chronic kidney disease, 28(5):678–682
 implementation of a tobacco use registry, 28(2):214–221
 kidney disease guideline implementation, 28(5):624–631
 patient care outcomes of a tobacco use registry, 28(2):205–213
- Chronic illness**, data exchange program for medication adherence, 28(6):742–749
- Chronic kidney disease**
 guideline implementation, 28(5):624–631
 ICD-9 codes, 28(5):678–682
- Chronic obstructive pulmonary disease (COPD)**, continuity of care for, 28(2):222–230
- Clinical coding**, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Clinical competence**
 initial versus experienced physicians on the MC-FP examination, 28(2):294–295
 scope of practice and ABFM recertification performance, 28(2):265–270
- Clinical decision support systems**
 asthma decision support tool integrated into an EHR, 28(3):382–393
 clinical reminders decrease reminder fatigue, 28(3):351–359
 point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Clinical pharmacology**, prioritization of patients for medication review, 28(3):418–424
- Clinical space**, designing for integrated care, 28(5):S52–S62
- Clinical trials**, randomized, acupuncture for acute sore throat, 28(6):697–705
- Clinician satisfaction**, with “difficult” visits, improving, 28(1):13–20
- Cluster randomized trials**, pragmatic cluster randomized trials: a method for PBRNs, 28(5):663–672
- Coding**, clinical, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Cognitive science**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Collaboration**, pets’ impact on patients’ health, 28(4):526–534
- Colonoscopy**, primary care, for the underserved, 28(6):713–721
- Colorectal cancer**, screening
 primary care colonoscopy for the underserved, 28(6):713–721
 rates, improving, 28(1):46–54
 using a screening navigator, 28(2):280–282
 veterans’ participation in fecal immunochemical test, 28(4):494–497
- Commentary**
 Family Physician Geriatricians Do Mostly Geriatric Care: Is This a Problem for Our Specialty?, 28(3):311–313
- Family Physicians with a Sports Medicine Certificate of Added Qualification (CAQ): Well Prepared to Meet a Significant Patient Care Need, 28(6):693–696
- Health Information Technology Needs Help from Primary Care Researchers, 28(3):306–310
- Patient Empanelment: The Importance of Understanding Who Is at Home in the Medical Home, 28(2):170–172
- Practice-based Research Networks (PBRNs) in the United States: Growing and Still Going After All These Years, 28(5):541–545
- Solo Practitioners Remain Important Contributors to Primary Care, 28(1):7–10
- Strategies to Support the Integration of Behavioral Health and Primary Care: What Have We Learned Thus Far?, 28(5):S102–S106
- When Frontline Practice Innovations Are Ahead of the Health Policy Community: The Example of Behavioral Health and Primary Care Integration, 28(5):S98–S101
- Communication**
 consulting, coordinating, and collaborating when integrating care, 28(5):S21–S31
 improving clinician satisfaction with “difficult” visits, 28(1):13–20
 interspecialty, supported by health information technology, 28(3):404–417
 patient preferences for receiving test result reports, 28(6):759–766
 pets’ impact on patients’ health, 28(4):526–534
- Community-based participatory research**
 home blood pressure monitoring program, 28(5):548–555
 portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Community health centers**, CAM use by Hispanic patients, 28(2):175–183
- Comorbidity**
 clinical needs of patients with problem drug use, 28(5):605–616
 intimate partner violence among female veterans, 28(6):772–776
- Complementary and alternative medicine**
 chiropractic care and physician visits for back and neck pain, 28(4):481–490
 use by Hispanic patients, 28(2):175–183
- Continuing medical education**, “PO-EMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
- Continuity of care**, for COPD, 28(2):222–230
- Correspondence**
 family physicians’ knowledge of commonly overused treatments and tests, 28(1):161–162
 magnesium intake and depression in adults, 28(5):683–684
 performance on the maintenance of certification for family physicians (MC-FP) examination: comparison of initial certifiers with experienced physicians, 28(4):537
 a predictive equation to guide vitamin D replacement dose in patients, 28(1):160
 promotion of family-centered birth with gentle cesarean delivery, 28(1):160–161
 use of medical scribes in health care settings: a systematic review and future directions, 28(5):684–685
- Cost control**
 clinical decisions in clinics and Choosing Wisely™, 28(4):471–474
 phone care and academic detailing for respiratory infection, 28(2):195–204
- Counseling**, implementation of a tobacco use registry, 28(2):214–221
- Covariate-based constrained randomization**, pragmatic cluster randomized trials: a method for PBRNs, 28(5):663–672
- Cramps**, calf, myofascial trigger point injections and, 28(1):21–27
- Cross-cultural care**
 racial microaggressions and American Indians, 28(2):231–239
 spaces in practice of family medicine, 28(6):841–844
- Cutaneous fistula**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Decision making**
 clinical decisions in clinics and Choosing Wisely™, 28(4):471–474
 frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
 point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Decision theory**, physician information needs and EHRs, 28(3):316–323
- Delivery of health care**
 clinical needs of patients with problem drug use, 28(5):605–616
 health information technology in Beacon community health centers, 28(5):565–575
 organizational structures in primary care, 28(2):190–194
 particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
 prioritization of patients for medication review, 28(3):418–424
- Delivery of health care, integrated**
 advancing care together, 28(5):S1–S6

- consulting, coordinating, and collaborating among professionals, 28(5):S21–S31
- designing clinical space for, 28(5):S52–S62
- EHR workarounds used by practices integrating care, 28(5):S63–S72
- health policy and, 28(5):S98–S101
- practice expenses of integration interventions in the ACT program, 28(5):S86–S97
- preparing the workforce for, 28(5):S41–S51
- REACH of integrated care interventions, 28(5):S73–S85
- staffing, scheduling, and engagement strategies, 28(5):S32–S40
- strategies to support, 28(5):S102–S106
- tools, maps, and leadership, 28(5):S107–S110
- understanding integration from the ground up, 28(5):S7–S20
- Dental infection**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Depression**, magnesium intake and, 28(2):249–256
- Dermatitis**, childhood, intrapartum antibiotics and, 28(1):82–89
- Dermatology**
- intrapartum antibiotics and childhood dermatitis, 28(1):82–89
 - obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Diabetes mellitus**
- glycemic and blood pressure control, 28(1):28–37
 - participation in the journey to life conversation map, 28(6):767–771
 - portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
 - type 2, metformin prescribing for, 28(6):777–784
- Diagnostic errors**, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Diagnostic tests**, laboratory testing process quality improvement toolkit, 28(5):576–583
- Dietary supplements**, magnesium intake and depression, 28(2):249–256
- Doctor-patient relations**
- an appetite for connection, 28(2):296–297
 - improving clinician satisfaction with “difficult” visits, 28(1):13–20
 - patient preferences for receiving test result reports, 28(6):759–766
 - spaces in practice of family medicine, 28(6):841–844
- Domestic violence**, intimate partner violence among female veterans, 28(6):772–776
- Down syndrome**, adults with, rate of urinary retention, 28(1):115–117
- Drug abuse**
- clinical needs of patients with problem drug use, 28(5):605–616
 - shared medical appointments and buprenorphine treatment, 28(5):676–677
- Drug intolerance**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470
- Drug therapy**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Drug utilization**, data exchange program for medication adherence, 28(6):742–749
- E-mail**, “POEMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
- Ear acupuncture**, for acute sore throat, 28(6):697–705
- Editorial Office News and Notes**
- Agency for Healthcare Research and Quality (AHRQ) Webinar Features 3 *Journal of American Board of Family Medicine* Practice-based Research (PBR) Articles, 28(4):438
 - Content Usage and the Most Frequently Read Articles of 2014, 28(3):303–305
 - The Most Frequently Read Practice-based Research (PBR) Articles in the *Journal of the American Board of Family Medicine (JABFM)*, 28(5):546–547
 - New Mobile Website and JABFM Editorial Board Member Elected to the Institute of Medicine, 28(1):5–6
 - Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2014, 28(2):166–169
- Editorials**
- Advancing care together by integrating primary care and behavioral health, 28(5):S1–S6
 - Electronic health record innovations for healthier patients and happier doctors, 28(3):299–302
 - Integrated care: tools, maps, and leadership, 28(5):S107–S110
- Editor’s Notes**
- Data Supporting Key Components of Family Medicine—Scope, Continuity, Interprofessional Care, and More, 28(2):163–165
 - New Tools and Approaches for Family Physicians, 28(6):689–692
 - Practical, Office-based Interventions That Improve Care Today, 28(1):1–4
 - Timely and/or Controversial Information for Family Physicians, 28(4):435–437
- Education, patient**, participation in the journey to life conversation map, 28(6):767–771
- Education**, spaces in practice of family medicine, 28(6):841–844
- Efficiency**, out-of-hours care collaboration in the Netherlands, 28(6):807–815
- Elderly**, frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
- Electronic cigarettes**, regulation and taxation, 28(6):802–806
- Electronic health records (EHRs)**
- ambulatory care, fundamental issues in implementing, 28(1):55–64
 - asthma decision support tool integrated into, 28(3):382–393
 - innovations for healthier patients and happier doctors, 28(3):299–302
 - monitoring suicidal patients using, 28(1):65–71
 - physician information needs and, 28(3):316–323
 - primary care meaningful use exemplars, 28(3):360–370
 - reminder, impact on HPV vaccine initiation and completion, 28(3):324–333
 - use of medical scribes in health care settings, 28(3):371–381
 - workarounds used by practices integrating care, 28(5):S63–S72
- Electronic medical records (EMRs)**
- data exchange program for medication adherence, 28(6):742–749
 - EHR workarounds used by practices integrating care, 28(5):S63–S72
 - health information technology in Beacon community health centers, 28(5):565–575
 - ICD-9 codes for chronic kidney disease, 28(5):678–682
 - implementing an ambulatory care EHR, 28(1):55–64
 - patient preferences for receiving test result reports, 28(6):759–766
 - PBRNs and integrated delivery systems, 28(5):658–662
- Emergency medicine**
- connecting emergency department patients to primary care, 28(6):722–732
 - out-of-hours care collaboration in the Netherlands, 28(6):807–815
- Engagement strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Environmental medicine**, community engagement for radon testing, 28(5):617–623
- Epidemiology**
- birth history is forever, 28(1):121–123
 - clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
- Ethics**, spaces in practice of family medicine, 28(6):841–844
- Evaluation studies**, REACH of integrated care interventions, 28(5):S73–S85
- Evidence-based medicine**
- diagnosis and management of acute coronary syndrome, 28(2):283–293
 - patient factors and JNC 7 hypertension care, 28(1):97–104
 - point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Family physicians**
- with CAQ in Sports Medicine preparedness to meet a significant patient care need, 28(6):693–694

- time spent practicing sports medicine, 28(6):695–696
fewer are in solo practice, 28(1):11–12
versus geriatricians, frailty diagnosis, 28(2):240–248
geriatricians and geriatric care, impact on specialty, 28(3):311–313
improving clinician satisfaction with “difficult” visits, 28(1):13–20
patient panel size and, 28(2):173–174
practice patterns with a geriatrics certificate, 28(3):314–315
scope of practice and ABFM recertification performance, 28(2):265–270
timely and/or controversial information for, 28(4):435–437
- Family practice**, prioritization of patients for medication review, 28(3):418–424
- Family relations**, spaces in practice of family medicine, 28(6):841–844
- Fecal immunochemical test**, for colorectal cancer screening, veterans’ participation in, 28(4):494–497
- Fees and charges**, direct primary care practices in the United States, 28(6):793–801
- Focal infection**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Frail elderly**, frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
- Fusobacterium***, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Fusobacterium nucleatum***, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Gastric bypass**, weight loss in partners and, 28(1):90–96
- Gastrointestinal hemorrhage**, in children, diagnosis and management, 28(1):134–145
- Genetics**, prompting providers about family history risk, 28(3):334–342
- Geriatrics**
family physician geriatricians, 28(3):311–313
frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
practice patterns with a geriatrics certificate, 28(3):314–315
- Graduate education**, particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Guidelines**
adherence, patient factors and JNC 7 hypertension care, 28(1):97–104
kidney disease guideline implementation, 28(5):624–631
point-of-care, pediatric radiation burden and, 28(3):343–350
practice, for hepatitis B, 28(6):822–837
- Head and neck cancer**, clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
- Health behavior**, impact of health coaching on medication adherence, 28(1):38–45
- Health care costs**
clinical needs of patients with problem drug use, 28(5):605–616
direct primary care practices in the United States, 28(6):793–801
- Health care disparities**, reducing preconception risks with conversational agent technology, 28(4):441–451
- Health care providers**, practice guidelines for hepatitis B, 28(6):822–837
- Health care rationing**, prioritization of patients for medication review, 28(3):418–424
- Health care surveys**, metformin prescribing for type 2 diabetes, 28(6):777–784
- Health care systems**
fewer physicians are in solo practices, 28(1):11–12
out-of-hours care collaboration in the Netherlands, 28(6):807–815
technology associated with lower hospitalization rates, 28(3):404–417
- Health information exchange**, program for medication adherence, 28(6):742–749
- Health information systems**, impact of a new eConsult service, 28(3):394–403
- Health information technology**
associated with lower hospitalization rates, 28(3):404–417
reducing preconception risks with conversational agent technology, 28(4):441–451
- Health literacy**, limited, identifying in a clinical setting, 28(5):584–594
- Health personnel**, organizational structures in primary care, 28(2):190–194
- Health plan implementation**, REACH of integrated care interventions, 28(5):S73–S85
- Health policy**
charter diplomats’ participation in ABFM MOC, 28(4):439–440
fewer physicians are in solo practices, 28(1):11–12
health information technology in Beacon community health centers, 28(5):565–575
inadequate reimbursement for care management, 28(2):271–279
integrated care and, 28(5):S98–S101
lessons from Medicare coordinated care projects, 28(5):556–564
patient panel size and, 28(2):173–174
practice patterns with a geriatrics certificate, 28(3):314–315
regulation and taxation of electronic cigarettes, 28(6):802–806
- Health promotion**
data exchange program for medication adherence, 28(6):742–749
reducing preconception risks with conversational agent technology, 28(4):441–451
- Health services accessibility**, direct primary care practices in the United States, 28(6):793–801
- Hepatitis B**, practice guidelines for, 28(6):822–837
- Hispanic patients**, CAM use by, 28(2):175–183
- Histology**, obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Home sleep testing**, for obstructive sleep apnea, 28(4):504–509
- Hospitalization**
continuity of care for COPD, 28(2):222–230
rates, lower, interspecialty communication associated with, 28(3):404–417
- Hospitals**, emergency departments, connecting patients to primary care, 28(6):722–732
- Human immunodeficiency virus (HIV)**, virologic suppression in community and academic HIV care, 28(1):72–81
- Human papillomavirus (HPV)**
clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
older sister’s HPV vaccination status vs receipt by adolescents, 28(6):816–818
vaccine initiation and completion, impact of EHR reminder, 28(3):324–333
- Hypertension**
home blood pressure monitoring program, 28(5):548–555
patient factors and JNC 7 hypertension care, 28(1):97–104
pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Immunization**, older sister’s HPV vaccination status vs receipt by adolescents, 28(6):816–818
- Indigenous health services**, glycemic and blood pressure control in adults with diabetes, 28(1):28–37
- Infant development**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Information systems**
health information technology in Beacon community health centers, 28(5):565–575
impact of a new eConsult service, 28(3):394–403
physician information needs and EHRs, 28(3):316–323
technology associated with lower hospitalization rates, 28(3):404–417
use of medical scribes in health care settings, 28(3):371–381
- Injections**, myofascial trigger point, effects on nocturnal calf cramps, 28(1):21–27
- Insomnia**, myofascial trigger point injections and calf cramps, 28(1):21–27

- Interdisciplinary health care**
consulting, coordinating, and collaborating among professionals, 28(5):S21–S31
integrated care: tools, maps, and leadership, 28(5):S107–S110
- Interdisciplinary health team**
consulting, coordinating, and collaborating among professionals, 28(5):S21–S31
integrated care: tools, maps, and leadership, 28(5):S107–S110
- Interprofessional care**, organizational structures in primary care, 28(2):190–194
- Journal of the American Board of Family Medicine (JABFM)**
AHRQ webinar featuring practice-based research articles, 28(4):438
content usage and the most frequently read articles of 2014, 28(3):303–305
most frequently read practice-based research (PBR) articles, 28(5):546–547
peer reviewers for, 28(2):166–169
- Jugular vein thrombus**, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Laboratory testing**
patient preferences for receiving test result reports, 28(6):759–766
process quality improvement toolkit, 28(5):576–583
- Lactic acidosis**, metformin prescribing for type 2 diabetes, 28(6):777–784
- Leadership**, role in integrated care, 28(5):S107–S110
- Left ventricular hypertrophy**, pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Lemierre syndrome**, as a complication of pharyngitis, 28(3):425–430
- Lesions**, pigmented, obtaining an adequate specimen for diagnosis, 28(4):523–525
- Longitudinal studies**, birth history is forever, 28(1):121–123
- Lung cancer**
community engagement for radon testing, 28(5):617–623
outcomes with targeted therapies, 28(1):124–133
- Magnesium**, intake, depression and, 28(2):249–256
- Maintenance of Certification for Family Physicians (MC-FP)**
charter diplomates' participation in, 28(4):439–440
performance of initial versus experienced physicians, 28(2):294–295
performance on the maintenance of certification for family physicians (MC-FP) examination: comparison of initial certifiers with experienced physicians, correspondence, 28(4):537
Self-Assessment Modules, strategy for revising and updating, 28(1):159
simplification of, by ABFM, 28(3):431–433
- Mammography**, breast cancer screening rates, improving, 28(1):46–54
- Mania**, quetiapine-induced, context of possible undertreatment, 28(1):154–158
- Maternal exposure**, chemical and drug risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470
- Medicaid**, connecting emergency department patients to primary care, 28(6):722–732
- Medical economics**, use of medical scribes in health care settings, 28(3):371–381
- Medical education**, improving clinician satisfaction with “difficult” visits, 28(1):13–20
- Medical errors**
ICD-9 codes for chronic kidney disease, 28(5):678–682
using near-miss events to improve patient safety, 28(4):452–460
- Medical home**, primary care attributes of preventive care services, 28(6):733–741
- Medical informatics**
EHR workarounds used by practices integrating care, 28(5):S63–S72
impact of a new eConsult service, 28(3):394–403
physician information needs and EHRs, 28(3):316–323
- Medical laboratory science**, patient preferences for receiving test result reports, 28(6):759–766
- Medical office buildings**, designing clinical space for integrated care, 28(5):S52–S62
- Medical oncology**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Medical scribes**, use in health care settings, 28(3):371–381
- Medicare**, coordinated care demonstration projects, lessons from, 28(5):556–564
- Medication adherence**
data exchange program for, 28(6):742–749
impact of health coaching on, 28(1):38–45
- Medication review**, comprehensive, prioritization of patients for, 28(3):418–424
- Medication therapy management**, prioritization of patients for medication review, 28(3):418–424
- Melanoma**, obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Mental health**
EHR workarounds used by practices integrating care, 28(5):S63–S72
health policy and integrated care, 28(5):S98–S101
integrating primary care and behavioral health, 28(5):S1–S6
intimate partner violence among female veterans, 28(6):772–776
quetiapine mania in possible undertreatment, 28(1):154–158
staffing, scheduling, and engagement strategies, 28(5):S32–S40
strategies to support the integration of care, 28(5):S102–S106
- Metformin**, prescribing for type 2 diabetes, 28(6):777–784
- Mind-body medicine**, integrating primary care and behavioral health, 28(5):S1–S6
- Mobile applications**, particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Monitoring, sleep**
home sleep tests for obstructive sleep apnea, 28(4):504–509
portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Muscle cramps**, myofascial trigger point injections and calf cramps, 28(1):21–27
- Myocardial infarction**, diagnosis and management of acute coronary syndrome, 28(2):283–293
- Myofascial pain syndromes**, myofascial trigger point injections and calf cramps, 28(1):21–27
- Myofascial trigger points**, injections, effects on nocturnal calf cramps, 28(1):21–27
- Natural language processing**, monitoring suicidal patients using EHRs, 28(1):65–71
- Near-miss events**, reporting and using, to improve patient safety, 28(4):452–460
- Neck pain**
acute longus colli calcific tendinitis, 28(1):146–150
chiropractic care and physician visits for, 28(4):481–490
- Non-small-cell lung cancer**, outcomes with targeted therapies, 28(1):124–133
- Normalization process theory**, kidney disease guideline implementation, 28(5):624–631
- NSAIDs**, acupuncture for acute sore throat, 28(6):697–705
- Nurse phone care**, improving acute respiratory infection care, 28(2):195–204
- Nutritional sciences**, magnesium intake and depression, 28(2):249–256
- Obesity**
gastric bypass and weight loss in partners, 28(1):90–96
patient understanding of body mass index, 28(4):475–480
portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Obstetrics**
birthing and family medicine, 28(4):535–536
intrapartum antibiotics and childhood dermatitis, 28(1):82–89

- Obstructive sleep apnea**
home sleep testing, 28(4):504–509
use of portable sleep monitors to detect, 28(2):257–264
- Odontogenic cysts**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Office buildings**, medical, designing clinical space for integrated care, 28(5):S52–S62
- Organizational science**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Organizational structures**, in primary care, 28(2):190–194
- Oropharyngeal cancer**, HPV-positive, clinical review, 28(4):498–503
- Osteoporosis**, patients with, fracture prevention in, 28(6):819–821
- Otolaryngology**
clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Out-of-center sleep testing**, for obstructive sleep apnea, 28(4):504–509
- Outcomes assessment**
achieving patient-reported outcome measures and satisfaction, 28(6):785–792
asthma decision support tool integrated into an EHR, 28(3):382–393
- Outcomes research**, patient-centered, developing a patient engagement panel, 28(5):632–638
- Pain**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Pain management**, acupuncture for acute sore throat, 28(6):697–705
- Papillomavirus vaccines**
initiation, impact of EHR reminder, 28(3):324–333
older sister's HPV vaccination status vs receipt by adolescents, 28(6):816–818
- Parenting**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Patient care team**, intimate partner violence among female veterans, 28(6):772–776
- Patient-centered care**
achieving patient-reported outcome measures and satisfaction, 28(6):785–792
direct primary care practices in the United States, 28(6):793–801
patient preferences for receiving test result reports, 28(6):759–766
racial microaggressions and American Indians, 28(2):231–239
shared medical appointments and buprenorphine treatment, 28(5):676–677
- Patient-centered outcomes research**, developing a patient engagement panel, 28(5):632–638
- Patient engagement**, panel, lessons learned from developing, 28(5):632–638
- Patient participation**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Patient preference**, for receiving test result reports, 28(6):759–766
- Patient satisfaction**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Pediatrics**
intrapartum antibiotics and childhood dermatitis, 28(1):82–89
point-of-care guidelines and pediatric radiation burden, 28(3):343–350
pyelonephritis, 28(1):151–153
upper gastrointestinal bleeding, 28(1):134–145
- Pets**, impact on patients' health, 28(4):526–534
- Pharmacists**, clinical, prioritization of patients for medication review, 28(3):418–424
- Pharmacotherapy**
novel anticoagulants in atrial fibrillation, 28(4):510–522
prioritization of patients for medication review, 28(3):418–424
quetiapine mania in possible undertreatment, 28(1):154–158
- Pharyngitis**, Lemierre syndrome as a complication of, 28(3):425–430
- Physician-patient relations**
an appetite for connection, 28(2):296–297
patient understanding of body mass index, 28(4):475–480
- Physicians**, academic detailing, improving acute respiratory infection care, 28(2):195–204
- Physician's practice patterns**
metformin prescribing for type 2 diabetes, 28(6):777–784
using near-miss events to improve patient safety, 28(4):452–460
- Point-of-care**, guidelines and pediatric radiation burden, 28(3):343–350
- Portable monitoring**, obstructive sleep apnea
home sleep tests, 28(4):504–509
portable sleep monitors, 28(2):257–264
- Practice-based research**
clinician and staff participation, 28(5):639–648
community engagement for radon testing, 28(5):617–623
home blood pressure monitoring program, 28(5):548–555
laboratory testing process quality improvement toolkit, 28(5):576–583
understanding integration from the ground up, 28(5):S7–S20
- Practice-based research networks (PBRNs)**
children's health care quality measures, 28(5):595–604
integrated delivery systems and, 28(5):658–662
pragmatic cluster randomized trials, 28(5):663–672
- primary care in Switzerland, 28(5):673–675
VA women's health study, 28(5):649–657
- Practice guidelines**, for hepatitis B, 28(6):822–837
- Practice management**
implementing an ambulatory care EHR, 28(1):55–64
inadequate reimbursement for care management, 28(2):271–279
organizational structures in primary care, 28(2):190–194
patient panel size and, 28(2):173–174
using near-miss events to improve patient safety, 28(4):452–460
- Preconception care**
family planning with cardiovascular risk, 28(1):105–114
reducing preconception risks with conversational agent technology, 28(4):441–451
- Pregnancy**
complications, family planning with cardiovascular risk, 28(1):105–114
intrapartum antibiotics and childhood dermatitis, 28(1):82–89
- Prevention and control**
community engagement for radon testing, 28(5):617–623
family planning with cardiovascular risk, 28(1):105–114
primary care colonoscopy for the underserved, 28(6):713–721
technology associated with lower hospitalization rates, 28(3):404–417
using a screening navigator for colorectal cancer, 28(2):280–282
- Preventive medicine**
novel anticoagulants in atrial fibrillation, 28(4):510–522
primary care attributes of preventive care services, 28(6):733–741
- Primary health care**
CAM use by Hispanic patients, 28(2):175–183
children's health care quality measures, 28(5):595–604
chiropractic care and physician visits for back and neck pain, 28(4):481–490
clinical needs of patients with problem drug use, 28(5):605–616
clinical reminders decrease reminder fatigue, 28(3):351–359
clinician and staff participation in PBR, 28(5):639–648
colonoscopy for the underserved, 28(6):713–721
connecting emergency department patients to primary care, 28(6):722–732
data exchange program for medication adherence, 28(6):742–749
designing clinical space for integrated care, 28(5):S52–S62
developing a patient engagement panel, 28(5):632–638
direct primary care practices in the United States, 28(6):793–801

- EHR workarounds used by practices integrating care, 28(5):S63–S72
- glycemic and blood pressure control in adults with diabetes, 28(1):28–37
- health policy and integrated care, 28(5):S98–S101
- impact of a new eConsult service, 28(3):394–403
- inadequate reimbursement for care management, 28(2):271–279
- integrating primary care and behavioral health, 28(5):S1–S6
- kidney disease guideline implementation, 28(5):624–631
- laboratory testing process quality improvement toolkit, 28(5):576–583
- lessons from Medicare coordinated care projects, 28(5):556–564
- meaningful use exemplars, 28(3):360–370
- organizational structures, 28(2):190–194
- out-of-hours care collaboration in the Netherlands, 28(6):807–815
- a PBRN for primary care in Switzerland, 28(5):673–675
- pets' impact on patients' health, 28(4):526–534
- pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- “POEMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
- practice guidelines for hepatitis B, 28(6):822–837
- preparing the workforce for integrated care, 28(5):S41–S51
- prompting providers about family history risk, 28(3):334–342
- REACH of integrated care interventions, 28(5):S73–S85
- staffing, scheduling, and engagement strategies, 28(5):S32–S40
- strategies to support the integration of care, 28(5):S102–S106
- technology associated with lower hospitalization rates, 28(3):404–417
- understanding integration from the ground up, 28(5):S7–S20
- using a screening navigator for colorectal cancer, 28(2):280–282
- virologic suppression in community and academic HIV care, 28(1):72–81
- Process assessment**, participation in the journey to life conversation map, 28(6):767–771
- Program evaluation**, clinician and staff participation in PBR, 28(5):639–648
- Prostate cancer**, testing, decrease following USPSTF recommendations, 28(4):491–493
- Prostate-specific antigen**, testing for prostate cancer screening, 28(4):491–493
- Psychiatry**, quetiapine mania in possible undertreatment, 28(1):154–158
- Public health**
- community engagement for radon testing, 28(5):617–623
 - data exchange program for medication adherence, 28(6):742–749
- Pyelonephritis**, in a child, 28(1):151–153
- Qualitative research**
- designing clinical space for integrated care, 28(5):S52–S62
 - implementing an ambulatory care EHR, 28(1):55–64
 - infants with rare scalp mass identified through a blog, 28(6):750–758
 - kidney disease guideline implementation, 28(5):624–631
 - physician information needs and EHRs, 28(3):316–323
 - preparing the workforce for integrated care, 28(5):S41–S51
 - staffing, scheduling, and engagement strategies, 28(5):S32–S40
- Quality improvement**
- children's health care quality measures, 28(5):595–604
 - clinical reminders decrease reminder fatigue, 28(3):351–359
 - fracture prevention in patients with osteoporosis, 28(6):819–821
 - home blood pressure monitoring program, 28(5):548–555
 - laboratory testing process quality improvement toolkit, 28(5):576–583
- Quality indicators**, primary care meaningful use exemplars, 28(3):360–370
- Quality of health care**
- fracture prevention in patients with osteoporosis, 28(6):819–821
 - phone care and academic detailing for respiratory infection, 28(2):195–204
 - “POEMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
 - strategies to support the integration of care, 28(5):S102–S106
 - technology associated with lower hospitalization rates, 28(3):404–417
 - using near-miss events to improve patient safety, 28(4):452–460
- Quetiapine**, mania in possible undertreatment, 28(1):154–158
- Radiation**, burden, pediatric, point-of-care guidelines, 28(3):343–350
- Radiology**, point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Radon**, testing, community engagement for, 28(5):617–623
- Reach Effectiveness Adoption Implementation Maintenance (RE-AIM) framework**, REACH of integrated care interventions, 28(5):S32–S40
- Registries**
- family medicine, simplification of Maintenance of Certification, 28(3):431–433
 - tobacco use implementation, 28(2):214–221
 - patient care outcomes, 28(2):205–213
- Reminder systems**
- clinical reminders decrease reminder fatigue, 28(3):351–359
 - prompting providers about family history risk, 28(3):334–342
- Reproductive health**
- family planning with cardiovascular risk, 28(1):105–114
 - intrapartum antibiotics and childhood dermatitis, 28(1):82–89
 - reducing preconception risks with conversational agent technology, 28(4):441–451
- Respiratory infections**, phone care and academic detailing for, 28(2):195–204
- Review, systematic**, use of medical scribes in health care settings, 28(3):371–381
- Rural health**
- children's health care quality measures, 28(5):595–604
 - community engagement for radon testing, 28(5):617–623
 - fewer physicians are in solo practices, 28(1):11–12
- Safety**, patient, reporting and using near-miss events, 28(4):452–460
- Scalp mass**, infant, delayed subaponeurotic fluid collection, 28(6):750–758
- Scheduling strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Screening**, intimate partner violence among female veterans, 28(6):772–776
- Self care**
- impact of health coaching on medication adherence, 28(1):38–45
 - participation in the journey to life conversation map, 28(6):767–771
- Sleep disorders**
- insomnia, myofascial trigger point injections and calf cramps, 28(1):21–27
 - obstructive sleep apnea
 - home sleep testing, 28(4):504–509
 - portable sleep monitors, 28(2):257–264
- Smoking**, regulation and taxation of electronic cigarettes, 28(6):802–806
- Smoking cessation**
- implementation of a tobacco use registry, 28(2):214–221
 - patient care outcomes of a tobacco use registry, 28(2):205–213
- Social determinants of health**, pets' impact on patients' health, 28(4):526–534
- Social media**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Solo practices**, decline in number of, 28(1):11–12
- Sore throat**, acute, acupuncture for, 28(6):697–705
- Special communications**
- Birth History Is Forever: Implications for Family Medicine, 28(1):121–123

- Direct Primary Care: Practice Distribution and Cost Across the Nation, 28(6):793–801
- Health Considerations in Regulation and Taxation of Electronic Cigarettes, 28(6):802–806
- Pets' Impact on Your Patients' Health: Leveraging Benefits and Mitigating Risk, 28(4): 526–534
- Practice-based Research Networks (PBRNs) in the Era of Integrated Delivery Systems, 28(5): 658–662
- Pragmatic Cluster Randomized Trials Using Covariate Constrained Randomization: A Method for Practice-based Research Networks (PBRNs), 28(5):663–672
- Specialization**, impact of a new eConsult service, 28(3):394–403
- Sports medicine**, family physicians with CAQ in Sports Medicine preparedness to meet a significant patient care need, 28(6):693–694
- time spent practicing sports medicine, 28(6):695–696
- Staffing strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Staphylococcus epidermis**, pyelonephritis in a child, 28(1):151–153
- Stroke**, novel anticoagulants in atrial fibrillation, 28(4):510–522
- Substance abuse**
 clinical needs of patients with problem drug use, 28(5):605–616
 implementation of a tobacco use registry, 28(2):214–221
 patient care outcomes of a tobacco use registry, 28(2):205–213
 shared medical appointments and buprenorphine treatment, 28(5): 676–677
- Suicidal ideation**, monitoring patients using EHRs, 28(1):65–71
- Suicide, attempted**, monitoring patients using EHRs, 28(1):65–71
- Switzerland**, PBRN for primary care, 28(5):673–675
- Taxation**, of electronic cigarettes, 28(6):802–806
- Tendinitis**, acute longus colli calcific tendinitis, 28(1):146–150
- Tobacco use**, registry implementation in academic family practice, 28(2):214–221
 patient care outcomes, 28(2):205–213
- Tyrosine kinase**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Ultrasonography**, pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Underserved populations**
 CAM use by Hispanic patients, 28(2): 175–183
 developing a patient engagement panel, 28(5):632–638
 health information technology in Beacon community health centers, 28(5):565–575
 primary care colonoscopy, 28(6):713–721
 racial microaggressions and American Indians, 28(2):231–239
- Upper gastrointestinal bleeding**, in children, diagnosis and management, 28(1):134–145
- Urban population**, feasibility of portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Urinary retention**, adults with Down syndrome, 28(1):115–117
- Urinary tract infections**, pyelonephritis in a child, 28(1):151–153
- User-computer interface**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Vaccination**
 EHR reminder on HPV vaccine initiation, 28(3):324–333
 older sister's HPV vaccination status vs receipt by adolescents, 28(6): 816–818
- Vertigo**, benign paroxysmal positional, 28(1):118–120
- Vesicoureteral reflux**, pyelonephritis in a child, 28(1):151–153
- Veterans**
 intimate partner violence among female veterans, 28(6):772–776
 participation in fecal immunochemical test, 28(4):494–497
 VA women's health PBRN study, 28(5):649–657
- Virologic suppression**, in community and academic HIV care, 28(1): 72–81
- Webinar**, AHRQ, featuring *JABFM* practice-based research articles, 28(4):438
- Weight loss**, in partners, gastric bypass and, 28(1):90–96
- Women's health**, VA women's health PBRN study, 28(5):649–657
- Workforce**, preparing for integrated care, 28(5):S41–S51
- Zoosyria**, pets' impact on patients' health, 28(4):526–534