

# Subject Index to Volume 28, 2015

## Access to health care

CAM use by Hispanic patients, 28(2):175–183

impact of a new eConsult service, 28(3):394–403

primary care colonoscopy for the underserved, 28(6):713–721

**Acupuncture**, auricular, for acute sore throat, 28(6):697–705

**Acute coronary syndrome**, diagnosis and management, 28(2):283–293

**Adolescence**, older sister's HPV vaccination status vs receipt by adolescents, 28(6):816–818

**Agency for Healthcare Research and Quality (AHRQ)**, webinar featuring *JABFM* practice-based research articles, 28(4):438

## Alternative medicine

acupuncture for acute sore throat, 28(6):697–705

chiropractic care and physician visits for back and neck pain, 28(4):481–490

use by Hispanic patients, 28(2):175–183

**Ambulatory care**, implementing EHR, 28(1):55–64

## American Board of Family Medicine (ABFM)

charter diplomates' participation in Maintenance of Certification, 28(4):439–440

election of new officers and board members, 28(5):686–688

inauguration of G. Gayle Stephens Keystone Conference Series, 28(4):538–539

scope of practice and ABFM recertification performance, 28(2):265–270

simplification of Maintenance of Certification, 28(3):431–433

## Antibiotics

intrapartum, childhood dermatitis and, 28(1):82–89

phone care and academic detailing for respiratory infection, 28(2):195–204

**Anticoagulants**, novel, in atrial fibrillation, 28(4):510–522

**Arrhythmia**, novel anticoagulants in atrial fibrillation, 28(4):510–522

**Asthma**, decision support tool integrated into an EHR, 28(3):382–393

**Atrial fibrillation**, novel anticoagulants in, 28(4):510–522

**Attention deficit hyperactivity disorder**, chemical and drug risk factors, 28(4):461–470

**Autism spectrum disorder**, chemical and drug risk factors, 28(4):461–470

**Back pain**, chiropractic care and physician visits, 28(4):481–490

## Behavioral medicine

consulting, coordinating, and collaborating when integrating care, 28(5):S21–S31

designing clinical space for integrated care, 28(5):S52–S62

EHR workarounds used by practices integrating care, 28(5):S63–S72

integrated primary care and, 28(5):S1–S6

preparing the workforce for integrated care, 28(5):S41–S51

strategies to support the integration of care, 28(5):S102–S106

## Benign paroxysmal positional vertigo

particle repositioning maneuver for, 28(1):118–120

## Bias

initial versus experienced physicians on the MC-FP examination, 28(2):294–295

## Biopsy

obtaining a specimen to diagnose pigmented lesions, 28(4):523–525

## Biostatistics

identifying limited health literacy in a clinical setting, 28(5):584–594

## Bipolar disorder

quetiapine mania in possible undertreatment, 28(1):154–158

## Birth

history is forever, 28(1):121–123

intrapartum antibiotics and childhood dermatitis, 28(1):82–89

## Blood pressure

control, in adults with diabetes, 28(1):28–37

home blood pressure monitoring program, 28(5):548–555

## Body mass index

gastric bypass and weight loss in partners, 28(1):90–96

patient understanding of, 28(4):475–480

## Buprenorphine

treatment, shared medical appointments and, 28(5):676–677

## Burnout, professional

improving clinician satisfaction with “difficult” visits, 28(1):13–20

## Calf cramps

myofascial trigger point injections and, 28(1):21–27

## Cancer

breast, screening rates, improving, 28(1):46–54

colorectal primary care colonoscopy for the underserved, 28(6):713–721

screening rates, improving, 28(1):46–54

using a screening navigator for, 28(2):280–282

veterans' participation in fecal immunochemical test, 28(4):494–497

## lung

community engagement for radon testing, 28(5):617–623

outcomes with targeted therapies, 28(1):124–133

oropharyngeal, HPV-positive, clinical review, 28(4):498–503

prostate, testing following USPSTF recommendations, 28(4):491–493

## Cancer screening

primary care colonoscopy for the underserved, 28(6):713–721

prostate cancer testing following USPSTF recommendations, 28(4):491–493

rates, improving, breast and colon cancer, 28(1):46–54

using a screening navigator for colorectal cancer, 28(2):280–282

veterans' participation in fecal immunochemical test, 28(4):494–497

## Cardiology

diagnosis and management of acute coronary syndrome, 28(2):283–293

pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712

## Cardiovascular pregnancy complications

family planning with cardiovascular risk, 28(1):105–114

## Care management

inadequate reimbursement for, 28(2):271–279

## Career choice

birthing and family medicine, 28(4):535–536

## Case management

lessons from Medicare coordinated care projects, 28(5):556–564

## Certification

charter diplomates' participation in ABFM MOC, 28(4):439–440

fracture prevention in patients with osteoporosis, 28(6):819–821

initial versus experienced physicians on the MC-FP examination, 28(2):294–295

scope of practice and ABFM recertification performance, 28(2):265–270

**Chemical exposure**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470

**Chemical intolerance**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470

## Children

dermatitis, intrapartum antibiotics and, 28(1):82–89

health care quality measures, 28(5):595–604

infants with rare scalp mass identified through a blog, 28(6):750–758

pyelonephritis, 28(1):151–153

upper gastrointestinal bleeding, 28(1):134–145

## Chiropractic care

availability, effects on physician visits for neck and back pain, 28(4):481–490

## Chronic disease

birth history is forever, 28(1):121–123

continuity of care for COPD, 28(2):222–230

- ICD-9 codes for chronic kidney disease, 28(5):678–682
- implementation of a tobacco use registry, 28(2):214–221
- kidney disease guideline implementation, 28(5):624–631
- patient care outcomes of a tobacco use registry, 28(2):205–213
- Chronic illness**, data exchange program for medication adherence, 28(6):742–749
- Chronic kidney disease**  
guideline implementation, 28(5):624–631
- ICD-9 codes, 28(5):678–682
- Chronic obstructive pulmonary disease (COPD)**, continuity of care for, 28(2):222–230
- Clinical coding**, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Clinical competence**  
initial versus experienced physicians on the MC-FP examination, 28(2):294–295
- scope of practice and ABFM recertification performance, 28(2):265–270
- Clinical decision support systems**  
asthma decision support tool integrated into an EHR, 28(3):382–393
- clinical reminders decrease reminder fatigue, 28(3):351–359
- point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Clinical pharmacology**, prioritization of patients for medication review, 28(3):418–424
- Clinical space**, designing for integrated care, 28(5):S52–S62
- Clinical trials**, randomized, acupuncture for acute sore throat, 28(6):697–705
- Clinician satisfaction**, with “difficult” visits, improving, 28(1):13–20
- Cluster randomized trials**, pragmatic cluster randomized trials: a method for PBRNs, 28(5):663–672
- Coding**, clinical, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Cognitive science**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Collaboration**, pets’ impact on patients’ health, 28(4):526–534
- Colonoscopy**, primary care, for the underserved, 28(6):713–721
- Colorectal cancer**, screening  
primary care colonoscopy for the underserved, 28(6):713–721
- rates, improving, 28(1):46–54
- using a screening navigator, 28(2):280–282
- veterans’ participation in fecal immunochemical test, 28(4):494–497
- Commentary**  
Family Physician Geriatricians Do Mostly Geriatric Care: Is This a Problem for Our Specialty?, 28(3):311–313
- Family Physicians with a Sports Medicine Certificate of Added Qualification (CAQ): Well Prepared to Meet a Significant Patient Care Need, 28(6):693–696
- Health Information Technology Needs Help from Primary Care Researchers, 28(3):306–310
- Patient Empanelment: The Importance of Understanding Who Is at Home in the Medical Home, 28(2):170–172
- Practice-based Research Networks (PBRNs) in the United States: Growing and Still Going After All These Years, 28(5):541–545
- Solo Practitioners Remain Important Contributors to Primary Care, 28(1):7–10
- Strategies to Support the Integration of Behavioral Health and Primary Care: What Have We Learned Thus Far?, 28(5):S102–S106
- When Frontline Practice Innovations Are Ahead of the Health Policy Community: The Example of Behavioral Health and Primary Care Integration, 28(5):S98–S101
- Communication**  
consulting, coordinating, and collaborating when integrating care, 28(5):S21–S31
- improving clinician satisfaction with “difficult” visits, 28(1):13–20
- interspecialty, supported by health information technology, 28(3):404–417
- patient preferences for receiving test result reports, 28(6):759–766
- pets’ impact on patients’ health, 28(4):526–534
- Community-based participatory research**  
home blood pressure monitoring program, 28(5):548–555
- portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Community health centers**, CAM use by Hispanic patients, 28(2):175–183
- Comorbidity**  
clinical needs of patients with problem drug use, 28(5):605–616
- intimate partner violence among female veterans, 28(6):772–776
- Complementary and alternative medicine**  
chiropractic care and physician visits for back and neck pain, 28(4):481–490
- use by Hispanic patients, 28(2):175–183
- Continuing medical education**, “PO-EMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
- Continuity of care**, for COPD, 28(2):222–230
- Correspondence**  
family physicians’ knowledge of commonly overused treatments and tests, 28(1):161–162
- magnesium intake and depression in adults, 28(5):683–684
- performance on the maintenance of certification for family physicians (MC-FP) examination: comparison of initial certifiers with experienced physicians, 28(4):537
- a predictive equation to guide vitamin D replacement dose in patients, 28(1):160
- promotion of family-centered birth with gentle cesarean delivery, 28(1):160–161
- use of medical scribes in health care settings: a systematic review and future directions, 28(5):684–685
- Cost control**  
clinical decisions in clinics and Choosing Wisely™, 28(4):471–474
- phone care and academic detailing for respiratory infection, 28(2):195–204
- Counseling**, implementation of a tobacco use registry, 28(2):214–221
- Covariate-based constrained randomization**, pragmatic cluster randomized trials: a method for PBRNs, 28(5):663–672
- Cramps**, calf, myofascial trigger point injections and, 28(1):21–27
- Cross-cultural care**  
racial microaggressions and American Indians, 28(2):231–239
- spaces in practice of family medicine, 28(6):841–844
- Cutaneous fistula**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Decision making**  
clinical decisions in clinics and Choosing Wisely™, 28(4):471–474
- frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
- point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Decision theory**, physician information needs and EHRs, 28(3):316–323
- Delivery of health care**  
clinical needs of patients with problem drug use, 28(5):605–616
- health information technology in Beacon community health centers, 28(5):565–575
- organizational structures in primary care, 28(2):190–194
- particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- prioritization of patients for medication review, 28(3):418–424
- Delivery of health care, integrated**  
advancing care together, 28(5):S1–S6

- consulting, coordinating, and collaborating among professionals, 28(5):S21–S31
- designing clinical space for, 28(5):S52–S62
- EHR workarounds used by practices integrating care, 28(5):S63–S72
- health policy and, 28(5):S98–S101
- practice expenses of integration interventions in the ACT program, 28(5):S86–S97
- preparing the workforce for, 28(5):S41–S51
- REACH of integrated care interventions, 28(5):S73–S85
- staffing, scheduling, and engagement strategies, 28(5):S32–S40
- strategies to support, 28(5):S102–S106
- tools, maps, and leadership, 28(5):S107–S110
- understanding integration from the ground up, 28(5):S7–S20
- Dental infection**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Depression**, magnesium intake and, 28(2):249–256
- Dermatitis**, childhood, intrapartum antibiotics and, 28(1):82–89
- Dermatology**
- intrapartum antibiotics and childhood dermatitis, 28(1):82–89
  - obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Diabetes mellitus**
- glycemic and blood pressure control, 28(1):28–37
  - participation in the journey to life conversation map, 28(6):767–771
  - portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
  - type 2, metformin prescribing for, 28(6):777–784
- Diagnostic errors**, ICD-9 codes for chronic kidney disease, 28(5):678–682
- Diagnostic tests**, laboratory testing process quality improvement toolkit, 28(5):576–583
- Dietary supplements**, magnesium intake and depression, 28(2):249–256
- Doctor-patient relations**
- an appetite for connection, 28(2):296–297
  - improving clinician satisfaction with “difficult” visits, 28(1):13–20
  - patient preferences for receiving test result reports, 28(6):759–766
  - spaces in practice of family medicine, 28(6):841–844
- Domestic violence**, intimate partner violence among female veterans, 28(6):772–776
- Down syndrome**, adults with, rate of urinary retention, 28(1):115–117
- Drug abuse**
- clinical needs of patients with problem drug use, 28(5):605–616
  - shared medical appointments and buprenorphine treatment, 28(5):676–677
- Drug intolerance**, risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470
- Drug therapy**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Drug utilization**, data exchange program for medication adherence, 28(6):742–749
- E-mail**, “POEMs”™ and the Choosing Wisely™ campaign, 28(2):184–189
- Ear acupuncture**, for acute sore throat, 28(6):697–705
- Editorial Office News and Notes**
- Agency for Healthcare Research and Quality (AHRQ) Webinar Features 3 *Journal of American Board of Family Medicine* Practice-based Research (PBR) Articles, 28(4):438
  - Content Usage and the Most Frequently Read Articles of 2014, 28(3):303–305
  - The Most Frequently Read Practice-based Research (PBR) Articles in the *Journal of the American Board of Family Medicine (JABFM)*, 28(5):546–547
  - New Mobile Website and JABFM Editorial Board Member Elected to the Institute of Medicine, 28(1):5–6
  - Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2014, 28(2):166–169
- Editorials**
- Advancing care together by integrating primary care and behavioral health, 28(5):S1–S6
  - Electronic health record innovations for healthier patients and happier doctors, 28(3):299–302
  - Integrated care: tools, maps, and leadership, 28(5):S107–S110
- Editor’s Notes**
- Data Supporting Key Components of Family Medicine—Scope, Continuity, Interprofessional Care, and More, 28(2):163–165
  - New Tools and Approaches for Family Physicians, 28(6):689–692
  - Practical, Office-based Interventions That Improve Care Today, 28(1):1–4
  - Timely and/or Controversial Information for Family Physicians, 28(4):435–437
- Education, patient**, participation in the journey to life conversation map, 28(6):767–771
- Education**, spaces in practice of family medicine, 28(6):841–844
- Efficiency**, out-of-hours care collaboration in the Netherlands, 28(6):807–815
- Elderly**, frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
- Electronic cigarettes**, regulation and taxation, 28(6):802–806
- Electronic health records (EHRs)**
- ambulatory care, fundamental issues in implementing, 28(1):55–64
  - asthma decision support tool integrated into, 28(3):382–393
  - innovations for healthier patients and happier doctors, 28(3):299–302
  - monitoring suicidal patients using, 28(1):65–71
  - physician information needs and, 28(3):316–323
  - primary care meaningful use exemplars, 28(3):360–370
  - reminder, impact on HPV vaccine initiation and completion, 28(3):324–333
  - use of medical scribes in health care settings, 28(3):371–381
  - workarounds used by practices integrating care, 28(5):S63–S72
- Electronic medical records (EMRs)**
- data exchange program for medication adherence, 28(6):742–749
  - EHR workarounds used by practices integrating care, 28(5):S63–S72
  - health information technology in Beacon community health centers, 28(5):565–575
  - ICD-9 codes for chronic kidney disease, 28(5):678–682
  - implementing an ambulatory care EHR, 28(1):55–64
  - patient preferences for receiving test result reports, 28(6):759–766
  - PBRNs and integrated delivery systems, 28(5):658–662
- Emergency medicine**
- connecting emergency department patients to primary care, 28(6):722–732
  - out-of-hours care collaboration in the Netherlands, 28(6):807–815
- Engagement strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Environmental medicine**, community engagement for radon testing, 28(5):617–623
- Epidemiology**
- birth history is forever, 28(1):121–123
  - clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
- Ethics**, spaces in practice of family medicine, 28(6):841–844
- Evaluation studies**, REACH of integrated care interventions, 28(5):S73–S85
- Evidence-based medicine**
- diagnosis and management of acute coronary syndrome, 28(2):283–293
  - patient factors and JNC 7 hypertension care, 28(1):97–104
  - point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Family physicians**
- with CAQ in Sports Medicine preparedness to meet a significant patient care need, 28(6):693–694



- time spent practicing sports medicine, 28(6):695–696  
fewer are in solo practice, 28(1):11–12  
versus geriatricians, frailty diagnosis, 28(2):240–248  
geriatricians and geriatric care, impact on specialty, 28(3):311–313  
improving clinician satisfaction with “difficult” visits, 28(1):13–20  
patient panel size and, 28(2):173–174  
practice patterns with a geriatrics certificate, 28(3):314–315  
scope of practice and ABFM recertification performance, 28(2):265–270  
timely and/or controversial information for, 28(4):435–437
- Family practice**, prioritization of patients for medication review, 28(3):418–424
- Family relations**, spaces in practice of family medicine, 28(6):841–844
- Fecal immunochemical test**, for colorectal cancer screening, veterans’ participation in, 28(4):494–497
- Fees and charges**, direct primary care practices in the United States, 28(6):793–801
- Focal infection**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Frail elderly**, frailty diagnosis, family physicians versus geriatricians, 28(2):240–248
- Fusobacterium***, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Fusobacterium nucleatum***, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Gastric bypass**, weight loss in partners and, 28(1):90–96
- Gastrointestinal hemorrhage**, in children, diagnosis and management, 28(1):134–145
- Genetics**, prompting providers about family history risk, 28(3):334–342
- Geriatrics**  
family physician geriatricians, 28(3):311–313  
frailty diagnosis, family physicians versus geriatricians, 28(2):240–248  
practice patterns with a geriatrics certificate, 28(3):314–315
- Graduate education**, particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Guidelines**  
adherence, patient factors and JNC 7 hypertension care, 28(1):97–104  
kidney disease guideline implementation, 28(5):624–631  
point-of-care, pediatric radiation burden and, 28(3):343–350  
practice, for hepatitis B, 28(6):822–837
- Head and neck cancer**, clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503
- Health behavior**, impact of health coaching on medication adherence, 28(1):38–45
- Health care costs**  
clinical needs of patients with problem drug use, 28(5):605–616  
direct primary care practices in the United States, 28(6):793–801
- Health care disparities**, reducing preconception risks with conversational agent technology, 28(4):441–451
- Health care providers**, practice guidelines for hepatitis B, 28(6):822–837
- Health care rationing**, prioritization of patients for medication review, 28(3):418–424
- Health care surveys**, metformin prescribing for type 2 diabetes, 28(6):777–784
- Health care systems**  
fewer physicians are in solo practices, 28(1):11–12  
out-of-hours care collaboration in the Netherlands, 28(6):807–815  
technology associated with lower hospitalization rates, 28(3):404–417
- Health information exchange**, program for medication adherence, 28(6):742–749
- Health information systems**, impact of a new eConsult service, 28(3):394–403
- Health information technology**  
associated with lower hospitalization rates, 28(3):404–417  
reducing preconception risks with conversational agent technology, 28(4):441–451
- Health literacy**, limited, identifying in a clinical setting, 28(5):584–594
- Health personnel**, organizational structures in primary care, 28(2):190–194
- Health plan implementation**, REACH of integrated care interventions, 28(5):S73–S85
- Health policy**  
charter diplomats’ participation in ABFM MOC, 28(4):439–440  
fewer physicians are in solo practices, 28(1):11–12  
health information technology in Beacon community health centers, 28(5):565–575  
inadequate reimbursement for care management, 28(2):271–279  
integrated care and, 28(5):S98–S101  
lessons from Medicare coordinated care projects, 28(5):556–564  
patient panel size and, 28(2):173–174  
practice patterns with a geriatrics certificate, 28(3):314–315  
regulation and taxation of electronic cigarettes, 28(6):802–806
- Health promotion**  
data exchange program for medication adherence, 28(6):742–749  
reducing preconception risks with conversational agent technology, 28(4):441–451
- Health services accessibility**, direct primary care practices in the United States, 28(6):793–801
- Hepatitis B**, practice guidelines for, 28(6):822–837
- Hispanic patients**, CAM use by, 28(2):175–183
- Histology**, obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Home sleep testing**, for obstructive sleep apnea, 28(4):504–509
- Hospitalization**  
continuity of care for COPD, 28(2):222–230  
rates, lower, interspecialty communication associated with, 28(3):404–417
- Hospitals**, emergency departments, connecting patients to primary care, 28(6):722–732
- Human immunodeficiency virus (HIV)**, virologic suppression in community and academic HIV care, 28(1):72–81
- Human papillomavirus (HPV)**  
clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503  
older sister’s HPV vaccination status vs receipt by adolescents, 28(6):816–818  
vaccine initiation and completion, impact of EHR reminder, 28(3):324–333
- Hypertension**  
home blood pressure monitoring program, 28(5):548–555  
patient factors and JNC 7 hypertension care, 28(1):97–104  
pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Immunization**, older sister’s HPV vaccination status vs receipt by adolescents, 28(6):816–818
- Indigenous health services**, glycemic and blood pressure control in adults with diabetes, 28(1):28–37
- Infant development**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Information systems**  
health information technology in Beacon community health centers, 28(5):565–575  
impact of a new eConsult service, 28(3):394–403  
physician information needs and EHRs, 28(3):316–323  
technology associated with lower hospitalization rates, 28(3):404–417  
use of medical scribes in health care settings, 28(3):371–381
- Injections**, myofascial trigger point, effects on nocturnal calf cramps, 28(1):21–27
- Insomnia**, myofascial trigger point injections and calf cramps, 28(1):21–27

- Interdisciplinary health care**  
consulting, coordinating, and collaborating among professionals, 28(5):S21–S31  
integrated care: tools, maps, and leadership, 28(5):S107–S110
- Interdisciplinary health team**  
consulting, coordinating, and collaborating among professionals, 28(5):S21–S31  
integrated care: tools, maps, and leadership, 28(5):S107–S110
- Interprofessional care**, organizational structures in primary care, 28(2):190–194
- Journal of the American Board of Family Medicine (JABFM)**  
AHRQ webinar featuring practice-based research articles, 28(4):438  
content usage and the most frequently read articles of 2014, 28(3):303–305  
most frequently read practice-based research (PBR) articles, 28(5):546–547  
peer reviewers for, 28(2):166–169
- Jugular vein thrombus**, Lemierre syndrome as a complication of pharyngitis, 28(3):425–430
- Laboratory testing**  
patient preferences for receiving test result reports, 28(6):759–766  
process quality improvement toolkit, 28(5):576–583
- Lactic acidosis**, metformin prescribing for type 2 diabetes, 28(6):777–784
- Leadership**, role in integrated care, 28(5):S107–S110
- Left ventricular hypertrophy**, pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Lemierre syndrome**, as a complication of pharyngitis, 28(3):425–430
- Lesions**, pigmented, obtaining an adequate specimen for diagnosis, 28(4):523–525
- Longitudinal studies**, birth history is forever, 28(1):121–123
- Lung cancer**  
community engagement for radon testing, 28(5):617–623  
outcomes with targeted therapies, 28(1):124–133
- Magnesium**, intake, depression and, 28(2):249–256
- Maintenance of Certification for Family Physicians (MC-FP)**  
charter diplomates' participation in, 28(4):439–440  
performance of initial versus experienced physicians, 28(2):294–295  
performance on the maintenance of certification for family physicians (MC-FP) examination: comparison of initial certifiers with experienced physicians, correspondence, 28(4):537  
Self-Assessment Modules, strategy for revising and updating, 28(1):159  
simplification of, by ABFM, 28(3):431–433
- Mammography**, breast cancer screening rates, improving, 28(1):46–54
- Mania**, quetiapine-induced, context of possible undertreatment, 28(1):154–158
- Maternal exposure**, chemical and drug risk factors for autism and attention deficit hyperactivity disorder, 28(4):461–470
- Medicaid**, connecting emergency department patients to primary care, 28(6):722–732
- Medical economics**, use of medical scribes in health care settings, 28(3):371–381
- Medical education**, improving clinician satisfaction with “difficult” visits, 28(1):13–20
- Medical errors**  
ICD-9 codes for chronic kidney disease, 28(5):678–682  
using near-miss events to improve patient safety, 28(4):452–460
- Medical home**, primary care attributes of preventive care services, 28(6):733–741
- Medical informatics**  
EHR workarounds used by practices integrating care, 28(5):S63–S72  
impact of a new eConsult service, 28(3):394–403  
physician information needs and EHRs, 28(3):316–323
- Medical laboratory science**, patient preferences for receiving test result reports, 28(6):759–766
- Medical office buildings**, designing clinical space for integrated care, 28(5):S52–S62
- Medical oncology**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Medical scribes**, use in health care settings, 28(3):371–381
- Medicare**, coordinated care demonstration projects, lessons from, 28(5):556–564
- Medication adherence**  
data exchange program for, 28(6):742–749  
impact of health coaching on, 28(1):38–45
- Medication review**, comprehensive, prioritization of patients for, 28(3):418–424
- Medication therapy management**, prioritization of patients for medication review, 28(3):418–424
- Melanoma**, obtaining a specimen to diagnose pigmented lesions, 28(4):523–525
- Mental health**  
EHR workarounds used by practices integrating care, 28(5):S63–S72  
health policy and integrated care, 28(5):S98–S101  
integrating primary care and behavioral health, 28(5):S1–S6  
intimate partner violence among female veterans, 28(6):772–776  
quetiapine mania in possible undertreatment, 28(1):154–158  
staffing, scheduling, and engagement strategies, 28(5):S32–S40  
strategies to support the integration of care, 28(5):S102–S106
- Metformin**, prescribing for type 2 diabetes, 28(6):777–784
- Mind-body medicine**, integrating primary care and behavioral health, 28(5):S1–S6
- Mobile applications**, particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Monitoring, sleep**  
home sleep tests for obstructive sleep apnea, 28(4):504–509  
portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Muscle cramps**, myofascial trigger point injections and calf cramps, 28(1):21–27
- Myocardial infarction**, diagnosis and management of acute coronary syndrome, 28(2):283–293
- Myofascial pain syndromes**, myofascial trigger point injections and calf cramps, 28(1):21–27
- Myofascial trigger points**, injections, effects on nocturnal calf cramps, 28(1):21–27
- Natural language processing**, monitoring suicidal patients using EHRs, 28(1):65–71
- Near-miss events**, reporting and using, to improve patient safety, 28(4):452–460
- Neck pain**  
acute longus colli calcific tendinitis, 28(1):146–150  
chiropractic care and physician visits for, 28(4):481–490
- Non-small-cell lung cancer**, outcomes with targeted therapies, 28(1):124–133
- Normalization process theory**, kidney disease guideline implementation, 28(5):624–631
- NSAIDs**, acupuncture for acute sore throat, 28(6):697–705
- Nurse phone care**, improving acute respiratory infection care, 28(2):195–204
- Nutritional sciences**, magnesium intake and depression, 28(2):249–256
- Obesity**  
gastric bypass and weight loss in partners, 28(1):90–96  
patient understanding of body mass index, 28(4):475–480  
portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Obstetrics**  
birthing and family medicine, 28(4):535–536  
intrapartum antibiotics and childhood dermatitis, 28(1):82–89

- Obstructive sleep apnea**  
home sleep testing, 28(4):504–509  
use of portable sleep monitors to detect, 28(2):257–264
- Odontogenic cysts**, cutaneous sinus tracts of odontogenic origin, 28(6):838–840
- Office buildings**, medical, designing clinical space for integrated care, 28(5):S52–S62
- Organizational science**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Organizational structures**, in primary care, 28(2):190–194
- Oropharyngeal cancer**, HPV-positive, clinical review, 28(4):498–503
- Osteoporosis**, patients with, fracture prevention in, 28(6):819–821
- Otolaryngology**  
clinical review of HPV-positive oropharyngeal carcinoma, 28(4):498–503  
particle repositioning maneuver for benign paroxysmal positional vertigo, 28(1):118–120
- Out-of-center sleep testing**, for obstructive sleep apnea, 28(4):504–509
- Outcomes assessment**  
achieving patient-reported outcome measures and satisfaction, 28(6):785–792  
asthma decision support tool integrated into an EHR, 28(3):382–393
- Outcomes research**, patient-centered, developing a patient engagement panel, 28(5):632–638
- Pain**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Pain management**, acupuncture for acute sore throat, 28(6):697–705
- Papillomavirus vaccines**  
initiation, impact of EHR reminder, 28(3):324–333  
older sister's HPV vaccination status vs receipt by adolescents, 28(6):816–818
- Parenting**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Patient care team**, intimate partner violence among female veterans, 28(6):772–776
- Patient-centered care**  
achieving patient-reported outcome measures and satisfaction, 28(6):785–792  
direct primary care practices in the United States, 28(2):793–801  
patient preferences for receiving test result reports, 28(6):759–766  
racial microaggressions and American Indians, 28(2):231–239  
shared medical appointments and buprenorphine treatment, 28(5):676–677
- Patient-centered outcomes research**, developing a patient engagement panel, 28(5):632–638
- Patient engagement**, panel, lessons learned from developing, 28(5):632–638
- Patient participation**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Patient preference**, for receiving test result reports, 28(6):759–766
- Patient satisfaction**, achieving patient-reported outcome measures and satisfaction, 28(6):785–792
- Pediatrics**  
intrapartum antibiotics and childhood dermatitis, 28(1):82–89  
point-of-care guidelines and pediatric radiation burden, 28(3):343–350  
pyelonephritis, 28(1):151–153  
upper gastrointestinal bleeding, 28(1):134–145
- Pets**, impact on patients' health, 28(4):526–534
- Pharmacists**, clinical, prioritization of patients for medication review, 28(3):418–424
- Pharmacotherapy**  
novel anticoagulants in atrial fibrillation, 28(4):510–522  
prioritization of patients for medication review, 28(3):418–424  
quetiapine mania in possible undertreatment, 28(1):154–158
- Pharyngitis**, Lemierre syndrome as a complication of, 28(3):425–430
- Physician-patient relations**  
an appetite for connection, 28(2):296–297  
patient understanding of body mass index, 28(4):475–480
- Physicians**, academic detailing, improving acute respiratory infection care, 28(2):195–204
- Physician's practice patterns**  
metformin prescribing for type 2 diabetes, 28(6):777–784  
using near-miss events to improve patient safety, 28(4):452–460
- Point-of-care**, guidelines and pediatric radiation burden, 28(3):343–350
- Portable monitoring**, obstructive sleep apnea  
home sleep tests, 28(4):504–509  
portable sleep monitors, 28(2):257–264
- Practice-based research**  
clinician and staff participation, 28(5):639–648  
community engagement for radon testing, 28(5):617–623  
home blood pressure monitoring program, 28(5):548–555  
laboratory testing process quality improvement toolkit, 28(5):576–583  
understanding integration from the ground up, 28(5):S7–S20
- Practice-based research networks (PBRNs)**  
children's health care quality measures, 28(5):595–604  
integrated delivery systems and, 28(5):658–662  
pragmatic cluster randomized trials, 28(5):663–672
- primary care in Switzerland, 28(5):673–675  
VA women's health study, 28(5):649–657
- Practice guidelines**, for hepatitis B, 28(6):822–837
- Practice management**  
implementing an ambulatory care EHR, 28(1):55–64  
inadequate reimbursement for care management, 28(2):271–279  
organizational structures in primary care, 28(2):190–194  
patient panel size and, 28(2):173–174  
using near-miss events to improve patient safety, 28(4):452–460
- Preconception care**  
family planning with cardiovascular risk, 28(1):105–114  
reducing preconception risks with conversational agent technology, 28(4):441–451
- Pregnancy**  
complications, family planning with cardiovascular risk, 28(1):105–114  
intrapartum antibiotics and childhood dermatitis, 28(1):82–89
- Prevention and control**  
community engagement for radon testing, 28(5):617–623  
family planning with cardiovascular risk, 28(1):105–114  
primary care colonoscopy for the underserved, 28(6):713–721  
technology associated with lower hospitalization rates, 28(3):404–417  
using a screening navigator for colorectal cancer, 28(2):280–282
- Preventive medicine**  
novel anticoagulants in atrial fibrillation, 28(4):510–522  
primary care attributes of preventive care services, 28(6):733–741
- Primary health care**  
CAM use by Hispanic patients, 28(2):175–183  
children's health care quality measures, 28(5):595–604  
chiropractic care and physician visits for back and neck pain, 28(4):481–490  
clinical needs of patients with problem drug use, 28(5):605–616  
clinical reminders decrease reminder fatigue, 28(3):351–359  
clinician and staff participation in PBR, 28(5):639–648  
colonoscopy for the underserved, 28(6):713–721  
connecting emergency department patients to primary care, 28(6):722–732  
data exchange program for medication adherence, 28(6):742–749  
designing clinical space for integrated care, 28(5):S52–S62  
developing a patient engagement panel, 28(5):632–638  
direct primary care practices in the United States, 28(6):793–801



- EHR workarounds used by practices integrating care, 28(5):S63–S72
- glycemic and blood pressure control in adults with diabetes, 28(1):28–37
- health policy and integrated care, 28(5):S98–S101
- impact of a new eConsult service, 28(3):394–403
- inadequate reimbursement for care management, 28(2):271–279
- integrating primary care and behavioral health, 28(5):S1–S6
- kidney disease guideline implementation, 28(5):624–631
- laboratory testing process quality improvement toolkit, 28(5):576–583
- lessons from Medicare coordinated care projects, 28(5):556–564
- meaningful use exemplars, 28(3):360–370
- organizational structures, 28(2):190–194
- out-of-hours care collaboration in the Netherlands, 28(6):807–815
- a PBRN for primary care in Switzerland, 28(5):673–675
- pets' impact on patients' health, 28(4):526–534
- pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- "POEMs"<sup>TM</sup> and the Choosing Wisely<sup>TM</sup> campaign, 28(2):184–189
- practice guidelines for hepatitis B, 28(6):822–837
- preparing the workforce for integrated care, 28(5):S41–S51
- prompting providers about family history risk, 28(3):334–342
- REACH of integrated care interventions, 28(5):S73–S85
- staffing, scheduling, and engagement strategies, 28(5):S32–S40
- strategies to support the integration of care, 28(5):S102–S106
- technology associated with lower hospitalization rates, 28(3):404–417
- understanding integration from the ground up, 28(5):S7–S20
- using a screening navigator for colorectal cancer, 28(2):280–282
- virologic suppression in community and academic HIV care, 28(1):72–81
- Process assessment**, participation in the journey to life conversation map, 28(6):767–771
- Program evaluation**, clinician and staff participation in PBR, 28(5):639–648
- Prostate cancer**, testing, decrease following USPSTF recommendations, 28(4):491–493
- Prostate-specific antigen**, testing for prostate cancer screening, 28(4):491–493
- Psychiatry**, quetiapine mania in possible undertreatment, 28(1):154–158
- Public health**
- community engagement for radon testing, 28(5):617–623
  - data exchange program for medication adherence, 28(6):742–749
- Pyelonephritis**, in a child, 28(1):151–153
- Qualitative research**
- designing clinical space for integrated care, 28(5):S52–S62
  - implementing an ambulatory care EHR, 28(1):55–64
  - infants with rare scalp mass identified through a blog, 28(6):750–758
  - kidney disease guideline implementation, 28(5):624–631
  - physician information needs and EHRs, 28(3):316–323
  - preparing the workforce for integrated care, 28(5):S41–S51
  - staffing, scheduling, and engagement strategies, 28(5):S32–S40
- Quality improvement**
- children's health care quality measures, 28(5):595–604
  - clinical reminders decrease reminder fatigue, 28(3):351–359
  - fracture prevention in patients with osteoporosis, 28(6):819–821
  - home blood pressure monitoring program, 28(5):548–555
  - laboratory testing process quality improvement toolkit, 28(5):576–583
- Quality indicators**, primary care meaningful use exemplars, 28(3):360–370
- Quality of health care**
- fracture prevention in patients with osteoporosis, 28(6):819–821
  - phone care and academic detailing for respiratory infection, 28(2):195–204
  - "POEMs"<sup>TM</sup> and the Choosing Wisely<sup>TM</sup> campaign, 28(2):184–189
  - strategies to support the integration of care, 28(5):S102–S106
  - technology associated with lower hospitalization rates, 28(3):404–417
  - using near-miss events to improve patient safety, 28(4):452–460
- Quetiapine**, mania in possible undertreatment, 28(1):154–158
- Radiation**, burden, pediatric, point-of-care guidelines, 28(3):343–350
- Radiology**, point-of-care guidelines and pediatric radiation burden, 28(3):343–350
- Radon**, testing, community engagement for, 28(5):617–623
- Reach Effectiveness Adoption Implementation Maintenance (RE-AIM) framework**, REACH of integrated care interventions, 28(5):S32–S40
- Registries**
- family medicine, simplification of Maintenance of Certification, 28(3):431–433
  - tobacco use implementation, 28(2):214–221
  - patient care outcomes, 28(2):205–213
- Reminder systems**
- clinical reminders decrease reminder fatigue, 28(3):351–359
  - prompting providers about family history risk, 28(3):334–342
- Reproductive health**
- family planning with cardiovascular risk, 28(1):105–114
  - intrapartum antibiotics and childhood dermatitis, 28(1):82–89
  - reducing preconception risks with conversational agent technology, 28(4):441–451
- Respiratory infections**, phone care and academic detailing for, 28(2):195–204
- Review, systematic**, use of medical scribes in health care settings, 28(3):371–381
- Rural health**
- children's health care quality measures, 28(5):595–604
  - community engagement for radon testing, 28(5):617–623
  - fewer physicians are in solo practices, 28(1):11–12
- Safety**, patient, reporting and using near-miss events, 28(4):452–460
- Scalp mass**, infant, delayed subaponeurotic fluid collection, 28(6):750–758
- Scheduling strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Screening**, intimate partner violence among female veterans, 28(6):772–776
- Self care**
- impact of health coaching on medication adherence, 28(1):38–45
  - participation in the journey to life conversation map, 28(6):767–771
- Sleep disorders**
- insomnia, myofascial trigger point injections and calf cramps, 28(1):21–27
  - obstructive sleep apnea
  - home sleep testing, 28(4):504–509
  - portable sleep monitors, 28(2):257–264
- Smoking**, regulation and taxation of electronic cigarettes, 28(6):802–806
- Smoking cessation**
- implementation of a tobacco use registry, 28(2):214–221
  - patient care outcomes of a tobacco use registry, 28(2):205–213
- Social determinants of health**, pets' impact on patients' health, 28(4):526–534
- Social media**, infants with rare scalp mass identified through a blog, 28(6):750–758
- Solo practices**, decline in number of, 28(1):11–12
- Sore throat**, acute, acupuncture for, 28(6):697–705
- Special communications**
- Birth History Is Forever: Implications for Family Medicine, 28(1):121–123

- Direct Primary Care: Practice Distribution and Cost Across the Nation, 28(6):793–801
- Health Considerations in Regulation and Taxation of Electronic Cigarettes, 28(6):802–806
- Pets' Impact on Your Patients' Health: Leveraging Benefits and Mitigating Risk, 28(4): 526–534
- Practice-based Research Networks (PBRNs) in the Era of Integrated Delivery Systems, 28(5): 658–662
- Pragmatic Cluster Randomized Trials Using Covariate Constrained Randomization: A Method for Practice-based Research Networks (PBRNs), 28(5):663–672
- Specialization**, impact of a new eConsult service, 28(3):394–403
- Sports medicine**, family physicians with CAQ in Sports Medicine preparedness to meet a significant patient care need, 28(6):693–694
- time spent practicing sports medicine, 28(6):695–696
- Staffing strategies**, among primary care practices delivering integrated care, 28(5):S32–S40
- Staphylococcus epidermis**, pyelonephritis in a child, 28(1):151–153
- Stroke**, novel anticoagulants in atrial fibrillation, 28(4):510–522
- Substance abuse**  
clinical needs of patients with problem drug use, 28(5):605–616  
implementation of a tobacco use registry, 28(2):214–221  
patient care outcomes of a tobacco use registry, 28(2):205–213  
shared medical appointments and buprenorphine treatment, 28(5): 676–677
- Suicidal ideation**, monitoring patients using EHRs, 28(1):65–71
- Suicide, attempted**, monitoring patients using EHRs, 28(1):65–71
- Switzerland**, PBRN for primary care, 28(5):673–675
- Taxation**, of electronic cigarettes, 28(6):802–806
- Tendinitis**, acute longus colli calcific tendinitis, 28(1):146–150
- Tobacco use**, registry implementation in academic family practice, 28(2):214–221  
patient care outcomes, 28(2):205–213
- Tyrosine kinase**, lung cancer outcomes with targeted therapies, 28(1):124–133
- Ultrasonography**, pocket-sized ultrasound device to measure left ventricular mass, 28(6):706–712
- Underserved populations**  
CAM use by Hispanic patients, 28(2): 175–183  
developing a patient engagement panel, 28(5):632–638  
health information technology in Beacon community health centers, 28(5):565–575  
primary care colonoscopy, 28(6):713–721  
racial microaggressions and American Indians, 28(2):231–239
- Upper gastrointestinal bleeding**, in children, diagnosis and management, 28(1):134–145
- Urban population**, feasibility of portable sleep monitors to detect obstructive sleep apnea, 28(2):257–264
- Urinary retention**, adults with Down syndrome, 28(1):115–117
- Urinary tract infections**, pyelonephritis in a child, 28(1):151–153
- User-computer interface**, clinical reminders decrease reminder fatigue, 28(3):351–359
- Vaccination**  
EHR reminder on HPV vaccine initiation, 28(3):324–333  
older sister's HPV vaccination status vs receipt by adolescents, 28(6): 816–818
- Vertigo**, benign paroxysmal positional, 28(1):118–120
- Vesicoureteral reflux**, pyelonephritis in a child, 28(1):151–153
- Veterans**  
intimate partner violence among female veterans, 28(6):772–776  
participation in fecal immunochemical test, 28(4):494–497  
VA women's health PBRN study, 28(5):649–657
- Virologic suppression**, in community and academic HIV care, 28(1): 72–81
- Webinar**, AHRQ, featuring *JABFM* practice-based research articles, 28(4):438
- Weight loss**, in partners, gastric bypass and, 28(1):90–96
- Women's health**, VA women's health PBRN study, 28(5):649–657
- Workforce**, preparing for integrated care, 28(5):S41–S51
- Zooeyia**, pets' impact on patients' health, 28(4):526–534