

Author Index to Volume 29, 2016

- Abraham N.** see Grover M
Adelman A. see Kelley JF
Akkermans RP. see Ruikes FGH
Albright K. see Weiss BD
Alem F. see Sohn AJ
Ambrose A. see Kelley JF
Anderson ML. see Green BB
Andrew MK. see Marshall EG
Andrews JO. see Kollath-Cattano C
Andrilla HA. see Cole AM
Angier H. see Wallace LS
Angstman KB. see Garrison GM
Angstman KB, Horn JL, Bernard ME, Kresin MM, Klavetter EW, Maxson J, Willis FB, Grover ML, Bryan MJ, Thacher TD. Family Medicine Panel Size with Care Teams: Impact on Quality, 29(4): 444–451
Archibald G. see Marshall EG
Armbrrecht E. see Manard WT
Aspy CB. see Lipman PD
Assendelft WJJ. see Ruikes FGH
Au MA. see Grande LA
Auciello SE. Re: Reporting and Using Near-Miss Events to Improve Patient Safety in Diverse Primary Care Practices: A Collaborative Approach to Learning from Our Mistakes, 29(1): 165
Awadallah NS. see Jortberg T
- Baird MA.** see Colwill JM
Bajaj S. see Rogers T
Baker R. see Mainous AG III
Baldwin L-M. see Chung C-F; Cole AM; Grande LA; Johnson K
Baldwin LM. see Green BB
Barnard J. see Weiss BD
Barnes K. see DeVoe JE
Barry M. see Quach OL
Bazemore A. see Cameron BJ; Coffman M; Gaglioti AH; Hemeida S; Raffoul M
Bazemore A, Peterson L, Jetty A, Wingrove P, Petterson S, Phillips R. Over Half of Graduating Family Medicine Residents Report More Than \$150,000 in Educational Debt, 29(2):180–181
Bazemore A. Response: Re: Over Half of Graduating Family Medicine Residents Report More Than \$150,000 in Educational Debt, 29(4):516–517
Bazemore A, Wingrove P, Peterson L, Petterson S. The Diversity of Providers on the Family Medicine Team, 29(1):8–9
Bazemore AW. see Hughes LS
Behera A. see Manard WT
Belin TR. see Lam CA
Berger L, Brondino M, Fisher M, Gwyther R, and Garbutt JC. Alcohol Use Disorder Treatment: The Association of Pretreatment Use and the Role of Drinking Goal, 29(1): 37–49
Berger MY. see Kool M
- Bernard ME.** see Angstmann KB
Bernardy MK. see Jortberg T
Bleecker M. see Page-Reeves P
Bliss E. see Chen FM
Bloch G. see Pinto AD
Bodenheimer T, Willard-Grace R. Teamlets in Primary Care: Enhancing the Patient and Clinician Experience, 29(1):135–138
Bogart A. see Grant S
Bohnen AM. see Kool M
Boone JM. see Elder N
Bosomworth NJ. Statin Therapy as Primary Prevention in Exercising Adults: Best Evidence for Avoiding Myalgia, 29(6):727–740
Bowman MA. see Lupo P Jr.; Seehusen DA
Bowman MA, Neale AV, Seehusen DA. Outcomes of Health System Structures, Highly Pertinent Clinical Information, Idea Stimulators, Clinical Reviews, and Prediction Tools: JABFM Exemplified, 29(2):171–172
Bowman MA, Neale AV, Seehusen DA. Research in Family Medicine by Family Physicians for the Practice of Family Medicine, 29(4):427–429
Bowman MA, Neale AV, Seehusen DA. Social Determinants of Health and Beyond: Information to Help Family Physicians Improve Patient Care, 29(3):295–296
Bowman MA, Seehusen DA, Neale AV. Family Medicine Research That Provides Compelling, Urgent Data to Improve Patient Care, 29(1):1–3
Boyd AD. see Grief SN
Brach C. see Weiss BD
Braunstein JR. see Bruce KK
Brega A. see Weiss BD
Brondino M. see Berger L
Bruce KK, Merenstein DJ, Narvaez MV, Neufeld SK, Paulus MJ, Tan TP, Braunstein JR, Pfaff AC, Huang C-C, Friedland RB. Lack of Agreement on Distal Radius Fracture Treatment, 29(2):218–225
Bryan MJ. see Angstmann KB
Burge F. see Marshall EG
Burton M. see Grief SN
- Cameron BJ, Bazemore AW, Morley CP.** Federal Research Funding for Family Medicine: Highly Concentrated, with Decreasing New Investigator Awards, 29(5):531–532
Cameron BJ, Bazemore AW, Morley CP. Lost in Translation: NIH Funding for Family Medicine Research Remains Limited, 29(5):528–530
Campbell K. see DeVoe JE
Carek PJ. see Mainous AG III
Careyva B, Shaak K, Mills G, Johnson M, Goodrich S, Stello B, Wallace LS. Implementation of Technology-based Patient Engagement Strategies within Practice-based Research Networks, 29(5):581–591
Carlin CS, Flottemesch TJ, Solberg LI, Werner AM. System Transformation in Patient-Centered Medical Home (PCMH): Variable Impact on Chronically Ill Patients' Utilization, 29(4):482–495
Casias L. see Jortberg T
Catz S. see Green BB
Chang T, Moniz MH, Plegue MA, Shaffer KS, Vance HB, Gold KJ. Patient or Clinician: Duration of Use of Intrauterine Devices Based on Who Initiated Discussion of Placement, 29(1):24–28
Chang Y-H. see Grover M
Chen FM, Bliss E, Dunn A, Edgoose J, Elliott TC, Maxwell LC, Morris CG, Phillips RL Jr. The Generation in Between: A Perspective from the Keystone IV Conference, 29(4): S49–S53
Cherrington AL. see Loskutova NY
Chien AL, Qi J, Rainer B, Sachs DL, Helfrich YR. Treatment of Acne in Pregnancy, 29(2):254–262
Chirikov VV. see Khanna N
Chubak J. see Green BB
Chung C-F, Munson SA, Thompson MJ, Baldwin L-M, Kaplan J, Rl Cline R, and Beverly B. Green. Implementation of a New Kiosk Technology for Blood Pressure Management in a Family Medicine Clinic: from the WWAMI Region Practice and Research Network, 29(5): 620–629
Cifuentes M. see Weiss BD
Clarke B. see Marshall EG
Cline R. see Chung C-F
Coffman M. see Moore M
Coffman M, Moore M, Jetty A, Klink K, Bazemore A. Who is Using Telehealth in Primary Care? Safety Net Clinics and Health Maintenance Organizations (HMOs), 29(4):432–433
Cohen BE, Nagler AR, Pomeranz MK. Nonbacterial Causes of Lymphangitis with Streaking, 29(6): 808–812
Cohen DJ. see Friedman A
Cohen L. see Crane SD
Cole A. see Green BB
Cole AM, Keppel GA, Andrilla HA, Cox CM, Baldwin L-M, The WWAMI (Washington, Wyoming, Alaska, Montana, and Idaho) Region Practice and Research Network (WPRN) Patient Preferences for Weight Loss in Primary Care Development Group, The WPRN Practice Champions. Primary Care Patients' Willingness to Participate in Comprehensive Weight Loss Programs: From the WWAMI Region Practice and Research Network, 29(5):572–580

- Colwill JM, Frey JJ, Baird MA, Kirk JW, Rosser WW.** Patient Relationships and the Personal Physician in Tomorrow's Health System: A Perspective from the Keystone IV Conference, 29(4):S54–S59
- Conniff J, Evensen A.** Preexposure Prophylaxis (PrEP) for HIV Prevention: The Primary Care Perspective, 29(1):143–151
- Contrera KJ, Wallhagen MI, Mamo SK, Oh ES, Lin FR.** Hearing Loss Health Care for Older Adults, 29(3):394–403
- Contreras A.** see Duane M
- Coombs L.** see Jortberg T
- Corley DA.** see Doubeni CA
- Cosgrove L.** see Shaughnessy AF
- Cottrell E.** see Li V
- Coutinho AJ.** see Doohan N
- Cox CM.** see Cole AM
- Crabtree BF.** see Howard J
- Crane SD, Sloane PD, Elder N, Cohen L, Loughtenschlaeger N, Walsh K, Zimmerman S.** Response: Re: Reporting and Using Near-Miss Events to Improve Patient Safety in Diverse Primary Care Practices: A Collaborative Approach to Learning from Our Mistakes, 29(1):165–167
- Crannage E.** see Manard WT
- Crawford P.** see Li V
- Crocker B.** see Howard J
- Crouch MA, Slater RT III.** Almond “Appetizer” Effect on Glucose Tolerance Test (GTT) Results, 29(6):759–766
- Cruise AR.** see Quach OL
- Dant L.** see Li V
- De Jesus Diaz-Perez M.** see Kwan BM
- Dearing M.** see Wallace LS
- DeFroda SF, Lamin E, Gil JA, Sindhu K, Ritterman S.** Antibiotic Prophylaxis for Patients with a History of Total Joint Replacement, 29(4):500–507
- DeVoe J.** see Doohan N
- DeVoe JE.** see Hughes LS; Stream G; Wallace LS
- DeVoe JE, Barnes K, Morris C, Campbell K, Morris-Singer A, Westfall JM, Grumbach K.** The Personal Doctoring Manifesto: A Perspective from the Keystone IV Conference, 29(4):S64–S68
- Dexter EN, Fields S, Rdesinski RE, Sachdeva B, Yamashita D, Marino M.** Patient–Provider Communication: Does Electronic Messaging Reduce Incoming Telephone Calls?, 29(5):613–619
- Dickinson LM.** see Jortberg T
- Dickinson WP.** see Jortberg T
- Diers T.** see Elder N
- Doarn CR.** Telehealth: A Very Useful Tool That Enables and Improves Patient Access, 29(4):430–431
- Donahue KE.** see Halladay JR
- Doohan N, Coutinho AJ, Lochner J, Wohler D, DeVoe J.** “A Paradox Persists When the Paradigm Is Wrong”: Pisacano Scholars’ Reflections from the Inaugural Starfield Summit, 29(6):793–804
- Doubeni CA, Jensen CD, Fedewa SA, Quinn VP, Zauber AG, Schottinger JE, Corley DA, Levin TR.** Fecal Immunochemical Test (FIT) for Colon Cancer Screening: Variable Performance with Ambient Temperature, 29(6):672–681
- Duane M, Contreras A, Jensen ET, White A.** The Performance of Fertility Awareness-based Method Apps Marketed to Avoid Pregnancy, 29(4):508–511
- Dubé K.** see Sharma AE
- Dunn A.** see Chen FM
- Dusza SW.** see Rogers T
- Edgoose J.** see Chen FM
- Elder N.** see Crane SD
- Elder N, Penm M, Pallerla H, Vonder Meulen MB, Short AD, Diers T, Imhoff RJ, Wilson B, Boone JM.** Provision of Recommended Chronic Pain Assessment and Management in Primary Care: Does Patient-Centered Medical Home (PCMH) Recognition Make a Difference?, 29(4):474–481
- Elliott TC.** see Chen FM
- Elshout G.** see Kool M
- Epling JW.** see Mader EM
- Etz RS.** see Howard J
- Etz RS.** People Are Primary: A Perspective from the Keystone IV Conference, 29(4):S40–S44
- Evensen A.** see Conniff J
- Fagnan LJ.** see Gaglioti AH
- Fairclough DL.** see Kwan BM
- Fedewa SA.** see Doubeni CA
- Fenton J.** see May L
- Ferrante JM.** see Friedman A
- Fields S.** see Dexter EN
- Fisher EB.** see Loskutova NY
- Fisher M.** see Berger L
- Flottemesch TJ.** see Carlin CS
- Fox CH.** see Mader EM
- Franks P.** see May L
- Frey JJ.** see Colwill JM
- Frey JJ III.** G. Gayle Stephens and Wrestling the Bear: A Perspective from the Keystone IV Conference, 29(4):S12–S14
- Friedland RB.** see Bruce KK
- Friedman A, Howard J, Shaw EK, Cohen DJ, Shahidi L, Ferrante JM.** Facilitators and Barriers to Care Coordination in Patient-centered Medical Homes (PCMHs) from Coordinators’ Perspectives, 29(1):90–101
- Gabbard WM.** see Halladay JR
- Gaglioti AH, Petterson S, Bazemore A, Phillips R.** Access to Primary Care in US Counties Is Associated with Lower Obesity Rates, 29(2):182–190
- Gaglioti AH, Werner JJ, Rust G, Fagnan LJ, Neale AV.** Practice-based Research Networks (PBRNs) Bridging the Gaps between Communities, Funders, and Policymakers, 29(5):630–635
- Garbutt JC.** see Berger L
- Garrison GM, Angstman KB, O’Connor SS, Williams MD, Lineberry TW.** Time to Remission for Depression with Collaborative Care Management (CCM) in Primary Care, 29(1):10–17
- Gaudino JA.** see Wallace LS
- Gawrys BL.** see Ledford CJW
- Genao I.** see Kost A
- Gil JA.** see DeFroda SF
- Gimm G, Want J, Hough D, Polk T, Rodan M, Nichols LM.** Medical Home Implementation in Small Primary Care Practices: Provider Perspectives, 29(6):767–774
- Gladwell JB.** Re: Clinical Decisions Made in Primary Care Clinics Before and After Choosing Wisely™, 29(1):167
- Glattstein-Young G.** see Pinto AD
- Glazier RH.** see Pinto AD
- Glowa PT, Olson AL, Johnson DJ.** Screening for Adverse Childhood Experiences in a Family Medicine Setting: A Feasibility Study, 29(3):303–307
- Gold KJ.** see Chang T
- Goldschmidt N, Zamir L, Poperno A, Kahan NR, Paltiel O.** Presenting Signs of Multiple Myeloma and the Effect of Diagnostic Delay on the Prognosis, 29(6):702–709
- Goodrich S.** see Careyva B
- Graham D.** see Kwan BM
- Grande LA, Thompson EC, Au MA, Sawyer D, Baldwin L-M, Rosenblatt R.** Problem Drug-related Behavior and Discontinuation of Opioids Following the Introduction of an Opioid Management Program, 29(6):718–726
- Grant S, Watkins KE, Bogart A, Paddock SM, Hepner KA.** Patient-Reported Offers of Alcohol Treatment for Primary Care Patients at High-Risk for an Alcohol Use Disorder, 29(6):682–687
- Green BB.** see Chung C-F
- Green BB, Anderson ML, Chubak J, Baldwin LM, Tuzzio L, Catz S, Cole A, Vernon SW.** Colorectal Cancer Screening Rates Increased after Exposure to the Patient-Centered Medical Home (PCMH), 29(2):191–200.
- Green LA.** see Grief SN
- Green LA, Puffer JC.** Reimagining Our Relationships with Patients: A Perspective from the Keystone IV Conference, 29(4):S1–S11
- Grief SN, Patel J, Kochendorfer KM, Green LA, Lussier YA, Li J, Burton M, Boyd AD.** Simulation of ICD-9 to ICD-10-CM Transition for Family Medicine: Simple or Convolved?, 29(1):29–36

- Griswold KS.** Changing Places: Where Will We Be with Our Patients? A Perspective from the Keystone IV Conference, 29(4):S24–S27
- Grover M, Abraham N, Chang Y-H, Tilburt J.** Physician Cost Consciousness and Use of Low-Value Clinical Services, 29(6):785–792
- Grover ML.** see Angstmann KB
- Grumbach K.** see DeVoe JE
- Gunning K.** see Pippitt K
- Gush K.** see Halladay JR
- Gwyther R.** see Berger L
- Habash DL.** see Mehta PP
- Hagen MD, Sumner W, Roussel GH.** “The End of the Beginning” for Clinical Simulation in the ABFM Self-Assessment Modules (SAMs), 29(3):425–426
- Hahn KA.** see Howard J
- Halladay JR, Mottus K, Reiter K, Mitchell CM, Donahue KE, Gabbard WM, Gush K.** The Cost to Successfully Apply for Level 3 Medical Home Recognition, 29(1):69–77
- Hamer MK.** see Kwan BM
- Hammermeister KE.** see Kwan BM
- Hardeman RR, Kozhimannil KB**
- Harder VS, Krulewitz J, Jones C, Wasserman RC, Shaw JS.** Effects of Patient-centered Medical Home Transformation on Child Patient Experience, 29(1):60–68
- Harrington TM.** see Loskutova NY
- Hartmann K.** see Mehta PP
- Heiden-Rootes KM, Salas L, Scherrer JF, Schneider FD, Smith CW.** Comparison of Medical Diagnoses among Same-Sex and Opposite-Sex Partnered Patients, 29(6):688–693
- Helfrich YR.** see Chien AL
- Hemeida S, Klink K, Bazemore A, Petterson S, Peterson L.** Sponsoring Institutions with Five or Fewer Residency Programs Produce a Larger Proportion of General Internists and Family Physicians, 29(3):301–302
- Henning G.** see Kelley JF
- Hepner KA.** see Grant S
- Hickner JM.** see Sohn AJ
- Hitt JR.** see Kessler R
- Holman MD.** see Van Eeghen C
- Holmstrom H.** see Shultz CG
- Hooks-Anderson D.** see Manard WT
- Horn JL.** see Angstmann KB
- Hough D.** see Gimm G
- Howard J.** see Friedman A
- Howard J, Etz RS, Crocker JB, Skinner D, Kelleher KJ, Hahn KA, Miller WL, Crabtree BF.** Maximizing the Patient-Centered Medical Home (PCMH) by Choosing Words Wisely, 29(2):248–253
- Huang C-C.** see Bruce KK
- Hughes LS.** see Stream G; Waters RC
- Hughes LS, Phillips RL Jr., DeVoe JE, Bazemore AW.** Community Vital Signs: Taking the Pulse of the Community While Caring for Patients, 29(3):419–422
- Hughes LS.** Social Determinants of Health and Primary Care: Intentionality Is Key to the Data We Collect and the Interventions We Pursue, 29(3):297–300
- Huguet N.** see Wallace LS
- Hyder JM.** see Litvin CB
- Ianakeva D.** see Page-Reeves P
- Ianakeva V.** see Page-Reeves P
- Iliff RD.** Real Life Is Full of Choices, 29(5):636
- Imdieke BH.** see Martel ML
- Imhoff RJ.** see Elder N
- Ireland J.** American Board of Family Medicine Elects New Officers and Board Members, 29(5):637–638
- Ireland J.** Gerardo Moreno, MD, MSHS, Selected as 2015 NAM Puffinberger/ABFM Fellow, 29(1):169
- Jabbarpour Y.** see Moore M
- Jensen CD.** see Doubeni CA
- Jensen ET.** see Duane M
- Jerant A.** see May L
- Jetty A.** see Bazemore A; Coffman M
- Johnson DJ.** see Glowa PT
- Johnson K, Tuzzio L, Renz A, Baldwin L-M, Parchman M.** Decision-to-Implement Worksheet for Evidence-based Interventions: From the WWAMI Region Practice and Research Network, 29(5):553–562
- Johnson M.** see Careyva B
- Jones C.** see Harder VS
- Jones J.** see Nowels D
- Jortberg BT, Rosen R, Roth S, Casias L, Dickinson LM, Coombs L, Awadallah NS, Bernardy MK, Dickinson WP.** The Fit Family Challenge: A Primary Care Childhood Obesity Pilot Intervention, 29(4):434–443
- Kahan NR.** see Goldschmidt N
- Kaiser A.** see Kwan BM
- Kamerow D.** see Raffoul M
- Kano M, Silva-Bañuelos AR, Sturm R, Willging CE.** Stakeholders’ Recommendations to Improve Patient-centered “LGBTQ” Primary Care in Rural and Multicultural Practices, 29(1):156–160
- Kaplan AB.** see Shah PV
- Kaplan J.** see Chung C-F
- Kara A.** see Zerr AM
- Kaufman A.** see Page-Reeves P
- Kaufman W.** see Page-Reeves P
- Kelleher KJ.** see Howard J
- Keller B.** see Weishaar T
- Kelley JF, Henning G, Ambrose A, Adelman A.** Vanished Twins and Misdiagnosed Sex: A Case Report with Implications in Prenatal Counseling Using Noninvasive Cell-Free DNA Screening, 29(3):411–413
- Kenner KA.** see Pecina JL
- Keppel GA.** see Cole AM
- Kessler R.** see Van Eeghen C
- Kessler R, Hitt JR.** Re: Electronic Health Record Challenges, Workarounds, and Solutions Observed in Practices Integrating Behavioral Health and Primary Care, 29(2):289–290
- Khanna N, Shaya FT, Chirikov VV, Sharp D, Steffen B.** Impact of Case Mix Severity on Quality Improvement in a Patient-centered Medical Home (PCMH) in the Maryland Multi-Payer Program, 29(1):116–125
- Killerby M.** see Wallace LS
- Kirk JW.** see Colwill JM
- Klavetter EW.** see Angstmann KB
- Klink K.** see Coffman M; Hemeida S
- Kochendorfer KM.** see Grief SN
- Koes BW.** see Kool M
- Kollath-Cattano C, Thrasher JF, Osman A, Andrews JO, Strayer SM.** Physician Advice for e-Cigarette Use, 29(6):741–747
- Kool M, Elshout G, Koes BW, Bohnen AM, Berger MY.** C-Reactive Protein Level as Diagnostic Marker in Young Febrile Children Presenting in a General Practice Out-of-Hours Service, 29(4):460–468
- Koopmans RTCM.** see Ruikes FGH
- Kost A, Genao I, Lee JW, Smith SR.** Response: Re: Clinical Decisions Made in Primary Care Clinics Before and After Choosing Wisely™, 29(1):167–168
- Kozhimannil KB, Vogelsang CA, Hardeman RR, Prasad S.** Disrupting the Pathways of Social Determinants of Health: Doula Support during Pregnancy and Childbirth, 29(3):308–317
- Kozin ED.** see Shah PV
- Kresin MM.** see Angstmann KB
- Krist A.** see Wallace LS
- Krulewitz J.** see Harder VS
- Ku K.** see Zerr AM
- Kwan BM, Sills MR, Graham D, Hamer MK, Fairclough DL, Hammermeister KE, Kaiser A, de Jesus Diaz-Perez M, Schilling LM.** Stakeholder Engagement in a Patient-Reported Outcomes (PRO) Measure Implementation: A Report from the SAFTINet Practice-based Research Network (PBRN), 29(1):102–115
- LaCruz DM.** see Loskutova NY
- Lam CA, Sherbourne C, Tang L, Belin TR, Williams P, Young-Brinn A, Miranda J, Wells KB.** The Impact of Community Engagement on Health, Social, and Utilization Outcomes in Depressed, Impoverished Populations: Secondary Findings from a Randomized Trial, 29(3):325–338
- Lam TP.** see Wu D
- Lamin E.** see DeFroda SF
- Laughtenschlaeger N.** see Crane SD
- Laurie AR.** see Riley M
- LeBlanc WG.** see Weiss BD
- Ledford CJW, Gawrys BL, Wall JL, Saas PD, Seehusen DA.** Translating New Lung Cancer Screening Guide-

- lines into Practice: The Experience of One Community Hospital, 29(1):152–155
- Lee DJ.** see Shah PV
- Lee JW.** see Kost A
- Leo M.** see Li V
- Leung F-H.** see Pinto AD
- Levin TR.** see Doubeni CA
- Lexchin JR.** see Shaughnessy AF
- Li J.** see Grief SN
- Li V, McBurnie MA, Simon M, Crawford P, Leo M, Rachman F, Cottrell E, Dant L, Oneha M, Weir RC.** Impact of Social Determinants of Health on Patients with Complex Diabetes Who Are Served by National Safety-Net Health Centers, 29(3):348–355
- Lin FR.** see Contrera KJ
- Lin KW, Yancey JR.** Evaluating the Evidence for Choosing Wisely™ in Primary Care Using the Strength of Recommendation Taxonomy (SORT), 29(4):512–515
- Lineberry TW.** see Garrison GM
- Lipman PD, Aspy CB.** Local Learning Collaboratives to Improve Quality for Chronic Kidney Disease (CKD): From Four Regional Practice-based Research Networks (PBRNs), 29(5):543–552
- Littenberg B.** see Van Eeghen C
- Litvin CB, Hyer JM, Ornstein SM.** Use of Clinical Decision Support to Improve Primary Care Identification and Management of Chronic Kidney Disease (CKD), 29(5):604–612
- Lochner J.** see Doohan N
- Logue E, Smucker W, Regan C.** Admission Data Predict High Hospital Readmission Risk, 29(1):50–59
- Loskutova NY, Tsai AG, Fisher EB, LaCruz DM, Cherrington AL, Harrington TM, Turner TJ, Pace WD.** Patient Navigators Connecting Patients to Community Resources to Improve Diabetes Outcomes, 29(1):78–89
- Loxterkamp D.** The Time of Our Lives: A Perspective from the Keystone IV Conference, 29(4):S28–S31
- Lupo P Jr, Neale AV, Bowman MA.** Peer Reviewers for the Journal of the American Board of Family Medicine in 2015, 29(2):173–176
- Lussier YA.** see Grief SN
- Luz C.** Family Medicine: Bridge to Life, 29(1):161–164
- Mabachi NM.** see Weiss BD
- Mader EM, Fox CH, Epling JW, Noronha GJ, Swanger CM, Wisniewski AM, Vitale K, Norton AL, Morley CP.** A Practice Facilitation and Academic Detailing Intervention Can Improve Cancer Screening Rates in Primary Care Safety Net Clinics, 29(5):533–542
- Mainous AG III, Tanner RJ, Anton SD, Jo A.** Low Grip Strength and Prediabetes in Normal-Weight Adults, 29(2):280–282
- Mainous AG III, Tanner RJ, Baker R.** Prediabetes Diagnosis and Treatment in Primary Care, 29(2):283–285
- Mainous AG III, Tanner RJ, Scuderi CB, Porter M, Carek PJ.** Prediabetes Screening and Treatment in Diabetes Prevention: The Impact of Physician Attitudes, 29(6):663–671
- Makadia FA.** see Mehta PP
- Mamo SK.** see Contrera KJ
- Manard W, Scherrer JF, Salas J, Schneider FD.** Patient Portal Use and Blood Pressure Control in Newly Diagnosed Hypertension, 29(4):452–459
- Manard WT, Syberg K, Behera A, Salas J, Schneider FD, Armbrrecht E, Hooks-Anderson D, Crannage E, Scherrer J.** Higher Referrals for Diabetes Education in a Medical Home Model of Care, 29(3):377–384
- Marchetti MA.** see Rogers T
- Marghoob AA.** see Rogers T
- Marino M.** see Dexter EN; Wallace LS
- Marino ML.** see Rogers T
- Marshall EG, Clarke B, Burge F, Varatharasan N, Archibald G, Andrew MK.** Improving Continuity of Care Reduces Emergency Department Visits by Long-Term Care Residents, 29(2):201–208
- Martel ML, Imdieke BH.** Re: The Use of Medical Scribes in Health Care Settings: A Systematic Review and Future Directions, 29(3):423
- Marvel K.** see Westfall JM
- Matlock D.** see Nowels D
- Maxson J.** see Angstmann KB
- Maxwell LC.** see Chen FM
- May L, Franks P, Jerant A, Fenton J.** Watchful Waiting Strategy May Reduce Low-Value Diagnostic Testing, 29(6):710–717
- McBurnie MA.** see Li V
- McCalmont K.** see Page-Reeves P
- Mehta PP, Santiago-Torres JE, Wisely CE, Hartmann K, Makadia FA, Welker MJ, Habash DL.** Primary Care Continuity Improves Diabetic Health Outcomes: From Free Clinics to Federally Qualified Health Centers, 29(3):318–324
- Merenstein D.** see Bruce KK
- Merry SP.** see Pecina JL
- Meulen MBV.** see Elder N
- Meyer AND, Murphy DR, Singh H.** Communicating Findings of Delayed Diagnostic Evaluation to Primary Care Providers, 29(4):469–473
- Miller DE.** see Wolfe RM
- Miller WL.** see Howard J
- Miller WL.** Unfilled Hunger: Seeking Relationships in Primary Care—A Perspective from the Keystone IV Conference, 29(4):S19–S23
- Mills G.** see Careyva B
- Miranda J.** see Lam CA
- Mitchell CM.** see Halladay JR
- Mohamed A.** see Pinto AD
- Moniz MH.** see Chang T
- Moore M.** see Coffman M; Raffoul M
- Moore M, Peterson L, Coffman M, Jabbarpour Y.** Care Coordination and Population Management Services Are More Prevalent in Large Practices and Patient-Centered Medical Homes, 29(6):652–653
- Morley CP.** see Cameron BJ; Mader EM
- Morris C.** see DeVoe JE
- Morris CG.** see Chen FM
- Morris D.** see Shaikh W III
- Morris S IV.** see Shaikh W III
- Morris-Singer A.** see DeVoe JE
- Mospan GA, Wargo KA.** 5-Day *versus* 10-Day Course of Fluoroquinolones in Outpatient Males with a Urinary Tract Infection (UTI), 29(6):654–662
- Mospan GA, Wargo KA.** Researchers' Experience with Clinical Data Sharing, 29(6):805–807
- Mottus K.** see Halladay JR
- Munson SA.** see Chung C-F
- Murphy DR.** see Meyer AND
- Nagler AR.** see Cohen BE
- Narvaez MV.** see Bruce KK
- Neale AV.** see Bowman MA; Gaglioti AH; Lupo P Jr; Seehusen DA
- Nease DE Jr.** Evidence, Engagement, and Technology: Themes of and the State of Primary Care Practice-based Network Research, 29(5):521–524
- Neufeld SK.** see Bruce KK
- Nichols LM.** see Gimm G
- Noronha GJ.** see Mader EM
- Norris J.** see Page-Reeves P
- Norton AL.** see Mader EM
- Nowels CT.** see Nowels D
- Nowels D, Jones J, Nowels CT, Matlock D.** Perspectives of Primary Care Providers Toward Palliative Care for Their Patients, 29(6):748–758
- O'Connor SS.** see Garrison GM
- Oh ES.** see Contrera KJ
- Olayiwola JN, Rubin A, Slomoff T, Woldeyesus T, Willard-Grace R.** Strategies for Primary Care Stakeholders to Improve Electronic Health Records (EHRs), 29(1):126–134
- Olson AL.** see Glowa PT
- Oneha M.** see Li V
- Ornstein SM.** see Litvin CB
- Osman A.** see Kollath-Cattano C
- Pace WD.** see Loskutova NY
- Paddock SM.** see Grant S
- Page-Reeves J, Kaufman W, Bleecker M, Norris J, McCalmont K, Ianakieva V, Ianakieva D, Kaufman A.** Addressing Social Determinants of Health in a Clinic Setting: The WellRx Pilot in Albuquerque, New Mexico, 29(3):414–418
- Palleria H.** see Elder N
- Paltiel O.** see Goldschmidt N
- Parchman M.** see Johnson K
- Parker C.** see Sharma AE

- Pascoe J. see Rapp RC
 Patel J. see Grief SN
 Paulus MJ. see Bruce KK
 Pecina JL, Romanovsky L, Merry SP, Kennel KA, Thacher TD. Comparison of Clinical Risk Tools for Predicting Osteoporosis in Women Ages 50–64, 29(2):233–239
 Penm M. see Elder N
 Peterson L. see Bazemore A; Hemeida S; Moore M
 Petterson S. see Bazemore A; Gaglioti AH; Hemeida S
 Pfaff AC. see Bruce KK
 Phillips C. Care Coordination for Primary Care Practice, 29(6):649–651
 Phillips J. The Impact of Debt on Young Family Physicians: Unanswered Questions with Critical Implications, 29(2):177–179
 Phillips R. see Bazemore A; Gaglioti AH
 Phillips R. Reducing Burden, Ensuring Competence, Improving Quality, and Enhancing Professionalism: How Can ABFM Contribute to All?, 29(4):518–519
 Phillips RJ Jr. see Hughes LS
 Phillips RL. see Chen FM; Stream G
 Pinto AD, Glattstein-Young G, Mohamed A, Bloch G, Leung F-H, Glazier RH. Building a Foundation to Reduce Health Inequities: Routine Collection of Sociodemographic Data in Primary Care, 29(3):348–355
 Pippitt K, Gunning K, Traylor K. Re: The Diversity of Providers on the Family Medicine Team, 29(3):424
 Plegue MA. see Chang T; Riley M
 Polk T. see Gimm G
 Pomerantz J. see Wolfe RM
 Pomeranz MK. see Cohen BE
 Poperno A. see Goldschmidt N
 Porter M. see Mainous AG III
 Potter MB. see Sharma AE
 Prasad S, Kozhimannil KB
 Puffer JC. see Green LA
 Puffer JC. A Message from the ABFM President, 29(2):291–293
 Puffer JC. A Message from the President of the American Board of Family Medicine (ABFM), 29(6):815–816
 Qi L. see Chien AL
 Quach OL, Barry M, Cruse AR, Wilson BB. “Basal Cell Blanche”: A Diagnostic Maneuver to Increase Early Detection of Basal Cell Carcinomas, 29(3):408–410
 Quinn VP. see Doubeni CA
 Rachman F. see Li V
 Raffoul M, Moore M, Kamerow D, Bazemore A. A Primary Care Panel Size of 2500 Is neither Accurate nor Reasonable, 29(4):496–499
 Rainer B. see Chien AL
 Rajan R. see Weishaar T
 Rapp RC, Pascoe J. Clarifying Parents’ and Pediatricians’ Views of Partnership, 29(5):563–571
 Rdesinski RE. see Dexter EN
 Regan C. see Logue E
 Reiter K. see Halladay JR
 Renz A. see Johnson K
 Richardson CR. see Riley M
 Riley M, Laurie AR, Plegue MA, Richardson CR. The Adolescent “Expanded Medical Home”: School-Based Health Centers Partner with a Primary Care Clinic to Improve Population Health and Mitigate Social Determinants of Health, 29(3):339–347
 Ritterman S. see DeFroda SF
 Rodan M. see Gimm G
 Rogers T, Marino ML, Dusza SW, Bajaj S, Usatine RP, Marchetti MA, Marghoob AA. A Clinical Aid for Detecting Skin Cancer: The Tri-age Amalgamated Dermoscopic Algorithm (TADA), 29(6):694–701
 Romanovsky L. see Pecina JL
 Rosen R. see Jortberg T
 Rosenblatt R. see Grande LA
 Rosenthal TC. Are We Learning More about Patient-centered Medical Homes (PCMHs), or Learning More about Primary Care?, 29(1):4–7
 Rosser WW. see Colwill JM
 Roth S. see Jortberg T
 Roussel GH. see Hagen MD
 Rubin A. see Olayiwola JN
 Ruikes FGH, Zuidema SU, Akkermans RP, Assendelft WJJ, Schers HJ, Koopmans RTCM. Multicomponent Program to Reduce Functional Decline in Frail Elderly People: A Cluster Controlled Trial, 29(2):209–217
 Rust G. see Gaglioti AH
 Saas PD. see Ledford CJW
 Sachdeva B. see Dexter EN
 Sachs DL. see Chien AL
 Salas J. see Heiden-Rootes KM; Manard W; Manard WT
 Santiago-Torres JE. see Mehta PP
 Sawyer D. see Grande LA
 Scherrer J. see Manard WT
 Scherrer JF. see Heiden-Rootes KM; Manard W
 Schers HJ. see Ruikes FGH
 Schilling LM. see Kwan BM
 Schlenker T. Re: Social Justice as the Moral Core of Family Medicine: A Perspective from the Keystone IV Conference, 29(6):813
 Schneider FD. see Heiden-Rootes KM; Manard W; Manard WT
 Schottinger JE. see Doubeni CA
 Schroeder SA. Response: Re: Social Justice as the Moral Core of Family Medicine. A Perspective from the Keystone IV Conference, 29(6):813
 Schroeder SA. Social Justice as the Moral Core of Family Medicine: A Perspective from the Keystone IV Conference, 29(4):S69–S71
 Scuderie CB. see Mainous AG III
 Seehusen DA. see Bowman MA; Ledford CJW
 Seehusen DA, Bowman MA, Neale AV. Bread and Butter of Family Medicine: Guidelines, Population Screening, Diagnostic Evaluations, and Practice Models, 29(6):639–641
 Shaak K. see Careyva B
 Shaffer KS. see Chang T
 Shah PV, Kozin ED, Kaplan AB, Lee DJ. Pediatric Auditory Brainstem Implant Surgery: A New Option for Auditory Habilitation in Congenital Deafness?, 29(2):286–288
 Shahidi L. see Friedman A
 Shaikh W III, Morris D, Morris S IV. Signs of Insufficiency Fractures Overlooked in a Patient Receiving Chronic Bisphosphonate Therapy, 29(3):404–407
 Sharma AE, Willard-Grace R, Willis A, Zieve O, Dubé K, Parker C, Potter MB. “How Can We Talk about Patient Centered Care without Patients at the Table?” Lessons Learned from Patient Advisory Councils, 29(6):775–784
 Sharp D. see Khanna N
 Shaughnessy AF, Cosgrove L, Lexchin JR. The Need to Systematically Evaluate Clinical Practice Guidelines, 29(6):644–648
 Shaw EK. see Friedman A
 Shaw JS. see Harder VS
 Shaya FT. see Khanna N
 Sherbourne C. see Lam CA
 Short AD. see Elder N
 Shultz CG, Holmstrom HL. Response: Re: The Use of Medical Scribes in Health Care Settings: A Systematic Review and Future Directions, 29(3):423–424
 Sills MR. see Kwan BM
 Silva-Bañuelos AR. see Kano M
 Simon M. see Li V
 Singdhu K. see DeFroda SF
 Singh H. see Meyer AND
 Skinner D. see Howard J
 Slater RT III. see Crouch MA
 Sloane PD. see Crane SD
 Slomoff T. see Olayiwola JN
 Smith CW. see Heiden-Rootes KM
 Smith SR. see Kost A
 Smucker W. see Logue E
 Sohn AJ, Hickner JM, Alem F. Use of Point-of-Care Tests (POCTs) by US Primary Care Physicians, 29(3):371–376
 Solberg LI. see Carlin CS
 Solomonides T. see Wolfe RM
 Spencer J. see Trimeloni L
 Stange KC. Holding On and Letting Go: A Perspective from the Keystone IV Conference, 29(4):S32–S39
 Steffen B. see Khanna N
 Stello B. see Careyva B
 Stevens RA. Recharging Family Medicine: A Perspective from the Keystone IV Conference, 29(4):S15–S18
 Stoltenberg M. see Waters RC
 Strayer SM. see Kollath-Cattano C
 Stream G, DeVoe JE, Hughes LS, Phillips RL Jr. Accelerating Momentum Toward Improved Health for Patients and Populations: Family

- Medicine as a Disruptive Innovation—A Perspective from the Keystone IV Conference, 29(4):S60–S63
- Sturm R.** see Kano M
- Sumner W.** see Hagen MD
- Swanger CM.** see Mader EM
- Syberg K.** see Manard WT
- Tan TP.** see Bruce KK
- Tang L.** see Lam CA
- Tanner RJ.** see Mainous AG III
- Thacher TD.** see Angstmann KB; Pecina JL
- Thompson EC.** see Grande LA
- Thompson MJ.** see Chung C-F
- Thrasher JF.** see Kollath-Cattano C
- Tilburt J.** see Grover M
- Traylor K.** see Pippitt K
- Trharme S.** Response: Re: Over Half of Graduating Family Medicine Residents Report More Than \$150,000 in Educational Debt, 29(6):814
- Trimeloni T, Spencer J.** Diagnosis and Management of Breast Milk Oversupply, 29(1):139–142
- Tsai AG.** see Loskutova NY
- Turner TJ.** see Loskutova NY
- Tuzzio L.** see Green BB; Johnson K
- Usatine RP.** see Rogers T
- Van Eeghen C, Littenberg B, Holman MD, Kessler R.** Integrating Behavioral Health in Primary Care Using Lean Workflow Analysis: A Case Study, 29(3):377–384
- Vance HB.** see Chang T
- Varatharasan N.** see Marshall EG
- Vernon SW.** see Green BB
- Vitale K.** see Mader EM
- Vogelsang CA, Kozhimannil KB**
- Wall E.** Clinical Practice Guidelines—Is “Regulation” the Answer?, 29(6):642–643
- Wall JL.** see Ledford CJW
- Wallace LS.** see Careyva B
- Wallace LS, Angier H, Huguet N, Gaudino JA, Krist A, Dearing M, Killerby M, Marino M, DeVoe JE.** Patterns of Electronic Portal Use among Vulnerable Patients in a Nationwide Practice-based Research Network: From the OCHIN Practice-based Research Network (PBRN), 29(5):592–603
- Wallhagen MI.** see Contrera KJ
- Walsh K.** see Crane SD
- Want J.** see Gimm G
- Wargo KA.** see Mospan GA
- Wasserman RC.** see Harder VS
- Waters RC, Stoltenberg M, Hughes LS.** A Countercultural Heritage: Rediscovering the Relationship-Centered and Social Justice Roots of Family Medicine—A Perspective from the Keystone IV Conference, 29(4):S45–S48
- Watkins KE.** see Grant S
- Weir RC.** see Li V
- Weishaar T, Rajan S, Keller B.** Probability of Vitamin D Deficiency by Body Weight and Race/Ethnicity, 29(2):226–232
- Weiss BD, Brega AG, LeBlanc WG, Mabachi NM, Barnard J, Albright K, Cifuentes M, Brach C, West DR.** Improving the Effectiveness of Medication Review: Guidance from the Health Literacy Universal Precautions Toolkit, 29(1):18–23
- Weiss-Coleman R.** see Wolfe RM
- Welker MJ.** see Mehta PP
- Wells KB.** see Lam CA
- Werner AM.** see Carlin CS
- Werner JJ.** see Gaglioti AH
- West DR.** see Weiss BD
- Westfall JM.** see DeVoe JE
- Westfall JM, Marvel K.** Re: Over Half of Graduating Family Medicine Residents Report More Than \$150,000 in Educational Debt, 29(4):516
- Westfall JM.** Where You Stand Is What You See: We See a Need for More Primary Care Research Funding, 29(5):525–527
- White A.** see Duane M
- Willard-Grace R.** see Bodenheimer T; Olayiwola JN; Sharma AE
- Willging CE.** see Kano M
- Williams MD.** see Garrison GM
- Williams P.** see Lam CA
- Willis A.** see Sharma AE
- Willis FB.** see Angstmann KB
- Wilson B.** see Elder N
- Wilson BB.** see Quach OL
- Wingrove P.** see Bazemore A
- Wisely E.** see Mehta PP
- Wisniewski AM.** see Mader EM
- Wiwantkit V.** Re: Patient Preferences for Receiving Reports of Test Results, 29(2):290
- Wohler D.** see Doohan N
- Woldeyesus T.** see Olayiwola JN
- Wolfe RM, Pomerantz J, Miller DE, Weiss-Coleman R, Solomonides T.** Obstructive Sleep Apnea: Preoperative Screening and Postoperative Care, 29(2):263–275
- Wu D, Lam TP.** Underuse of Primary Care in China: The Scale, Causes, and Solutions, 29(2):240–247
- Yamashita D.** see Dexter EN
- Yancey JR.** see Lin KW
- Young-Brinn A.** see Lam CA
- Zamir L.** see Goldschmidt N
- Zauber AG.** see Doubeni CA
- Zerr AM, Ku K, Kara A.** Cotton Fever: A Condition Self-Diagnosed by IV Drug Users, 29(2):276–279
- Zieve O.** see Sharma AE
- Zimmerman S.** see Crane SD
- Zuidema SU.** see Ruikes FGH