

Subject Index to Volume 31, 2018

- Access to health care**, multisite practicing and, 31(2):260–269
- Acupuncture**, in family medicine, 31(2):236–242
- Acute pain**
greater occipital nerve block for migraine headache, 31(2):211–218
patient satisfaction incentives and opioid prescribing, 31(6):941–943
- Administrative personnel**, strategies to address health equity and disparities, 31(3):479–483
- Africa**, culturally related findings on refugee physicals, 31(4):653–657
- Alabama**, rural, obstetrics and infant mortality, 31(4):542–549
- Alcohol**
opioid and drug prevalence in top 40's music, 31(5):761–767
use
depression screening and symptom severity, 31(5):724–732
risky, in underserved patients, 31(2):243–251
- Allergy**, meat, diagnosing, after tick bite, 31(4):650–652
Allied health personnel, practitioner participation in national dental PBRN studies, 31(6):844–856
- Ambulatory care**
access to, after disasters, 31(2):252–259
decreasing pediatric emergency visits, 31(4):550–557
diagnosis frequency and criticality in family medicine, 31(1):126–138
facilities, recruiting primary care practices for research, 31(6):947–951
trigger tools to detect preventable adverse events, 31(1):113–125
- American Board of Family Medicine (ABFM)**
election of new officers and board members, 31(4):665–666
message from the President, 31(3):492–494
new center to be opened in Washington, DC, 31(5):831–832
selection of new Chief Executive Officer and President, 31(1):169–170
2017 NAM Puffer/ABFM Fellow, 31(2):305
2018 Pisacano Scholars, 31(6):959
- American Medical Association**, multisite practicing and access to care, 31(2):260–269
- Angioedema**, diagnosing meat allergy after tick bite, 31(4):650–652
- Aniridia**, reflections in family medicine, 31(2):303–304
- Antibiotics**, ambulatory antibiotic stewardship, 31(3):417–430
- Anticoagulants**, oral, in preprocedural and acute settings, 31(5):817–827
- Antidepressive agents**, and incident hypertension, 31(1):22–28
- Antigen receptors**, side effects of new immunotherapies in oncology, 31(4):620–627
- Antimicrobial stewardship**, ambulatory antibiotic stewardship, 31(3):417–430
- Antipsychotic agents**, for dementia, 31(1):9–21
- Anxiety disorders**, problem-solving therapy, 31(1):139–150
- Asia**, culturally related findings on refugee physicals, 31(4):653–657
- Asian Americans**, iMD and discussing tobacco use, 31(6):869–880
- Behavioral medicine**, behavioral health integration at high performing practices, 31(5):691–701
- Behavioral sciences**, diagnosis frequency and criticality in family medicine, 31(1):126–138
- Benzodiazepines**, pharmacist input to providers on opioid prescribing, 31(1):105–112
- Blood coagulation**, oral anticoagulants in preprocedural and acute settings, 31(5):817–827
- Blood glucose**
gender, diabetes, and medication cost non-adherence, 31(5):743–751
patient-centered guidelines for geriatric diabetes, 31(2):192–200
- Blood pressure**
disparities in hypertension control, 31(6):897–904
incident hypertension, and antihypertensives, 31(1):22–28
measuring and managing, 31(3):375–388
- Breast cancer**, mailed letter versus phone call to increase cancer screening, 31(6):857–868
- Burnout**, professional
observations on working with medical scribes, 31(1):49–56
in small independent primary care practices, 31(4):529–536
state chapter perspective, 31(1):5–6
task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
in young family physicians, 31(1):7–8
- Canada**
mailed letter versus phone call to increase cancer screening, 31(6):857–868
strategies to address health equity and disparities, 31(3):479–483
- Cancer**
shared decision making trends in prostate-specific antigen testing, 31(4):658–662
side effects of new immunotherapies in oncology, 31(4):620–627
- Cancer screening**
“cold-spot” communities and poor health, 31(3):342–350
mailed letter versus phone call to increase, 31(6):857–868
- Capacity building**, implementing complex interventions, 31(3):431–444
- Cardiovascular diseases**, collaborative care management for disease, 31(5):702–711
- Career choice**, young family physician hospitalists, 31(5):680–681
- Censuses**
“cold-spot” communities and poor health, 31(3):342–350
multisite practicing and access to care, 31(2):260–269
- Centers for Disease Control and Prevention (US)**, interpreting and managing Zika test results, 31(6):924–930
- Certification**, diagnosis frequency and criticality in family medicine, 31(1):126–138
- Cervical cancer**, mailed letter versus phone call to increase cancer screening, 31(6):857–868
- Cesarean section**, neonatal thrush and, 31(4):537–541
- Cetuximab**, diagnosing meat allergy after tick bite, 31(4):650–652
- Childbirth**
neonatal thrush and mode of delivery, 31(4):537–541
obstetric delivery barriers faced by graduates, 31(3):332–333
postpartum opioid prescribing, 31(6):944–946
- Children**
decreasing pediatric emergency visits, 31(4):550–557
improving screenings during well-child visits, 31(4):558–569
socioeconomics and childhood obesity, 31(4):514–521
- Children's Health Insurance Program**, improving primary care quality management, 31(6):931–940
- Cholesterol**, management of hyperlipidemia with PCSK9 inhibitors, 31(4):628–634
- Chronic disease**
behavioral health integration at high performing practices, 31(5):691–701
challenges of PCMH implementation, 31(3):334–341
diabetes prevention for Latinos, 31(3):364–374
visit agenda setting by complex patients and physicians, 31(1):29–37
- Chronic kidney disease**, patients' feelings about, 31(4):570–577

Chronic pain

doctor-patient trust among patients on chronic opioid therapy, 31(4):578–587
 patient satisfaction incentives and opioid prescribing, 31(6):941–943
 pharmacist input to providers on opioid prescribing, 31(1):105–112
 rural management of, with opioids, 31(1):57–63

Cinnamon, for treatment of diabetes, edema from, 31(5):809–811

Clinical decision making, patient-centered guidelines for geriatric diabetes, 31(2):192–200

Clinical decision support systems ambulatory antibiotic stewardship, 31(3):417–430

decision support based intervention and sickle cell disease, 31(5):812–816

Cohort studies, ACA expansion and visit rates for diabetes, 31(6):905–916

Colorado, patient satisfaction incentives and opioid prescribing, 31(6):941–943

Colorectal cancer, mailed letter versus phone call to increase cancer screening, 31(6):857–868

Commentary

Advancing Primary Care Through Alternative Payment Models: Lessons from the United States & Canada, 31(3):322–327

Advancing Social Prescribing with Implementation Science, 31(3):315–321

Family Medicine and Obstetrics: Let us Stop Pretending, 31(3):328–331

Family Medicine Hospitalists Three Years Out of Residency: Career Flexibility or a Threat to Office-Based Family Medicine?, 31(5):677–679

Is the National Health Service Corps the Answer? (for Placing Family Doctors in Underserved Areas), 31(4):499–500

Potentially Alarming Trends in the Scope of Practice for Family Physicians, 31(2):178–180

Practice-based Research Network (PBRN) Engagement: 20+ Years and Counting, 31(6):833–839

Slow Progress and Persistent Challenges for the Underrepresented Minority Family Physician, 31(6):840–841

A State Chapter Perspective on Burnout and Resiliency, 31(1):5–6

Communication

doctor-patient, medical marijuana and, 31(5):805–808
 implementing complex interventions, 31(3):431–444

Community health centers

ACA expansion and visit rates for diabetes, 31(6):905–916

EHR tool for integrated behavioral health, 31(5):712–723
 implementing health insurance support tools, 31(3):410–416

Comorbidity, depression screening and symptom severity by alcohol use, 31(5):724–732

Comprehensive health care diagnosis frequency and criticality in family medicine, 31(1):126–138
 preparation and scope of family physicians, 31(2):181–182

Continuing medical education, future directions for PBRNs, 31(6):917–923

Control groups, decision support based intervention and sickle cell disease, 31(5):812–816

Coronary artery disease inpatient, pretest probability for, 31(2):219–225
 management of hyperlipidemia with PCSK9 inhibitors, 31(4):628–634

Correspondence

burnout in young family physicians: variation across states, 31(4):663–664

diplomate status, 31(1):167
 doctor-patient trust among chronic pain patients on chronic opioid therapy after opioid risk reduction initiatives: a survey, 31(6):957–958

dysrhythmias with loperamide used for opioid withdrawal, 31(3):488–489

evaluation of diabetes group medical visit in family medicine practice, 31(5):828–829

numbers quandary in family medicine obstetrics, 31(1):167–168

predicting risk for opioid misuse in chronic pain with single-item measure of catastrophic thinking, 31(3):490–491

wide gap between preparation and scope of practice of early career family physicians, 31(5):829–830

Corticosteroids, plantar fascia rupture ultrasound, 31(2):282–285

Cough, concern for menthol cough drops, 31(2):183–191

Counseling, physicians' perspectives on weight loss nutrition, 31(4):522–528

Critical illness, satisfaction with shared decision making for critically ill, 31(1):64–72

Cross-sectional analysis burnout in small independent primary care practices, 31(4):529–536

depression screening and symptom severity by alcohol use, 31(5):724–732

screening for urinary and fecal incontinence, 31(5):774–782

Cross-sectional studies multimorbidity trends in US adults, 31(4):503–513

patient perspectives on electronic cigarettes, 31(1):73–82

risky alcohol and opioid use in underserved patients, 31(2):243–251

task delegation and burnout trade-offs in VA PACTs, 31(1):83–93

Dangerous behavior, antipsychotic agents and other medications for dementia, 31(1):9–21

Decision making clinical, patient-centered guidelines for geriatric diabetes, 31(2):192–200

interpreting and managing Zika test results, 31(6):924–930
 shared, for critically ill, satisfaction with, 31(1):64–72

trends, shared, in prostate-specific antigen testing, 31(4):658–662

Delivery of health care

iMD and discussing tobacco use, 31(6):869–880

implementation science in research and practice, 31(3):466–478

U. S. payment models' impact on the quadruple aim, 31(4):588–604

Dementia, antipsychotic agents and other medications for, 31(1):9–21

Demography, family physician workforce and diversity progress, 31(6):842–843

Depression

collaborative care management for disease, 31(5):702–711
 screening

and symptom severity by alcohol use, 31(5):724–732
 and treatment in the United States, 31(3):389–397

Depressive disorder

problem-solving therapy, 31(1):139–150

VA primary care mental health integration, 31(1):38–48

Diabetes mellitus

ACA expansion and visit rates for diabetes, 31(6):905–916
 cinnamon for treatment of, edema from, 31(5):809–811

collaborative care management for disease, 31(5):702–711

evaluating an ongoing diabetes group medical visit, 31(2):279–281

gender, diabetes, and medication cost nonadherence, 31(5):743–751
 geriatric, patient-centered guidelines, 31(2):192–200

prevention, for Latinos, 31(3):364–374

recruiting primary care practices for research, 31(6):947–951

Differential diagnosis, MRI application in soft tissue wrist injury, 31(5):795–804

Disasters, ambulatory access to care after, 31(2):252–259

Documentation, visit agenda setting by complex patients and physicians, 31(1):29–37

- Drug costs**, gender, diabetes, and medication cost nonadherence, 31(5):743–751
- Drug monitoring**, pharmacist input to providers on opioid prescribing, 31(1):105–112
- Drug overdose**
opioid hospitalizations among Medicare beneficiaries, 31(6):881–896
postpartum opioid prescribing, 31(6):944–946
- Early detection of cancer**
mailed letter versus phone call to increase cancer screening, 31(6):857–868
shared decision making trends in prostate-specific antigen testing, 31(4):658–662
- Edema**, from cinnamon for treatment of diabetes, 31(5):809–811
- Editorial Office News and Notes**
Content Usage and the Most Frequently Read Articles of 2017, 31(3):312–314
Peer Reviewers for the Journal of the American Board of Family Medicine in 2017, 31(2):174–177
- Editorials**
advancing the science of implementation in primary health care, 31(3):307–311
beware of predatory journals: a caution from editors of 3 family medicine journals, 31(5):671–676
- Editor's Notes**
Health Care Integration and Coordination with Emphasis on Mental Health, but Not for Medical Marijuana, 31(5):667–670
Interventions Must Be Realistic to Be Useful and Completed in Family Medicine, 31(1):1–4
The Potpourri of Family Medicine, in Sickness and in Health, 31(4):495–498
Real-Life Observational Studies Provide Actionable Data for Family Medicine, 31(2):171–173
- Electronic cigarettes**, patient perspectives, 31(1):73–82
- Electronic health records (EHRs)**
data challenges to QI, practice facilitator strategies for, 31(3):398–409
decision support based intervention and sickle cell disease, 31(5):812–816
EHR tool for integrated behavioral health, 31(5):712–723
impact of medical scribes in primary care, 31(4):612–619
patient perspectives on care coordination, 31(5):682–690
- Emergency departments**
challenges of PCMH implementation, 31(3):334–341
patient perspectives on care coordination, 31(5):682–690
- Emergency preparedness**, ambulatory access to care after disasters, 31(2):252–259
- Endocrinologists**, clinical trial data and prescription drug promotion, 31(4):645–649
- Epidural analgesia**, vaginal laceration and, 31(5):768–773
- Ethics**, moral distress and hepatitis C treatment, 31(2):286–291
- EvidenceNOW**, practice facilitator strategies for EHR data challenges to QI, 31(3):398–409
- Exercise therapy**, novel exercises for restless legs syndrome, 31(5):783–794
- Family**, satisfaction with shared decision making for critically ill, 31(1):64–72
- Family medicine**
decreasing pediatric emergency visits, 31(4):550–557
graduates and loan repayment programs, 31(4):501–502
improving screenings during well-child visits, 31(4):558–569
obstetric delivery barriers faced by graduates, 31(3):332–333
and obstetrics, commentary, 31(3):328–331
office-based, family medicine hospitalists and, 31(5):677–679
practice rurality of family physicians, 31(6):952–956
reflections on parenting, aniridia, and being a doctor, 31(2):303–304
US payment models' impact on the quadruple aim, 31(4):588–604
- Family physicians**
burnout in young physicians, 31(1):7–8
current adult pneumococcal vaccine recommendations, 31(1):94–104
diagnosis frequency and criticality in family medicine, 31(1):126–138
enrolled in Practice Transformation Networks, practice rurality of, 31(6):952–956
epidural analgesia and vaginal laceration, 31(5):768–773
FM graduates and loan repayment programs, 31(4):501–502
future directions for PBRNs, 31(6):917–923
getting patients engaged at the practice level, 31(5):733–742
observations on working with medical scribes, 31(1):49–56
obstetric delivery barriers faced by graduates, 31(3):332–333
obstetrics and infant mortality in rural Alabama, 31(4):542–549
patient satisfaction incentives and opioid prescribing, 31(6):941–943
patients' feelings about kidney disease, 31(4):570–577
perspectives on weight loss nutrition, 31(4):522–528
practicing medical acupuncture, 31(2):236–242
preparation and scope of, 31(2):181–182
reflections on parenting and aniridia, 31(2):303–304
scope of practice, potentially alarming trends in, 31(2):178–180
trigger tools to detect preventable adverse events, 31(1):113–125
workforce, progress in racial and ethnic diversity, 31(6):842–843
young family physician hospitalists, 31(5):680–681
- Fecal incontinence**, screening for, 31(5):774–782
- Fees and charges**, delivery and outcomes for direct primary care, 31(4):605–611
- Focus groups**
challenges of PCMH implementation, 31(3):334–341
diabetes prevention for Latinos, 31(3):364–374
- Food hypersensitivity**, diagnosing meat allergy after tick bite, 31(4):650–652
- Galactosyl-(1–3)galactose**, diagnosing meat allergy after tick bite, 31(4):650–652
- Georgia**, multisite practicing and access to care, 31(2):260–269
- Geriatric health services**
implementing a VA geriatric patient-aligned care team model, 31(3):456–465
patient-centered guidelines for diabetes, 31(2):192–200
- Goals**
behavioral health integration at high performing practices, 31(5):691–701
future directions for PBRNs, 31(6):917–923
- Grounded theory**
expanding roles of medical assistants in PCMHs, 31(2):226–235
observations on working with medical scribes, 31(1):49–56
patient perspectives on care coordination, 31(5):682–690
- Group practice**, multisite practicing and access to care, 31(2):260–269
- Gynecology**, epidural analgesia and vaginal laceration, 31(5):768–773
- Health care costs**
multimorbidity trends in US adults, 31(4):503–513
VA primary care mental health integration, 31(1):38–48
- Health care policy**, practice rurality of family physicians, 31(6):952–956
- Health care quality improvement**, impact of health technology implementation, 31(3):445–455
- Health care surveys**, diagnosis frequency and criticality in family medicine, 31(1):126–138
- Health equity**, Pisacano Scholars' reflections from Starfield Summit II, 31(2):292–302

- Health expenditures**
gender, diabetes, and medication cost nonadherence, 31(5):743–751
US payment models' impact on the quadruple aim, 31(4):588–604
- Health information technology**, practice facilitator strategies for EHR data challenges to QI, 31(3):398–409
- Health insurance**, support tools, implementing, 31(3):410–416
- Health occupations**, practitioner participation in national dental PBRN studies, 31(6):844–856
- Health personnel**
culturally related findings on refugee physicals, 31(4):653–657
depression screening and treatment in the United States, 31(3):389–397
- Health policy**
future directions for PBRNs, 31(6):917–923
multimorbidity trends in US adults, 31(4):503–513
national immigration and health care policy, 31(1):163–165
- Health resources**
“cold-spot” communities and poor health, 31(3):342–350
implementation science in research and practice, 31(3):466–478
- Health services**, “cold-spot” communities and poor health, 31(3):342–350
- Health services research**
depression screening and treatment in the United States, 31(3):389–397
impact of health technology implementation, 31(3):445–455
recruiting primary care practices for, 31(6):947–951
recruiting primary care practices for research, 31(6):947–951
- Health status**
“cold-spot” communities and poor health, 31(3):342–350
strategies to address health equity and disparities, 31(3):479–483
- Health workforce**, young family physician hospitalists, 31(5):680–681
- Heart failure**, edema from cinnamon for treatment of diabetes, 31(5):809–811
- Hemoglobins**, ACA expansion and visit rates for diabetes, 31(6):905–916
- Hepacivirus**, moral distress and hepatitis C treatment, 31(2):286–291
- Hepatitis C**, treatment, moral distress and, 31(2):286–291
- Hispanic Americans**
diabetes prevention, 31(3):364–374
risky alcohol and opioid use in underserved patients, 31(2):243–251
- Hospital emergency service**, decreasing pediatric visits, 31(4):550–557
- Hospitalists**, family physician characteristics, 31(5):680–681
- office-based family medicine and, 31(5):677–679
- Hospitalization**
opioid overdose, among Medicare beneficiaries, 31(6):881–896
patient perspectives on care coordination, 31(5):682–690
- Humor**, during clinical practice, 31(2):270–278
Hyperlipidemic agents, management of hyperlipidemia with PCSK9 inhibitors, 31(4):628–634
- Hypersensitivity**, food, diagnosing meat allergy after tick bite, 31(4):650–652
- Hypertension**
control, disparities in, 31(6):897–904
incident, and antidepressants, 31(1):22–28
measuring and managing blood pressure, 31(3):375–388
shared decision making and medication adherence, 31(5):752–760
- Hypoglycemic agents**, patient-centered guidelines for geriatric diabetes, 31(2):192–200
- Idiopathic pulmonary fibrosis**, 31(1):151–162
- Immigration**
culturally related findings on refugee physicals, 31(4):653–657
national immigration and health care policy, 31(1):163–165
- Immunotherapy**, new therapies, side effects of, in oncology, 31(4):620–627
- Implementation science**
advancing social prescribing with, commentary, 31(3):315–321
implementing a VA geriatric patient-aligned care team model, 31(3):456–465
implementing complex interventions, 31(3):431–444
implementing health insurance support tools, 31(3):410–416
measuring and managing blood pressure, 31(3):375–388
in primary health care, editorial, 31(3):307–311
in research and practice, 31(3):466–478
- Inappropriate prescribing**, postpartum opioids, 31(6):944–946
- Incentives**, patient satisfaction, opioid prescribing and, 31(6):941–943
- Incontinence**, urinary and fecal, screening for, 31(5):774–782
- Infant mortality**, obstetrics and, in rural Alabama, 31(4):542–549
- Infants**, neonatal thrush and mode of delivery, 31(4):537–541
- Inpatients**, opioid hospitalizations among Medicare beneficiaries, 31(6):881–896
- Insurance coverage**, current adult pneumococcal vaccine recommendations, 31(1):94–104
- Intensive care units**, satisfaction with shared decision making for critically ill, 31(1):64–72
- Intention to treat analysis**, mailed letter versus phone call to increase cancer screening, 31(6):857–868
- Interactive mobile doctor (iMD)**, discussing tobacco use and, 31(6):869–880
- Interconception care**, during well-child visits, 31(2):201–210
- Interdisciplinary studies**, implementing complex interventions, 31(3):431–444
- International Classification of Diseases**
antidepressants and incident hypertension, 31(1):22–28
diagnosis frequency and criticality in family medicine, 31(1):126–138
- Internship and residency**, FM graduates and loan repayment programs, 31(4):501–502
- Intimate partner violence**, disclosure, and physician's role, 31(4):635–644
- Iron overload**, decision support based intervention and sickle cell disease, 31(5):812–816
- Journal of the American Board of Family Medicine (JABFM)*
content usage and the most frequently read articles of 2017, 31(3):312–314
peer reviewers for, 31(2):174–177
- Journals**, family medicine, caution from editors, 31(3):307–311
- Kidney disease**, patients' feelings about, 31(4):570–577
- Lacerations**, epidural analgesia and vaginal laceration, 31(5):768–773
- Latino populations**, diabetes prevention, 31(3):364–374
- Leadership**
Pisacano Scholars' reflections from Starfield Summit II, 31(2):292–302
recruiting primary care practices for research, 31(6):947–951
- Learning disabilities**, reflections in family medicine, 31(2):303–304
- Lifestyle**
patients' feelings about kidney disease, 31(4):570–577
visit agenda setting by complex patients and physicians, 31(1):29–37
- Logistic models**, depression screening and treatment in the United States, 31(3):389–397
- Logistic regression**
burnout in small independent primary care practices, 31(4):529–536
“cold-spot” communities and poor health, 31(3):342–350
epidural analgesia and vaginal laceration, 31(5):768–773
getting patients engaged at the practice level, 31(5):733–742

- neonatal thrush and mode of delivery, 31(4):537–541
 shared decision making trends in prostate-specific antigen testing, 31(4):658–662
- Long-term care**, behavioral health integration at high performing practices, 31(5):691–701
- Lower extremity**, novel exercises for restless legs syndrome, 31(5):783–794
- Lyrics**, opioid and drug prevalence in top 40's music, 31(5):761–767
- Magnetic resonance imaging**, application in soft tissue wrist injury, 31(5):795–804
- Marijuana**
 medical
 doctor-patient communication and, 31(5):805–808
 health care integration and coordination, 31(5):667–670
 opioid and drug prevalence in top 40's music, 31(5):761–767
- Marketing**, clinical trial data and prescription drug promotion, 31(4):645–649
- Maternal assessment**, interconception care during well-child visits, 31(2):201–210
- Meat allergy**, diagnosing, after tick bite, 31(4):650–652
- Medicaid**
 ACA expansion and visit rates for diabetes, 31(6):905–916
 multisite practicing and access to care, 31(2):260–269
- Medical decision making**, satisfaction with shared decision making for critically ill, 31(1):64–72
- Medical directors**, diabetes prevention for Latinos, 31(3):364–374
- Medical errors**, trigger tools to detect preventable adverse events, 31(1):113–125
- Medical ethics**, moral distress and hepatitis C treatment, 31(2):286–291
- Medical history taking**, concern for menthol cough drops, 31(2):183–191
- Medical informatics**, implementing health insurance support tools, 31(3):410–416
- Medical schools**, family physician workforce and diversity progress, 31(6):842–843
- Medical subject headings**, trigger tools to detect preventable adverse events, 31(1):113–125
- Medically underserved areas**, national immigration and health care policy, 31(1):163–165
- Medically uninsured**
 ACA expansion and visit rates for diabetes, 31(6):905–916
 depression screening and treatment in the United States, 31(3):389–397
- Medicare**
 beneficiaries, opioid hospitalizations among, 31(6):881–896
 improving primary care quality management, 31(6):931–940
- Medication adherence**
 gender, diabetes, and medication cost nonadherence, 31(5):743–751
 shared decision making and medication adherence, 31(5):752–760
- MEDLINE**, trigger tools to detect preventable adverse events, 31(1):113–125
- Mental health**
 ambulatory access to care after disasters, 31(2):252–259
 challenges of PCMH implementation, 31(3):334–341
 depression screening and symptom severity by alcohol use, 31(5):724–732
 and treatment in the United States, 31(3):389–397
 health care integration and coordination, 31(5):667–670
 novel exercises for restless legs syndrome, 31(5):783–794
 problem-solving therapy for depressive and anxiety disorders, 31(1):139–150
 VA primary care mental health integration, 31(1):38–48
- Menthol**, cough drops, concern for, 31(2):183–191
- Mentoring**, implementing health insurance support tools, 31(3):410–416
- Middle East**, culturally related findings on refugee physicals, 31(4):653–657
- Migraine headache**, greater occipital nerve block for, 31(2):211–218
- Military personnel**, plantar fascia rupture ultrasound, 31(2):282–285
 Morbid obesity, physicians' perspectives on weight loss nutrition, 31(4):522–528
- Multimorbidity**, trends in US adults, 31(4):503–513
 Multivariate analysis, disparities in hypertension control, 31(6):897–904
- Music**, top 40's, opioid and drug prevalence in, 31(5):761–767
- Naloxone**, pharmacist input to providers on opioid prescribing, 31(1):105–112
- Native Americans**, risky alcohol and opioid use in underserved patients, 31(2):243–251
- Needs assessment**, screening for social needs, 31(3):351–363
- Nerve block**, greater occipital, for migraine, 31(2):211–218
- New Jersey**, expanding roles of medical assistants in PCMHs, 31(2):226–235
- New York City**, burnout in small independent primary care practices, 31(4):529–536
- NHS**, trigger tools to detect preventable adverse events, 31(1):113–125
- Nutrition**, weight loss, physicians' perspectives on, 31(4):522–528
- Nutrition surveys**, multimorbidity trends in US adults, 31(4):503–513
- Obesity**
 diabetes prevention for Latinos, 31(3):364–374
 pediatric, socioeconomic and, 31(4):514–521
 physicians' perspectives on weight loss nutrition, 31(4):522–528
- Obstetrics**
 epidural analgesia and vaginal laceration, 31(5):768–773
 and family medicine, commentary, 31(3):328–331
 infant mortality in rural Alabama, 31(4):542–549
 neonatal thrush and mode of delivery, 31(4):537–541
 obstetric delivery barriers faced by graduates, 31(3):332–333
 postpartum opioid prescribing, 31(6):944–946
- Ohio**, neonatal thrush and mode of delivery, 31(4):537–541
- Oncologists**, side effects of new immunotherapies in oncology, 31(4):620–627
- Opioid analgesics**
 chronic therapy, doctor-patient trust and, 31(4):578–587
 overdose hospitalizations among Medicare beneficiaries, 31(6):881–896
 prescribing
 patient satisfaction incentives and, 31(6):941–943
 pharmacist input to providers, 31(1):105–112
 postpartum, 31(6):944–946
 risky use in underserved patients, 31(2):243–251
 rural management of chronic pain with, 31(1):57–63
- Opioids**, and drug prevalence in top 40's music, 31(5):761–767
- Opportunistic infection**, neonatal thrush and mode of delivery, 31(4):537–541
- Oral candidiasis**, neonatal thrush and mode of delivery, 31(4):537–541
- Oregon**
 challenges of PCMH implementation, 31(3):334–341
 EHR tool for integrated behavioral health, 31(5):712–723
- Organizational innovation**, collaborative care management for disease, 31(5):702–711
- Outcome measure**, gender, diabetes, and medication cost nonadherence, 31(5):743–751
- Over-the-counter drugs**, concern for menthol cough drops, 31(2):183–191

- Pain management**
 doctor-patient trust and chronic opioid therapy, 31(4):578–587
 pharmacist input to providers on opioid prescribing, 31(1):105–112
 postpartum opioid prescribing, 31(6):944–946
- Parenting**, reflections in family medicine, 31(2):303–304
- Parity**, epidural analgesia and vaginal laceration, 31(5):768–773
- Parturition**, obstetric delivery barriers faced by graduates, 31(3):332–333
- Patient care team**, task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
- Patient-centered care**
 challenges of PCMH implementation, 31(3):334–341
 expanding roles of medical assistants in PCMHs, 31(2):226–235
 getting patients engaged at the practice level, 31(5):733–742
 humor during clinical practice, 31(2):270–278
 patient-centered guidelines for geriatric diabetes, 31(2):192–200
 task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
 VA primary care mental health integration, 31(1):38–48
- Patient-centered medical home**, implementing a VA geriatric patient-aligned care team model, 31(3):456–465
- Patient compliance**, rural management of chronic pain with opioids, 31(1):57–63
- Patient engagement**, getting patients engaged at the practice level, 31(5):733–742
- Patient health questionnaire**
 depression screening and symptom severity by alcohol use, 31(5):724–732
 EHR tool for integrated behavioral health, 31(5):712–723
- Patient preference**
 perspectives on electronic cigarettes, 31(1):73–82
 shared decision making and medication adherence, 31(5):752–760
- Patient Protection and Affordable Care Act (ACA)**, expansion, visit rates for diabetes and, 31(6):905–916
- Patient safety**
 ambulatory antibiotic stewardship, 31(3):417–430
 trigger tools to detect preventable adverse events, 31(1):113–125
- Patient satisfaction**
 incentives, opioid prescribing and, 31(6):941–943
 patient perspectives on care coordination, 31(5):682–690
- Pediatric obesity**, socioeconomics and, 31(4):514–521
- Pediatrics**, decreasing pediatric emergency visits, 31(4):550–557
- Peroxisome proliferator-activated receptors**, edema from cinnamon for treatment of diabetes, 31(5):809–811
- Personal satisfaction**
 measuring and managing blood pressure, 31(3):375–388
 with shared decision making for critically ill, 31(1):64–72
- Personnel turnover**, task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
- Pharmacists**, input to providers on opioid prescribing, 31(1):105–112
- Pharmacy**, rural management of chronic pain with opioids, 31(1):57–63
- Physical examination**
 culturally related findings on refugee physicals, 31(4):653–657
 improving screenings during well-child visits, 31(4):558–569
- Physician-patient relations**
 communication, medical marijuana and, 31(5):805–808
 humor, during clinical practice, 31(2):270–278
 impact of medical scribes, 31(4):612–619
 trust, chronic opioid therapy and, 31(4):578–587
- Pilot study**
 pharmacist input to providers on opioid prescribing, 31(1):105–112
 physicians' perspectives on weight loss nutrition, 31(4):522–528
- Plantar fasciitis**, plantar fascia rupture ultrasound, 31(2):282–285
- Pneumococcal vaccine**, adult, current recommendations, 31(1):94–104
- Point-of-care testing**, ambulatory antibiotic stewardship, 31(3):417–430
- Policy**, antipsychotic agents and other medications for dementia, 31(1):9–21
- Population health**
 improving primary care quality management, 31(6):931–940
 obstetrics and infant mortality in rural Alabama, 31(4):542–549
- Poverty**, “cold-spot” communities and poor health, 31(3):342–350
- Practice based research networks**
 dental, practitioner participation in studies, 31(6):844–856
 future directions for, 31(6):917–923
- Practice facilitation**, strategies for EHR data challenges to QI, 31(3):398–409
- Practice gaps**, preparation and scope of family physicians, 31(2):181–182
- Practice transformation**, practice rurality of family physicians, 31(6):952–956
- Prediabetic state**, ACA expansion and visit rates for diabetes, 31(6):905–916
- Pregnancy**
 interpreting and managing Zika test results, 31(6):924–930
 neonatal thrush and mode of delivery, 31(4):537–541
 obstetric delivery barriers faced by graduates, 31(3):332–333
- Prenatal care**, obstetrics and infant mortality in rural Alabama, 31(4):542–549
- Prescriptions**
 clinical trial data and prescription drug promotion, 31(4):645–649
 pharmacist input to providers on opioid prescribing, 31(1):105–112
- Preterm birth**, interconception care during well-child visits, 31(2):201–210
- Pretest probability**, for inpatient coronary artery disease, 31(2):219–225
- Prevalence**
 burnout in small independent primary care practices, 31(4):529–536
 depression screening and treatment in the United States, 31(3):389–397
 iMD and discussing tobacco use, 31(6):869–880
 multimorbidity trends in US adults, 31(4):503–513
 physicians' perspectives on weight loss nutrition, 31(4):522–528
 shared decision making trends in prostate-specific antigen testing, 31(4):658–662
- Primary care physicians**
 antipsychotic agents and other medications for dementia, 31(1):9–21
 clinical trial data and prescription drug promotion, 31(4):645–649
 current adult pneumococcal vaccine recommendations, 31(1):94–104
 decision support based intervention and sickle cell disease, 31(5):812–816
 diabetes prevention for Latinos, 31(3):364–374
 doctor-patient communication and medical marijuana, 31(5):805–808
 intimate partner violence disclosure and, 31(4):635–644
 multisite practicing and access to care, 31(2):260–269
 rural management of chronic pain with opioids, 31(1):57–63
 visit agenda setting by complex patients, 31(1):29–37
- Primary health care**
 ambulatory access to care after disasters, 31(2):252–259
 antidepressants and incident hypertension, 31(1):22–28
 behavioral health integration at high performing practices, 31(5):691–701
 burnout in small independent primary care practices, 31(4):529–536
 challenges of PCMH implementation, 31(3):334–341
 concern for menthol cough drops, 31(2):183–191
 direct, delivery and outcomes for, 31(4):605–611

- disparities in hypertension control, 31(6):897–904
- EHR tool for integrated behavioral health, 31(5):712–723
- evaluating an ongoing diabetes group medical visit, 31(2):279–281
- expanding roles of medical assistants in PCMHs, 31(2):226–235
- FM graduates and loan repayment programs, 31(4):501–502
- future directions for PBRNs, 31(6):917–923
- humor during clinical practice, 31(2):270–278
- idiopathic pulmonary fibrosis, 31(1):151–162
- iMD and discussing tobacco use, 31(6):869–880
- impact of health technology implementation, 31(3):445–455
- impact of medical scribes in, 31(4):612–619
- implementation science in research and practice, 31(3):466–478
- implementing a VA geriatric patient-aligned care team model, 31(3):456–465
- implementing complex interventions, 31(3):431–444
- implementing health insurance support tools, 31(3):410–416
- improving quality management, 31(6):931–940
- mailed letter versus phone call to increase cancer screening, 31(6):857–868
- measuring and managing blood pressure, 31(3):375–388
- multimorbidity trends in US adults, 31(4):503–513
- national immigration and health care policy, 31(1):163–165
- observations on working with medical scribes, 31(1):49–56
- patient-centered guidelines for geriatric diabetes, 31(2):192–200
- patient perspectives
on care coordination, 31(5):682–690
on electronic cigarettes, 31(1):73–82
- patient satisfaction incentives and opioid prescribing, 31(6):941–943
- patients' feelings about kidney disease, 31(4):570–577
- pharmacist input to providers on opioid prescribing, 31(1):105–112
- Pisacano Scholars' reflections from Starfield Summit II, 31(2):292–302
- practice facilitator strategies for EHR data challenges to QI, 31(3):398–409
- practice rurality of family physicians, 31(6):952–956
- problem-solving therapy for depressive and anxiety disorders, 31(1):139–150
- recruiting primary care practices for research, 31(6):947–951
- risky alcohol and opioid use in underserved patients, 31(2):243–251
- screening
for depression, 31(5):724–732
for social needs, 31(3):351–363
for urinary and fecal incontinence, 31(5):774–782
- shared decision making and medication adherence, 31(5):752–760
- socioeconomics and childhood obesity, 31(4):514–521
- strategies to address health equity and disparities, 31(3):479–483
- task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
- trigger tools to detect preventable adverse events, 31(1):113–125
- US payment models' impact on the quadruple aim, 31(4):588–604
- VA primary care mental health integration, 31(1):38–48
- visit agenda setting by complex patients and physicians, 31(1):29–37
- Probability**, interpreting and managing Zika test results, 31(6):924–930
- Problem solving**
implementing complex interventions, 31(3):431–444
therapy for depressive and anxiety disorders, 31(1):139–150
Proof of concept study, EHR tool for integrated behavioral health, 31(5):712–723
- Propensity score**, evaluating an ongoing diabetes group medical visit, 31(2):279–281
- Proportional hazards models, antidepressants and incident hypertension**, 31(1):22–28
- Prospective studies**
impact of medical scribes in primary care, 31(4):612–619
screening for social needs, 31(3):351–363
Prostate cancer, shared decision making trends in prostate-specific antigen testing, 31(4):658–662
Prostate-specific antigen, testing, shared decision making trends in, 31(4):658–662
Psychotherapy, problem-solving therapy for depressive and anxiety disorders, 31(1):139–150
- Public health**
interpreting and managing Zika test results, 31(6):924–930
patient satisfaction incentives and opioid prescribing, 31(6):941–943
socioeconomics and childhood obesity, 31(4):514–521
- Qualitative research**, patients' feelings about kidney disease, 31(4):570–577
- Quality improvement**
ambulatory antibiotic stewardship, 31(3):417–430
collaborative care management for disease, 31(5):702–711
- disparities in hypertension control, 31(6):897–904
- EHR data challenges to, practice facilitator strategies for, 31(3):398–409
- future directions for PBRNs, 31(6):917–923
- getting patients engaged at the practice level, 31(5):733–742
- impact of health technology implementation, 31(3):445–455
- improving screenings during well-child visits, 31(4):558–569
- pharmacist input to providers on opioid prescribing, 31(1):105–112
- postpartum opioid prescribing, 31(6):944–946
- Quality of health care**
improving primary care quality management, 31(6):931–940
observations on working with medical scribes, 31(1):49–56
- Quality of life**
novel exercises for restless legs syndrome, 31(5):783–794
screening for social needs, 31(3):351–363
- Rare diseases**, decision support based intervention and sickle cell disease, 31(5):812–816
- Referral and consultation**
challenges of PCMH implementation, 31(3):334–341
pharmacist input to providers on opioid prescribing, 31(1):105–112
- Refugees**, physicals, culturally related findings on, 31(4):653–657
- Registries**, collaborative care management for disease, 31(5):702–711
- Research personnel**, future directions for PBRNs, 31(6):917–923
- Resiliency**, professional, state chapter perspective, 31(1):5–6
Restless legs syndrome, novel exercises for, 31(5):783–794
- Retrospective studies**
antidepressants and incident hypertension, 31(1):22–28
disparities in hypertension control, 31(6):897–904
greater occipital nerve block for migraine, 31(2):211–218
opioid hospitalizations among Medicare beneficiaries, 31(6):881–896
practitioner participation in national dental PBRN studies, 31(6):844–856
rural management of chronic pain with opioids, 31(1):57–63
strategies to address health equity and disparities, 31(3):479–483
VA primary care mental health integration, 31(1):38–48
Risk, visit agenda setting by complex patients and physicians, 31(1):29–37
- Risk adjustment**, strategies to address health equity and disparities, 31(3):479–483

- Risk factors**, socioeconomic and childhood obesity, 31(4):514–521
- Risk reduction behavior, doctor-patient trust and chronic opioid therapy, 31(4):578–587
- Rupture**, plantar fascia, ultrasound, 31(2):282–285
- Rural communities**
management of chronic pain with opioids, 31(1):57–63
practice rurality of family physicians, 31(6):952–956
- Rural population**
national immigration and health care policy, 31(1):163–165
obstetrics and infant mortality in rural Alabama, 31(4):542–549
- Sarcoidosis**, idiopathic pulmonary fibrosis, 31(1):151–162
- Screening**
cancer
“cold-spot” communities and poor health, 31(3):342–350
mailed letter versus phone call, 31(6):857–868
depression
and symptom severity by alcohol use, 31(5):724–732
and treatment in the United States, 31(3):389–397
social needs, 31(3):351–363
urinary and fecal incontinence, 31(5):774–782
during well-child visits in primary care, 31(4):558–569
- Scribes**, medical
impact of, in primary care, 31(4):612–619
observations on working with, 31(1):49–56
- Secondhand smoke**, patient perspectives on electronic cigarettes, 31(1):73–82
- Self-management**
evaluating an ongoing diabetes group medical visit, 31(2):279–281
patients’ feelings about kidney disease, 31(4):570–577
recruiting primary care practices for research, 31(6):947–951
- Self-report**
iMD and discussing tobacco use, 31(6):869–880
patient perspectives on electronic cigarettes, 31(1):73–82
- Sensitivity and specificity**, interpreting and managing Zika test results, 31(6):924–930
- Serologic tests**, interpreting and managing Zika test results, 31(6):924–930
- Shared decision making**, medication adherence and, 31(5):752–760
- Sickle cell anemia**, decision support based intervention and, 31(5):812–816
- Smartphones**, diabetes prevention for Latinos, 31(3):364–374
- Smoke**, secondhand, patient perspectives on electronic cigarettes, 31(1):73–82
- Smoking cessation**, iMD and discussing tobacco use, 31(6):869–880
- Social determinants of health**, Pisacano Scholars’ reflections from Starfield Summit II, 31(2):292–302
- Social responsibility**
future directions for PBRNs, 31(6):917–923
Pisacano Scholars’ reflections from Starfield Summit II, 31(2):292–302
- Socioeconomic factors**, multimorbidity trends in US adults, 31(4):503–513
- Socioeconomic status**, and childhood obesity, 31(4):514–521
- Soft tissue injuries**, wrist, MRI application in, 31(5):795–804
- Southeastern United States**, diagnosing meat allergy after tick bite, 31(4):650–652
- Special communications**
Direct Primary Care: Applying Theory to Potential Changes in Delivery and Outcomes, 31(4):605–611
Dissemination and Implementation Science in Primary Care Research and Practice: Contributions and Opportunities, 31(3):466–478
How Evolving United States Payment Models Influence Primary Care and Its Impact on the Quadruple Aim, 31(4):588–604
Impact of Medical Scribes in Primary Care on Productivity, Face-to-Face Time, and Patient Comfort, 31(4):612–619
Improving the Quality of Primary Care by Optimizing Implementation Research Reporting, 31(3):484–487
Practice Rurality of Family Physicians Enrolled in a Practice Transformation Network, 31(6):952–956
Proactive Strategies to Address Health Equity and Disparities: Recommendations from a Bi-National Symposium, 31(3):479–483
Recruiting Primary Care Practices for Research: Reflections and Reminders, 31(6):947–951
Revisiting Primary Care’s Critical Role in Achieving Health Equity: Pisacano Scholars’ Reflections from Starfield Summit II, 31(2):292–302
- Spouse abuse**, intimate partner violence disclosure and physician’s role, 31(4):635–644
- Stress test**, pretest probability for inpatient coronary artery disease, 31(2):219–225
- Student loans**, FM graduates and loan repayment programs, 31(4):501–502
- Students**, family physician workforce and diversity progress, 31(6):842–843
- Substance abuse**, risky alcohol and opioid use in underserved patients, 31(2):243–251
- Surgeons**, MRI application in soft tissue wrist injury, 31(5):795–804
- Surveys and questionnaires**
collaborative care management for disease, 31(5):702–711
decreasing pediatric emergency visits, 31(4):550–557
diagnosis frequency and criticality in family medicine, 31(1):126–138
doctor-patient relations
communication and medical marijuana, 31(5):805–808
trust and chronic opioid therapy, 31(4):578–587
EHR tool for integrated behavioral health, 31(5):712–723
future directions for PBRNs, 31(6):917–923
getting patients engaged at the practice level, 31(5):733–742
measuring and managing blood pressure, 31(3):375–388
moral distress and hepatitis C treatment, 31(2):286–291
patient satisfaction incentives and opioid prescribing, 31(6):941–943
practitioner participation in national dental PBRN studies, 31(6):844–856
satisfaction with shared decision making for critically ill, 31(1):64–72
screening
depression, 31(3):389–397
social needs, 31(3):351–363
urinary and fecal incontinence, 31(5):774–782
- Telemedicine**, ambulatory access to care after disasters, 31(2):252–259
- Thiazolidinediones**, edema from cinnamon for treatment of diabetes, 31(5):809–811
- Tick bites**, diagnosing meat allergy after, 31(4):650–652
- Tobacco**, opioid and drug prevalence in top 40’s music, 31(5):761–767
- Tobacco products**, patient perspectives on electronic cigarettes, 31(1):73–82
- Tobacco use**, discussing, iMD and, 31(6):869–880
- Top 40’s**, music, opioid and drug prevalence in, 31(5):761–767
- Treatment outcome**, greater occipital nerve block for migraine, 31(2):211–218
- Type 2 diabetes mellitus**, recruiting primary care practices for research, 31(6):947–951
- Ultrasound**, plantar fascia rupture, 31(2):282–285

- Underserved populations**, national immigration and health care policy, 31(1):163–165
- Unplanned pregnancy**, interconception care during well-child visits, 31(2):201–210
- Urban areas**, burnout in small primary care practices, 31(4):529–536
- Urban hospitals**, epidural analgesia and vaginal laceration, 31(5):768–773
- Urinary incontinence**, screening for, 31(5):774–782
- Vaccination**, current adult pneumococcal vaccine recommendations, 31(1):94–104
- Veterans**
implementing a VA geriatric patient-aligned care team model, 31(3):456–465
- task delegation and burnout trade-offs in VA PACTs, 31(1):83–93
- VA primary care mental health integration, 31(1):38–48
- Virginia**
antipsychotic agents and other medications for dementia, 31(1):9–21
- screening for social needs, 31(3):351–363
- Visual analog scale**, novel exercises for restless legs syndrome, 31(5):783–794
- Vulnerable populations**, Pisacano Scholars' reflections from Starfield Summit II, 31(2):292–302
- Weight loss**, nutrition, physicians' perspectives on, 31(4):522–528
- Well-child visits**, interconception care during, 31(2):201–210
- West Virginia**, physicians' perspectives on weight loss nutrition, 31(4):522–528
- Wisconsin**, concern for menthol cough drops, 31(2):183–191
- Workflow**
challenges of PCMH implementation, 31(3):334–341
- recruiting primary care practices for research, 31(6):947–951
- Workforce**, family physician, progress in racial and ethnic diversity, 31(6):842–843
- Wrist injuries**, soft tissue, MRI application, 31(5):795–804
- Zika virus**, interpreting and managing test results, 31(6):924–930