Subject Index to Volume 33, 2020

Abstracting and indexing, peer review of abstracts submitted to academic meetings, 33(6):986–991
Academies and institutes, intrinsically motivated learners, 33(5): S21–S23
Access to health care
addressing needs of transgender patients, 33(2):314–321
decline in pediatric care by family physicians, 33(2):314–321
HPV vaccination among adult males, 33(4):592–599
insurance, health care, and discrimination, 33(4):580–591
Accountable care organizations, Medicare Access and CHIP Reauthorization Act, 33(6): 942–952
Accreditation, clinical learning environment and health care delivery, 33 (5):S46–S49
Accreditation Council for Graduate Medical Education (ACGME), impact of changes to residency requirements, 33(6):1033–1036
Acute pain, patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
Addictive behavior
quality improvement toolkit to improve opioid prescribing, 33 (1):17–26
systematic approach to opioid prescribing, 33(6):992–997
Adenoidectomy, current indications for, 33(6):1025–1030
Administrative personnel, patient safety in primary care, 33(5): 754–764
Adolescents, stimulant use by, for ADHD, 33(1):59–70
Advance care planning, prognostic indices for, 33(2):322–338
Adverse drug events, inappropriate medications for elderly patients, 33(4):561–568
Aftercare, initiative to reduce avoidable hospital admissions, 33(6): 1011–1015
Aging
cognitive functioning, subjective vs. objective assessment, 33 (3):417–425
elderly patients, prescribing inappropriate medications for, 33(4): 561-568
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
usual source of care and longer telomere length, 33(6):832–841
Alcohol drinking, unhealthy, machine learning approach to, 33(3): 397–406
Alcoholism, machine learning approach to unhealthy drinking, 33(3): 397–406
Allied health personnel, financial cost of medical assistant turnover, 33 (3):426–430
Altruism, virtual Parent Panel for pediatric research network, 33 (5):665–674
Ambulatory care, educating patients on unnecessary antibiotics, 33 (6):969–977
Ambulatory care facilities
eliminating barriers to improve quality of care, 33(2):220–229
practical management of common skin injuries, 33(5):799–808
American Board of Family Medicine (ABFM)
celebrating 50 years of continuing transformation, 33(5):S69–S74
efforts to advance leadership and scholarship in family medicine, 33(1):156–159
Family Medicine Certification Longitudinal Assessment, after one year, 33(2):344–346
American Medical Association, buprenorphine prescribers for Medicare patients, 33(1):9–16
Amphetamines, marketing messages in continuing medical education on binge-eating disorder, 33(2): 240–251
Anesthesiology, rethinking the purpose of MOC, 33(5):S15–S20
Angiotensin-converting enzyme inhibitors, anti-hypertensive medication combinations, 33 (1):143–146
Anti-HMGCR myopathy, from statins, 33(5):785–788
Antibacterial drug resistance, educating patients on unnecessary antibiotics, 33(6):969–977
Antibiotics
misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
unnecessary, educating patients on, 33 (6):969–977
Antidepressants
patient education level and, 33 (1):80–90
risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
Antihypertensive agents, medication combinations, 33(1):143–146
Antimicrobial stewardship, educating patients on unnecessary antibiotics, 33(6):969–977
Area under curve, machine learning approach to unhealthy drinking, 33(3):397–406
Arizona, unexpected career retirement, 33(2):339–341
Asthma, care, in a multi-state network of low-income children, 33 (5):707–715
Atopic dermatitis, diagnosis and management, 33(4):626–635
Attention deficit hyperactivity disorder, stimulant use by young adults, 33(1):59–70
Automobile driving, opioid use and, among older adults, 33(4):521–528

Back pain
low, adults with, widespread pain in, 33(4):541–549
opioid prescriptions for, 33(1): 138–142
Behavior therapy, obesity intervention trial, participation of rural clinicians, 33(5):736–744
Behavioral Risk Factor Surveillance System, HPV vaccination among adult males, 33(4):592–599
Benzodiazepines
risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
systematic approach to opioid prescribing, 33(6):992–997
Binge-eating disorder, marketing messages in continuing medical education on, 33(2):240–251
Bioethics, managing patient requests for marijuana, 33(1):147–151
Biomedical technology assessment, clinical decision support for opioid prescribing, 33(4):529–540
Biostatistics, peer review of abstracts submitted to academic meetings, 33(6):986–991
Blood glucose, social and clinical complexity on diabetes control, 33 (4):600–610
Blood pressure, practice transformation support and cardiovascular care, 33(5):675–686
BRCA1 gene, BRCA-related cancer genetic counseling, 33(6):885–893
BRCA2 gene, BRCA-related cancer genetic counseling, 33(6):885–893
Breast cancer
BRCA-related cancer genetic counseling, 33(6):885–893
screening
for average-risk women, 33(6):871–884
and shared decision making, 33 (3):473–480
Built environment, for professionalism, 33(5):S57–S61
Buprenorphine
financial model for opioid use disorder, 33(1):124–128
office-based opioid treatment models, 33(4):512–521
OUD education and waiver provision during residency, 33(6):998–1003
patient retention in opioid medication-assisted treatment, 33 (6):848–857
prescribers, for Medicare patients, 33 (1):9–16

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

prescribing, early-career physicians and, 33(1):7–8
prescribing by family physicians, 33 (1):118–123
treating opioid use disorder in family medicine, 33(4):611–615
Burns, practical management of, 33 (5):799–808

California
gender differences in addressing burnout, 33(3):446–451
insurance, health care, and discrimination, 33(4):580–591
Canada, strategies to overcome psychological insulin resistance, 33 (2):198–210
Cannabis, managing patient requests for marijuana, 33(1):147–151
Capacity building, indicators of workplace burnout, 33(3):378–385
Cardiovascular disease
anti-HMGCR myopathy from statins, 33(5):785–788
glucosamine/chondroitin and mortality, 33(6):842–847
heart disease in adult Down syndrome, 33(6):923–931
practice facilitation barriers in quality improvement, 33(5):655–664
practice transformation support and cardiovascular care, 33(5):675–686
screening for, in breast cancer survivors, 33(6):894–902
Case-control studies, cardiovascular screening and lipid management in breast cancer survivors, 33 (6):894–902
Case report, anti-HMGCR myopathy from statins, 33(5):785–788
Catastrophization
and expectations of opioid prescriptions, 33(6):871–884
widespread pain in adults with low back pain, 33(4):541–549
Causality, HPV vaccination among adult males, 33(4):592–599
Central nervous system stimulants, use by young adults for ADHD, 33(1):59–70
Certification
celebrating 50 years of continuing transformation, 33(5):S69–S74
continuing board certification, 33(5): S10–S14
evolution of board certification, 33:(5) S1–S9
helping family physicians keep up to date, 33(5):S24–S27
measuring and improving quality in the US, 33(5):S28–S35
medical professionalism, 33(5):S62–S64, 33(5):S65–S68
quality improvement teams, 33(5): S42–S45
rethinking the purpose of MOC, 33 (5):S15–S20
role of certifying boards in improving health, 33(5):S36–S41
Chi-square test, patient education level and antidepressants, 33(1):80–90

Child health
asthma care in a multi-state network of low-income children, 33 (5):707–715
co-management for sickle cell disease, 33(1):91–105
decline in pediatric care by family physicians, 33(2):314–321
virtual Parent Panel for pediatric research network, 33(5):665–674
China, general practitioner job satisfaction, 33(3):456–459
Chondroitin, glucosamine/chondroitin and mortality, 33(6):842–847
Chronic disease
anti-hypertensive medication combinations, 33(1):143–146
diagnosis and management of atopic dermatitis, 33(4):626–635
heart disease in adult Down syndrome, 33(6):923–931
intervention supports diabetes registry implementation, 33(5):728–735
social and clinical complexity on diabetes control, 33(4):600–610
sustainable preventive services in rural counties, 33(5):698–706
systematic approach to opioid prescribing, 33(6):992–997
treating fibromyalgia and physician burnout, 33(3):386–396
Chronic obstructive pulmonary disease (COPD)
improving symptoms using team-based approach, 33(6):978–985
inhaled corticosteroid treatment, 33 (2):289–302
Chronic pain
clinical decision support for opioid prescribing, 33(4):529–540
management plans, changes to, 33 (1):42–50
opioid reduction protocol among rural patients, 33(4):502–511
quality improvement toolkit to improve opioid prescribing, 33 (1):17–26
systematic approach to opioid prescribing, 33(6):992–997
Clinical decision-making
changes to chronic pain management plans, 33(1):42–50
mammography screening for average-risk women, 33(6):871–884
patient education level and antidepressants, 33(1):80–90
physicians' response to quality-of-life goals, 33(1):71–79
support for opioid prescribing, 33 (4):529–540
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
Clinical decision rules, machine learning approach to unhealthy drinking, 33(3):397–406
Clinical decision support systems, for opioid prescribing, 33(4):529–540
Clinical medicine, practical management of common skin injuries, 33 (5):799–808

Clinical practice patterns, project ECHO integrated within the ORPRN, 33(5):789–795
Cluster analysis, treating fibromyalgia and physician burnout, 33 (3):386–396
Cognitive dysfunction, subjective vs. objective assessment, 33(3):417–425
Cohort studies
glucosamine/chondroitin and mortality, 33(6):842–847
health care satisfaction among opioid recipients, 33(1):34–41
heart disease in adult Down syndrome, 33(6):923–931
physician-pharmacist collaboration on diabetes outcomes, 33 (5):745–753
Colonoscopy, in older adults with prior adenomas, 33(5):796–798
Colorectal cancer
screening, factors associated with, 33 (5):779–784
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
Combined modality therapy, office-based opioid treatment models, 33(4):512–521
Commentary
The American Academy of Family Physician's Approach to Developing and Supporting the Intrinsically Motivated Learner, 33(5):S21–S23
The Built Environment for Professionalism, 33(5):S57–S61
The Changing Face of Primary Care Research and Practice-Based Research Networks (PBRNs) in Light of the COVID-19 Pandemic, 33(5):645–649
The Clinic is The Curriculum: Can Attention to the Clinical Learning Environment Enhance Improvement in Health Care Delivery and Outcomes?, 33(5): S46–S49
Complexities in Integrating Social Risk Assessment into Health Care Delivery, 33(2):179–181
Connecting Purpose and Performance: Rethinking the Purpose of Maintenance of Certification, 33(5):S15–S20
The Dilution of Family Medicine: Waning Numbers of Family Physicians Providing Pediatric Care, 33(6):828–829
Do Patients Want Help Addressing Social Risks?, 33(2):170–175
Family Medicine and the "New" Opioid Epidemic, 33(1):1–3
The Gender Penalty: Reasons for Differences in Reported Weekly Work Hours Among Male and Female Family Physicians, 33 (5):650–652
Helping Family Physicians Keep Up to Date: A Next Step in the Pursuit of Mastery, 33(5): S24–S27

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Medical Professionalism Is Like Pornography: You Know it When You See it, 33(5):S62–S64
Positive Professionalism, 33(5):S65–S68
Primary Care Teams: Past, Present and Future, 33(4):495–498
Quality Improvement Teams: Moving from the Passionate Few to the Mandated Many, 33(5):S42–S45
The Role of Certifying Boards in Improving Health: The Example of the American Board of Pediatrics, 33(5):S36–S41
Trained and Ready, but Not Serving?—Family Physicians' Role in Reproductive Health Care, 33(2):182–185
When and How Do We Need Permission to Help Patients Address Social Risk?, 33(2):176–178
Why Are Early Career Family Physicians Driving Increases in Buprenorphine Prescribing?, 33(1):4–6
Women's Work: Why Are Women Physicians More Burned Out?, 33(3):351–354

Communication
breast cancer screening and shared decision making, 33(3):473–480
educating patients on unnecessary antibiotics, 33(6):969–977
patient interest in after-hours telemedicine, 33(5):765–773
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
physicians' response to quality-of-life goals, 33(1):71–79

Communication disorders, behavioral health problems and, 33(6):932–941

Community-based participatory research, project ECHO integrated within the ORPRN, 33(5):789–795

Community health centers
PBRN roadmap for evaluating COVID-19, 33(5):774–778
social and clinical complexity on diabetes control, 33(4):600–610

Community health services, project ECHO integrated within the ORPRN, 33(5):789–795

Community hospitals, volunteers, 33(3):481–483

Comorbidity
anti-hypertensive medication combinations, 33(1):143–146
social and clinical complexity on diabetes control, 33(4):600–610
widespread pain in adults with low back pain, 33(4):541–549

Comparative effectiveness research, adapting diabetes shared medical appointments, 33(5):716–727

Compassion fatigue, poem about asylum-seeker's torture, 33(5):815–815

Continuing medical education
continuing board certification, 33(5):S10–S14
helping family physicians keep up to date, 33(5):S24–S27
intrinsically motivated learners, 33(5):S21–S23
marketing messages in, on binge-eating disorder, 33(2):240–251
project ECHO integrated within the ORPRN, 33(5):789–795

Continuity of patient care
patient retention in opioid medication-assisted treatment, 33(6):848–857
primary care and a population health improvement strategy, 33(3):468–472

Contraception
physicians providing women's health care services, 33(2):186–188
role of family physicians in reproductive health care, 33(2):182–185

Contracts
built environment for professionalism, 33(5):S57–S61
medicine's social contract, 33(5):S50–S56

Coronary artery disease, anti-hypertensive medication combinations, 33(1):143–146

Coronavirus
impact on primary care research and PBRNs, 33(5):645–649
PBRN roadmap for evaluating, 33(5):774–778
rebuilding after, planning systems of care, 33(3):485–488

Correspondence
abnormally low hemoglobin A1c as harbinger of hemoglobinopathy, 33(2):342
addressing needs of transgender patients: the role of family physicians, 33(5):818
cervical spondylotic myelopathy: a guide to diagnosis and management, 33(6):1032
does prescription opioid misuse affect the level of health care satisfaction endorsed by patients on opioid therapy?, 33(3):484
identifying problematic substance use in a national sample of adolescents using frequency questions, 33(1):152
marketing messages in CME modules on binge-eating disorder, 33(5):816–818
new allopathic medical schools train fewer family physicians than older ones, 33(1):154–155
primary care practices' implementation of patient-team partnership: findings from EvidenceNOW Southwest, 33(2):342–343
a successful walk-in psychiatric model for integrated care, 33(1):153–154
sugar-sweetened beverage intake in a rural family medicine clinic, 33(1):152–153
that clock is really big, 33(1):154
three simple rules in pectoral muscle's trigger point treatment, which may be a cause of chest pain, 33(6):1031

Cost-benefit analysis, patient interest in after-hours telemedicine, 33(5):765–773

Cost savings, physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753

Counseling
genetic, BRCA-related cancer, 33(6):885–893
gestational diabetes risk and prenatal weight gain, 33(2):189–197

COVID-19
impact on primary care research and PBRNs, 33(5):645–649
PBRN roadmap for evaluating, 33(5):774–778
rebuilding after, planning systems of care, 33(3):485–488

Creatinine, anti-HMGCR myopathy from statins, 33(5):785–788

Cross-over studies, opioid reduction protocol among rural patients, 33(4):502–511

Cross-sectional studies
depression, rurality, and diabetes control, 33(6):913–922
mammography screening for average-risk women, 33(6):871–884
opioid use and driving among older adults, 33(4):521–528
request denial and subsequent patient satisfaction, 33(1)51–58
stimulant use by young adults for ADHD, 33(1):59–70
treating fibromyalgia and physician burnout, 33(3):386–396
usual source of care and longer telomere length, 33(6):832–841

Cultural competency, addressing needs of transgender patients, 33(2):314–321

Curriculum, clinical learning environment and health care delivery, 33(5):S46–S49

Data accuracy, quality improvement teams, 33(5):S42–S45

Data analysis, thyroid hormone use in the United States, 1997–2016, 33(2):284–288

Decision making
breast cancer screening and, 33(3):473–480
changes to chronic pain management plans, 33(1):42–50
factors associated with colorectal cancer screening, 33(5):779–784
initiative to reduce avoidable hospital admissions, 33(6):1011–1015
mammography screening for average-risk women, 33(6):871–884
PBRN roadmap for evaluating COVID-19, 33(5):774–778
surveillance colonoscopies in older adults with prior adenomas, 33(5):796–798

Decision support techniques, designing a prediabetes shared decision aid, 33(2):262–270

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Decision trees, machine learning approach to unhealthy drinking, 33(3):397–406
Delivery of health care
built environment for professionalism, 33(5):S57–S61
medicine's social contract, 33(5):S50–S56
PBRN roadmap for evaluating COVID-19, 33(5):774–778
primary care and a population health improvement strategy, 33(3):468–472
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33(2):170–175
permission to help patients, 33(2):176–178
workforce support of large-scale practice improvement, 33(2):230–239
Dementia, subjective vs. objective assessment of cognitive functioning, 33(3):417–425
Demography, patient education level and antidepressants, 33(1):80–90
Depersonalization
general practitioner job satisfaction in China, 33(3):456–459
treating fibromyalgia and physician burnout, 33(3):386–396
Depression
patient education level and antidepressants, 33(1):80–90
and rurality, association with glycemic control in diabetes, 33(6):913–922
Dermatology, diagnosis and management of atopic dermatitis, 33(4):626–635
Dermoscopy, in the primary care setting, 33(6):1022–1024
Diabetes mellitus
adapting diabetes shared medical appointments, 33(5):716–727
control, association of depression and rurality with, 33(6):913–922
control measures, impact of social and clinical complexity on, 33(4):600–610
designing a prediabetes shared decision aid, 33(2):262–270
outcomes, physician-pharmacist collaboration on, 33(5):745–753.
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
and periodontal disease, patients' understanding of, 33(6):1004–1010
Diagnostic errors, misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
Direct-to-consumer advertising, prescription drug advertising and patient-provider interactions, 33(2):279–283
Disclosure, perpetration of intimate partner violence, 33(5):809–814
Disease management
anti-hypertensive medication combinations, 33(1):143–146
opportunities to partner with patients living with diabetes, 33(2):211–219
project ECHO integrated within the ORPRN, 33(5):789–795
Distance education, project ECHO integrated within the ORPRN, 33(5):789–795
Diverticulitis, misdiagnosis of, after IBS diagnosis, 33(4):549–560
Domestic violence, perpetration of intimate partner violence, 33(5):809–814
Down syndrome, heart disease in adults with, 33(6):923–931
Drug legislation, managing patient requests for marijuana, 33(1):147–151
Drug overdose, quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Duration of therapy, patient retention in opioid medication-assisted treatment, 33(6):848–857

Early detection of cancer
BRCA-related cancer genetic counseling, 33(6):885–893
breast cancer screening and shared decision making, 33(3):473–480
factors associated with colorectal cancer screening, 33(5):779–784
mammography screening for average-risk women, 33(6):871–884
surveillance colonoscopies in older adults with prior adenomas, 33(5):796–798
Eczema, diagnosis and management of atopic dermatitis, 33(4):626–635
Editorial, Increasing Article Visibility: *JABFM* and Author Responsibilities and Possibilities, 33(2):168–169
Editorial Office News and Notes
Dr. Victoria Neale Retires as Deputy Editor of JABFM, 33(5):643–644
JABFM Welcomes a New Deputy Editor, 33(6):827
The Most Frequently Read Articles of 2019, 33(4):491–494
Peer Reviewers for the Journal of the American Board of Family Medicine in 2019, 33(2):164–167
Welcome New Associate Editor for Reflections in Family Medicine, 33(3):350
Editors' Notes
Many Family Medicine Successful Interventions and Clinical Reviews for Common Illnesses, 33(2):161–163
Medications, Medicating, and Medicated— When, Where, and How—Opioids and Others, 33(4):489–490
Must-Read Family Medicine Research-Glucosamine/Chondroitin Supplements and Mortality, Telomere Length and the Doctor-Patient Relationship, Reducing Opioid Use, and More, 33(6):823–826
Practical Family Medicine: After-Hours Video Telehealth, Office Procedures, Polyp Follow-up in Older Patients, Terminology for Domestic Violence Intervention, 33(5):641–642
Well-Being, New Technologies, and Clinical Evidence for Family Physicians, 33(3):347–349
Efficiency, team configurations and burnout, 33(3):368–377
Electronic health records
asthma care in a multi-state network of low-income children, 33(5):707–715
barriers to patient portal access and use, 33(6):953–968
clinical care and nonindicated vitamin D testing, 33(4):569–579
clinical decision support for opioid prescribing, 33(4):529–540
eliminating barriers to improve quality of care, 33(2):220–229
ethical questions raised by, 33(1): 106–117
integrating data to assess patient risks, 33(3):463–467
intervention supports diabetes registry implementation, 33(5):728–735
practices reporting clinical quality measures, 33(4):620–625
prognostic indices for advance care planning, 33(2):322–338
proposed opioid tapering tool, 33(6):1020–1021
reminder and hepatitis C screening, 33(6):1016–1019
social and clinical complexity on diabetes control, 33(4):600–610
sustainable preventive services in rural counties, 33(5):698–706
Electronic mail, modifying provider vitamin D screening behavior, 33(2):252–261
Emergency departments, co-management for sickle cell disease, 33(1):91–105
Emergency medicine, practical management of common skin injuries, 33(5):799–808
Empathy, hospital volunteers, 33(3):481–483
Eosinophils, inhaled corticosteroid treatment in COPD, 33(2):289–302
Ethics
impact of the EHR, 33(1): 106–117
managing patient requests for marijuana, 33(1):147–151
Ethnic groups
insurance, health care, and discrimination, 33(4):580–591
successful follow-up of participants in a clinical trial, 33(3):431–439
Evidence-based medicine
adapting diabetes shared medical appointments, 33(5):716–727
current indications for tonsillectomy and adenoidectomy, 33(6):1025–1030
PBRN roadmap for evaluating COVID-19, 33(5):774–778
practical management of common skin injuries, 33(5):799–808

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
uptake of changes to clinical preventive guidelines, 33(2):271–278
Evidence-based practice
PBRN roadmap for evaluating COVID-19, 33(5):774–778
workforce support of large-scale practice improvement, 33(2):230–239

Faculty
clinical learning environment and health care delivery, 33(5):S46–S49
peer review of abstracts submitted to academic meetings, 33(6):986–991
Family medicine
celebrating 50 years of continuing transformation, 33(5):S69–S74
changes in ACGME standards for, 33(6):1033–1036
evolution of board certification, 33:(5) S1–S9
helping family physicians keep up to date, 33(5):S24–S27
initiative to reduce avoidable hospital admissions, 33(6):1011–1015
OUD education and waiver provision during residency, 33(6):998–1003
peer review of abstracts submitted to academic meetings, 33(6):986–991
project ECHO integrated within the ORPRN, 33(5):789–795
reflections
hospital volunteers, 33(3):481–483
poem, 33(5):815
unexpected retirement, 33(2):339–341
residency training, family medicine, 33(4):636–640
systematic approach to opioid prescribing, 33(6):992–997
Family Medicine Certification Longitudinal Assessment (FMCLA), after one year, 33(2):344–346
Family physicians
buprenorphine prescribing by, 33(1):118–123
burnout, and treating fibromyalgia, 33(3):386–396
decline in pediatric care by, 33(2):314–321
dermoscopy in the primary care setting, 33(6):1022–1024
early-career, and prescribing buprenorphine, 33(1):7–8
financial cost of medical assistant turnover, 33(3):426–430
gender and work hours among, 33(5):653–654
gender differences in addressing burnout, 33(3):446–451
help in keeping up to date, 33(5):S24–S27
identifying remedial predictors of burnout, 33(3):357–368
intrinsically motivated learners, 33(5):S21–S23
mammography screening for average-risk women, 33(6):871–884
number caring for children, 33(6):830–831
obesity intervention trial, participation of rural clinicians, 33(5):736–744
opportunities to partner with patients living with diabetes, 33(2):211–219
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
patient retention in opioid medication-assisted treatment, 33(6):848–857
perpetration of intimate partner violence, 33(5):809–814
physicians providing women's health care services, 33(2):186–188
role in addressing needs of transgender patients, 33(2):314–321
role in reproductive health care, 33(2):182–185
stimulant use by young adults for ADHD, 33(1):59–70
team-based care, changes over time, 33(4):499–501
team configurations, efficiency, and burnout, 33(3):368–377
unexpected career retirement, 33(2):339–341
Fee-for-service plans
financial model for opioid use disorder, 33(1):124–128
high volume portal usage impacts resources, 33(3):452–456
Fibromyalgia, treating, physician burnout and, 33(3):386–396
Financial models, for opioid use disorder, 33(1):124–128
Focus groups
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
patient safety in primary care, 33(5):754–764
Follow-up care, social service touchpoints for diabetes screening, 33(4):616–619
Follow-up studies, combating burnout in US Army health care, 33(3):440–445
Formative feedback, rethinking the purpose of MOC, 33(5):S15–S20

Gait, cervical spondylotic myelopathy, 33(2):303–313
Gender identity, addressing needs of transgender patients, 33(2):314–321
General practitioners, job satisfaction in China, 33(3):456–459
Genetic counseling, BRCA-related cancer, 33(6):885–893
Genetic predisposition, to BRCA-related cancers, 33(6):885–893
Georgia, opportunities to partner with patients living with diabetes, 33(2):211–219
Geriatrics, prescribing inappropriate medications for elderly patients, 33(4):561–568
Gestational diabetes
risk and prenatal weight gain counseling, 33(2):189–197
social service touchpoints for diabetes screening, 33(4):616–619
Gestational weight gain, gestational diabetes risk and, 33(2):189–197
Global Initiative for Chronic Obstructive Lung Disease (GOLD), inhaled corticosteroid treatment, 33(2):289–302
Glucosamine/chondroitin, and mortality, 33(6):842–847
Glycated hemoglobin A, diabetes control
association of depression and rurality with, 33(6):913–922
impact of social and clinical complexity on, 33(4):600–610
Glycosylated hemoglobin, physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
Goals, clinical learning environment and health care delivery, 33(5):S46–S49
Guideline adherence
anti-hypertensive medication combinations, 33(1):143–146
intervention supports diabetes registry implementation, 33(5):728–735

Health behavior
opportunities to partner with patients living with diabetes, 33(2):211–219
patients' understanding of diabetes and periodontal disease, 33(6):1004–1010
Health care disparities
asthma care in a multi-state network of low-income children, 33(5):707–715
social service touchpoints for diabetes screening, 33(4):616–619
Health equity, social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33(2):170–175
permission to help patients with, 33(2):176–178
Health expenditures
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
thyroid hormone use in the United States, 1997–2016, 33(2):284–288
Health information exchange
ethical questions raised by the EHR, 33(1): 106–117
sustainable preventive services in rural counties, 33(5):698–706
Health insurance, health care and discrimination, 33(4):580–591
Health literacy
BRCA-related cancer genetic counseling, 33(6):885–893
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
Health metrics, practices reporting clinical quality measures, 33(4):620–625

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Health personnel
addressing needs of transgender patients, 33(2):314–321
financial cost of medical assistant turnover, 33(3):426–430
identifying remedial predictors of burnout, 33(3):357–368
indicators of workplace burnout, 33(3):378–385
patients' understanding of diabetes and periodontal disease, 33(6):1004–1010
prescription drug advertising and patient-provider interactions, 33(2):279–283
strategies to overcome psychological insulin resistance, 33(2):198–210
Health policy
medicine's social contract, 33(5):S50–S56
modifying provider vitamin D screening behavior, 33(2):252–261
team-based care, changes over time, 33(4):499–501
Health promotion, educating patients on unnecessary antibiotics, 33(6):969–977
Health services accessibility
eliminating barriers to improve quality of care, 33(2):220–229
gender and work hours among family physicians, 33(5):653–654
OUD education and waiver provision during residency, 33(6):998–1003
physicians providing women's health care services, 33(2):186–188
role of family physicians in reproductive health care, 33(2):182–185
Health services research
thyroid hormone use in the United States, 1997–2016, 33(2):284–288
virtual Parent Panel for pediatric research network, 33(5):665–674
Health status, health care satisfaction among opioid recipients, 33(1):34–41
Health surveys, health care satisfaction among opioid recipients, 33(1):34–41
Healthy aging, usual source of care and longer telomere length, 33(6):832–841
Heart disease, in adult Down syndrome, 33(6):923–931
Hematology, co-management for sickle cell disease, 33(1):91–105
Hepatitis C
EHR reminder and hepatitis C screening, 33(6):1016–1019
screening interventions, models for, 33(3):407–416
Hispanic Americans, asthma care in a multi-state network of low-income children, 33(5):707–715
Historically controlled study, gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
HIV infections, addressing needs of transgender patients, 33(2):314–321
HMG-CoA reductase inhibitors, anti-HMGCR myopathy from statins, 33(5):785–788
Hobbies, gender differences in addressing burnout, 33(3):446–451
Holistic health, combating burnout in US Army health care, 33(3):440–445
Hospital emergency service, initiative to reduce avoidable hospital admissions, 33(6):1011–1015
Hospitalization
co-management for sickle cell disease, 33(1):91–105
initiative to reduce avoidable hospital admissions, 33(6):1011–1015
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
House calls, eliminating barriers to improve quality of care, 33(2):220–229
Humanities, poem about asylum-seeker's torture, 33(5):815–815
Hydroxyurea, co-management for sickle cell disease, 33(1):91–105
Hyperglycemia, association of depression and rurality with glycemic control, 33(6):913–922
Hyperlipidemias
among breast cancer survivors, 33(6):894–902
anti-HMGCR myopathy from statins, 33(5):785–788
Hypertension
anti-hypertensive medication combinations, 33(1):143–146
gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
Hypertrophy, current indications for tonsillectomy and adenoidectomy, 33(6):1025–1030
Hypothyroidism, thyroid hormone use in the United States, 1997–2016, 33(2):284–288

Illinois, gender differences in addressing burnout, 33(3):446–451
Implementation science
adapting diabetes shared medical appointments, 33(5):716–727
PBRN roadmap for evaluating COVID-19, 33(5):774–778
uptake of changes to clinical preventive guidelines, 33(2):271–278
Incidence
breast cancer screening and shared decision making, 33(3):473–480
misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
Independent living, prognostic indices for advance care planning, 33(2):322–338
Information dissemination, PBRN roadmap for evaluating COVID-19, 33(5):774–778
Information technology
barriers to patient portal access and use, 33(6):953–968
clinical decision support for opioid prescribing, 33(4):529–540
Inhaled corticosteroids, treatment in COPD, 33(2):289–302
Inpatients, hospital volunteers, 33(3):481–483
Insulin resistance, psychological, strategies to overcome, 33(2):198–210
Insurance coverage, insurance, health care, and discrimination, 33(4):580–591
Interdisciplinary research, Medicare Access and CHIP Reauthorization Act, 33(6):942–952
Internal medicine, prescribing inappropriate medications for elderly patients, 33(4):561–568
Internship and residency, patient retention in opioid medication-assisted treatment, 33(6):848–857
Interrupted time series analysis, modifying provider vitamin D screening behavior, 33(2):252–261
Intimate partner violence, perpetration of, 33(5):809–814
Irritable bowel syndrome (IBS), diagnosis, misdiagnosis of diverticulitis after, 33(4):549–560

Job satisfaction
combating burnout in US Army health care, 33(3):440–445
general practitioner, in China, 33(3):456–459
identifying remedial predictors of burnout, 33(3):357–368
indicators of workplace burnout, 33(3):378–385
Journal of the American Board of Family Medicine (JABFM)
author responsibilities and possibilities, 33(2):168–169
most frequently read articles of 2019, 33(4):491–494
new deputy editor, 33(6):827
peer reviewers for, 33(2):164–167
retirement of deputy editor, 33(5):643–644

Lacerations, practical management of common skin injuries, 33(5):799–808
Leadership, quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Learning
clinical learning environment and health care delivery, 33(5):S46–S49
intrinsically motivated learners, 33(5):S21–S23
Leukocytes, usual source of care and longer telomere length, 33(6):832–841
Licensure
medical professionalism, 33(5):S62–S64
positive professionalism, 33(5):S65–S68
Life expectancy, surveillance colonoscopies in older adults with prior adenomas, 33(5):796–798
Lifestyle, opportunities to partner with patients living with diabetes, 33(2):211–219
Limited English proficiency, barriers to patient portal access and use, 33(6):953–968

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Linear models
educating patients on unnecessary antibiotics, 33(6):969–977
usual source of care and longer telomere length, 33(6):832–841
Lipid management, in breast cancer survivors, 33(6):894–902
Lisdexamfetamine, marketing messages in continuing medical education on binge-eating disorder, 33(2):240–251
Logistic models
barriers to patient portal access and use, 33(6):953–968
behavioral health problems and communication disabilities, 33(6):932–941
buprenorphine prescribing by family physicians, 33(1):118–123
depression, rurality, and diabetes control, 33(6):913–922
gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
HPV vaccination among adult males, 33(4):592–599
insurance, health care, and discrimination, 33(4):580–591
machine learning approach to unhealthy drinking, 33(3):397–406
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
social and clinical complexity on diabetes control, 33(4):600–610
treating fibromyalgia and physician burnout, 33(3):386–396
Longitudinal studies, patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
Low back pain
opioid prescriptions for new low back pain, 33(1):138–142
widespread pain in adults with, 33(4):541–549
Low value care, clinical care and nonindicated vitamin D testing, 33(4):569–579
Lupus, reflections in family medicine, 33(2):339–341

Machine learning, approach to unhealthy drinking, 33(3):397–406
Mammography, breast cancer screening
for average-risk women, 33(6):871–884
and shared decision making, 33(3):473–480
Managed care programs, physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
Marijuana use, managing patient requests, 33(1):147–151
Maryland
educating patients on unnecessary antibiotics, 33(6):969–977
identifying remedial predictors of burnout, 33(3):357–368
surveillance colonoscopies in older adults with prior adenomas, 33(5):796–798
Mass screening, surveillance colonoscopies in older adults with prior adenomas, 33(5):796–798
Medicaid
co-management for sickle cell disease, 33(1):91–105
eliminating barriers to improve quality of care, 33(2):220–229
financial model for opioid use disorder, 33(1):124–128
insurance, health care, and discrimination, 33(4):580–591
Medical education
clinical learning environment and health care delivery, 33(5):S46–S49
medicine's social contract, 33(5):S50–S56
positive professionalism, 33(5):S65–S68
Medical errors, continuing board certification, 33(5):S10–S14
Medical ethics
built environment for professionalism, 33(5):S57–S61
ethical questions raised by the EHR, 33(1): 106–117
managing patient requests for marijuana, 33(1):147–151
poem about asylum-seeker's torture, 33(5):815–815
Medical informatics
barriers to patient portal access and use, 33(6):953–968
ethical questions raised by the EHR, 33(1): 106–117
Medical marijuana, managing patient requests for, 33(1):147–151
Medical staff privileges, positive professionalism, 33(5):S65–S68
Medical students
clinical learning environment and health care delivery, 33(5):S46–S49
hospital volunteers, 33(3):481–483
Medically underserved areas
physicians providing women's health care services, 33(2):186–188
role of family physicians in reproductive health care, 33(2):182–185
Medicare
patients, buprenorphine prescribers for, 33(1):9–16
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
prescribing inappropriate medications for elderly patients, 33(4):561–568
Memory, subjective vs. objective assessment of cognitive functioning, 33(3):417–425
Men's health, HPV vaccination, 33(4):592–599
Mental health
adapting diabetes shared medical appointments, 33(5):716–727
addressing needs of transgender patients, 33(2):314–321
behavioral health problems and communication disabilities, 33(6):932–941
patient education level and antidepressants, 33(1):80–90
poem about asylum-seeker's torture, 33(5):815–815
Mental health services, buprenorphine prescribing by family physicians, 33(1):118–123
Mental status and dementia tests, subjective vs. objective assessment, 33(3):417–425
Mentors, intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
Mexico, unexpected career retirement, 33(2):339–341
Military medicine
anti-HMGCR myopathy from statins, 33(5):785–788
combating burnout in US Army health care, 33(3):440–445
Military personnel, combating burnout in US Army health care, 33(3):440–445
Minnesota, depression, rurality, and diabetes control, 33(6):913–922
Minority groups, successful follow-up of participants in a clinical trial, 33(3):431–439
Minority health, co-management for sickle cell disease, 33(1):91–105
Motivation
adapting diabetes shared medical appointments, 33(5):716–727
intrinsically motivated learners, 33(5):S21–S23
obesity intervention trial, participation of rural clinicians, 33(5):736–744
Multivariate analysis
behavioral health problems and communication disabilities, 33(6):932–941
prescribing inappropriate medications for elderly patients, 33(4):561–568
Muscle weakness, anti-HMGCR myopathy from statins, 33(5):785–788
Muscular diseases, anti-HMGCR myopathy from statins, 33(5):785–788
Myopathy, anti-HMGCR, from statins, 33(5):785–788
Myositis, anti-HMGCR myopathy from statins, 33(5):785–788

Naltrexone, office-based opioid treatment models, 33(4):512–521
Narcotic antagonists, office-based opioid treatment models, 33(4):512–521
Native Americans, reflections in family medicine, 33(2):339–341
Neural networks (computer), machine learning approach to unhealthy drinking, 33(3):397–406
Nevada, opportunities to partner with patients living with diabetes, 33(2):211–219
North Carolina
co-management for sickle cell disease, 33(1):91–105
eliminating barriers to improve quality of care, 33(2):220–229
Nutrition surveys
glucosamine/chondroitin and mortality, 33(6):842–847

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

machine learning approach to unhealthy drinking, 33(3):397–406
usual source of care and longer telomere length, 33(6):832–841

Obesity
among breast cancer survivors, 33(6):894–902
intervention trial, participation of rural clinicians, 33(5):736–744
opportunities to partner with patients living with diabetes, 33(2):211–219
Observer variation, peer review of abstracts submitted to academic meetings, 33(6):986–991
Obstetrics, gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
Obstructive sleep apnea, current indications for tonsillectomy and adenoidectomy, 33(6):1025–1030
Occupational stress, general practitioner job satisfaction in China, 33(3):456–459
Oklahoma, sustainable preventive services in rural counties, 33(5):698–706
Opiate substitution treatment, office-based opioid treatment models, 33(4):512–521
Opioid epidemic, opioid reduction protocol among rural patients, 33(4):502–511
Opioid-related disorders
buprenorphine prescribers for Medicare patients, 33(1):9–16
buprenorphine prescribing by family physicians, 33(1):118–123
clinical decision support for opioid prescribing, 33(4):529–540
early-career physicians and prescribing buprenorphine, 33(1):7–8
financial model for opioid use disorder, 33(1):124–128
office-based opioid treatment models, 33(4):512–521
opioid reduction protocol among rural patients, 33(4):502–511
opioid use and driving among older adults, 33(4):521–528
OUD education and waiver provision during residency, 33(6):998–1003
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
patient retention in opioid medication-assisted treatment, 33(6):848–857
quality improvement toolkit to improve opioid prescribing, 33(1):17–26
systematic approach to opioid prescribing, 33(6):992–997
treating opioid use disorder in family medicine, 33(4):611–615
Opioids
changes to chronic pain management plans, 33(1):42–50
financial model for opioid use disorder, 33(1):124–128
opioid reduction protocol among rural patients, 33(4):502–511
opioid use and driving among older adults, 33(4):521–528
patient retention in opioid medication-assisted treatment, 33(6):848–857
prescribing
buprenorphine, by family physicians, 33(1):118–123
buprenorphine, early-career physicians and, 33(1):7–8
buprenorphine, for Medicare patients, 33(1):9–16
protocol, risk-reduction tools and, 33(1):27–33
quality improvement toolkit to improve, 33(1):17–26
systematic approach to, 33(6):992–997
prescriptions
expectations of, patient "catastrophizing" and, 33(6):858–870
for new low back pain, 33(1):138–142
recipients of, health care satisfaction among, 33(1):34–41
proposed tapering tool, 33(6):1020–1021
Oral hygiene, patients' understanding of diabetes and periodontal disease, 33(6):1004–1010
Oregon, project ECHO integrated within the ORPRN, 33(5):789–795
Organizational innovation
combating burnout in US Army health care, 33(3):440–445
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
PBRN roadmap for evaluating COVID-19, 33(5):774–778
quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Osteoarthritis, glucosamine/chondroitin and mortality, 33(6):842–847
Otolaryngology, current indications for tonsillectomy and adenoidectomy, 33(6):1025–1030
Outcome measures, quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Outcomes assessment
anti-hypertensive medication combinations, 33(1):143–146
behavioral health problems and communication disabilities, 33(6):932–941
clinical decision support for opioid prescribing, 33(4):529–540
opioid reduction protocol among rural patients, 33(4):502–511
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
Outpatients
BRCA-related cancer genetic counseling, 33(6):885–893
health care satisfaction among opioid recipients, 33(1):34–41
misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
opioid prescriptions for new low back pain, 33(1):138–142
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
request denial and subsequent patient satisfaction, 33(1)51–58
Overuse, clinical care and nonindicated vitamin D testing, 33(4):569–579
Ownership, Medicare Access and CHIP Reauthorization Act, 33(6):942–952
Pain
health care satisfaction among opioid recipients, 33(1):34–41
opioid use and driving among older adults, 33(4):521–528
risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
widespread, in adults with low back pain, 33(4):541–549
Pain management
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
plans, changes to, 33(1):42–50
proposed opioid tapering tool, 33(6):1020–1021
treating fibromyalgia and physician burnout, 33(3):386–396
Pandemics, PBRN roadmap for evaluating COVID-19, 33(5):774–778
Papillomavirus infections, HPV vaccination among adult males, 33(4):592–599
Parents, virtual Parent Panel for pediatric research network, 33(5):665–674
Patient care
gender and work hours among family physicians, 33(5):653–654
integrating data to assess patient risks, 33(3):463–467
prescription drug advertising and patient-provider interactions, 33(2):279–283
social and clinical complexity on diabetes control, 33(4):600–610
Patient care team
adapting diabetes shared medical appointments, 33(5):716–727
changes over time, 33(4):499–501
combating burnout in US Army health care, 33(3):440–445
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33(2):170–175
permission to help patients, 33(2):176–178
team configurations, efficiency, and burnout, 33(3):368–377
treating fibromyalgia and physician burnout, 33(3):386–396
Patient-centered care
combating burnout in US Army health care, 33(3):440–445
high volume portal usage impacts resources, 33(3):452–456
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

patient safety in primary care, 33 (5):754–764
physicians' response to quality-of-life goals, 33(1):71–79
proposed opioid tapering tool, 33 (6):1020–1021
strategies to overcome psychological insulin resistance, 33(2):198–210
treating opioid use disorder in family medicine, 33(4):611–615
Patient discharge, initiative to reduce avoidable hospital admissions, 33 (6):1011–1015
Patient health questionnaire, risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
Patient navigation, patients' understanding of diabetes and periodontal disease, 33(6):1004–1010
Patient participation
patient education level and antidepressants, 33(1):80–90
physicians' response to quality-of-life goals, 33(1):71–79
practice transformation support and cardiovascular care, 33(5):675–686
Patient portals
barriers to access and use, 33(6):953–968
high volume portal usage impacts resources, 33(3):452–456
physician factors and inbox message volume, 33(3):460–462
Patient preference
educating patients on unnecessary antibiotics, 33(6):969–977
patient education level and antidepressants, 33(1):80–90
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33 (2):170–175
permission to help patients, 33 (2):176–178
Patient readmission, eliminating barriers to improve quality of care, 33(2):220–229
Patient safety
clinical learning environment and health care delivery, 33(5):S46–S49
in primary care, 33(5):754–764
stimulant use by young adults for ADHD, 33(1):59–70
systematic approach to opioid prescribing, 33(6):992–997
Patient satisfaction
after request denial, 33(1)51–58
with health care, among opioid recipients, 33(1):34–41
Pay for performance
measuring and improving quality in the US, 33(5):S28–S35
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
Pediatricians, decline in pediatric care by family physicians, 33(2):314–321
Pediatrics, role of certifying boards in improving health, 33(5):S36–S41
Peer review, of abstracts submitted to academic meetings, 33(6):986–991
Periodontal disease, diabetes and, patients' understanding of, 33 (6):1004–1010
Personal health records, barriers to patient portal access and use, 33 (6):953–968
Personal satisfaction
request denial and subsequent patient satisfaction, 33(1)51–58
unexpected career retirement, 33 (2):339–341
Personnel selection, financial cost of medical assistant turnover, 33 (3):426–430
Personnel turnover
financial cost of medical assistant turnover, 33(3):426–430
indicators of workplace burnout, 33 (3):378–385
practice facilitation barriers in quality improvement, 33(5):655–664
Pharmacists, physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
Physician-patient relations
ethical questions raised by the EHR, 33(1): 106–117
factors associated with colorectal cancer screening, 33(5):779–784
request denial and subsequent patient satisfaction, 33(1)51–58
Physicians
continuing board certification, 33(5): S10–S14
evolution of board certification, 33:(5) S1–S9
indicators of workplace burnout, 33 (3):378–385
physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
positive professionalism, 33(5):S65–S68
quality improvement teams, 33(5): S42–S45
response to quality-of-life goals, 33 (1):71–79
Physicians' practice patterns
opioid prescriptions for new low back pain, 33(1):138–142
opioid reduction protocol among rural patients, 33(4):502–511
patient "catastrophizing" and expectations of opioid prescriptions, 33 (6):858–870
Pilot studies, proposed opioid tapering tool, 33(6):1020–1021
Population health
integrating data to assess patient risks, 33(3):463–467
modifying provider vitamin D screening behavior, 33(2):252–261
primary care and a population health improvement strategy, 33(3):468–472
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33 (2):170–175
permission to help patients, 33 (2):176–178
Potentially inappropriate medications, prescribing, for elderly patients, 33(4):561–568
Poverty, asthma care in a multi-state network of low-income children, 33(5):707–715
Practice-based research
adapting diabetes shared medical appointments, 33(5):716–727
asthma care in a multi-state network of low-income children, 33 (5):707–715
factors associated with colorectal cancer screening, 33(5):779–784
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
obesity intervention trial, participation of rural clinicians, 33(5):736–744
patient safety in primary care, 33 (5):754–764
PBRN roadmap for evaluating COVID-19, 33(5):774–778
physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
practice facilitation barriers in quality improvement, 33(5):655–664
practice transformation support and cardiovascular care, 33(5):675–686
project ECHO integrated within the ORPRN, 33(5):789–795
sustainable preventive services in rural counties, 33(5):698–706
virtual Parent Panel for pediatric research network, 33(5):665–674
Practice-based research networks (PBRNs), impact of COVID-19, 33(5):645–649
Practice facilitation, practice facilitation barriers in quality improvement, 33(5):655–664
Prediabetes
designing a prediabetes shared decision aid, 33(2):262–270
opportunities to partner with patients living with diabetes, 33(2):211–219
Prediabetic state, social service touchpoints for diabetes screening, 33 (4):616–619
Pregnancy, social service touchpoints for diabetes screening, 33(4): 616–619
Pregnancy complications, gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
Prescription drug monitoring programs, clinical decision support for opioid prescribing, 33(4): 529–540
Prescription drugs, advertising, patient-provider interactions and, 33(2):279–283
Prescriptions
early-career physicians and prescribing buprenorphine, 33(1):7–8
health care satisfaction among opioid recipients, 33(1):34–41
opioid prescriptions for new low back pain, 33(1):138–142

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
Prevalence
cardiovascular disease in breast cancer survivors, 33(6):894–902
heart disease in adult Down syndrome, 33(6):923–931
identifying remedial predictors of burnout, 33(3):357–368
widespread pain in adults with low back pain, 33(4):541–549
Preventive health services
EHR reminder and hepatitis C screening, 33(6):1016–1019
heart disease in adult Down syndrome, 33(6):923–931
sustainable, in rural counties, 33 (5):698–706
workforce support of large-scale practice improvement, 33(2):230–239
Preventive medicine, uptake of changes to clinical preventive guidelines, 33(2):271–278
Primary care physicians
dermoscopy in the primary care setting, 33(6):1022–1024
ethical questions raised by the EHR, 33(1): 106–117
opioid prescriptions for new low back pain, 33(1):138–142
prescribing inappropriate medications for elderly patients, 33(4):561–568
request denial and subsequent patient satisfaction, 33(1)51–58
Primary health care
adapting diabetes shared medical appointments, 33(5):716–727
barriers to patient portal access and use, 33(6):953–968
breast cancer screening and shared decision making, 33(3):473–480
built environment for professionalism, 33(5):S57–S61
buprenorphine prescribing, 33 (1):118–123
changes to chronic pain management plans, 33(1):42–50
clinical care and nonindicated vitamin D testing, 33(4):569–579
co-management for sickle cell disease, 33(1):91–105
decline in pediatric care by family physicians, 33(2):314–321
dermoscopy in the primary care setting, 33(6):1022–1024
designing a prediabetes shared decision aid, 33(2):262–270
diagnosis and management of atopic dermatitis, 33(4):626–635
educating patients on unnecessary antibiotics, 33(6):969–977
eliminating barriers to improve quality of care, 33(2):220–229
factors associated with colorectal cancer screening, 33(5):779–784
financial cost of medical assistant turnover, 33(3):426–430
identifying remedial predictors of burnout, 33(3):357–368
improving COPD symptoms using team-based approach, 33(6):978–985
indicators of workplace burnout, 33 (3):378–385
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
mammography screening for average-risk women, 33(6):871–884
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
modifying provider vitamin D screening behavior, 33(2):252–261
obesity intervention trial, participation of rural clinicians, 33(5):736–744
office-based opioid treatment models, 33(4):512–521
opioid prescriptions for new low back pain, 33(1):138–142
patient education level and antidepressants, 33(1):80–90
patient interest in after-hours telemedicine, 33(5):765–773
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
patient retention in opioid medication-assisted treatment, 33 (6):848–857
patient safety in, 33(5):754–764
PBRN roadmap for evaluating COVID-19, 33(5):774–778
peer review of abstracts submitted to academic meetings, 33(6):986–991
perpetration of intimate partner violence, 33(5):809–814
physician factors and inbox message volume, 33(3):460–462
physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
physicians providing women's health care services, 33(2):186–188
population health improvement strategy, 33(3):468–472
practical management of common skin injuries, 33(5):799–808
practice transformation support and cardiovascular care, 33(5):675–686
practices reporting clinical quality measures, 33(4):620–625
prescribing inappropriate medications for elderly patients, 33(4):561–568
prognostic indices for advance care planning, 33(2):322–338
project ECHO integrated within the ORPRN, 33(5):789–795
proposed opioid tapering tool, 33 (6):1020–1021
quality improvement, barriers in, 33 (5):655–664
quality improvement toolkit to improve opioid prescribing, 33 (1):17–26
risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
role of family physicians in reproductive health care, 33(2):182–185
social and clinical complexity on diabetes control, 33(4):600–610
subjective vs. objective assessment of cognitive functioning, 33(3):417–425
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
sustainable preventive services in rural counties, 33(5):698–706
systematic approach to opioid prescribing, 33(6):992–997
team-based care, changes over time, 33(4):499–501
treating fibromyalgia and physician burnout, 33(3):386–396
treating opioid use disorder in family medicine, 33(4):611–615
usual source of care and longer telomere length, 33(6):832–841
workforce support of large-scale practice improvement, 33(2):230–239
Process measures, quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Professional autonomy, continuing board certification, 33(5):S10–S14
Professional burnout
combating burnout in US Army health care, 33(3):440–445
gender differences in addressing, 33 (3):446–451
identifying remedial predictors of, 33 (3):357–368
indicators of workplace burnout, 33 (3):378–385
team configurations, efficiency, and burnout, 33(3):368–377
treating fibromyalgia and, 33(3):386–396
Professionalism
approach to monitoring and enhancing, 33(5):S62–S64
built environment for, 33(5):S57–S61
evaluation of, 33(5):S65–S68
evolution of board certification, 33:(5) S1–S9
medicine's social contract, 33(5):S50–S56
Prognosis, indices for advance care planning, 33(2):322–338
Proportional hazards models
glucosamine/chondroitin and mortality, 33(6):842–847
patient retention in opioid medication-assisted treatment, 33 (6):848–857
Psychological distress, behavioral health problems and communication disabilities, 33(6):932–941
Psychotherapy, office-based opioid treatment models, 33(4):512–521
PTSD, poem about asylum-seeker's torture, 33(5):815–815
Public health
buprenorphine prescribers for Medicare patients, 33(1):9–16
educating patients on unnecessary antibiotics, 33(6):969–977
general practitioner job satisfaction in China, 33(3):456–459

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

sustainable preventive services in rural counties, 33(5):698–706
Public health surveillance, integrating data to assess patient risks, 33 (3):463–467

Qualitative research
changes to chronic pain management plans, 33(1):42–50
ethical questions raised by the EHR, 33(1): 106–117
obesity intervention trial, participation of rural clinicians, 33(5):736–744
office-based opioid treatment models, 33(4):512–521
opportunities to partner with patients living with diabetes, 33 (2):211–219
patient safety in primary care, 33 (5):754–764
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
uptake of changes to clinical preventive guidelines, 33(2):271–278
workforce support of large-scale practice improvement, 33(2):230–239
Quality improvement
clinical care and nonindicated vitamin D testing, 33(4):569–579
eliminating barriers to, 33(2):220–229
evolution of board certification, 33:(5) S1–S9
improving COPD symptoms using team-based approach, 33(6):978–985
initiative to reduce avoidable hospital admissions, 33(6):1011–1015
measuring, 33(5):S28–S35
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
positive professionalism, 33(5):S65–S68
practice facilitation barriers in, 33 (5):655–664
practice transformation support and cardiovascular care, 33(5):675–686
practices reporting clinical quality measures, 33(4):620–625
project ECHO integrated within the ORPRN, 33(5):789–795
teams, 33(5):S42–S45
toolkit to improve opioid prescribing, 33(1):17–26
workforce support of, 33(2):230–239
Quality of health care
clinical learning environment and health care delivery, 33(5):S46–S49
ethical questions raised by the EHR, 33(1): 106–117
measuring and improving quality in the US, 33(5):S28–S35
opioid prescriptions for new low back pain, 33(1):138–142
role of certifying boards in improving health, 33(5):S36–S41
Quality of life
diagnosis and management of atopic dermatitis, 33(4):626–635
goals, physicians' response to, 33 (1):71–79
marketing messages in continuing medical education on binge-eating disorder, 33(2):240–251
stimulant use by young adults for ADHD, 33(1):59–70
widespread pain in adults with low back pain, 33(4):541–549

Racism, insurance, health care, and discrimination, 33(4):580–591
Rare diseases, anti-HMGCR myopathy from statins, 33(5):785–788
Reductase, anti-HMGCR myopathy from statins, 33(5):785–788
Referral and consultation
patient safety in primary care, 33 (5):754–764
perpetration of intimate partner violence, 33(5):809–814
Refugees, poem about asylum-seeker's torture, 33(5):815–815
Registries
integrating data to assess patient risks, 33(3):463–467
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
quality improvement toolkit to improve opioid prescribing, 33 (1):17–26
sustainable preventive services in rural counties, 33(5):698–706
widespread pain in adults with low back pain, 33(4):541–549
Regression analysis
general practitioner job satisfaction in China, 33(3):456–459
models for hepatitis C screening interventions, 33(3):407–416
physician factors and inbox message volume, 33(3):460–462
practice facilitation barriers in quality improvement, 33(5):655–664
request denial and subsequent patient satisfaction, 33(1)51–58
Reproductive health
physicians providing women's health care services, 33(2):186–188
role of family physicians, 33(2):182–185
Residency
early-career physicians and prescribing buprenorphine, 33(1):7–8
OUD education and waiver provision during residency, 33(6):998–1003
patient retention in opioid medication-assisted treatment, 33 (6):848–857
physicians providing women's health care services, 33(2):186–188
requirements, impact of ACGME's June 2019 changes in, 33 (6):1033–1036
risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
role of family physicians in reproductive health care, 33(2):182–185
training, family medicine, future of, 33(4):636–640
Retirement
gender and work hours among family physicians, 33(5):653–654
unexpected career retirement, 33 (2):339–341
Retrospective studies
behavioral health problems and communication disabilities, 33 (6):932–941
cardiovascular screening and lipid management in breast cancer survivors, 33(6):894–902
financial cost of medical assistant turnover, 33(3):426–430
financial model for opioid use disorder, 33(1):124–128
heart disease in adult Down syndrome, 33(6):923–931
improving COPD symptoms using team-based approach, 33(6):978–985
misdiagnosis of diverticulitis after IBS diagnosis, 33(4):549–560
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
patient retention in opioid medication-assisted treatment, 33 (6):848–857
physician-pharmacist collaboration on diabetes outcomes, 33(5):745–753
prescribing inappropriate medications for elderly patients, 33(4):561–568
successful follow-up of participants in a clinical trial, 33(3):431–439
Risk assessment
breast cancer screening and shared decision making, 33(3):473–480
integrating data to assess patient risks, 33(3):463–467
opioid use and driving among older adults, 33(4):521–528
quality improvement toolkit to improve opioid prescribing, 33 (1):17–26
surveillance colonoscopies in older adults with prior adenomas, 33 (5):796–798
Risk factors
cardiovascular disease among breast cancer survivors, 33(6):894–902
depression, rurality, and diabetes control, 33(6):913–922
models for hepatitis C screening interventions, 33(3):407–416
practice transformation support and cardiovascular care, 33(5):675–686
social and clinical complexity on diabetes control, 33(4):600–610
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33 (2):170–175
permission to help patients, 33 (2):176–178
social service touchpoints for diabetes screening, 33(4):616–619
Risk-reduction tools, and an opioid-prescribing protocol, 33(1):27–33
Risk taking, HPV vaccination among adult males, 33(4):592–599

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

Rural health
buprenorphine prescribing by family physicians, 33(1):118–123
and depression, association with glycemic control, 33(6):913–922
obesity intervention trial, participation of rural clinicians, 33(5):736–744
opioid reduction protocol, 33(4):502–511
sustainable preventive services, 33(5):698–706

Screening
cardiovascular, in breast cancer survivors, 33(6):894–902
for colorectal cancer, factors associated with, 33(5):779–784
hepatitis C
EHR reminder and, 33(6):1016–1019
models for screening interventions, 33(3):407–416
social service touchpoints for diabetes screening, 33(4):616–619
Self care, combating burnout in US Army health care, 33(3):440–445
Self-management
opportunities to partner with patients living with diabetes, 33(2):211–219
patients' understanding of diabetes and periodontal disease, 33(6):1004–1010
Self report, request denial and subsequent patient satisfaction, 33(1)51–58
Sexual and gender minorities, addressing needs of transgender patients, 33(2):314–321
Sexual health
physicians providing women's health care services, 33(2):186–188
role of family physicians in reproductive health care, 33(2):182–185
Shared decision making
breast cancer screening and, 33(3):473–480
initiative to reduce avoidable hospital admissions, 33(6):1011–1015
Shared medical appointments, diabetes, 33(5):716–727
Sickle-cell anemia, co-management for, 33(1):91–105
Skin cancer, dermoscopy in the primary care setting, 33(6):1022–1024
Skin diseases, atopic dermatitis, diagnosis and management, 33(4):626–635
Smokers, improving COPD symptoms using team-based approach, 33(6):978–985
Social determinants of health
integrating data to assess patient risks, 33(3):463–467
models for hepatitis C screening interventions, 33(3):407–416
primary care and a population health improvement strategy, 33(3):468–472
social and clinical complexity on diabetes control, 33(4):600–610
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33(2):170–175
permission to help patients, 33(2):176–178
Social justice
medicine's social contract, 33(5):S50–S56
poem about asylum-seeker's torture, 33(5):815–815
Social responsibility, continuing board certification, 33(5):S10–S14
Social support, opportunities to partner with patients living with diabetes, 33(2):211–219
Social work
social risk assessment
integrating into health care delivery, 33(2):179–181
patient desire for assistance, 33(2):170–175
permission to help patients, 33(2):176–178
social service touchpoints for diabetes screening, 33(4):616–619
Socioeconomic status, physician factors and inbox message volume, 33(3):460–462
Software, proposed opioid tapering tool, 33(6):1020–1021
Special communications
A Change Management Case Study for Safe Opioid Prescribing and Opioid Use Disorder Treatment, 33(1):129–137
How We Talk About "Perpetration of Intimate Partner Violence" Matters, 33(5):809–814
Integrating Community and Clinical Data to Assess Patient Risks with A Population Health Assessment Engine (PHATE), 33(3):463–467
Primary Care Is an Essential Ingredient to a Successful Population Health Improvement Strategy, 33(3):468–472
Specialization, continuing board certification, 33(5):S10–S14
Specialty boards
celebrating 50 years of continuing transformation, 33(5):S69–S74
helping family physicians keep up to date, 33(5):S24–S27
positive professionalism, 33(5):S65–S68
Speech, behavioral health problems and communication disabilities, 33(6):932–941
Spinal cord diseases, cervical spondylotic myelopathy, 33(2):303–313
Spondylosis, cervical spondylotic myelopathy, 33(2):303–313
Spouse abuse, 33(5):809–814
Stakeholder participation
adapting diabetes shared medical appointments, 33(5):716–727
virtual Parent Panel for pediatric research network, 33(5):665–674
Statins
anti-HMGCR myopathy from, 33(5):785–788
lipid management in breast cancer survivors, 33(6):894–902
Streptococcal infections, current indications for tonsillectomy and adenoidectomy, 33(6):1025–1030
Substance-related disorders
addressing needs of transgender patients, 33(2):314–321
behavioral health problems and communication disabilities, 33(6):932–941
Support vector machine, machine learning approach to unhealthy drinking, 33(3):397–406
Surveys and questionnaires
adapting diabetes shared medical appointments, 33(5):716–727
anti-hypertensive medication combinations, 33(1):143–146
barriers to patient portal access and use, 33(6):953–968
behavioral health problems and communication disabilities, 33(6):932–941
combating burnout in US Army health care, 33(3):440–445
dermoscopy in the primary care setting, 33(6):1022–1024
designing a prediabetes shared decision aid, 33(2):262–270
educating patients on unnecessary antibiotics, 33(6):969–977
eliminating barriers to improve quality of care, 33(2):220–229
factors associated with colorectal cancer screening, 33(5):779–784
gender and work hours among family physicians, 33(5):653–654
gender differences in addressing burnout, 33(3):446–451
general practitioner job satisfaction in China, 33(3):456–459
health care satisfaction among opioid recipients, 33(1):34–41
identifying remedial predictors of burnout, 33(3):357–368
indicators of workplace burnout, 33(3):378–385
insurance, health care, and discrimination, 33(4):580–591
nutrition surveys
glucosamine/chondroitin and mortality, 33(6):842–847
machine learning approach to unhealthy drinking, 33(3):397–406
usual source of care and longer telomere length, 33(6):832–841
opioid use and driving among older adults, 33(4):521–528
OUD education and waiver provision during residency, 33(6):998–1003
patient "catastrophizing" and expectations of opioid prescriptions, 33(6):858–870
patient education level and antidepressants, 33(1):80–90
patient interest in after-hours telemedicine, 33(5):765–773
patient-provider teach-back communication with diabetic outcomes, 33(6):903–912
patients' understanding of diabetes and periodontal disease, 33(6):1004–1010

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.

physicians' response to quality-of-life goals, 33(1):71–79
practice transformation support and cardiovascular care, 33(5):675–686
practices reporting clinical quality measures, 33(4):620–625
prescription drug advertising and patient-provider interactions, 33(2):279–283
quality improvement toolkit to improve opioid prescribing, 33(1):17–26
stimulant use by young adults for ADHD, 33(1):59–70
strategies to overcome psychological insulin resistance, 33(2):198–210
subjective vs. objective assessment of cognitive functioning, 33(3):417–425
team-based care, changes over time, 33(4):499–501
team configurations, efficiency, and burnout, 33(3):368–377
virtual Parent Panel for pediatric research network, 33(5):665–674
Survivorship, cardiovascular disease among breast cancer survivors, 33(6):894–902

Telemedicine
after-hours, patient interest in, 33(5):765–773
barriers to patient portal access and use, 33(6):953–968
project ECHO integrated within the ORPRN, 33(5):789–795
Telomere length, longer, and usual source of care, 33(6):832–841
Tertiary care centers, ethical questions raised by the EHR, 33(1): 106–117
Thiazides, anti-hypertensive medication combinations, 33(1):143–146
Thyroid hormones, use in the United States, 1997–2016, 33(2):284–288
Time series algorithms, practice facilitation barriers in quality improvement, 33(5):655–664
Tonsillectomy, current indications for, 33(6):1025–1030
Torture, asylum-seeker's, poem about, 33(5):815–815
Training support, helping family physicians keep up to date, 33(5):S24–S27
Tramadol, risk-reduction tools and an opioid-prescribing protocol, 33(1):27–33
Translational medical research, clinical decision support for opioid prescribing, 33(4):529–540
Treatment outcome, treating opioid use disorder in family medicine, 33(4):611–615
Trensgender persons, addressing needs of, 33(2):314–321
Type 2 diabetes
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
opportunities to partner with patients living with, 33(2):211–219
social service touchpoints for diabetes screening, 33(4):616–619
strategies to overcome psychological insulin resistance, 33(2):198–210
Uncertainty, clinical care and nonindicated vitamin D testing, 33(4):569–579
United States
strategies to overcome psychological insulin resistance, 33(2):198–210
thyroid hormone use, 1997–2016, 33(2):284–288
United States Indian Health Service, unexpected career retirement, 33(2):339–341
Universities, stimulant use by young adults for ADHD, 33(1):59–70
Urology, medical professionalism, 33(5):S62–S64

Value-based purchasing, measuring and improving quality in the US, 33(5):S28–S35
Variance analysis, patient education level and antidepressants, 33(1):80–90
Veterans health, anti-HMGCR myopathy from statins, 33(5):785–788
Video recording, physicians' response to quality-of-life goals, 33(1):71–79
Violence, addressing needs of transgender patients, 33(2):314–321
Virginia
indicators of workplace burnout, 33(3):378–385
intervention supports diabetes registry implementation: from ACORN, 33(5):728–735
Medicare Access and CHIP Reauthorization Act, 33(6):942–952
office-based opioid treatment models, 33(4):512–521
Vitamin D
provider screening behavior, modifying, 33(2):252–261
testing, nonindicated, clinical care and, 33(4):569–579
Volunteers, hospital, 33(3):481–483
Vulnerable populations
BRCA-related cancer genetic counseling, 33(6):885–893
co-management for sickle cell disease, 33(1):91–105
factors associated with colorectal cancer screening, 33(5):779–784

Weight loss
marketing messages in continuing medical education on binge-eating disorder, 33(2):240–251
obesity intervention trial, participation of rural clinicians, 33(5):736–744
West Virginia, improving COPD symptoms using team-based approach, 33(6):978–985
Women physicians
gender and work hours among family physicians, 33(5):653–654
gender differences in addressing burnout, 33(3):446–451
Women's health
BRCA-related cancer genetic counseling, 33(6):885–893
gestational diabetes risk and prenatal weight gain counseling, 33(2):189–197
mammography screening for average-risk women, 33(6):871–884
role of family physicians in reproductive health care, 33(2):182–185
services provided by family physicians, 33(2):186–188
social service touchpoints for diabetes screening, 33(4):616–619
Work engagement, practice facilitation barriers in quality improvement, 33(5):655–664
Workflow, quality improvement toolkit to improve opioid prescribing, 33(1):17–26
Workforce
gender and work hours among family physicians, 33(5):653–654
identifying remedial predictors of burnout, 33(3):357–368
OUD education and waiver provision during residency, 33(6):998–1003
physicians providing women's health care services, 33(2):186–188
practice facilitation barriers in quality improvement, 33(5):655–664
role of family physicians in reproductive health care, 33(2):182–185
Workload
physician factors and inbox message volume, 33(3):460–462
treating fibromyalgia and physician burnout, 33(3):386–396
Workplace
burnout, indicators of, 33(3):378–385
combating burnout in US Army health care, 33(3):440–445

Young adults, stimulant use by, for ADHD, 33(1):59–70

J Am Board Fam Med: first published as on 14 December 2020. Downloaded from http://www.jabfm.org/ on 25 April 2024 by guest. Protected by copyright.