

# Subject Index to Volume 35, 2022

- Ableism**, and COVID-19, 35(2):390–393
- Academic medical centers**, video visits in a fee-for-service model, 35(3):497–506
- Access to health care**  
economic inequality and the primary care physician workforce, 35(1):35–43  
ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174  
health care navigation and primary care, 35(1):44–54  
mammogram order completion rates and diabetes, 35(1):158–162
- Adolescent**  
policies and resources to prepare youth for caregiving, 35(4):814–820  
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578  
spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Advanced practice nursing**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Adverse childhood experiences**, policy for routine screening for, 35(4):862–866
- Adverse drug events**, ambulatory medication safety in primary care, 35(3):610–628
- Affordable Care Act**, health care navigation and primary care, 35(1):44–54
- African Americans**  
ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174  
prescription patterns of antihyperglycemic medications, 35(2):255–263
- Age of onset**, role of children in parents' diabetes management, 35(2):341–351
- Aging**  
and chemosensory dysfunction, 35(2):406–419  
life satisfaction among older Asian Americans, 35(1):203–205  
reflections in family medicine, 35(5):1026–1029
- Ambulatory care**, novel person-centered primary care measure, 35(4):751–761
- American Board of Family Medicine (ABFM)**  
certification candidates, racial/ethnic representation among, 35(1):9–17  
experience with DIF, 35(1):18–25  
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Analysis of variance**  
novel person-centered primary care measure, 35(4):751–761  
transitional care management and reduced readmissions, 35(3):537–547
- Annual wellness visit**, standardized patient assessments, 35(3):605–609
- Anosmia**, chemosensory dysfunction, 35(2):406–419
- Antibiotics**, prescribing, for respiratory infection, 35(4):733–741
- Anticoagulants**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Antimicrobial stewardship**, antibiotic prescribing for respiratory infection, 35(4):733–741
- Artificial intelligence**, clinician's guide to, 35(1):175–184
- Ascorbic acid**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Asian Americans**, life satisfaction among older Asian Americans, 35(1):203–205
- Asymptomatic hyperuricemia**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Asymptomatic infections**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Athletes**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Atopic dermatitis**, vitamin D for, 35(6):1217–1229
- Behavioral risk factor surveillance system**, primary care physicians caring for cancer survivors, 35(4):708–715
- Behavioral sciences**, impact of COVID-19 on exercise habits, 35(2):295–309
- Bias**, ABFM's 8 years of DIF analysis, 35(1):18–25
- Bioethics**, decriminalization of buprenorphine, 35(2):394–397
- Blood glucose**, metformin prescription rates for prediabetes, 35(4):821–826
- Blood pressure**  
out-of-office BP checks for diagnosing hypertension, 35(2):310–319  
urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Body mass index**  
adequacy of OSA diagnosis in primary care, 35(2):320–328  
child obesity EHR tool, 35(4):742–750  
metformin prescription rates for prediabetes, 35(4):821–826
- Breast cancer**  
mammogram order completion rates and diabetes, 35(1):158–162  
mastalgia and breast imaging, 35(5):998–1006  
reflections in family medicine, 35(5):1026–1029
- Bronchitis**, antibiotic prescribing for respiratory infection, 35(4):733–741
- Buprenorphine**  
decriminalization of, 35(2):394–397  
treatment, integrating with primary care, 35(1):206–208
- Burnout**, reflections in family medicine, 35(2):443–444
- California**  
COVID-19 mitigation strategies on influenza, 35(4):680–685  
life satisfaction among older Asian Americans, 35(1):203–205  
policy for routine screening for ACEs, 35(4):862–866
- Canada**, novel person-centered primary care measure, 35(4):751–761
- Cancer**  
group-based medical mistrust scale with Latino parents, 35(2):244–254  
oncology and primary care views on cancer survivorship, 35(2):329–340  
patient research interest differences, 35(2):225–234
- Cancer survivors**  
oncology and primary care views on cancer survivorship, 35(2):329–340  
primary care physicians caring for, 35(4):708–715  
return to primary care, 35(4):827–832
- Cannabis**, Colorado family physicians and medical marijuana, 35(1):102–114
- Cardiology**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Cardiovascular diseases**  
EvidenceNOW practice support initiative, 35(5):979–989  
gun violence as a patient priority, 35(5):961–967  
improving preventive services, 35(5):968–978  
patient research interest differences, 35(2):225–234  
prior experience in quality improvement initiatives, 35(6):1115–1127  
risk calculator adoption, 35(6):1143–1155  
vitamin D for, 35(6):1217–1229
- Career choice**  
COVID-19 and intended scope of practice, 35(6):1191–1193  
impact of COVID-19 pandemic, 35(6):1187–1190  
medical school dean demographics, 35(1):163–168
- Career thinking**, changes in, among educators, 35(5):933–939

- Caregivers**  
hospital health care worker perceptions of COVID-19 risk, 35(2):284-294  
intention to vaccinate children against COVID-19, 35(6):1174-1178  
policies and resources to prepare youth for caregiving, 35(4):814-820  
reflections in family medicine, 35(5):1026-1029
- CERA survey**, changes in career thinking among educators, 35(5):933-939
- Certification**  
ABFM's 8 years of DIF analysis, 35(1):18-25  
candidates, ABFM, racial/ethnic representation among, 35(1):9-17  
linguist's perspective on ABFM'S DIF panel, 35(2):387-389  
practice adjustments made during COVID-19, 35(2):274-283
- Chi-square test**  
antiracism training, policies, and practices, 35(4):803-808  
intention to vaccinate children against COVID-19, 35(6):1174-1178
- Child development**, effect of reading to infants on language score, 35(6):1156-1162
- Child health**  
food intake, exercise, and childhood obesity, 35(6):1072-1080  
intention to vaccinate children against COVID-19, 35(6):1174-1178  
spondylolysis and isthmic spondylolysis, 35(6):1204-1216  
vitamin D for common and high-mortality conditions, 35(6):1217-1229
- Cholesterol**, food insecurity and dyslipidemia, 35(4):656-667
- Chronic disease**  
care, guideline concordance of, 35(6):1128-1142  
food insecurity and dyslipidemia, 35(4):656-667  
interventions to increase colorectal cancer screening uptake, 35(4):840-858  
metformin prescription rates for prediabetes, 35(4):821-826  
standardized patient assessments at the wellness visit, 35(3):605-609  
video-visit use, disparities in, 35(3):634-637
- Chronic pain**  
pain management during West Virginia's opioid crisis, 35(5):940-950  
reduction of opioid prescribing after policy change, 35(2):352-369  
vitamin D for, 35(6):1217-1229
- Clinical competence**, out-of-office BP checks for diagnosing hypertension, 35(2):310-319
- Clinical decision-making**  
policies and resources to prepare youth for caregiving, 35(4):814-820  
risk scores to predict COVID-19 hospitalization, 35(6):1058-1064
- Clinical medicine**  
education level and the Montreal Cognitive Assessment, 35(6):1043-1057  
effect of reading to infants on language score, 35(6):1156-1162
- Clinical prediction rule**  
decision threshold for infectious mononucleosis, 35(6):1065-1071  
risk scores to predict COVID-19 hospitalization, 35(6):1058-1064
- Cluster analysis**, COVID-19 pandemic in a Hispanic population, 35(4):686-693
- Cognition**  
education level and the Montreal Cognitive Assessment, 35(6):1043-1057  
telehealth and the needs of vulnerable elders, 35(3):638-639
- Cognitive aging**, education level and the Montreal Cognitive Assessment, 35(6):1043-1057
- Colorado**  
building a PBRN, 35(1):115-123  
family physicians and medical marijuana, 35(1):102-114  
perspectives on data-sharing to address food insecurity, 35(1):85-95
- Commentaries**  
Ableism at the Bedside: People with Intellectual Disabilities and COVID-19, 35(2):390-393  
Family Medicine is Not Immune to Racial and Gender Wage Gaps, 35(4):870-871  
The Gender Pay Gap in Family Medicine: Evidence and Next Steps, 35(1):197-199  
The Impending Collapse of Primary Care: When is Someone Going to Notice?, 35(6):1183-1186  
Informing Equity & Diversity in Primary Care Policy and Practice: Introducing a New Series of Policy Briefs, Commentaries, and Voices in *JABFM*, 35(1):190-196  
Intentionality Required to Equip a Diverse Physician Workforce with Tools and Infrastructure to Deliver Comprehensive Care, 35(3):597-600  
Leveraging Integrated Primary Care to Address Patients' and Families' Unmet Social Needs: Aligning Practice with National Academy of Sciences, Engineering and Medicine Recommendations, 35(1):185-189  
A Linguist's Perspective on the American Board of Family Medicine's Differential Item Functioning Panel, 35(2):387-389  
The Need for Expanding Physician Language Diversity is Too Great to be Left to Chance, 35(1):200-202  
A New Pandemic of Loneliness, 35(3):593-596  
Against Our Instincts: Decriminalization of Buprenorphine, 35(2):394-397  
Promoting Health Equity: A Call for Data Disaggregation on Race and Ethnicity, 35(5):1032-1034  
Ready (or Not)—Here They Come, 35(6):1187-1190  
Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398-399  
Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398-399  
And Then There Were Three: The Decimation of the Affordable Care Act (ACA) CO-OPs, 35(4):867-869  
Trust Takes Two... , 35(6):1179-1182  
**Commerce**, toilet stool use for constipation, 35(4):836-839  
**Communication**  
effect of reading to infants on language score, 35(6):1156-1162  
online, drug efficacy information, 35(4):833-835  
reflections in family medicine, 35(2):443-444  
strategies for addressing COVID-19 vaccine hesitancy, 35(2):420-426  
**Communication barriers**, patient barriers to resources for social needs, 35(4):793-802  
**Community-based participatory research**, building a PBRN in western Colorado, 35(1):115-123  
**Community health centers**  
guideline concordance of chronic disease care, 35(6):1128-1142  
patient barriers to resources for social needs, 35(4):793-802  
reduction of opioid prescribing after policy change, 35(2):352-369  
SDoH and associations with chronic conditions, 35(4):668-678  
**Community medicine**  
counterculture history and an anti-racist future, 35(1):169-172  
interventions to increase colorectal cancer screening uptake, 35(4):840-858  
perspectives on data-sharing to address food insecurity, 35(1):85-95  
**Comprehensive health care**  
COVID-19 and intended scope of practice, 35(6):1191-1193  
impact of COVID-19 pandemic, 35(6):1187-1190  
**Constipation**, satisfaction of using a toilet stool for, 35(4):836-839  
**Continuing medical education**, linguist's perspective on ABFM'S DIF panel, 35(2):387-389  
**Continuity of patient care**  
novel person-centered primary care measure, 35(4):751-761  
physician-patient trust, 35(6):1179-1182  
primary care physicians caring for cancer survivors, 35(4):708-715

- Contraception**, barriers and facilitators in medication abortion, 35(3):579–587
- Control groups**, child obesity EHR tool, 35(4):742–750
- Correspondence**  
addressing post-COVID symptoms: a guide for primary care, 35(4):874–875  
blood pressure checks for diagnosing hypertension: health professionals' knowledge, beliefs, and practice, 35(4):876–877  
C-reactive protein *versus* erythrocyte sedimentation rate: implications among patients with no known inflammatory conditions, 35(1):209  
diversity of department chairs in family medicine at US medical schools, 35(4):875–876  
effect of urate-lowering therapy on renal function, blood pressure and safety in patients with asymptomatic hyperuricemia, 35(3):640–641  
impact of geodemographic factors on antibiotic prescribing for acute, uncomplicated bronchitis or upper respiratory tract infection, 35(6):1246  
use of point-of-care ultrasonography in primary care to redress health inequities, 35(3):641–642
- Counseling**  
child obesity EHR tool, 35(4):742–750  
standardized patient assessments at the wellness visit, 35(3):605–609
- COVID-19**  
and ableism, 35(2):390–393  
and burnout among physicians, 35(5):921–932  
changes in career thinking among educators, 35(5):933–939  
delay of care for multiple chronic conditions, 35(6):1081–1091  
diagnosis, thromboembolic events following, 35(6):1163–1167  
equity and telehealth policy, 35(3):588–592  
Hispanic population, 35(4):686–693  
impact on exercise habits, 35(2):295–309  
and intended scope of practice, 35(6):1191–1193  
intention to vaccinate children against, 35(6):1174–1178  
loneliness, pandemic-related, 35(3):593–596  
mild-to-moderate, melatonin and vitamin C for, 35(4):695–707  
mitigation strategies, collateral benefit of, on influenza, 35(4):680–685  
pandemic, impact of, 35(6):1187–1190  
perceived impact on primary care, 35(2):265–273  
practice adjustments made during, 35(2):274–283  
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578  
questions, eConsult service and, 35(3):601–604  
risk, hospital health care worker perceptions of, 35(2):284–294  
risk scores to predict hospitalization, 35(6):1058–1064  
stopgap of mental health services during, 35(5):891–896  
strategies for addressing vaccine hesitancy, 35(2):420–426  
telehealth and the needs of vulnerable elders, 35(3):638–639  
telehealth with short interval follow-up, 35(3):485–490  
telemedicine impact on visit completion rate, 35(3):475–484  
telephone, televideo, and in-office visits diagnoses, 35(3):491–496  
video-visit use, disparities in, 35(3):634–637  
vitamin D for, 35(6):1217–1229  
walking, and mental and physical health, 35(5):897–901  
workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Critical care**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Cross-cultural comparison**  
counterculture history and an anti-racist future, 35(1):169–172  
reflections in family medicine, 35(5):1026–1029
- Cross-sectional studies**  
COVID-19 and burnout among physicians, 35(5):921–932  
diversity of department chairs in family medicine, 35(1):152–157  
documentation support among physicians by gender, 35(5):906–911  
eConsult service and COVID-19 questions, 35(3):601–604  
food insecurity and dyslipidemia, 35(4):656–667  
group-based medical mistrust scale with Latino parents, 35(2):244–254  
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102  
impact of COVID-19 on exercise habits, 35(2):295–309  
mental health and discrimination in physicians and residents, 35(5):912–920  
oncology and primary care views on cancer survivorship, 35(2):329–340  
patient research interest differences, 35(2):225–234  
prescription patterns of antihyperglycemic medications, 35(2):255–263  
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578  
psychotherapy and psychiatry visits in the US, 35(5):886–890  
SDoH and associations with chronic conditions, 35(4):668–678  
standardized patient assessments at the wellness visit, 35(3):605–609  
stopgap of mental health services during COVID-19, 35(5):891–896  
video-visit use, disparities in, 35(3):634–637  
video visits in a fee-for-service model, 35(3):497–506
- Cultural competency**, disparities among leadership in family medicine, 35(5):902–905
- Cultural diversity**  
counterculture history and an anti-racist future, 35(1):169–172  
“other” race selection and data collection, 35(5):1030–1031  
scope of practice by physician race and ethnicity, 35(3):454–456  
tools and infrastructure for a diverse workforce, 35(3):557–600
- Curriculum**, point-of-care ultrasound use, 35(4):809–813
- Data analysis**  
delay of care for multiple chronic conditions, 35(6):1081–1091  
primary care physicians caring for cancer survivors, 35(4):708–715
- Data collection**, and “other” race selection, 35(5):1030–1031
- Data sharing**, to address food insecurity, perspectives on, 35(1):85–95
- Decision support tools**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Deep learning**, clinician's guide to artificial intelligence, 35(1):175–184
- Delayed diagnosis**, family medicine malpractice claims study, 35(2):380–386
- Delivery of health care**  
clinician's guide to artificial intelligence, 35(1):175–184  
family medicine malpractice claims study, 35(2):380–386  
implementation of transgender care, 35(2):235–243  
improving cardiovascular disease preventive services, 35(5):968–978  
oncology and primary care views on cancer survivorship, 35(2):329–340  
physician-patient relationships and burnout, 35(4):716–723  
policies and resources to prepare youth for caregiving, 35(4):814–820  
primary care physicians caring for cancer survivors, 35(4):708–715
- Dementia**  
and chemosensory dysfunction, 35(2):406–419  
telehealth and the needs of vulnerable elders, 35(3):638–639  
vitamin D for, 35(6):1217–1229
- Depression**, vitamin D for, 35(6):1217–1229
- Dermatitis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Dermatology**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Diabetes**, and mammogram order completion rates, 35(1):158–162

- Diabetes mellitus**  
patient research interest differences, 35(2):225–234  
SDoH and associations with chronic conditions, 35(4):668–678
- Diabetes Prevention Program (DPP)**, adaptation of, to address prediabetes, 35(3):548–558
- Dietary supplements**  
melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707  
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Differential item functioning (DIF)**  
ABFM's 8 years of experience with, 35(1):18–25  
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Diffusion of innovation**, antiracism training, policies, and practices, 35(4):803–808
- Digital divide**  
disparities in use of patient portals, 35(3):559–569  
equity and telehealth policy, 35(3):588–592
- Directly observed therapy**, effect of stigma levels in TB patients, 35(5):951–960
- Disease**, impact of COVID-19 on exercise habits, 35(2):295–309
- Disease management**  
EvidenceNOW practice support initiative, 35(5):979–989  
guideline concordance of chronic disease care, 35(6):1128–1142  
urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151  
video-visit use, disparities in, 35(3):634–637
- Diversity**  
of department chairs in family medicine, 35(1):152–157  
family physicians deliver care in diverse languages, 35(1):5–6
- Documentation**, support for, variation among physicians by gender, 35(5):906–911
- Double-blind method**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Down syndrome**, ableism and COVID-19, 35(2):390–393
- Drug-induced abortion**, barriers and facilitators in, 35(3):579–587
- Dupuytren's contracture**, practical management, 35(6):1194–1203
- Dyslipidemias**, and food insecurity, 35(4):656–667
- Early medical intervention**, evaluation of a HCV screening intervention, 35(5):990–997
- eConsult**, service, and COVID-19 questions, 35(3):601–604
- Editorial Office News and Notes**  
The Most Frequently Read Articles of 2021, 35(4):652–654
- Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2021, 35(2):219–222
- Welcome, Family Medicine Residents!, 35(6):1042
- Editorials**  
Three JABFM Articles Are in the Primary Care Collaborative Curated List of 24 Essential Primary Care Research Articles, 35(4):655
- Editors' Notes**  
Clinically Useful Family Medicine Research, 35(6):1039–1041  
Family Medicine Researchers Explore the Social Determinants of Health, COVID-19 Issues, and Cancer Survivor Care, 35(4):649–651  
Health Care Equity for Family Medicine Patients and Family Physician Equity, 35(1):1–4  
Mental Health of Patients and Clinicians Before and During the COVID-19 Pandemic, 35(5):883–885  
The "Telehealth Divide"—Who Are the Underserved, and What Care Is Improved?, 35(3):451–453  
This Issue's Emphasis: Inequity and COVID-19, Intertwined, 35(2):215–218
- Electronic health records**  
child obesity EHR tool, 35(4):742–750  
documentation support among physicians by gender, 35(5):906–911  
patient- and provider-level factors and telemedicine utilization, 35(3):457–464  
transitional care management and reduced readmissions, 35(3):537–547
- Electronic medical record**, evaluation of a HCV screening intervention, 35(5):990–997
- Electronic prescribing**, ambulatory medication safety in primary care, 35(3):610–628
- Emergency medicine**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Employment**, impact of COVID-19 on exercise habits, 35(2):295–309
- Epidermal inclusion cysts**, practical management, 35(6):1194–1203
- Episode of care**, gender differences in diagnosed diseases, 35(1):73–84
- Equity**, editors' note, 35(1):1–4
- Ethical issues**, in sports medicine, 35(6):1230–1238
- Ethnic groups**  
ABFM's 8 years of DIF analysis, 35(1):18–25  
representation among ABFM certification candidates, 35(1):9–17
- Ethnicity**, patient research interest differences, 35(2):225–234
- Evidence-based medicine**  
decision threshold for infectious mononucleosis, 35(6):1065–1071  
mastalgia and breast imaging, 35(5):998–1006
- online communication of drug efficacy information, 35(4):833–835
- Evidence-based practice**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Exercise**  
child obesity EHR tool, 35(4):742–750  
food intake and childhood obesity, 35(6):1072–1080
- Faculty**  
interventions to increase colorectal cancer screening uptake, 35(4):840–858  
medical school dean demographics, 35(1):163–168  
point-of-care ultrasound use, 35(4):809–813
- Family leave**, policies and resources to prepare youth for caregiving, 35(4):814–820
- Family medicine**  
ABFM's 8 years of DIF analysis, 35(1):18–25  
adequacy of OSA diagnosis in primary care, 35(2):320–328  
ambulatory medication safety in primary care, 35(3):610–628  
antiracism training, policies, and practices, 35(4):803–808  
barriers and facilitators in medication abortion, 35(3):579–587  
building a PBRN in western Colorado, 35(1):115–123  
changes in career thinking among educators, 35(5):933–939  
clinical quality measures and family physicians, 35(2):427–434  
Colorado family physicians and medical marijuana, 35(1):102–114  
counterculture history and an anti-racist future, 35(1):169–172  
COVID-19 and intended scope of practice, 35(6):1191–1193  
delivery of care in diverse languages, 35(1):5–6  
diagnosis and management of plantar dermatoses, 35(2):435–442  
disparities among leadership in family medicine, 35(5):902–905  
disparities in use of patient portals, 35(3):559–569  
diversity of department chairs in, 35(1):152–157  
documentation support among physicians by gender, 35(5):906–911  
economic inequality and the primary care physician workforce, 35(1):35–43  
eConsult service and COVID-19 questions, 35(3):601–604  
external environment of building PBRNs, 35(4):762–792  
gender pay gap, 35(1):7–8  
impact of COVID-19 on exercise habits, 35(2):295–309  
impact of COVID-19 pandemic, 35(6):1187–1190  
impact of telehealth on physician panel sizes, 35(5):1007–1014

- implementation of transgender care, 35(2):235–243
- integrating buprenorphine treatment with primary care, 35(1):206–208
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- malpractice claims study, 35(2):380–386
- mammogram order completion rates and diabetes, 35(1):158–162
- medical school dean demographics, 35(1):163–168
- mental health and discrimination in physicians and residents, 35(5):912–920
- minority physicians care for vulnerable populations, 35(2):223–224
- model person-centered primary care measure, 35(4):751–761
- “other” race selection and data collection, 35(5):1030–1031
- opioid management during West Virginia's opioid crisis, 35(5):940–950
- pandemic-related loneliness, 35(3):593–596
- patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- physician income disparities by race and gender, 35(4):859–861
- physician-patient relationships and burnout, 35(4):716–723
- point-of-care ultrasound use, 35(4):809–813
- policy for routine screening for ACEs, 35(4):862–866
- practice adjustments made during COVID-19, 35(2):274–283
- practice participation in facilitation during a QI initiative, 35(1):124–139
- predictors of primary care practice among medical students, 35(2):370–379
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- relationship between community program location and needs, 35(1):55–72
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- stopgap of mental health services during COVID-19, 35(5):891–896
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- video visits in a fee-for-service model, 35(3):497–506
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Family physicians**  
barriers and facilitators in medication abortion, 35(3):579–587
- care delivery in diverse languages, 35(1):5–6
- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and graduate medical education, 35(6):1187–1190
- COVID-19 and intended scope of practice, 35(6):1191–1193
- income disparities by race and gender, 35(4):859–861
- and medical marijuana, Colorado, 35(1):102–114
- minority physicians care for vulnerable populations, 35(2):223–224
- “other” race selection and data collection, 35(5):1030–1031
- point-of-care ultrasound use, 35(4):809–813
- practice adjustments made during COVID-19, 35(2):274–283
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Family practice**, physician-patient trust, 35(6):1179–1182
- Fasting**, metformin prescription rates for prediabetes, 35(4):821–826
- Fee-for-service plans**, video visits in a fee-for-service model, 35(3):497–506
- Fingers**, lumps and bumps of, practical management, 35(6):1194–1203
- Fitness trackers**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Focus groups**, role of children in parents' diabetes management, 35(2):341–351
- Follow-up studies**  
metformin prescription rates for prediabetes, 35(4):821–826  
patient barriers to resources for social needs, 35(4):793–802  
walking during the COVID-19 pandemic, 35(5):897–901
- Follow-up visits**, short interval, telehealth with, 35(3):485–490
- Food insecurity**  
and dyslipidemia, 35(4):656–667  
patient barriers to resources for social needs, 35(4):793–802  
perspectives on data-sharing to address, 35(1):85–95  
relationship between community program location and needs, 35(1):55–72
- Framework**, appropriate telemedicine in primary care, 35(3):507–516
- Ganglion cysts**, practical management, 35(6):1194–1203
- Gastroenterology**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- Gender**, disparities among leadership in family medicine, 35(5):902–905
- Gender differences**  
in diagnosed diseases, 35(1):73–84
- family medicine's gender pay gap, 35(1):7–8
- family physician income, 35(4):859–861
- mental health and discrimination in physicians and residents, 35(5):912–920
- support for documentation, 35(5):906–911
- Gender dysphoria**, implementation of transgender care, 35(2):235–243
- Genetics**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Geospatial analysis**, relationship between community program location and needs, 35(1):55–72
- Geriatric psychiatry**, telehealth and the needs of vulnerable elders, 35(3):638–639
- Geriatrics**  
chemosensory dysfunction, 35(2):406–419  
education level and the Montreal Cognitive Assessment, 35(6):1043–1057  
telehealth and the needs of vulnerable elders, 35(3):638–639  
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Giant cell tumors**, practical management, 35(6):1194–1203
- Gini coefficient**, economic inequality and the primary care physician workforce, 35(1):35–43
- Glucagon-like peptide 1**, prescription patterns, 35(2):255–263
- Group-Based Medical Mistrust Scale**, validating, with Latino parents, 35(2):244–254
- Gun violence**, as a patient priority, 35(5):961–967
- Hair diseases**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hand**, lumps and bumps of, practical management, 35(6):1194–1203
- HbA1c**  
metformin prescription rates for prediabetes, 35(4):821–826  
SDoH and associations with chronic conditions, 35(4):668–678
- Health behavior**  
Colorado family physicians and medical marijuana, 35(1):102–114  
group-based medical mistrust scale with Latino parents, 35(2):244–254  
impact of COVID-19 on exercise habits, 35(2):295–309  
relationship between community program location and needs, 35(1):55–72
- Health care disparities**  
COVID-19 pandemic in a Hispanic population, 35(4):686–693  
equity and telehealth policy, 35(3):588–592  
mammogram order completion rates and diabetes, 35(1):158–162

- Health care outcome assessment**  
 economic inequality and the primary care physician workforce, 35(1):35–43  
 nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health communication**  
 online communication of drug efficacy information, 35(4):833–835  
 physician–patient trust, 35(6):1179–1182
- Health equity**  
 antiracism training, policies, and practices, 35(4):803–808  
 clinician’s guide to artificial intelligence, 35(1):175–184  
 differences in hypertension medication prescribing for Black Americans, 35(1):26–34  
 ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174  
 race and racism in academic medicine, 35(6):1239–1245
- Health inequities**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Health information management**, disparities in use of patient portals, 35(3):559–569
- Health insurance**, decimation of ACA CO-OPs, 35(4):867–869
- Health literacy**  
 mastalgia and breast imaging, 35(5):998–1006  
 nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health personnel**  
 healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102  
 hospital health care worker perceptions of COVID-19 risk, 35(2):284–294  
 practice participation in facilitation during a QI initiative, 35(1):124–139  
 states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health policy**  
 antiracism training, policies, and practices, 35(4):803–808  
 barriers and facilitators in medication abortion, 35(3):579–587  
 decimation of ACA CO-OPs, 35(4):867–869  
 decriminalization of buprenorphine, 35(2):394–397  
 envisioning the future of virtual primary care, 35(3):527–536  
 equity and telehealth policy, 35(3):588–592  
 health care navigation and primary care, 35(1):44–54  
 impending collapse of primary care, 35(6):1183–1186  
 policies and resources to prepare youth for caregiving, 35(4):814–820  
 policy for routine screening for ACEs, 35(4):862–866  
 race and racism in academic medicine, 35(6):1239–1245  
 reduction of opioid prescribing after policy change, 35(2):352–369
- states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health promotion**  
 interventions to increase colorectal cancer screening uptake, 35(4):840–858  
 policies and resources to prepare youth for caregiving, 35(4):814–820
- Health services accessibility**  
 barriers and facilitators in medication abortion, 35(3):579–587  
 COVID-19’s perceived impact on primary care, 35(2):265–273  
 decimation of ACA CO-OPs, 35(4):867–869  
 decriminalization of buprenorphine, 35(2):394–397  
 delay of care for multiple chronic conditions, 35(6):1081–1091  
 eConsult service and COVID-19 questions, 35(3):601–604  
 equity and telehealth policy, 35(3):588–592  
 healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102  
 impact of telehealth on physician panel sizes, 35(5):1007–1014  
 impending collapse of primary care, 35(6):1183–1186  
 minority physicians care for vulnerable populations, 35(2):223–224  
 patient- and provider-level factors and telemedicine utilization, 35(3):457–464  
 patient barriers to resources for social needs, 35(4):793–802  
 practice adjustments made during COVID-19, 35(2):274–283  
 scope of practice by physician race and ethnicity, 35(3):454–456  
 stopgap of mental health services during COVID-19, 35(5):891–896  
 telemedicine impact on visit completion rate, 35(3):475–484  
 tools and infrastructure for a diverse workforce, 35(3):557–600  
 transportation screening questions in social risk assessment, 35(2):400–405
- Health services research**  
 practice participation in facilitation during a QI initiative, 35(1):124–139  
 psychotherapy and psychiatry visits in the US, 35(5):886–890
- Health surveys**  
 life satisfaction among older Asian Americans, 35(1):203–205  
 states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Healthy lifestyle**, child obesity EHR tool, 35(4):742–750
- Heart disease risk factors**, EvidenceNOW practice support initiative, 35(5):979–989
- Hepatitis C**, evaluation of a HCV screening intervention, 35(5):990–997
- Hispanic Americans**, health care navigation and primary care, 35(1):44–54
- Hispanic or Latino**, parents, group-based medical mistrust scale, 35(2):244–254
- Hispanics**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Housing**, relationship between community program location and needs, 35(1):55–72
- Housing instability**, patient barriers to resources for social needs, 35(4):793–802
- Humanities**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hunger**, food insecurity and dyslipidemia, 35(4):656–667
- Hyperlipidemia**, improving cardiovascular disease preventive services, 35(5):968–978
- Hypertension**  
 improving cardiovascular disease preventive services, 35(5):968–978  
 medication, differences in prescribing for Black Americans, 35(1):26–34  
 out-of-office BP checks for diagnosing hypertension, 35(2):310–319  
 SDoH and associations with chronic conditions, 35(4):668–678  
 vitamin D for, 35(6):1217–1229
- ICD codes**, telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- Illicit drugs**, healthcare and mental health, transgender persons, 35(6):1092–1102
- Implementation science**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Incidence**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Income**, family medicine’s gender pay gap, 35(1):7–8
- Infant health**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Infectious diseases**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Infectious mononucleosis**, decision threshold for, 35(6):1065–1071
- Influenza**, COVID-19 mitigation strategies on, 35(4):680–685
- Information systems**, transitional care management and reduced readmissions, 35(3):537–547
- Information technology**  
 clinician’s guide to artificial intelligence, 35(1):175–184  
 qualitative examination of telemedicine implementation, 35(3):517–526
- Insurance**, minority physicians care for vulnerable populations, 35(2):223–224
- Integrated delivery of health care**, to address unmet social needs, 35(1):185–189
- Integrated health care systems**, isolation and memory loss among older adults, 35(6):1168–1173

- Intellectual disability**, ableism and COVID-19, 35(2):390–393
- Internet**, online communication of drug efficacy information, 35(4):833–835
- Isthmic spondylolisthesis**, diagnosis and management, 35(6):1204–1216
- Kansas**, COVID-19 and burnout among physicians, 35(5):921–932
- Knowledge translation**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Language**, diversity, family physicians' delivery of care, 35(1):5–6
- Language development**, effect of reading to infants, 35(6):1156–1162
- Laxatives**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- LDL triglyceride**, food insecurity and dyslipidemia, 35(4):656–667
- Leadership**  
disparities among leadership in family medicine, 35(5):902–905  
diversity of department chairs in family medicine, 35(1):152–157  
guideline concordance of chronic disease care, 35(6):1128–1142  
medical school dean demographics, 35(1):163–168  
prior experience in quality improvement initiatives, 35(6):1115–1127  
race and racism in academic medicine, 35(6):1239–1245
- Learning health system**, transitional care management and reduced readmissions, 35(3):537–547
- Legal issues**, in sports medicine, 35(6):1230–1238
- LGBTQ persons**, implementation of transgender care, 35(2):235–243
- Licensed practical nurses**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Lifestyle**  
adaptation of the DPP to address pre-diabetes, 35(3):548–558  
impact of COVID-19 on exercise habits, 35(2):295–309
- Limited English proficiency**, family physicians deliver care in diverse languages, 35(1):5–6
- Linear models**  
delay of care for multiple chronic conditions, 35(6):1081–1091  
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294  
prior experience in quality improvement initiatives, 35(6):1115–1127  
stigma in VDOT for TB patients, 35(5):951–960  
walking during the COVID-19 pandemic, 35(5):897–901
- Linguistics**  
family physicians deliver care in diverse languages, 35(1):5–6  
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Logistic models**  
adequacy of OSA diagnosis in primary care, 35(2):320–328  
antiracism training, policies, and practices, 35(4):803–808  
child obesity EHR tool, 35(4):742–750  
decision threshold for infectious mononucleosis, 35(6):1065–1071  
documentation support among physicians by gender, 35(5):906–911  
intention to vaccinate children against COVID-19, 35(6):1174–1178  
isolation and memory loss among older adults, 35(6):1168–1173  
patient- and provider-level factors and telemedicine utilization, 35(3):457–464  
predictors of primary care practice among medical students, 35(2):370–379  
prescription patterns of antihyperglycemic medications, 35(2):255–263  
SDoH and associations with chronic conditions, 35(4):668–678
- Loneliness**  
pandemic-related, 35(3):593–596  
reflections in family medicine, 35(2):443–444
- Long-COVID**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Los Angeles**, health care navigation and primary care, 35(1):44–54
- Low back pain**  
nonadherence to guidelines for opioid prescribing, 35(4):724–732  
spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Low-value care**, mastalgia and breast imaging, 35(5):998–1006
- Machine learning**, clinician's guide to artificial intelligence, 35(1):175–184
- Maine**, decimation of ACA CO-OPs, 35(4):867–869
- Malpractice**, claims study, family medicine, 35(2):380–386
- Mammography**  
and mastalgia, 35(5):998–1006  
order completion rates and diabetes, 35(1):158–162
- Management**, impact of COVID-19 on exercise habits, 35(2):295–309
- Massachusetts**, clinical quality measures and family physicians, 35(2):427–434
- Mastalgia**, and breast imaging, 35(5):998–1006
- Medicaid**, reduction of opioid prescribing after policy change, 35(2):352–369
- Medical anthropology**, gun violence as a patient priority, 35(5):961–967
- Medical decision-making**, appropriate telemedicine in primary care, 35(3):507–516
- Medical education**  
ABFM's 8 years of DIF analysis, 35(1):18–25  
changes in career thinking among educators, 35(5):933–939  
counterculture history and an anti-racist future, 35(1):169–172  
ethical and legal issues in sports medicine, 35(6):1230–1238  
states' loan repayment and forgiveness programs, 35(5):1015–1025
- Medical ethics**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Medical expenditure panel survey (MEPS)**, psychotherapy and psychiatry visits in the US, 35(5):886–890
- Medical faculty**, disparities among leadership in family medicine, 35(5):902–905
- Medical marijuana**, and Colorado family physicians, 35(1):102–114
- Medical schools**  
diversity of department chairs in family medicine, 35(1):152–157  
medical school dean demographics, 35(1):163–168  
predictors of primary care practice among medical students, 35(2):370–379
- Medical students**, mental health and discrimination in physicians and residents, 35(5):912–920
- Medically underserved area**  
patient- and provider-level factors and telemedicine utilization, 35(3):457–464  
telemedicine approaches for mental health disorders, 35(3):465–474
- Medically unexplained symptoms**, gender differences in diagnosed diseases, 35(1):73–84
- Medically uninsured**, patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- Medicare**  
isolation and memory loss among older adults, 35(6):1168–1173  
standardized patient assessments at the wellness visit, 35(3):605–609
- Medication-assisted treatment**, integrating buprenorphine treatment with primary care, 35(1):206–208
- Medication safety**, in primary care, 35(3):610–628
- Medication therapy management**, telemedicine approaches for mental health disorders, 35(3):465–474
- Medicolegal**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Melatonin**, and vitamin C, for mild-to-moderate COVID-19, 35(4):695–707
- Memory disorders**, isolation and memory loss among older adults, 35(6):1168–1173
- Mental health**  
COVID-19 and burnout among physicians, 35(5):921–932  
delay of care for multiple chronic conditions, 35(6):1081–1091  
and discrimination in physicians and residents, 35(5):912–920  
gun violence as a patient priority, 35(5):961–967

- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- integrating buprenorphine treatment with primary care, 35(1):206–208
- life satisfaction among older Asian Americans, 35(1):203–205
- mental health, and substance use, transgender persons, 35(6):1092–1102
- pandemic-related loneliness, 35(3):593–596
- patient research interest differences, 35(2):225–234
- psychotherapy and psychiatry visits in the US, 35(5):886–890
- relationship between community program location and needs, 35(1):55–72
- telemedicine approaches for mental health disorders, 35(3):465–474
- walking during the COVID-19 pandemic, 35(5):897–901
- Mental health services**, stopgap of, during COVID-19, 35(5):891–896
- Meta-analysis**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Metabolic syndrome**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Metformin**, prescription rates for prediabetes, 35(4):821–826
- Mexico**, mental health and discrimination in physicians and residents, 35(5):912–920
- mHealth**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Michigan**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
  - family medicine malpractice claims study, 35(2):380–386
  - predictors of primary care practice among medical students, 35(2):370–379
- Mifepristone**, barriers and facilitators in medication abortion, 35(3):579–587
- Minority groups**
- ABFM's 8 years of DIF analysis, 35(1):18–25
  - counterculture history and an anti-racist future, 35(1):169–172
  - disparities in use of patient portals, 35(3):559–569
  - diversity of department chairs in family medicine, 35(1):152–157
  - medical school dean demographics, 35(1):163–168
  - representation among ABFM certification candidates, 35(1):9–17
- Minority health**
- counterculture history and an anti-racist future, 35(1):169–172
  - COVID-19 pandemic in a Hispanic population, 35(4):686–693
  - equity and telehealth policy, 35(3):588–592
  - group-based medical mistrust scale with Latino parents, 35(2):244–254
- health care navigation and primary care, 35(1):44–54
- healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
- implementation of transgender care, 35(2):235–243
- life satisfaction among older Asian Americans, 35(1):203–205
- minority physicians care for vulnerable populations, 35(2):223–224
- race and racism in academic medicine, 35(6):1239–1245
- Mobile applications**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Montana**, decimation of ACA CO-OPs, 35(4):867–869
- Montreal Cognitive Assessment**, education level and, 35(6):1043–1057
- Motivation**
- effect of reading to infants on language score, 35(6):1156–1162
  - role of children in parents' diabetes management, 35(2):341–351
- Motivational interviewing**, strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- Multimorbidity**, video-visit use, disparities in, 35(3):634–637
- Multiple chronic conditions**, delay of care for, 35(6):1081–1091
- Multivariate analysis**, nonadherence to guidelines for opioid prescribing, 35(4):724–732
- National Health Service Corps**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Needs assessment**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Network meta-analysis**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Neuropsychology**, education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- New England**, COVID-19's perceived impact on primary care, 35(2):265–273
- New York City**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- No-show patients**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Nominal group technique**, building a PBRN in western Colorado, 35(1):115–123
- Nonverbal communication**, qualitative examination of telemedicine implementation, 35(3):517–526
- North American Primary Care Research Group (NAPCRG)**, reflections in family medicine, 35(4):872–873
- North Carolina**, economic inequality and the primary care physician workforce, 35(1):35–43
- Nurses**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Nutrition assessment**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Obesity**
- metformin prescription rates for prediabetes, 35(4):821–826
  - prescription patterns of antihyperglycemic medications, 35(2):255–263
- Obstetrics**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Obstructive sleep apnea (OSA)**, diagnosis, adequacy of, in primary care, 35(2):320–328
- Oklahoma**, oncology and primary care views on cancer survivorship, 35(2):329–340
- Olfaction disorders**, chemosensory dysfunction, 35(2):406–419
- Ontario**, eConsult service and COVID-19 questions, 35(3):601–604
- Opiates**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioid-related disorders**
- decriminalization of buprenorphine, 35(2):394–397
  - integrating buprenorphine treatment with primary care, 35(1):206–208
  - pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioids**
- decriminalization of buprenorphine, 35(2):394–397
  - prescribing, nonadherence to guidelines for, 35(4):724–732
  - prescribing, reduction of, after policy change, 35(2):352–369
- Oregon**, reduction of opioid prescribing after policy change, 35(2):352–369
- Organizational policy**, race and racism in academic medicine, 35(6):1239–1245
- Otolaryngology**, chemosensory dysfunction, 35(2):406–419
- Outcome assessment**
- delay of care for multiple chronic conditions, 35(6):1081–1091
  - isolation and memory loss among older adults, 35(6):1168–1173
  - pandemic-related loneliness, 35(3):593–596
- Outcomes research**, mammogram order completion rates and diabetes, 35(1):158–162
- Outpatients**
- COVID-19 pandemic in a Hispanic population, 35(4):686–693
  - lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203
  - risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Pain**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216



**Pandemics**

- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and intended scope of practice, 35(6):1191–1193
- COVID-19's perceived impact on primary care, 35(2):265–273
- delay of care for multiple chronic conditions, 35(6):1081–1091
- eConsult service and COVID-19 questions, 35(3):601–604
- envisioning the future of virtual primary care, 35(3):527–536
- Hispanic population, COVID-19 infection, 35(4):686–693
- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- impact of COVID-19 on exercise habits, 35(2):295–309
- impact of COVID-19 pandemic on medical education system, 35(6):1187–1190
- mitigation strategies, collateral benefit of, on influenza, 35(4):680–685
- pandemic-related loneliness, 35(3):593–596
- practice adjustments made during COVID-19, 35(2):274–283
- stopgap of mental health services during COVID-19, 35(5):891–896
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- video-visit use, disparities in, 35(3):634–637
- walking during the COVID-19 pandemic, 35(5):897–901

- Parenting**, role of children in parents' diabetes management, 35(2):341–351

**Parents**

- effect of reading to infants on language score, 35(6):1156–1162
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Latino, group-based medical mistrust scale, 35(2):244–254

- Patient acceptance of health care**, group-based medical mistrust scale with Latino parents, 35(2):244–254

**Patient care**

- COVID-19's perceived impact on primary care, 35(2):265–273
- eConsult service and COVID-19 questions, 35(3):601–604
- family physicians deliver care in diverse languages, 35(1):5–6

**Patient care team**

- child obesity EHR tool, 35(4):742–750
- integrated primary care to address unmet social needs, 35(1):185–189

**Patient-centered care**

- barriers and facilitators in medication abortion, 35(3):579–587
- diabetes shared medical appointments, 35(6):1103–1114

- disparities in use of patient portals, 35(3):559–569
- integrated primary care to address unmet social needs, 35(1):185–189
- pain management during West Virginia's opioid crisis, 35(5):940–950
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine approaches for mental health disorders, 35(3):465–474

- Patient compliance**, mammogram order completion rates and diabetes, 35(1):158–162

- Patient hand-off**, cancer survivors return to primary care, 35(4):827–832

- Patient navigation**, patient barriers to resources for social needs, 35(4):793–802

- Patient portals**, disparities in use of, 35(3):559–569

- Patient Protection and Affordable Care Act**, decimation of ACA CO-OPs, 35(4):867–869

- Patient readmission**, transitional care management and reduced readmissions, 35(3):537–547

- Patient reported outcome measures** delay of care for multiple chronic conditions, 35(6):1081–1091
- diabetes shared medical appointments, 35(6):1103–1114

- novel person-centered primary care measure, 35(4):751–761
- patient barriers to resources for social needs, 35(4):793–802

**Patient satisfaction**

- family physicians deliver care in diverse languages, 35(1):5–6
- novel person-centered primary care measure, 35(4):751–761
- video visits in a fee-for-service model, 35(3):497–506

- Pay for performance**, clinical quality measures and family physicians, 35(2):427–434

**Pediatric obesity**

- EHR tool, 35(4):742–750
- food intake and exercise, 35(6):1072–1080

**Pediatrics**

- effect of reading to infants on language score, 35(6):1156–1162
- spondylolysis and isthmic spondylolysis, 35(6):1204–1216

- Pennsylvania**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064

- Perceived discrimination**, mental health and discrimination in physicians and residents, 35(5):912–920

- Perception**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294

**Personal satisfaction**

- life satisfaction among older Asian Americans, 35(1):203–205
- satisfaction of using a toilet stool for constipation, 35(4):836–839

**Pharmaceutical preparations**

- antibiotic prescribing for respiratory infection, 35(4):733–741
- metformin prescription rates for prediabetes, 35(4):821–826
- online communication of drug efficacy information, 35(4):833–835

- Pharmacoepidemiology**, prescription patterns of antihyperglycemic medications, 35(2):255–263

- Pharyngitis**, decision threshold for infectious mononucleosis, 35(6):1065–1071

- Photovoice**, building a PBRN in western Colorado, 35(1):115–123

- Physician assistants**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319

**Physician–patient relations**

- family physicians deliver care in diverse languages, 35(1):5–6
- physician–patient trust, 35(6):1179–1182
- video visits in a fee-for-service model, 35(3):497–506

**Physicians**

- counterculture history and an anti-racist future, 35(1):169–172
- diversity of department chairs in family medicine, 35(1):152–157
- integrating buprenorphine treatment with primary care, 35(1):206–208
- out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- pandemic-related loneliness, 35(3):593–596
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- predictors of primary care practice among medical students, 35(2):370–379
- reflections in family medicine, 35(2):443–444

- Physician's practice patterns**, reduction of opioid prescribing after policy change, 35(2):352–369

- Plastic surgery**, lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203

- Point-of-care systems**, ultrasound use, 35(4):809–813

- Point-of-care testing**, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101

**Policy**

- minority physicians care for vulnerable populations, 35(2):223–224
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600

- Polymerase chain reaction**, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101

- Population health**  
decimation of ACA CO-OPs, 35(4):867–869  
economic inequality and the primary care physician workforce, 35(1):35–43  
interventions to increase colorectal cancer screening uptake, 35(4):840–858  
metformin prescription rates for prediabetes, 35(4):821–826  
patient barriers to resources for social needs, 35(4):793–802
- Population health management**, prior experience in quality improvement initiatives, 35(6):1115–1127
- Postpartum**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Poverty**, health care navigation and primary care, 35(1):44–54
- Practice-based research networks**  
building, external environment of, 35(4):762–792  
building, in western Colorado, 35(1):115–123  
patient research interest differences, 35(2):225–234
- Practice management**  
documentation support among physicians by gender, 35(5):906–911  
states' loan repayment and forgiveness programs, 35(5):1015–1025
- Precision medicine**, differences in hypertension medication prescribing for Black Americans, 35(1):26–34
- Prediabetes**, metformin prescription rates for, 35(4):821–826
- Pregnancy**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Prenatal care**  
interventions to increase colorectal cancer screening uptake, 35(4):840–858  
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Prescriptions**  
differences in hypertension medication prescribing for Black Americans, 35(1):26–34  
metformin prescription rates for prediabetes, 35(4):821–826  
pain management during West Virginia's opioid crisis, 35(5):940–950  
patterns, of antihyperglycemic medications, 35(2):255–263  
reduction of opioid prescribing after policy change, 35(2):352–369
- Prevalence**  
nonadherence to guidelines for opioid prescribing, 35(4):724–732  
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Preventive care**  
chemosensory dysfunction, 35(2):406–419  
evaluation of a HCV screening intervention, 35(5):990–997  
impact of COVID-19 on exercise habits, 35(2):295–309  
impact of telehealth on physician panel sizes, 35(5):1007–1014  
impending collapse of, 35(6):1183–1186  
implementation of transgender care, 35(2):235–243  
improving cardiovascular disease preventive services, 35(5):968–978  
integrated primary care to address unmet social needs, 35(1):185–189  
integrating buprenorphine treatment with, 35(1):206–208  
interventions to increase colorectal cancer screening uptake, 35(4):840–858  
life satisfaction among older Asian Americans, 35(1):203–205  
lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203  
mammogram order completion rates and diabetes, 35(1):158–162  
medical school dean demographics, 35(1):163–168  
medication safety in, 35(3):610–628  
novel person-centered primary care measure, 35(4):751–761  
out-of-office BP checks for diagnosing hypertension, 35(2):310–319  
pain management during West Virginia's opioid crisis, 35(5):940–950  
pandemic-related loneliness, 35(3):593–596  
patient- and provider-level factors and telemedicine utilization, 35(3):457–464  
patient research interest differences, 35(2):225–234  
perceived impact of COVID-19, 35(2):265–273  
perspectives on data-sharing to address food insecurity, 35(1):85–95  
physician income disparities by race and gender, 35(4):859–861  
physician-patient relationships and burnout, 35(4):716–723  
policy for routine screening for ACEs, 35(4):862–866  
practice, among medical students, predictors of, 35(2):370–379  
practice participation in facilitation during a QI initiative, 35(1):124–139  
primary care physicians caring for cancer survivors, 35(4):708–715  
prior experience in quality improvement initiatives, 35(6):1115–1127  
psychotherapy and psychiatry visits in the US, 35(5):886–890  
racial/ethnic representation among ABFM certification candidates, 35(1):9–17  
reduction of opioid prescribing after policy change, 35(2):352–369  
satisfaction of using a toilet stool for constipation, 35(4):836–839  
standardized patient assessments at the wellness visit, 35(3):605–609  
states' loan repayment and forgiveness programs, 35(5):1015–1025  
stopgap of mental health services during COVID-19, 35(5):891–896
- Preventive health services**, standardized patient assessments at the wellness visit, 35(3):605–609
- Primary care physicians**  
caring for cancer survivors, 35(4):708–715  
impact of telehealth on physician panel sizes, 35(5):1007–1014  
medical school dean demographics, 35(1):163–168  
minority physicians care for vulnerable populations, 35(2):223–224  
workforce, and economic inequality, 35(1):35–43
- Primary health care**  
adaptation of the DPP to address prediabetes, 35(3):548–558  
adequacy of OSA diagnosis, 35(2):320–328  
barriers and facilitators in medication abortion, 35(3):579–587  
building a PBRN in western Colorado, 35(1):115–123  
cancer survivors return to, 35(4):827–832  
cardiovascular disease risk calculator adoption, 35(6):1143–1155  
child obesity EHR tool, 35(4):742–750  
clinician's guide to artificial intelligence, 35(1):175–184  
Colorado family physicians and medical marijuana, 35(1):102–114  
COVID-19 pandemic in a Hispanic population, 35(4):686–693  
decision threshold for infectious mononucleosis, 35(6):1065–1071  
delay of care for multiple chronic conditions, 35(6):1081–1091  
diagnosis and management of plantar dermatoses, 35(2):435–442  
differences in hypertension medication prescribing for Black Americans, 35(1):26–34  
disparities in use of patient portals, 35(3):559–569  
documentation support among physicians by gender, 35(5):906–911  
economic inequality and the primary care physician workforce, 35(1):35–43  
eConsult service and COVID-19 questions, 35(3):601–604  
effect of reading to infants on language score, 35(6):1156–1162  
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174  
evaluation of a HCV screening intervention, 35(5):990–997  
EvidenceNOW practice support initiative, 35(5):979–989  
external environment of building PBRNs, 35(4):762–792  
family medicine's gender pay gap, 35(1):7–8  
family physicians deliver care in diverse languages, 35(1):5–6  
gender differences in diagnosed diseases, 35(1):73–84  
guideline concordance of chronic disease care, 35(6):1128–1142  
gun violence as a patient priority, 35(5):961–967  
and health care navigation, 35(1):44–54

- telemedicine  
 approaches for mental health disorders, 35(3):465–474  
 appropriate use of, qualitative work towards framework for, 35(3):507–516  
 appropriate use of, working framework for, 35(3):629–633  
 impact on visit completion rate, 35(3):475–484  
 implementation, qualitative examination of, 35(3):517–526  
 with short interval follow-up, 35(3):485–490  
 video-visit use, disparities in, 35(3):634–637  
 video visits in a fee-for-service model, 35(3):497–506  
 views on cancer survivorship, 35(2):329–340  
 virtual care services, envisioning the future of, 35(3):527–536  
 vitamin D for common and high-mortality conditions, 35(6):1217–1229  
 walking during the COVID-19 pandemic, 35(5):897–901
- Professional burnout**  
 and COVID-19 pandemic, 35(5):921–932  
 documentation support among physicians by gender, 35(5):906–911
- Program evaluation**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Prospective studies**  
 cancer survivors return to primary care, 35(4):827–832  
 intention to vaccinate children against COVID-19, 35(6):1174–1178
- Pseudofolliculitis barbae**, ethnic equity implications, 35(1):173–174
- Psoriasis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Psychiatry**  
 telemedicine approaches for mental health disorders, 35(3):465–474  
 visits in the US, 35(5):886–890
- Psychometrics**  
 ABFM's 8 years of DIF analysis, 35(1):18–25  
 education level and the Montreal Cognitive Assessment, 35(6):1043–1057  
 linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Psychotherapy**  
 telemedicine approaches for mental health disorders, 35(3):465–474  
 visits in the US, 35(5):886–890
- PTSD**, gun violence as a patient priority, 35(5):961–967
- Public health**  
 impending collapse of primary care, 35(6):1183–1186  
 intention to vaccinate children against COVID-19, 35(6):1174–1178
- Qualitative methods**  
 qualitative examination of telemedicine implementation, 35(3):517–526  
 working framework for virtual primary care, 35(3):629–633
- Qualitative research**  
 appropriate telemedicine in primary care, 35(3):507–516  
 barriers and facilitators in medication abortion, 35(3):579–587  
 COVID-19's perceived impact on primary care, 35(2):265–273  
 guideline concordance of chronic disease care, 35(6):1128–1142  
 gun violence as a patient priority, 35(5):961–967  
 pain management during West Virginia's opioid crisis, 35(5):940–950  
 perspectives on data-sharing to address food insecurity, 35(1):85–95  
 physician-patient relationships and burnout, 35(4):716–723  
 practice participation in facilitation during a QI initiative, 35(1):124–139  
 role of children in parents' diabetes management, 35(2):341–351  
 telemedicine approaches for mental health disorders, 35(3):465–474
- Quality control**, ABFM's 8 years of DIF analysis, 35(1):18–25
- Quality improvement**  
 cardiovascular disease risk calculator adoption, 35(6):1143–1155  
 clinician's guide to artificial intelligence, 35(1):175–184  
 EvidenceNOW practice support initiative, 35(5):979–989  
 guideline concordance of chronic disease care, 35(6):1128–1142  
 improving cardiovascular disease preventive services, 35(5):968–978  
 novel person-centered primary care measure, 35(4):751–761  
 oncology and primary care views on cancer survivorship, 35(2):329–340  
 practice participation in facilitation during a QI initiative, 35(1):124–139  
 prior experience in quality improvement initiatives, 35(6):1115–1127  
 transitional care management and reduced readmissions, 35(3):537–547
- Quality of health care**, clinical quality measures and family physicians, 35(2):427–434
- Quality of life**  
 chemosensory dysfunction, 35(2):406–419  
 hospital health care worker perceptions of COVID-19 risk, 35(2):284–294  
 melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707  
 nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Race**  
 family physician income disparities, 35(4):859–861  
 "other" race selection and data collection, 35(5):1030–1031
- Racism**  
 counterculture history and an anti-racist future, 35(1):169–172  
 race and racism in academic medicine, 35(6):1239–1245
- Radiology**, mastalgia and breast imaging, 35(5):998–1006
- Reading**, to infants, effect on language score, 35(6):1156–1162
- Referral and consultation**  
 patient barriers to resources for social needs, 35(4):793–802  
 perspectives on data-sharing to address food insecurity, 35(1):85–95  
 telemedicine approaches for mental health disorders, 35(3):465–474
- Registries**  
 nonadherence to guidelines for opioid prescribing, 35(4):724–732  
 patient research interest differences, 35(2):225–234
- Regression analysis**  
 disparities in use of patient portals, 35(3):559–569  
 melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707  
 previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Renal function**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Reproductive health**, barriers and facilitators in medication abortion, 35(3):579–587
- Research priority identification**, building a PBRN in western Colorado, 35(1):115–123
- Residency**  
 COVID-19 and intended scope of practice, 35(6):1191–1193  
 impact of COVID-19 pandemic, 35(6):1187–1190  
 predictors of primary care practice among medical students, 35(2):370–379
- Respiratory tract infections**, antibiotic prescribing for, 35(4):733–741
- Retrospective studies**  
 adequacy of OSA diagnosis in primary care, 35(2):320–328  
 antibiotic prescribing for respiratory infection, 35(4):733–741  
 COVID-19 pandemic in a Hispanic population, 35(4):686–693  
 differences in hypertension medication prescribing for Black Americans, 35(1):26–34  
 disparities in use of patient portals, 35(3):559–569  
 impact of COVID-19 on exercise habits, 35(2):295–309  
 implementation of transgender care, 35(2):235–243  
 integrating buprenorphine treatment with primary care, 35(1):206–208  
 mastalgia and breast imaging, 35(5):998–1006  
 patient- and provider-level factors and telemedicine utilization, 35(3):457–464

- prescription patterns of antihyperglycemic medications, 35(2):255–263
- reduction of opioid prescribing after policy change, 35(2):352–369
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- telemedicine impact on visit completion rate, 35(3):475–484
- thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Risk assessment**
- isolation and memory loss among older adults, 35(6):1168–1173
- satisfaction of using a toilet stool for constipation, 35(4):836–839
- Risk factors**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
- food insecurity and dyslipidemia, 35(4):656–667
- SDoH and associations with chronic conditions, 35(4):668–678
- Routine diagnostic tests**, decision threshold for infectious mononucleosis, 35(6):1065–1071
- Rural health**
- counterculture history and an anti-racist future, 35(1):169–172
- integrating buprenorphine treatment with primary care, 35(1):206–208
- states' loan repayment and forgiveness programs, 35(5):1015–1025
- telemedicine approaches for mental health disorders, 35(3):465–474
- telemedicine impact on visit completion rate, 35(3):475–484
- transitional care management and reduced readmissions, 35(3):537–547
- Rural population**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Salaries**, physician income disparities by race and gender, 35(4):859–861
- SARS-CoV-2**
- effect of mitigation strategies on influenza, 35(4):680–685
- intention to vaccinate children against, 35(6):1174–1178
- previous infection and persistent symptoms, 35(3):570–578
- thromboembolic events following diagnosis, 35(6):1163–1167
- workplace testing, real-time PCR, 35(1):96–101
- SARS-CoV-2 variants**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Scope of practice**
- barriers and facilitators in medication abortion, 35(3):579–587
- impact of COVID-19 pandemic, 35(6):1187–1190
- by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Scoping review**, external environment of building PBRNs, 35(4):762–792
- Screen time**, and childhood obesity, 35(6):1072–1080
- Screening**
- mammogram order completion rates and diabetes, 35(1):158–162
- policy for routine screening for ACEs, 35(4):862–866
- workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Screening intervention**, HCV, evaluation of, 35(5):990–997
- Screening tool**, transportation screening questions in social risk assessment, 35(2):400–405
- Self-management**, role of children in parents' diabetes management, 35(2):341–351
- Self-report**
- diabetes shared medical appointments, 35(6):1103–1114
- isolation and memory loss among older adults, 35(6):1168–1173
- mental health and discrimination in physicians and residents, 35(5):912–920
- physician income disparities by race and gender, 35(4):859–861
- walking during the COVID-19 pandemic, 35(5):897–901
- Serum uric acid**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Sexual and gender minorities**, health-care, mental health, and substance use, 35(6):1092–1102
- Shared medical appointments**, diabetes, 35(6):1103–1114
- Simulation model**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Smell**, chemosensory dysfunction, 35(2):406–419
- Social determinants of health**
- and associations with chronic conditions, 35(4):668–678
- building a PBRN in western Colorado, 35(1):115–123
- diabetes shared medical appointments, 35(6):1103–1114
- food insecurity and dyslipidemia, 35(4):656–667
- gun violence as a patient priority, 35(5):961–967
- integrated primary care to address unmet social needs, 35(1):185–189
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- isolation and memory loss among older adults, 35(6):1168–1173
- minority physicians care for vulnerable populations, 35(2):223–224
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- prescription patterns of antihyperglycemic medications, 35(2):255–263
- relationship between community program location and needs, 35(1):55–72
- transportation screening questions in social risk assessment, 35(2):400–405
- Social isolation**
- and memory loss, older adults, 35(6):1168–1173
- pandemic-related loneliness, 35(3):593–596
- reflections in family medicine, 35(2):443–444
- Social justice**
- ABFM's 8 years of DIF analysis, 35(1):18–25
- antiracism training, policies, and practices, 35(4):803–808
- clinician's guide to artificial intelligence, 35(1):175–184
- counterculture history and an anti-racist future, 35(1):169–172
- race and racism in academic medicine, 35(6):1239–1245
- Social needs**, unmet, integrated primary care to address, 35(1):185–189
- Social problems**
- patient barriers to resources for social needs, 35(4):793–802
- reflections in family medicine, 35(2):443–444
- Social risk factors**, integrated primary care to address unmet social needs, 35(1):185–189
- Socioeconomic factors**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Socioeconomic status**, prescription patterns of antihyperglycemic medications, 35(2):255–263
- Sodium-glucose cotransporter 2 inhibitors**, prescription patterns, 35(2):255–263
- Special communications**
- Addressing and Dismantling the Legacy of Race and Racism in Academic Medicine: A Socioecological Framework, 35(6):1239–1245
- Can Family Medicine's Counterculture History Help Shape an Anti-Racist Future?, 35(1):169–172
- Clinical Quality Measures: A Challenge for—and to—Family Physicians, 35(2):427–434
- A Clinician's Guide to Artificial Intelligence (AI): Why and How Primary Care Should Lead the Health Care AI Revolution, 35(1):175–184
- Ethnic Equity Implications in the Management of Pseudofolliculitis Barbae, 35(1):173–174
- Motivational Interviewing Strategies for Addressing COVID-19 Vaccine Hesitancy, 35(2):420–426
- Stalled Progress: Medical School Dean Demographics, 35(1):163–168
- Working Framework for Appropriate Use of Virtual Care in

- Primary Care, 35(3):629–633
- Spondylolysis**, diagnosis and management, 35(6):1204–1216
- Sports medicine**, ethical and legal issues in, 35(6):1230–1238
- Stakeholder participation**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Standard of care**, family medicine malpractice claims study, 35(2):380–386
- Statistical factor analysis**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Stigmatization**, effect of VDOT on stigma levels in TB patients, 35(5):951–960
- Students**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Surveys and questionnaires**  
 antiracism training, policies, and practices, 35(4):803–808  
 building a PBRN in western Colorado, 35(1):115–123  
 Colorado family physicians and medical marijuana, 35(1):102–114  
 COVID-19 and burnout among physicians, 35(5):921–932  
 economic inequality and the primary care physician workforce, 35(1):35–43  
 family medicine's gender pay gap, 35(1):7–8  
 food intake, exercise, and childhood obesity, 35(6):1072–1080  
 impact of COVID-19 on exercise habits, 35(2):295–309  
 out-of-office BP checks for diagnosing hypertension, 35(2):310–319  
 perspectives on data-sharing to address food insecurity, 35(1):85–95  
 policies and resources to prepare youth for caregiving, 35(4):814–820  
 practice participation in facilitation during a QI initiative, 35(1):124–139  
 predictors of primary care practice among medical students, 35(2):370–379  
 prior experience in quality improvement initiatives, 35(6):1115–1127  
 racial/ethnic representation among ABFM certification candidates, 35(1):9–17  
 stopgap of mental health services during COVID-19, 35(5):891–896
- Survivorship**, cancer, oncology and primary care views on, 35(2):329–340
- Systematic review**  
 ambulatory medication safety in primary care, 35(3):610–628  
 urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Taste**, chemosensory dysfunction, 35(2):406–419
- Team-based care**, integrated primary care to address unmet social needs, 35(1):185–189
- Technology**  
 adaptation of the DPP to address prediabetes, 35(3):548–558  
 child obesity EHR tool, 35(4):742–750  
 clinician's guide to artificial intelligence, 35(1):175–184
- Telemedicine**  
 adaptation of the DPP to address prediabetes, 35(3):548–558  
 approaches for mental health disorders, 35(3):465–474  
 appropriate, in primary care, 35(3):507–516  
 COVID-19's perceived impact on primary care, 35(2):265–273  
 disparities in use of patient portals, 35(3):559–569  
 eConsult service and COVID-19 questions, 35(3):601–604  
 envisioning the future of virtual primary care, 35(3):527–536  
 equity and telehealth policy, 35(3):588–592  
 impact of telehealth on physician panel sizes, 35(5):1007–1014  
 impact on visit completion rate, 35(3):475–484  
 implementation, qualitative examination of, 35(3):517–526  
 and the needs of vulnerable elders, 35(3):638–639  
 stigma in VDOT for TB patients, 35(5):951–960  
 stopgap of mental health services during COVID-19, 35(5):891–896  
 telehealth with short interval follow-up, 35(3):485–490  
 telephone, televideo, and in-office visits diagnoses, 35(3):491–496  
 utilization, and patient- and provider-level factors, 35(3):457–464  
 video-visit use, disparities in, 35(3):634–637  
 video visits in a fee-for-service model, 35(3):497–506  
 working framework for virtual primary care, 35(3):629–633
- Texas**, patient research interest differences, 35(2):225–234
- Tinea pedis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Transgender persons**  
 health care services, 35(2):235–243  
 healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
- Transitional care**, management, and reduced readmissions, 35(3):537–547
- Translational research**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Transportation of patients**, transportation screening questions in social risk assessment, 35(2):400–405
- Triage**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Trust**  
 group-based medical mistrust scale with Latino parents, 35(2):244–254  
 physician-patient trust, 35(6):1179–1182
- Tuberculosis**, patients, stigma levels, effect of VDOT, 35(5):951–960
- Type 2 diabetes mellitus**  
 metformin prescription rates for prediabetes, 35(4):821–826  
 prescription patterns of antihyperglycemic medications, 35(2):255–263  
 role of children in parents' diabetes management, 35(2):341–351  
 shared medical appointments, 35(6):1103–1114  
 vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Ultrasonography**, point-of-care use, 35(4):809–813
- Underrepresented in medicine**  
 diversity of department chairs in family medicine, 35(1):152–157  
 medical school dean demographics, 35(1):163–168
- Underserved populations**  
 COVID-19 pandemic in a Hispanic population, 35(4):686–693  
 equity and telehealth policy, 35(3):588–592
- Universities**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Urban health**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Utah**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Vaccination hesitancy**, COVID-19, strategies for addressing, 35(2):420–426
- Vaccines**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Venous thromboembolism**, following COVID-19 diagnosis, 35(6):1163–1167
- Video directly observed therapy (VDOT)**, effect on stigma levels in TB patients, 35(5):951–960
- Virginia**  
 EvidenceNOW practice support initiative, 35(5):979–989  
 gun violence as a patient priority, 35(5):961–967
- Vitamin C**, melatonin and, for mild-to-moderate COVID-19, 35(4):695–707
- Vitamin D**, for common and high-mortality conditions, 35(6):1217–1229
- Vulnerable populations**  
 care for, by minority physicians, 35(2):223–224  
 SDoH and associations with chronic conditions, 35(4):668–678
- Walking**, during COVID-19 pandemic, 35(5):897–901
- West Virginia**, opioid crisis, pain management during, 35(5):940–950

- Wisconsin**, decimation of ACA CO-OPs, 35(4):867–869
- Women physicians**  
documentation support among physicians by gender, 35(5):906–911  
family medicine’s gender pay gap, 35(1):7–8
- Work-life balance**, COVID-19’s perceived impact on primary care, 35(2):265–273
- Workflow**  
practice adjustments made during COVID-19, 35(2):274–283  
transitional care management and reduced readmissions, 35(3):537–547
- Workforce**  
changes in career thinking among educators, 35(5):933–939  
diversity, tools and infrastructure for, 35(3):557–600  
documentation support among physicians by gender, 35(5):906–911  
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174  
family medicine’s gender pay gap, 35(1):7–8
- family physicians deliver care in diverse languages, 35(1):5–6  
impact of telehealth on physician panel sizes, 35(5):1007–1014  
impending collapse of primary care, 35(6):1183–1186  
“other” race selection and data collection, 35(5):1030–1031  
physician income disparities by race and gender, 35(4):859–861  
physician-patient relationships and burnout, 35(4):716–723  
practice participation in facilitation during a QI initiative, 35(1):124–139  
predictors of primary care practice among medical students, 35(2):370–379  
primary care physician, and economic inequality, 35(1):35–43  
primary care physicians caring for cancer survivors, 35(4):708–715  
prior experience in quality improvement initiatives, 35(6):1115–1127  
racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Workload**, changes in career thinking among educators, 35(5):933–939
- Workplace**  
diagnosis and management of plantar dermatoses, 35(2):435–442  
disparities among leadership in family medicine, 35(5):902–905  
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294  
policies and resources to prepare youth for caregiving, 35(4):814–820  
real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Wrist**, lumps and bumps of, practical management, 35(6):1194–1203
- WURSS**, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- Young adults**, policies and resources to prepare for caregiving, 35(4):814–820