

Subject Index to Volume 35, 2022

Ableism, and COVID-19, 35(2):390–393
Academic medical centers, video visits in a fee-for-service model, 35(3):497–506

Access to health care

economic inequality and the primary care physician workforce, 35(1):35–43
 ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174
 health care navigation and primary care, 35(1):44–54
 mammogram order completion rates and diabetes, 35(1):158–162

Adolescent

policies and resources to prepare youth for caregiving, 35(4):814–820
 previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
 spondylolysis and isthmus spondylolysis, 35(6):1204–1216

Advanced practice nursing, out-of-office BP checks for diagnosing hypertension, 35(2):310–319

Adverse childhood experiences, policy for routine screening for, 35(4):862–866

Adverse drug events, ambulatory medication safety in primary care, 35(3):610–628

Affordable Care Act, health care navigation and primary care, 35(1):44–54

African Americans

ethnic equity implications and pseudo-folliculitis barbae, 35(1):173–174
 prescription patterns of antihyperglycemic medications, 35(2):255–263

Age of onset, role of children in parents' diabetes management, 35(2):341–351

Aging

and chemosensory dysfunction, 35(2):406–419
 life satisfaction among older Asian Americans, 35(1):203–205
 reflections in family medicine, 35(5):1026–1029

Ambulatory care, novel person-centered primary care measure, 35(4):751–761

American Board of Family Medicine (ABFM)

certification candidates, racial/ethnic representation among, 35(1):9–17
 experience with DIF, 35(1):18–25
 linguist's perspective on ABFM'S DIF panel, 35(2):387–389

Analysis of variance

novel person-centered primary care measure, 35(4):751–761
 transitional care management and reduced readmissions, 35(3):537–547

Annual wellness visit, standardized patient assessments, 35(3):605–609

Anosmia, chemosensory dysfunction, 35(2):406–419

Antibiotics, prescribing, for respiratory infection, 35(4):733–741

Anticoagulants, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167

Antimicrobial stewardship, antibiotic prescribing for respiratory infection, 35(4):733–741

Artificial intelligence, clinician's guide to, 35(1):175–184

Ascorbic acid, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707

Asian Americans, life satisfaction among older Asian Americans, 35(1):203–205

Asymptomatic hyperuricemia, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151

Asymptomatic infections, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578

Athletes, spondylolysis and isthmus spondylolysis, 35(6):1204–1216

Atopic dermatitis, vitamin D for, 35(6):1217–1229

Behavioral risk factor surveillance

system, primary care physicians caring for cancer survivors, 35(4):708–715

Behavioral sciences, impact of COVID-19 on exercise habits, 35(2):295–309

Bias, ABFM's 8 years of DIF analysis, 35(1):18–25

Bioethics, decriminalization of buprenorphine, 35(2):394–397

Blood glucose, metformin prescription rates for prediabetes, 35(4):821–826

Blood pressure

out-of-office BP checks for diagnosing hypertension, 35(2):310–319
 urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151

Body mass index

adequacy of OSA diagnosis in primary care, 35(2):320–328
 child obesity EHR tool, 35(4):742–750
 metformin prescription rates for prediabetes, 35(4):821–826

Breast cancer

mammogram order completion rates and diabetes, 35(1):158–162
 mastalgia and breast imaging, 35(5):998–1006

reflections in family medicine, 35(5):1026–1029

Bronchitis, antibiotic prescribing for respiratory infection, 35(4):733–741

Buprenorphine

decriminalization of, 35(2):394–397
 treatment, integrating with primary care, 35(1):206–208

Burnout, reflections in family medicine, 35(2):443–444

California

COVID-19 mitigation strategies on influenza, 35(4):680–685
 life satisfaction among older Asian Americans, 35(1):203–205
 policy for routine screening for ACEs, 35(4):862–866

Canada, novel person-centered primary care measure, 35(4):751–761

Cancer

group-based medical mistrust scale with Latino parents, 35(2):244–254
 oncology and primary care views on cancer survivorship, 35(2):329–340
 patient research interest differences, 35(2):225–234

Cancer survivors

oncology and primary care views on cancer survivorship, 35(2):329–340
 primary care physicians caring for, 35(4):708–715
 return to primary care, 35(4):827–832

Cannabis, Colorado family physicians and medical marijuana, 35(1):102–114

Cardiology, cardiovascular disease risk calculator adoption, 35(6):1143–1155

Cardiovascular diseases

EvidenceNOW practice support initiative, 35(5):979–989
 gun violence as a patient priority, 35(5):961–967
 improving preventive services, 35(5):968–978
 patient research interest differences, 35(2):225–234
 prior experience in quality improvement initiatives, 35(6):1115–1127
 risk calculator adoption, 35(6):1143–1155
 vitamin D for, 35(6):1217–1229

Career choice

COVID-19 and intended scope of practice, 35(6):1191–1193
 impact of COVID-19 pandemic, 35(6):1187–1190
 medical school dean demographics, 35(1):163–168

Career thinking, changes in, among educators, 35(5):933–939

Caregivers

- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- policies and resources to prepare youth for caregiving, 35(4):814–820
- reflections in family medicine, 35(5):1026–1029

CERA survey, changes in career thinking among educators, 35(5):933–939

Certification

- ABFM's 8 years of DIF analysis, 35(1):18–25
- candidates, ABFM, racial/ethnic representation among, 35(1):9–17
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- practice adjustments made during COVID-19, 35(2):274–283

Chi-square test

- antiracism training, policies, and practices, 35(4):803–808
- intention to vaccinate children against COVID-19, 35(6):1174–1178

Child development, effect of reading to infants on language score, 35(6):1156–1162

Child health

- food intake, exercise, and childhood obesity, 35(6):1072–1080
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- spondylolysis and isthmus spondylolysis, 35(6):1204–1216
- vitamin D for common and high-mortality conditions, 35(6):1217–1229

Cholesterol, food insecurity and dyslipidemia, 35(4):656–667

Chronic disease

- care, guideline concordance of, 35(6):1128–1142
- food insecurity and dyslipidemia, 35(4):656–667
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- metformin prescription rates for prediabetes, 35(4):821–826
- standardized patient assessments at the wellness visit, 35(3):605–609
- video-visit use, disparities in, 35(3):634–637

Chronic pain

- pain management during West Virginia's opioid crisis, 35(5):940–950
- reduction of opioid prescribing after policy change, 35(2):352–369
- vitamin D for, 35(6):1217–1229

Clinical competence, out-of-office BP checks for diagnosing hypertension, 35(2):310–319

Clinical decision-making

- policies and resources to prepare youth for caregiving, 35(4):814–820
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064

Clinical medicine

- education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- effect of reading to infants on language score, 35(6):1156–1162

Clinical prediction rule

- decision threshold for infectious mononucleosis, 35(6):1065–1071
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064

Cluster analysis, COVID-19 pandemic in a Hispanic population, 35(4):686–693

Cognition

- education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- telehealth and the needs of vulnerable elders, 35(3):638–639

Cognitive aging, education level and the Montreal Cognitive Assessment, 35(6):1043–1057

Colorado

- building a PBRN, 35(1):115–123
- family physicians and medical marijuana, 35(1):102–114
- perspectives on data-sharing to address food insecurity, 35(1):85–95

Commentaries

- Ableism at the Bedside: People with Intellectual Disabilities and COVID-19, 35(2):390–393
- Family Medicine is Not Immune to Racial and Gender Wage Gaps, 35(4):870–871
- The Gender Pay Gap in Family Medicine: Evidence and Next Steps, 35(1):197–199
- The Impending Collapse of Primary Care: When is Someone Going to Notice?, 35(6):1183–1186
- Informing Equity & Diversity in Primary Care Policy and Practice: Introducing a New Series of Policy Briefs, Commentaries, and Voices in *JABFM*, 35(1):190–196
- Intentionality Required to Equip a Diverse Physician Workforce with Tools and Infrastructure to Deliver Comprehensive Care, 35(3):597–600
- Leveraging Integrated Primary Care to Address Patients' and Families' Unmet Social Needs: Aligning Practice with National Academy of Sciences, Engineering and Medicine Recommendations, 35(1):185–189
- A Linguist's Perspective on the American Board of Family Medicine's Differential Item Functioning Panel, 35(2):387–389
- The Need for Expanding Physician Language Diversity is Too Great to Be Left to Chance, 35(1):200–202
- A New Pandemic of Loneliness, 35(3):593–596
- Against Our Instincts: Decriminalization of Buprenorphine, 35(2):394–397

Promoting Health Equity: A Call for Data Disaggregation on Race and Ethnicity, 35(5):1032–1034

Ready (or Not)—Here They Come, 35(6):1187–1190

Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398–399

Support Physicians Who Identify as Underrepresented Minorities—But All Physicians Should Care for Vulnerable Populations, 35(2):398–399

And Then There Were Three: The Decimation of the Affordable Care Act (ACA) CO-OPs, 35(4):867–869

Trust Takes Two... , 35(6):1179–1182

Commerce, toilet stool use for constipation, 35(4):836–839

Communication

- effect of reading to infants on language score, 35(6):1156–1162
- online, drug efficacy information, 35(4):833–835
- reflections in family medicine, 35(2):443–444
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426

Communication barriers, patient barriers to resources for social needs, 35(4):793–802

Community-based participatory research, building a PBRN in western Colorado, 35(1):115–123

Community health centers

- guideline concordance of chronic disease care, 35(6):1128–1142
- patient barriers to resources for social needs, 35(4):793–802
- reduction of opioid prescribing after policy change, 35(2):352–369
- SDoH and associations with chronic conditions, 35(4):668–678

Community medicine

- counterculture history and an anti-racist future, 35(1):169–172
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- perspectives on data-sharing to address food insecurity, 35(1):85–95

Comprehensive health care

- COVID-19 and intended scope of practice, 35(6):1191–1193
- impact of COVID-19 pandemic, 35(6):1187–1190

Constipation, satisfaction of using a toilet stool for, 35(4):836–839

Continuing medical education, linguist's perspective on ABFM'S DIF panel, 35(2):387–389

Continuity of patient care

- novel person-centered primary care measure, 35(4):751–761
- physician-patient trust, 35(6):1179–1182
- primary care physicians caring for cancer survivors, 35(4):708–715

Contraception, barriers and facilitators in medication abortion, 35(3):579–587

Control groups, child obesity EHR tool, 35(4):742–750

Correspondence
addressing post-COVID symptoms: a guide for primary care, 35(4):874–875
blood pressure checks for diagnosing hypertension: health professionals' knowledge, beliefs, and practice, 35(4):876–877
C-reactive protein *versus* erythrocyte sedimentation rate: implications among patients with no known inflammatory conditions, 35(1):209
diversity of department chairs in family medicine at US medical schools, 35(4):875–876
effect of urate-lowering therapy on renal function, blood pressure and safety in patients with asymptomatic hyperuricemia, 35(3):640–641
impact of geodemographic factors on antibiotic prescribing for acute, uncomplicated bronchitis or upper respiratory tract infection, 35(6):1246
use of point-of-care ultrasonography in primary care to redress health inequities, 35(3):641–642

Counseling
child obesity EHR tool, 35(4):742–750
standardized patient assessments at the wellness visit, 35(3):605–609

COVID-19
and ableism, 35(2):390–393
and burnout among physicians, 35(5):921–932
changes in career thinking among educators, 35(5):933–939
delay of care for multiple chronic conditions, 35(6):1081–1091
diagnosis, thromboembolic events following, 35(6):1163–1167
equity and telehealth policy, 35(3):588–592
Hispanic population, 35(4):686–693
impact on exercise habits, 35(2):295–309
and intended scope of practice, 35(6):1191–1193
intention to vaccinate children against, 35(6):1174–1178
loneliness, pandemic-related, 35(3):593–596
mild-to-moderate, melatonin and vitamin C for, 35(4):695–707
mitigation strategies, collateral benefit of, on influenza, 35(4):680–685
pandemic, impact of, 35(6):1187–1190
perceived impact on primary care, 35(2):265–273
practice adjustments made during, 35(2):274–283
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
questions, eConsult service and, 35(3):601–604

risk, hospital health care worker perceptions of, 35(2):284–294
risk scores to predict hospitalization, 35(6):1058–1064
stopgap of mental health services during, 35(5):891–896
strategies for addressing vaccine hesitancy, 35(2):420–426
telehealth and the needs of vulnerable elders, 35(3):638–639
telehealth with short interval follow-up, 35(3):485–490
telemedicine impact on visit completion rate, 35(3):475–484
telephone, televideo, and in-office visits diagnoses, 35(3):491–496
video-visit use, disparities in, 35(3):634–637
vitamin D for, 35(6):1217–1229
walking, and mental and physical health, 35(5):897–901
workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101

Critical care, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294

Cross-cultural comparison
counterculture history and an anti-racist future, 35(1):169–172
reflections in family medicine, 35(5):1026–1029

Cross-sectional studies
COVID-19 and burnout among physicians, 35(5):921–932
diversity of department chairs in family medicine, 35(1):152–157
documentation support among physicians by gender, 35(5):906–911
eConsult service and COVID-19 questions, 35(3):601–604
food insecurity and dyslipidemia, 35(4):656–667
group-based medical mistrust scale with Latino parents, 35(2):244–254
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
impact of COVID-19 on exercise habits, 35(2):295–309
mental health and discrimination in physicians and residents, 35(5):912–920
oncology and primary care views on cancer survivorship, 35(2):329–340
patient research interest differences, 35(2):225–234
prescription patterns of antihyperglycemic medications, 35(2):255–263
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
psychotherapy and psychiatry visits in the US, 35(5):886–890
SDoH and associations with chronic conditions, 35(4):668–678
standardized patient assessments at the wellness visit, 35(3):605–609
stopgap of mental health services during COVID-19, 35(5):891–896

video-visit use, disparities in, 35(3):634–637
video visits in a fee-for-service model, 35(3):497–506

Cultural competency, disparities among leadership in family medicine, 35(5):902–905

Cultural diversity
counterculture history and an anti-racist future, 35(1):169–172
“other” race selection and data collection, 35(5):1030–1031
scope of practice by physician race and ethnicity, 35(3):454–456
tools and infrastructure for a diverse workforce, 35(3):557–600

Curriculum, point-of-care ultrasound use, 35(4):809–813

Data analysis
delay of care for multiple chronic conditions, 35(6):1081–1091
primary care physicians caring for cancer survivors, 35(4):708–715

Data collection, and “other” race selection, 35(5):1030–1031

Data sharing, to address food insecurity, perspectives on, 35(1):85–95

Decision support tools, cardiovascular disease risk calculator adoption, 35(6):1143–1155

Deep learning, clinician's guide to artificial intelligence, 35(1):175–184

Delayed diagnosis, family medicine malpractice claims study, 35(2):380–386

Delivery of health care
clinician's guide to artificial intelligence, 35(1):175–184
family medicine malpractice claims study, 35(2):380–386
implementation of transgender care, 35(2):235–243
improving cardiovascular disease preventive services, 35(5):968–978
oncology and primary care views on cancer survivorship, 35(2):329–340
physician-patient relationships and burnout, 35(4):716–723
policies and resources to prepare youth for caregiving, 35(4):814–820
primary care physicians caring for cancer survivors, 35(4):708–715

Dementia
and chemosensory dysfunction, 35(2):406–419
telehealth and the needs of vulnerable elders, 35(3):638–639
vitamin D for, 35(6):1217–1229

Depression, vitamin D for, 35(6):1217–1229

Dermatitis, diagnosis and management of plantar dermatoses, 35(2):435–442

Dermatology, diagnosis and management of plantar dermatoses, 35(2):435–442

Diabetes, and mammogram order completion rates, 35(1):158–162

Diabetes mellitus

patient research interest differences, 35(2):225–234
 SDOH and associations with chronic conditions, 35(4):668–678

Diabetes Prevention Program (DPP),
adaptation of, to address prediabetes, 35(3):548–558**Dietary supplements**

melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707

vitamin D for common and high-mortality conditions, 35(6):1217–1229

Differential item functioning (DIF)

ABFM's 8 years of experience with, 35(1):18–25
 linguist's perspective on ABFM'S DIF panel, 35(2):387–389

Diffusion of innovation, antiracism training, policies, and practices, 35(4):803–808**Digital divide**

disparities in use of patient portals, 35(3):559–569
 equity and telehealth policy, 35(3):588–592

Directly observed therapy, effect of stigma levels in TB patients, 35(5):951–960**Disease,** impact of COVID-19 on exercise habits, 35(2):295–309**Disease management**

EvidenceNOW practice support initiative, 35(5):979–989
 guideline concordance of chronic disease care, 35(6):1128–1142
 urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
 video-visit use, disparities in, 35(3):634–637

Diversity

of department chairs in family medicine, 35(1):152–157
 family physicians deliver care in diverse languages, 35(1):5–6

Documentation, support for, variation among physicians by gender, 35(5):906–911**Double-blind method,** melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707**Down syndrome,** ableism and COVID-19, 35(2):390–393**Drug-induced abortion,** barriers and facilitators in, 35(3):579–587**Dupuytren's contracture,** practical management, 35(6):1194–1203**Dyslipidemias,** and food insecurity, 35(4):656–667**Early medical intervention,** evaluation of a HCV screening intervention, 35(5):990–997**eConsult,** service, and COVID-19 questions, 35(3):601–604**Editorial Office News and Notes**

The Most Frequently Read Articles of 2021, 35(4):652–654

Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2021, 35(2):219–222

Welcome, Family Medicine Residents!, 35(6):1042

Editorials

Three JABFM Articles Are in the Primary Care Collaborative Curated List of 24 Essential Primary Care Research Articles, 35(4):655

Editors' Notes

Clinically Useful Family Medicine Research, 35(6):1039–1041
 Family Medicine Researchers Explore the Social Determinants of Health, COVID-19 Issues, and Cancer Survivor Care, 35(4):649–651
 Health Care Equity for Family Medicine Patients and Family Physician Equity, 35(1):1–4
 Mental Health of Patients and Clinicians Before and During the COVID-19 Pandemic, 35(5):883–885
 The "Telehealth Divide"—Who Are the Underserved, and What Care Is Improved?, 35(3):451–453
 This Issue's Emphasis: Inequity and COVID-19, Intertwined, 35(2):215–218

Electronic health records

child obesity EHR tool, 35(4):742–750
 documentation support among physicians by gender, 35(5):906–911
 patient- and provider-level factors and telemedicine utilization, 35(3):457–464
 transitional care management and reduced readmissions, 35(3):537–547

Electronic medical record, evaluation of a HCV screening intervention, 35(5):990–997**Electronic prescribing,** ambulatory medication safety in primary care, 35(3):610–628**Emergency medicine,** hospital health care worker perceptions of COVID-19 risk, 35(2):284–294**Employment,** impact of COVID-19 on exercise habits, 35(2):295–309**Epidermal inclusion cysts,** practical management, 35(6):1194–1203**Episode of care,** gender differences in diagnosed diseases, 35(1):73–84**Equity,** editors' note, 35(1):1–4**Ethical issues,** in sports medicine, 35(6):1230–1238**Ethnic groups**

ABFM's 8 years of DIF analysis, 35(1):18–25
 representation among ABFM certification candidates, 35(1):9–17

Ethnicity, patient research interest differences, 35(2):225–234**Evidence-based medicine**

decision threshold for infectious mononucleosis, 35(6):1065–1071
 mastalgia and breast imaging, 35(5):998–1006

online communication of drug efficacy information, 35(4):833–835

Evidence-based practice, out-of-office BP checks for diagnosing hypertension, 35(2):310–319**Exercise**

child obesity EHR tool, 35(4):742–750
 food intake and childhood obesity, 35(6):1072–1080

Faculty

interventions to increase colorectal cancer screening uptake, 35(4):840–858
 medical school dean demographics, 35(1):163–168
 point-of-care ultrasound use, 35(4):809–813

Family leave, policies and resources to prepare youth for caregiving, 35(4):814–820**Family medicine**

ABFM's 8 years of DIF analysis, 35(1):18–25
 adequacy of OSA diagnosis in primary care, 35(2):320–328
 ambulatory medication safety in primary care, 35(3):610–628
 antiracism training, policies, and practices, 35(4):803–808
 barriers and facilitators in medication abortion, 35(3):579–587
 building a PBRN in western Colorado, 35(1):115–123
 changes in career thinking among educators, 35(5):933–939
 clinical quality measures and family physicians, 35(2):427–434
 Colorado family physicians and medical marijuana, 35(1):102–114
 counterculture history and an anti-racist future, 35(1):169–172
 COVID-19 and intended scope of practice, 35(6):1191–1193
 delivery of care in diverse languages, 35(1):5–6
 diagnosis and management of plantar dermatoses, 35(2):435–442
 disparities among leadership in family medicine, 35(5):902–905
 disparities in use of patient portals, 35(3):559–569
 diversity of department chairs in, 35(1):152–157
 documentation support among physicians by gender, 35(5):906–911
 economic inequality and the primary care physician workforce, 35(1):35–43
 eConsult service and COVID-19 questions, 35(3):601–604
 external environment of building PBRNs, 35(4):762–792
 gender pay gap, 35(1):7–8
 impact of COVID-19 on exercise habits, 35(2):295–309
 impact of COVID-19 pandemic, 35(6):1187–1190
 impact of telehealth on physician panel sizes, 35(5):1007–1014

- implementation of transgender care, 35(2):235–243
- integrating buprenorphine treatment with primary care, 35(1):206–208
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- malpractice claims study, 35(2):380–386
- mammogram order completion rates and diabetes, 35(1):158–162
- medical school dean demographics, 35(1):163–168
- mental health and discrimination in physicians and residents, 35(5):912–920
- minority physicians care for vulnerable populations, 35(2):223–224
- novel person-centered primary care measure, 35(4):751–761
- “other” race selection and data collection, 35(5):1030–1031
- pain management during West Virginia's opioid crisis, 35(5):940–950
- pandemic-related loneliness, 35(3):593–596
- patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- physician income disparities by race and gender, 35(4):859–861
- physician-patient relationships and burnout, 35(4):716–723
- point-of-care ultrasound use, 35(4):809–813
- policy for routine screening for ACEs, 35(4):862–866
- practice adjustments made during COVID-19, 35(2):274–283
- practice participation in facilitation during a QI initiative, 35(1):124–139
- predictors of primary care practice among medical students, 35(2):370–379
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- relationship between community program location and needs, 35(1):55–72
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- stopgap of mental health services during COVID-19, 35(5):891–896
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- video visits in a fee-for-service model, 35(3):497–506
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Family physicians**
barriers and facilitators in medication abortion, 35(3):579–587
- care delivery in diverse languages, 35(1):5–6
- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and graduate medical education, 35(6):1187–1190
- COVID-19 and intended scope of practice, 35(6):1191–1193
- income disparities by race and gender, 35(4):859–861
- and medical marijuana, Colorado, 35(1):102–114
- minority physicians care for vulnerable populations, 35(2):223–224
- “other” race selection and data collection, 35(5):1030–1031
- point-of-care ultrasound use, 35(4):809–813
- practice adjustments made during COVID-19, 35(2):274–283
- racial/ethnic representation among ABFM certification candidates, 35(1):9–17
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Family practice**, physician–patient trust, 35(6):1179–1182
- Fasting**, metformin prescription rates for prediabetes, 35(4):821–826
- Fee-for-service plans**, video visits in a fee-for-service model, 35(3):497–506
- Fingers**, lumps and bumps of, practical management, 35(6):1194–1203
- Fitness trackers**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Focus groups**, role of children in parents' diabetes management, 35(2):341–351
- Follow-up studies**
metformin prescription rates for prediabetes, 35(4):821–826
- patient barriers to resources for social needs, 35(4):793–802
- walking during the COVID-19 pandemic, 35(5):897–901
- Follow-up visits**, short interval, telehealth with, 35(3):485–490
- Food insecurity**
and dyslipidemia, 35(4):656–667
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address, 35(1):85–95
- relationship between community program location and needs, 35(1):55–72
- Framework**, appropriate telemedicine in primary care, 35(3):507–516
- Ganglion cysts**, practical management, 35(6):1194–1203
- Gastroenterology**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- Gender**, disparities among leadership in family medicine, 35(5):902–905
- Gender differences**
in diagnosed diseases, 35(1):73–84
- family medicine's gender pay gap, 35(1):7–8
- family physician income, 35(4):859–861
- mental health and discrimination in physicians and residents, 35(5):912–920
- support for documentation, 35(5):906–911
- Gender dysphoria**, implementation of transgender care, 35(2):235–243
- Genetics**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Geospatial analysis**, relationship between community program location and needs, 35(1):55–72
- Geriatric psychiatry**, telehealth and the needs of vulnerable elders, 35(3):638–639
- Geriatrics**
chemosensory dysfunction, 35(2):406–419
- education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- telehealth and the needs of vulnerable elders, 35(3):638–639
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Giant cell tumors**, practical management, 35(6):1194–1203
- Gini coefficient**, economic inequality and the primary care physician workforce, 35(1):35–43
- Glucagon-like peptide 1**, prescription patterns, 35(2):255–263
- Group-Based Medical Mistrust Scale**, validating, with Latino parents, 35(2):244–254
- Gun violence**, as a patient priority, 35(5):961–967
- Hair diseases**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hand**, lumps and bumps of, practical management, 35(6):1194–1203
- HbA1c**
metformin prescription rates for prediabetes, 35(4):821–826
- SDOH and associations with chronic conditions, 35(4):668–678
- Health behavior**
Colorado family physicians and medical marijuana, 35(1):102–114
- group-based medical mistrust scale with Latino parents, 35(2):244–254
- impact of COVID-19 on exercise habits, 35(2):295–309
- relationship between community program location and needs, 35(1):55–72
- Health care disparities**
COVID-19 pandemic in a Hispanic population, 35(4):686–693
- equity and telehealth policy, 35(3):588–592
- mammogram order completion rates and diabetes, 35(1):158–162

- Health care outcome assessment**
economic inequality and the primary care physician workforce, 35(1):35–43
nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health communication**
online communication of drug efficacy information, 35(4):833–835
physician–patient trust, 35(6):1179–1182
- Health equity**
antiracism training, policies, and practices, 35(4):803–808
clinician’s guide to artificial intelligence, 35(1):175–184
differences in hypertension medication prescribing for Black Americans, 35(1):26–34
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
race and racism in academic medicine, 35(6):1239–1245
- Health inequities**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Health information management**, disparities in use of patient portals, 35(3):559–569
- Health insurance**, decimation of ACA CO-OPs, 35(4):867–869
- Health literacy**
mastalgia and breast imaging, 35(5):998–1006
nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Health personnel**
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
practice participation in facilitation during a QI initiative, 35(1):124–139
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health policy**
antiracism training, policies, and practices, 35(4):803–808
barriers and facilitators in medication abortion, 35(3):579–587
decimation of ACA CO-OPs, 35(4):867–869
decriminalization of buprenorphine, 35(2):394–397
envisioning the future of virtual primary care, 35(3):527–536
equity and telehealth policy, 35(3):588–592
health care navigation and primary care, 35(1):44–54
impending collapse of primary care, 35(6):1183–1186
policies and resources to prepare youth for caregiving, 35(4):814–820
policy for routine screening for ACEs, 35(4):862–866
race and racism in academic medicine, 35(6):1239–1245
reduction of opioid prescribing after policy change, 35(2):352–369
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Health promotion**
interventions to increase colorectal cancer screening uptake, 35(4):840–858
policies and resources to prepare youth for caregiving, 35(4):814–820
- Health services accessibility**
barriers and facilitators in medication abortion, 35(3):579–587
COVID-19’s perceived impact on primary care, 35(2):265–273
decimation of ACA CO-OPs, 35(4):867–869
decriminalization of buprenorphine, 35(2):394–397
delay of care for multiple chronic conditions, 35(6):1081–1091
eConsult service and COVID-19 questions, 35(3):601–604
equity and telehealth policy, 35(3):588–592
healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
impact of telehealth on physician panel sizes, 35(5):1007–1014
impending collapse of primary care, 35(6):1183–1186
minority physicians care for vulnerable populations, 35(2):223–224
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
patient barriers to resources for social needs, 35(4):793–802
practice adjustments made during COVID-19, 35(2):274–283
scope of practice by physician race and ethnicity, 35(3):454–456
stopgap of mental health services during COVID-19, 35(5):891–896
telemedicine impact on visit completion rate, 35(3):475–484
tools and infrastructure for a diverse workforce, 35(3):557–600
transportation screening questions in social risk assessment, 35(2):400–405
- Health services research**
practice participation in facilitation during a QI initiative, 35(1):124–139
psychotherapy and psychiatry visits in the US, 35(5):886–890
- Health surveys**
life satisfaction among older Asian Americans, 35(1):203–205
states’ loan repayment and forgiveness programs, 35(5):1015–1025
- Healthy lifestyle**, child obesity EHR tool, 35(4):742–750
- Heart disease risk factors**, EvidenceNOW practice support initiative, 35(5):979–989
- Hepatitis C**, evaluation of a HCV screening intervention, 35(5):990–997
- Hispanic Americans**, health care navigation and primary care, 35(1):44–54
- Hispanic or Latino**, parents, group-based medical mistrust scale, 35(2):244–254
- Hispanics**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Housing**, relationship between community program location and needs, 35(1):55–72
- Housing instability**, patient barriers to resources for social needs, 35(4):793–802
- Humanities**, ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
- Hunger**, food insecurity and dyslipidemia, 35(4):656–667
- Hyperlipidemia**, improving cardiovascular disease preventive services, 35(5):968–978
- Hypertension**
improving cardiovascular disease preventive services, 35(5):968–978
medication, differences in prescribing for Black Americans, 35(1):26–34
out-of-office BP checks for diagnosing hypertension, 35(2):310–319
SDoH and associations with chronic conditions, 35(4):668–678
vitamin D for, 35(6):1217–1229
- ICD codes**, telephone, televideo, and in-office visits diagnoses, 35(3):491–496
- Illicit drugs**, healthcare and mental health, transgender persons, 35(6):1092–1102
- Implementation science**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Incidence**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Income**, family medicine’s gender pay gap, 35(1):7–8
- Infant health**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Infectious diseases**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Infectious mononucleosis**, decision threshold for, 35(6):1065–1071
- Influenza**, COVID-19 mitigation strategies on, 35(4):680–685
- Information systems**, transitional care management and reduced readmissions, 35(3):537–547
- Information technology**
clinician’s guide to artificial intelligence, 35(1):175–184
qualitative examination of telemedicine implementation, 35(3):517–526
- Insurance**, minority physicians care for vulnerable populations, 35(2):223–224
- Integrated delivery of health care**, to address unmet social needs, 35(1):185–189
- Integrated health care systems**, isolation and memory loss among older adults, 35(6):1168–1173

- Intellectual disability**, ableism and COVID-19, 35(2):390–393
- Internet**, online communication of drug efficacy information, 35(4):833–835
- Isthmic spondylolisthesis**, diagnosis and management, 35(6):1204–1216
- Kansas**, COVID-19 and burnout among physicians, 35(5):921–932
- Knowledge translation**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Language**, diversity, family physicians' delivery of care, 35(1):5–6
- Language development**, effect of reading to infants, 35(6):1156–1162
- Laxatives**, satisfaction of using a toilet stool for constipation, 35(4):836–839
- LDL triglyceride**, food insecurity and dyslipidemia, 35(4):656–667
- Leadership**
disparities among leadership in family medicine, 35(5):902–905
diversity of department chairs in family medicine, 35(1):152–157
guideline concordance of chronic disease care, 35(6):1128–1142
medical school dean demographics, 35(1):163–168
prior experience in quality improvement initiatives, 35(6):1115–1127
race and racism in academic medicine, 35(6):1239–1245
- Learning health system**, transitional care management and reduced readmissions, 35(3):537–547
- Legal issues**, in sports medicine, 35(6):1230–1238
- LGBTQ persons**, implementation of transgender care, 35(2):235–243
- Licensed practical nurses**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- Lifestyle**
adaptation of the DPP to address pre-diabetes, 35(3):548–558
impact of COVID-19 on exercise habits, 35(2):295–309
- Limited English proficiency**, family physicians deliver care in diverse languages, 35(1):5–6
- Linear models**
delay of care for multiple chronic conditions, 35(6):1081–1091
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
prior experience in quality improvement initiatives, 35(6):1115–1127
stigma in VDOT for TB patients, 35(5):951–960
walking during the COVID-19 pandemic, 35(5):897–901
- Linguistics**
family physicians deliver care in diverse languages, 35(1):5–6
linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Logistic models**
adequacy of OSA diagnosis in primary care, 35(2):320–328
antiracism training, policies, and practices, 35(4):803–808
child obesity EHR tool, 35(4):742–750
decision threshold for infectious mononucleosis, 35(6):1065–1071
documentation support among physicians by gender, 35(5):906–911
intention to vaccinate children against COVID-19, 35(6):1174–1178
isolation and memory loss among older adults, 35(6):1168–1173
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
predictors of primary care practice among medical students, 35(2):370–379
prescription patterns of antihyperglycemic medications, 35(2):255–263
SDoH and associations with chronic conditions, 35(4):668–678
- Loneliness**
pandemic-related, 35(3):593–596
reflections in family medicine, 35(2):443–444
- Long-COVID**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Los Angeles**, health care navigation and primary care, 35(1):44–54
- Low back pain**
nonadherence to guidelines for opioid prescribing, 35(4):724–732
spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216
- Low-value care**, mastalgia and breast imaging, 35(5):998–1006
- Machine learning**, clinician's guide to artificial intelligence, 35(1):175–184
- Maine**, decimation of ACA CO-OPs, 35(4):867–869
- Malpractice**, claims study, family medicine, 35(2):380–386
- Mammography**
and mastalgia, 35(5):998–1006
order completion rates and diabetes, 35(1):158–162
- Management**, impact of COVID-19 on exercise habits, 35(2):295–309
- Massachusetts**, clinical quality measures and family physicians, 35(2):427–434
- Mastalgia**, and breast imaging, 35(5):998–1006
- Medicaid**, reduction of opioid prescribing after policy change, 35(2):352–369
- Medical anthropology**, gun violence as a patient priority, 35(5):961–967
- Medical decision-making**, appropriate telemedicine in primary care, 35(3):507–516
- Medical education**
ABFM's 8 years of DIF analysis, 35(1):18–25
changes in career thinking among educators, 35(5):933–939
counterculture history and an anti-racist future, 35(1):169–172
ethical and legal issues in sports medicine, 35(6):1230–1238
states' loan repayment and forgiveness programs, 35(5):1015–1025
- Medical ethics**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Medical expenditure panel survey (MEPS)**, psychotherapy and psychiatry visits in the US, 35(5):886–890
- Medical faculty**, disparities among leadership in family medicine, 35(5):902–905
- Medical marijuana**, and Colorado family physicians, 35(1):102–114
- Medical schools**
diversity of department chairs in family medicine, 35(1):152–157
medical school dean demographics, 35(1):163–168
predictors of primary care practice among medical students, 35(2):370–379
- Medical students**, mental health and discrimination in physicians and residents, 35(5):912–920
- Medically underserved area**
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
telemedicine approaches for mental health disorders, 35(3):465–474
- Medically unexplained symptoms**, gender differences in diagnosed diseases, 35(1):73–84
- Medically uninsured**, patient- and provider-level factors and telemedicine utilization, 35(3):457–464
- Medicare**
isolation and memory loss among older adults, 35(6):1168–1173
standardized patient assessments at the wellness visit, 35(3):605–609
- Medication-assisted treatment**, integrating buprenorphine treatment with primary care, 35(1):206–208
- Medication safety**, in primary care, 35(3):610–628
- Medication therapy management**, telemedicine approaches for mental health disorders, 35(3):465–474
- Medicolegal**, ethical and legal issues in sports medicine, 35(6):1230–1238
- Melatonin**, and vitamin C, for mild-to-moderate COVID-19, 35(4):695–707
- Memory disorders**, isolation and memory loss among older adults, 35(6):1168–1173
- Mental health**
COVID-19 and burnout among physicians, 35(5):921–932
delay of care for multiple chronic conditions, 35(6):1081–1091
and discrimination in physicians and residents, 35(5):912–920
gun violence as a patient priority, 35(5):961–967

- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- integrating buprenorphine treatment with primary care, 35(1):206–208
- life satisfaction among older Asian Americans, 35(1):203–205
- mental health, and substance use, transgender persons, 35(6):1092–1102
- pandemic-related loneliness, 35(3):593–596
- patient research interest differences, 35(2):225–234
- psychotherapy and psychiatry visits in the US, 35(5):886–890
- relationship between community program location and needs, 35(1):55–72
- telemedicine approaches for mental health disorders, 35(3):465–474
- walking during the COVID-19 pandemic, 35(5):897–901
- Mental health services**, stopgap of, during COVID-19, 35(5):891–896
- Meta-analysis**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Metabolic syndrome**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Metformin**, prescription rates for prediabetes, 35(4):821–826
- Mexico**, mental health and discrimination in physicians and residents, 35(5):912–920
- mHealth**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Michigan**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
 - family medicine malpractice claims study, 35(2):380–386
 - predictors of primary care practice among medical students, 35(2):370–379
- Mifepristone**, barriers and facilitators in medication abortion, 35(3):579–587
- Minority groups**
- ABFM's 8 years of DIF analysis, 35(1):18–25
 - counterculture history and an anti-racist future, 35(1):169–172
 - disparities in use of patient portals, 35(3):559–569
 - diversity of department chairs in family medicine, 35(1):152–157
 - medical school dean demographics, 35(1):163–168
 - representation among ABFM certification candidates, 35(1):9–17
- Minority health**
- counterculture history and an anti-racist future, 35(1):169–172
 - COVID-19 pandemic in a Hispanic population, 35(4):686–693
 - equity and telehealth policy, 35(3):588–592
 - group-based medical mistrust scale with Latino parents, 35(2):244–254
- health care navigation and primary care, 35(1):44–54
- healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
- implementation of transgender care, 35(2):235–243
- life satisfaction among older Asian Americans, 35(1):203–205
- minority physicians care for vulnerable populations, 35(2):223–224
- race and racism in academic medicine, 35(6):1239–1245
- Mobile applications**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Montana**, decimation of ACA CO-OPs, 35(4):867–869
- Montreal Cognitive Assessment**, education level and, 35(6):1043–1057
- Motivation**
- effect of reading to infants on language score, 35(6):1156–1162
 - role of children in parents' diabetes management, 35(2):341–351
- Motivational interviewing**, strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- Multimorbidity**, video-visit use, disparities in, 35(3):634–637
- Multiple chronic conditions**, delay of care for, 35(6):1081–1091
- Multivariate analysis**, nonadherence to guidelines for opioid prescribing, 35(4):724–732
- National Health Service Corps**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Needs assessment**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Network meta-analysis**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Neuropsychology**, education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- New England**, COVID-19's perceived impact on primary care, 35(2):265–273
- New York City**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- No-show patients**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Nominal group technique**, building a PBRN in western Colorado, 35(1):115–123
- Nonverbal communication**, qualitative examination of telemedicine implementation, 35(3):517–526
- North American Primary Care Research Group (NAPCRG)**, reflections in family medicine, 35(4):872–873
- North Carolina**, economic inequality and the primary care physician workforce, 35(1):35–43
- Nurses**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- Nutrition assessment**, food intake, exercise, and childhood obesity, 35(6):1072–1080
- Obesity**
- metformin prescription rates for prediabetes, 35(4):821–826
 - prescription patterns of antihyperglycemic medications, 35(2):255–263
- Obstetrics**, vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Obstructive sleep apnea (OSA)**, diagnosis, adequacy of, in primary care, 35(2):320–328
- Oklahoma**, oncology and primary care views on cancer survivorship, 35(2):329–340
- Olfaction disorders**, chemosensory dysfunction, 35(2):406–419
- Ontario**, eConsult service and COVID-19 questions, 35(3):601–604
- Opiates**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioid-related disorders**
- decriminalization of buprenorphine, 35(2):394–397
 - integrating buprenorphine treatment with primary care, 35(1):206–208
 - pain management during West Virginia's opioid crisis, 35(5):940–950
- Opioids**
- decriminalization of buprenorphine, 35(2):394–397
 - prescribing, nonadherence to guidelines for, 35(4):724–732
 - prescribing, reduction of, after policy change, 35(2):352–369
- Oregon**, reduction of opioid prescribing after policy change, 35(2):352–369
- Organizational policy**, race and racism in academic medicine, 35(6):1239–1245
- Otolaryngology**, chemosensory dysfunction, 35(2):406–419
- Outcome assessment**
- delay of care for multiple chronic conditions, 35(6):1081–1091
 - isolation and memory loss among older adults, 35(6):1168–1173
 - pandemic-related loneliness, 35(3):593–596
- Outcomes research**, mammogram order completion rates and diabetes, 35(1):158–162
- Outpatients**
- COVID-19 pandemic in a Hispanic population, 35(4):686–693
 - lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203
 - risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Pain**, spondylolysis and isthmic spondylolisthesis, 35(6):1204–1216

Pandemics

- COVID-19 and burnout among physicians, 35(5):921–932
- COVID-19 and intended scope of practice, 35(6):1191–1193
- COVID-19's perceived impact on primary care, 35(2):265–273
- delay of care for multiple chronic conditions, 35(6):1081–1091
- eConsult service and COVID-19 questions, 35(3):601–604
- envisioning the future of virtual primary care, 35(3):527–536
- Hispanic population, COVID-19 infection, 35(4):686–693
- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- impact of COVID-19 on exercise habits, 35(2):295–309
- impact of COVID-19 pandemic on medical education system, 35(6):1187–1190
- mitigation strategies, collateral benefit of, on influenza, 35(4):680–685
- pandemic-related loneliness, 35(3):593–596
- practice adjustments made during COVID-19, 35(2):274–283
- stopgap of mental health services during COVID-19, 35(5):891–896
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine impact on visit completion rate, 35(3):475–484
- video-visit use, disparities in, 35(3):634–637
- walking during the COVID-19 pandemic, 35(5):897–901

Parenting, role of children in parents' diabetes management, 35(2):341–351**Parents**

- effect of reading to infants on language score, 35(6):1156–1162
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Latino, group-based medical mistrust scale, 35(2):244–254

Patient acceptance of health care, group-based medical mistrust scale with Latino parents, 35(2):244–254**Patient care**

- COVID-19's perceived impact on primary care, 35(2):265–273
- eConsult service and COVID-19 questions, 35(3):601–604
- family physicians deliver care in diverse languages, 35(1):5–6

Patient care team

- child obesity EHR tool, 35(4):742–750
- integrated primary care to address unmet social needs, 35(1):185–189

Patient-centered care

- barriers and facilitators in medication abortion, 35(3):579–587
- diabetes shared medical appointments, 35(6):1103–1114

- disparities in use of patient portals, 35(3):559–569
- integrated primary care to address unmet social needs, 35(1):185–189
- pain management during West Virginia's opioid crisis, 35(5):940–950
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- strategies for addressing COVID-19 vaccine hesitancy, 35(2):420–426
- telehealth with short interval follow-up, 35(3):485–490
- telemedicine approaches for mental health disorders, 35(3):465–474
- Patient compliance**, mammogram order completion rates and diabetes, 35(1):158–162
- Patient hand-off**, cancer survivors return to primary care, 35(4):827–832
- Patient navigation**, patient barriers to resources for social needs, 35(4):793–802
- Patient portals**, disparities in use of, 35(3):559–569
- Patient Protection and Affordable Care Act**, decimation of ACA CO-OPs, 35(4):867–869
- Patient readmission**, transitional care management and reduced readmissions, 35(3):537–547
- Patient reported outcome measures**
 - delay of care for multiple chronic conditions, 35(6):1081–1091
 - diabetes shared medical appointments, 35(6):1103–1114
 - novel person-centered primary care measure, 35(4):751–761
 - patient barriers to resources for social needs, 35(4):793–802
- Patient satisfaction**
 - family physicians deliver care in diverse languages, 35(1):5–6
 - novel person-centered primary care measure, 35(4):751–761
 - video visits in a fee-for-service model, 35(3):497–506
- Pay for performance**, clinical quality measures and family physicians, 35(2):427–434
- Pediatric obesity**
 - EHR tool, 35(4):742–750
 - food intake and exercise, 35(6):1072–1080
- Pediatrics**
 - effect of reading to infants on language score, 35(6):1156–1162
 - spondylolysis and isthmic spondylolysis, 35(6):1204–1216
- Pennsylvania**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Perceived discrimination**, mental health and discrimination in physicians and residents, 35(5):912–920
- Perception**, hospital health care worker perceptions of COVID-19 risk, 35(2):284–294

Personal satisfaction

- life satisfaction among older Asian Americans, 35(1):203–205
- satisfaction of using a toilet stool for constipation, 35(4):836–839

Pharmaceutical preparations

- antibiotic prescribing for respiratory infection, 35(4):733–741
- metformin prescription rates for pre-diabetes, 35(4):821–826
- online communication of drug efficacy information, 35(4):833–835

Pharmacoepidemiology, prescription patterns of antihyperglycemic medications, 35(2):255–263**Pharyngitis**, decision threshold for infectious mononucleosis, 35(6):1065–1071**Photovoice**, building a PBRN in western Colorado, 35(1):115–123**Physician assistants**, out-of-office BP checks for diagnosing hypertension, 35(2):310–319**Physician–patient relations**

- family physicians deliver care in diverse languages, 35(1):5–6
- physician–patient trust, 35(6):1179–1182
- video visits in a fee-for-service model, 35(3):497–506

Physicians

- counterculture history and an anti-racist future, 35(1):169–172
- diversity of department chairs in family medicine, 35(1):152–157
- integrating buprenorphine treatment with primary care, 35(1):206–208
- out-of-office BP checks for diagnosing hypertension, 35(2):310–319
- pandemic-related loneliness, 35(3):593–596
- physician–patient relationships and burnout, 35(4):716–723
- physician–patient trust, 35(6):1179–1182
- predictors of primary care practice among medical students, 35(2):370–379
- reflections in family medicine, 35(2):443–444

Physician's practice patterns, reduction of opioid prescribing after policy change, 35(2):352–369**Plastic surgery**, lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203**Point-of-care systems**, ultrasound use, 35(4):809–813**Point-of-care testing**, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101**Policy**

- minority physicians care for vulnerable populations, 35(2):223–224
- scope of practice by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600

Polymerase chain reaction, workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101

- Population health**
decimation of ACA CO-OPs, 35(4):867–869
economic inequality and the primary care physician workforce, 35(1):35–43
interventions to increase colorectal cancer screening uptake, 35(4):840–858
metformin prescription rates for prediabetes, 35(4):821–826
patient barriers to resources for social needs, 35(4):793–802
- Population health management**, prior experience in quality improvement initiatives, 35(6):1115–1127
- Postpartum**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Poverty**, health care navigation and primary care, 35(1):44–54
- Practice-based research networks**
building, external environment of, 35(4):762–792
building, in western Colorado, 35(1):115–123
patient research interest differences, 35(2):225–234
- Practice management**
documentation support among physicians by gender, 35(5):906–911
states' loan repayment and forgiveness programs, 35(5):1015–1025
- Precision medicine**, differences in hypertension medication prescribing for Black Americans, 35(1):26–34
- Prediabetes**, metformin prescription rates for, 35(4):821–826
- Pregnancy**, interventions to increase colorectal cancer screening uptake, 35(4):840–858
- Prenatal care**
interventions to increase colorectal cancer screening uptake, 35(4):840–858
vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Prescriptions**
differences in hypertension medication prescribing for Black Americans, 35(1):26–34
metformin prescription rates for prediabetes, 35(4):821–826
pain management during West Virginia's opioid crisis, 35(5):940–950
patterns, of antihyperglycemic medications, 35(2):255–263
reduction of opioid prescribing after policy change, 35(2):352–369
- Prevalence**
nonadherence to guidelines for opioid prescribing, 35(4):724–732
previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Preventive care**
chemosensory dysfunction, 35(2):406–419
evaluation of a HCV screening intervention, 35(5):990–997
- Preventive health services**, standardized patient assessments at the wellness visit, 35(3):605–609
- Primary care physicians**
caring for cancer survivors, 35(4):708–715
impact of telehealth on physician panel sizes, 35(5):1007–1014
medical school dean demographics, 35(1):163–168
minority physicians care for vulnerable populations, 35(2):223–224
workforce, and economic inequality, 35(1):35–43
- Primary health care**
adaptation of the DPP to address prediabetes, 35(3):548–558
adequacy of OSA diagnosis, 35(2):320–328
barriers and facilitators in medication abortion, 35(3):579–587
building a PBRN in western Colorado, 35(1):115–123
cancer survivors return to, 35(4):827–832
cardiovascular disease risk calculator adoption, 35(6):1143–1155
child obesity EHR tool, 35(4):742–750
clinician's guide to artificial intelligence, 35(1):175–184
Colorado family physicians and medical marijuana, 35(1):102–114
COVID-19 pandemic in a Hispanic population, 35(4):686–693
decision threshold for infectious mononucleosis, 35(6):1065–1071
delay of care for multiple chronic conditions, 35(6):1081–1091
diagnosis and management of plantar dermatoses, 35(2):435–442
differences in hypertension medication prescribing for Black Americans, 35(1):26–34
disparities in use of patient portals, 35(3):559–569
documentation support among physicians by gender, 35(5):906–911
economic inequality and the primary care physician workforce, 35(1):35–43
eConsult service and COVID-19 questions, 35(3):601–604
effect of reading to infants on language score, 35(6):1156–1162
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
evaluation of a HCV screening intervention, 35(5):990–997
EvidenceNOW practice support initiative, 35(5):979–989
external environment of building PBRNs, 35(4):762–792
family medicine's gender pay gap, 35(1):7–8
family physicians deliver care in diverse languages, 35(1):5–6
gender differences in diagnosed diseases, 35(1):73–84
guideline concordance of chronic disease care, 35(6):1128–1142
gun violence as a patient priority, 35(5):961–967
and health care navigation, 35(1):44–54
impact of COVID-19 on exercise habits, 35(2):295–309
impact of telehealth on physician panel sizes, 35(5):1007–1014
impending collapse of, 35(6):1183–1186
implementation of transgender care, 35(2):235–243
improving cardiovascular disease preventive services, 35(5):968–978
integrated primary care to address unmet social needs, 35(1):185–189
integrating buprenorphine treatment with, 35(1):206–208
interventions to increase colorectal cancer screening uptake, 35(4):840–858
life satisfaction among older Asian Americans, 35(1):203–205
lumps and bumps of fingers, hand, and wrist, 35(6):1194–1203
mammogram order completion rates and diabetes, 35(1):158–162
medical school dean demographics, 35(1):163–168
medication safety in, 35(3):610–628
novel person-centered primary care measure, 35(4):751–761
out-of-office BP checks for diagnosing hypertension, 35(2):310–319
pain management during West Virginia's opioid crisis, 35(5):940–950
pandemic-related loneliness, 35(3):593–596
patient- and provider-level factors and telemedicine utilization, 35(3):457–464
patient research interest differences, 35(2):225–234
perceived impact of COVID-19, 35(2):265–273
perspectives on data-sharing to address food insecurity, 35(1):85–95
physician income disparities by race and gender, 35(4):859–861
physician-patient relationships and burnout, 35(4):716–723
policy for routine screening for ACEs, 35(4):862–866
practice, among medical students, predictors of, 35(2):370–379
practice participation in facilitation during a QI initiative, 35(1):124–139
primary care physicians caring for cancer survivors, 35(4):708–715
prior experience in quality improvement initiatives, 35(6):1115–1127
psychotherapy and psychiatry visits in the US, 35(5):886–890
racial/ethnic representation among ABFM certification candidates, 35(1):9–17
reduction of opioid prescribing after policy change, 35(2):352–369
satisfaction of using a toilet stool for constipation, 35(4):836–839
standardized patient assessments at the wellness visit, 35(3):605–609
states' loan repayment and forgiveness programs, 35(5):1015–1025
stopgap of mental health services during COVID-19, 35(5):891–896

- telemedicine approaches for mental health disorders, 35(3):465–474
- appropriate use of, qualitative work towards framework for, 35(3):507–516
- appropriate use of, working framework for, 35(3):629–633
- impact on visit completion rate, 35(3):475–484
- implementation, qualitative examination of, 35(3):517–526
- with short interval follow-up, 35(3):485–490
- video-visit use, disparities in, 35(3):634–637
- video visits in a fee-for-service model, 35(3):497–506
- views on cancer survivorship, 35(2):329–340
- virtual care services, envisioning the future of, 35(3):527–536
- vitamin D for common and high-mortality conditions, 35(6):1217–1229
- walking during the COVID-19 pandemic, 35(5):897–901
- Professional burnout** and COVID-19 pandemic, 35(5):921–932
- documentation support among physicians by gender, 35(5):906–911
- Program evaluation**, states' loan repayment and forgiveness programs, 35(5):1015–1025
- Prospective studies**
- cancer survivors return to primary care, 35(4):827–832
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Pseudofolliculitis barbae**, ethnic equity implications, 35(1):173–174
- Psoriasis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Psychiatry**
- telemedicine approaches for mental health disorders, 35(3):465–474
- visits in the US, 35(5):886–890
- Psychometrics**
- ABFM's 8 years of DIF analysis, 35(1):18–25
- education level and the Montreal Cognitive Assessment, 35(6):1043–1057
- linguist's perspective on ABFM'S DIF panel, 35(2):387–389
- Psychotherapy**
- telemedicine approaches for mental health disorders, 35(3):465–474
- visits in the US, 35(5):886–890
- PTSD**, gun violence as a patient priority, 35(5):961–967
- Public health**
- impending collapse of primary care, 35(6):1183–1186
- intention to vaccinate children against COVID-19, 35(6):1174–1178
- Qualitative methods**
- qualitative examination of telemedicine implementation, 35(3):517–526
- working framework for virtual primary care, 35(3):629–633
- Qualitative research**
- appropriate telemedicine in primary care, 35(3):507–516
- barriers and facilitators in medication abortion, 35(3):579–587
- COVID-19's perceived impact on primary care, 35(2):265–273
- guideline concordance of chronic disease care, 35(6):1128–1142
- gun violence as a patient priority, 35(5):961–967
- pain management during West Virginia's opioid crisis, 35(5):940–950
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- physician-patient relationships and burnout, 35(4):716–723
- practice participation in facilitation during a QI initiative, 35(1):124–139
- role of children in parents' diabetes management, 35(2):341–351
- telemedicine approaches for mental health disorders, 35(3):465–474
- Quality control**, ABFM's 8 years of DIF analysis, 35(1):18–25
- Quality improvement**
- cardiovascular disease risk calculator adoption, 35(6):1143–1155
- clinician's guide to artificial intelligence, 35(1):175–184
- EvidenceNOW practice support initiative, 35(5):979–989
- guideline concordance of chronic disease care, 35(6):1128–1142
- improving cardiovascular disease preventive services, 35(5):968–978
- novel person-centered primary care measure, 35(4):751–761
- oncology and primary care views on cancer survivorship, 35(2):329–340
- practice participation in facilitation during a QI initiative, 35(1):124–139
- prior experience in quality improvement initiatives, 35(6):1115–1127
- transitional care management and reduced readmissions, 35(3):537–547
- Quality of health care**, clinical quality measures and family physicians, 35(2):427–434
- Quality of life**
- chemosensory dysfunction, 35(2):406–419
- hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
- melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- nonadherence to guidelines for opioid prescribing, 35(4):724–732
- Race**
- family physician income disparities, 35(4):859–861
- "other" race selection and data collection, 35(5):1030–1031
- Racism**
- counterculture history and an anti-racist future, 35(1):169–172
- race and racism in academic medicine, 35(6):1239–1245
- Radiology**, mastalgia and breast imaging, 35(5):998–1006
- Reading**, to infants, effect on language score, 35(6):1156–1162
- Referral and consultation**
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- telemedicine approaches for mental health disorders, 35(3):465–474
- Registries**
- nonadherence to guidelines for opioid prescribing, 35(4):724–732
- patient research interest differences, 35(2):225–234
- Regression analysis**
- disparities in use of patient portals, 35(3):559–569
- melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707
- previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Renal function**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Reproductive health**, barriers and facilitators in medication abortion, 35(3):579–587
- Research priority identification**, building a PBRN in western Colorado, 35(1):115–123
- Residency**
- COVID-19 and intended scope of practice, 35(6):1191–1193
- impact of COVID-19 pandemic, 35(6):1187–1190
- predictors of primary care practice among medical students, 35(2):370–379
- Respiratory tract infections**, antibiotic prescribing for, 35(4):733–741
- Retrospective studies**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
- antibiotic prescribing for respiratory infection, 35(4):733–741
- COVID-19 pandemic in a Hispanic population, 35(4):686–693
- differences in hypertension medication prescribing for Black Americans, 35(1):26–34
- disparities in use of patient portals, 35(3):559–569
- impact of COVID-19 on exercise habits, 35(2):295–309
- implementation of transgender care, 35(2):235–243
- integrating buprenorphine treatment with primary care, 35(1):206–208
- mastalgia and breast imaging, 35(5):998–1006
- patient- and provider-level factors and telemedicine utilization, 35(3):457–464

- prescription patterns of antihyperglycemic medications, 35(2):255–263
- reduction of opioid prescribing after policy change, 35(2):352–369
- risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- telemedicine impact on visit completion rate, 35(3):475–484
- thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Risk assessment**
- isolation and memory loss among older adults, 35(6):1168–1173
- satisfaction of using a toilet stool for constipation, 35(4):836–839
- Risk factors**
- adequacy of OSA diagnosis in primary care, 35(2):320–328
- food insecurity and dyslipidemia, 35(4):656–667
- SDoH and associations with chronic conditions, 35(4):668–678
- Routine diagnostic tests**, decision threshold for infectious mononucleosis, 35(6):1065–1071
- Rural health**
- counterculture history and an anti-racist future, 35(1):169–172
- integrating buprenorphine treatment with primary care, 35(1):206–208
- states' loan repayment and forgiveness programs, 35(5):1015–1025
- telemedicine approaches for mental health disorders, 35(3):465–474
- telemedicine impact on visit completion rate, 35(3):475–484
- transitional care management and reduced readmissions, 35(3):537–547
- Rural population**, pain management during West Virginia's opioid crisis, 35(5):940–950
- Salaries**, physician income disparities by race and gender, 35(4):859–861
- SARS-CoV-2**
- effect of mitigation strategies on influenza, 35(4):680–685
- intention to vaccinate children against, 35(6):1174–1178
- previous infection and persistent symptoms, 35(3):570–578
- thromboembolic events following diagnosis, 35(6):1163–1167
- workplace testing, real-time PCR, 35(1):96–101
- SARS-CoV-2 variants**, risk scores to predict COVID-19 hospitalization, 35(6):1058–1064
- Scope of practice**
- barriers and facilitators in medication abortion, 35(3):579–587
- impact of COVID-19 pandemic, 35(6):1187–1190
- by physician race and ethnicity, 35(3):454–456
- tools and infrastructure for a diverse workforce, 35(3):557–600
- Scoping review**, external environment of building PBRNs, 35(4):762–792
- Screen time**, and childhood obesity, 35(6):1072–1080
- Screening**
- mammogram order completion rates and diabetes, 35(1):158–162
- policy for routine screening for ACEs, 35(4):862–866
- workplace testing with real-time PCR SARS-CoV-2 testing, 35(1):96–101
- Screening intervention**, HCV, evaluation of, 35(5):990–997
- Screening tool**, transportation screening questions in social risk assessment, 35(2):400–405
- Self-management**, role of children in parents' diabetes management, 35(2):341–351
- Self-report**
- diabetes shared medical appointments, 35(6):1103–1114
- isolation and memory loss among older adults, 35(6):1168–1173
- mental health and discrimination in physicians and residents, 35(5):912–920
- physician income disparities by race and gender, 35(4):859–861
- walking during the COVID-19 pandemic, 35(5):897–901
- Serum uric acid**, urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Sexual and gender minorities**, health-care, mental health, and substance use, 35(6):1092–1102
- Shared medical appointments**, diabetes, 35(6):1103–1114
- Simulation model**, impact of telehealth on physician panel sizes, 35(5):1007–1014
- Smell**, chemosensory dysfunction, 35(2):406–419
- Social determinants of health**
- and associations with chronic conditions, 35(4):668–678
- building a PBRN in western Colorado, 35(1):115–123
- diabetes shared medical appointments, 35(6):1103–1114
- food insecurity and dyslipidemia, 35(4):656–667
- gun violence as a patient priority, 35(5):961–967
- integrated primary care to address unmet social needs, 35(1):185–189
- interventions to increase colorectal cancer screening uptake, 35(4):840–858
- isolation and memory loss among older adults, 35(6):1168–1173
- minority physicians care for vulnerable populations, 35(2):223–224
- patient barriers to resources for social needs, 35(4):793–802
- perspectives on data-sharing to address food insecurity, 35(1):85–95
- prescription patterns of antihyperglycemic medications, 35(2):255–263
- relationship between community program location and needs, 35(1):55–72
- transportation screening questions in social risk assessment, 35(2):400–405
- Social isolation**
- and memory loss, older adults, 35(6):1168–1173
- pandemic-related loneliness, 35(3):593–596
- reflections in family medicine, 35(2):443–444
- Social justice**
- ABFM's 8 years of DIF analysis, 35(1):18–25
- antiracism training, policies, and practices, 35(4):803–808
- clinician's guide to artificial intelligence, 35(1):175–184
- counterculture history and an anti-racist future, 35(1):169–172
- race and racism in academic medicine, 35(6):1239–1245
- Social needs**, unmet, integrated primary care to address, 35(1):185–189
- Social problems**
- patient barriers to resources for social needs, 35(4):793–802
- reflections in family medicine, 35(2):443–444
- Social risk factors**, integrated primary care to address unmet social needs, 35(1):185–189
- Socioeconomic factors**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Socioeconomic status**, prescription patterns of antihyperglycemic medications, 35(2):255–263
- Sodium-glucose cotransporter 2 inhibitors**, prescription patterns, 35(2):255–263
- Special communications**
- Addressing and Dismantling the Legacy of Race and Racism in Academic Medicine: A Socioecological Framework, 35(6):1239–1245
- Can Family Medicine's Counterculture History Help Shape an Anti-Racist Future?, 35(1):169–172
- Clinical Quality Measures: A Challenge for—and to—Family Physicians, 35(2):427–434
- A Clinician's Guide to Artificial Intelligence (AI): Why and How Primary Care Should Lead the Health Care AI Revolution, 35(1):175–184
- Ethnic Equity Implications in the Management of Pseudofolliculitis Barbae, 35(1):173–174
- Motivational Interviewing Strategies for Addressing COVID-19 Vaccine Hesitancy, 35(2):420–426
- Stalled Progress: Medical School Dean Demographics, 35(1):163–168
- Working Framework for Appropriate Use of Virtual Care in

- Primary Care, 35(3):629–633
- Spondylolysis**, diagnosis and management, 35(6):1204–1216
- Sports medicine**, ethical and legal issues in, 35(6):1230–1238
- Stakeholder participation**, cardiovascular disease risk calculator adoption, 35(6):1143–1155
- Standard of care**, family medicine malpractice claims study, 35(2):380–386
- Statistical factor analysis**, group-based medical mistrust scale with Latino parents, 35(2):244–254
- Stigmatization**, effect of VDOT on stigma levels in TB patients, 35(5):951–960
- Students**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Surveys and questionnaires**
 antiracism training, policies, and practices, 35(4):803–808
 building a PBRN in western Colorado, 35(1):115–123
 Colorado family physicians and medical marijuana, 35(1):102–114
 COVID-19 and burnout among physicians, 35(5):921–932
 economic inequality and the primary care physician workforce, 35(1):35–43
 family medicine's gender pay gap, 35(1):7–8
 food intake, exercise, and childhood obesity, 35(6):1072–1080
 impact of COVID-19 on exercise habits, 35(2):295–309
 out-of-office BP checks for diagnosing hypertension, 35(2):310–319
 perspectives on data-sharing to address food insecurity, 35(1):85–95
 policies and resources to prepare youth for caregiving, 35(4):814–820
 practice participation in facilitation during a QI initiative, 35(1):124–139
 predictors of primary care practice among medical students, 35(2):370–379
 prior experience in quality improvement initiatives, 35(6):1115–1127
 racial/ethnic representation among ABFM certification candidates, 35(1):9–17
 stopgap of mental health services during COVID-19, 35(5):891–896
- Survivorship**, cancer, oncology and primary care views on, 35(2):329–340
- Systematic review**
 ambulatory medication safety in primary care, 35(3):610–628
 urate-lowering therapy in patients with asymptomatic hyperuricemia, 35(1):140–151
- Taste**, chemosensory dysfunction, 35(2):406–419
- Team-based care**, integrated primary care to address unmet social needs, 35(1):185–189
- Technology**
 adaptation of the DPP to address prediabetes, 35(3):548–558
 child obesity EHR tool, 35(4):742–750
 clinician's guide to artificial intelligence, 35(1):175–184
- Telemedicine**
 adaptation of the DPP to address prediabetes, 35(3):548–558
 approaches for mental health disorders, 35(3):465–474
 appropriate, in primary care, 35(3):507–516
 COVID-19's perceived impact on primary care, 35(2):265–273
 disparities in use of patient portals, 35(3):559–569
 eConsult service and COVID-19 questions, 35(3):601–604
 envisioning the future of virtual primary care, 35(3):527–536
 equity and telehealth policy, 35(3):588–592
 impact of telehealth on physician panel sizes, 35(5):1007–1014
 impact on visit completion rate, 35(3):475–484
 implementation, qualitative examination of, 35(3):517–526
 and the needs of vulnerable elders, 35(3):638–639
 stigma in VDOT for TB patients, 35(5):951–960
 stopgap of mental health services during COVID-19, 35(5):891–896
 telehealth with short interval follow-up, 35(3):485–490
 telephone, televideo, and in-office visits diagnoses, 35(3):491–496
 utilization, and patient- and provider-level factors, 35(3):457–464
 video-visit use, disparities in, 35(3):634–637
 video visits in a fee-for-service model, 35(3):497–506
 working framework for virtual primary care, 35(3):629–633
- Texas**, patient research interest differences, 35(2):225–234
- Tinea pedis**, diagnosis and management of plantar dermatoses, 35(2):435–442
- Transgender persons**
 health care services, 35(2):235–243
 healthcare, mental health, and substance use, transgender persons, 35(6):1092–1102
- Transitional care**, management, and reduced readmissions, 35(3):537–547
- Translational research**, adaptation of the DPP to address prediabetes, 35(3):548–558
- Transportation of patients**, transportation screening questions in social risk assessment, 35(2):400–405
- Triage**, COVID-19 pandemic in a Hispanic population, 35(4):686–693
- Trust**
 group-based medical mistrust scale with Latino parents, 35(2):244–254
- physician–patient trust, 35(6):1179–1182
- Tuberculosis**, patients, stigma levels, effect of VDOT, 35(5):951–960
- Type 2 diabetes mellitus**
 metformin prescription rates for prediabetes, 35(4):821–826
 prescription patterns of antihyperglycemic medications, 35(2):255–263
 role of children in parents' diabetes management, 35(2):341–351
 shared medical appointments, 35(6):1103–1114
 vitamin D for common and high-mortality conditions, 35(6):1217–1229
- Ultrasonography**, point-of-care use, 35(4):809–813
- Underrepresented in medicine**
 diversity of department chairs in family medicine, 35(1):152–157
 medical school dean demographics, 35(1):163–168
- Underserved populations**
 COVID-19 pandemic in a Hispanic population, 35(4):686–693
 equity and telehealth policy, 35(3):588–592
- Universities**, previous SARS-CoV-2 infection and persistent symptoms, 35(3):570–578
- Urban health**, thromboembolic events following COVID-19 diagnosis, 35(6):1163–1167
- Utah**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Vaccination hesitancy**, COVID-19, strategies for addressing, 35(2):420–426
- Vaccines**, intention to vaccinate children against COVID-19, 35(6):1174–1178
- Venous thromboembolism**, following COVID-19 diagnosis, 35(6):1163–1167
- Video directly observed therapy (VDOT)**, effect on stigma levels in TB patients, 35(5):951–960
- Virginia**
 EvidenceNOW practice support initiative, 35(5):979–989
 gun violence as a patient priority, 35(5):961–967
- Vitamin C**, melatonin and, for mild-to-moderate COVID-19, 35(4):695–707
- Vitamin D**, for common and high-mortality conditions, 35(6):1217–1229
- Vulnerable populations**
 care for, by minority physicians, 35(2):223–224
 SDoH and associations with chronic conditions, 35(4):668–678
- Walking**, during COVID-19 pandemic, 35(5):897–901
- West Virginia**, opioid crisis, pain management during, 35(5):940–950

Wisconsin, decimation of ACA CO-OPs, 35(4):867–869

Women physicians

documentation support among physicians by gender, 35(5):906–911
family medicine's gender pay gap, 35(1):7–8

Work-life balance, COVID-19's perceived impact on primary care, 35(2):265–273

Workflow

practice adjustments made during COVID-19, 35(2):274–283
transitional care management and reduced readmissions, 35(3):537–547

Workforce

changes in career thinking among educators, 35(5):933–939
diversity, tools and infrastructure for, 35(3):557–600
documentation support among physicians by gender, 35(5):906–911
ethnic equity implications and pseudofolliculitis barbae, 35(1):173–174
family medicine's gender pay gap, 35(1):7–8

family physicians deliver care in diverse languages, 35(1):5–6
impact of telehealth on physician panel sizes, 35(5):1007–1014
impending collapse of primary care, 35(6):1183–1186
“other” race selection and data collection, 35(5):1030–1031
physician income disparities by race and gender, 35(4):859–861
physician-patient relationships and burnout, 35(4):716–723
practice participation in facilitation during a QI initiative, 35(1):124–139
predictors of primary care practice among medical students, 35(2):370–379
primary care physician, and economic inequality, 35(1):35–43
primary care physicians caring for cancer survivors, 35(4):708–715
prior experience in quality improvement initiatives, 35(6):1115–1127
racial/ethnic representation among ABFM certification candidates, 35(1):9–17

states' loan repayment and forgiveness programs, 35(5):1015–1025

Workload, changes in career thinking among educators, 35(5):933–939

Workplace

diagnosis and management of plantar dermatoses, 35(2):435–442
disparities among leadership in family medicine, 35(5):902–905
hospital health care worker perceptions of COVID-19 risk, 35(2):284–294
policies and resources to prepare youth for caregiving, 35(4):814–820
real-time PCR SARS-CoV-2 testing, 35(1):96–101

Wrist, lumps and bumps of, practical management, 35(6):1194–1203

WURSS, melatonin and vitamin C for mild-to-moderate COVID-19, 35(4):695–707

Young adults, policies and resources to prepare for caregiving, 35(4):814–820