

# Subject Index to Volume 37, 2024

## Abortion

- clinicians' interest and barriers to medication abortion, 37(4):680–689
- racial inequities in female physicians, 37(1):134–136
- telehealth medication abortion in primary care, 37(2):295–302

## Academic medical centers, factors

- associated with completion of cardiac stress tests, 37(6):1088–1094

## Academies and institutes, Building

- Research Capacity initiative, 37(6):S96–S101

## Access to health care

- clinicians' interest and barriers to medication abortion, 37(4):680–689
- COVID-19 and ACSC emergency department use, 37(4):792–795
- Filipino patient perspectives on health care, 37(2):242–250
- physician capacity and usual source of care, 37(3):436–443
- telehealth medication abortion in primary care, 37(2):295–302
- time with providers among US youth, 37(2):309–315
- transgender and nonbinary patient experiences, 37(6):1072–1087

## Access to primary care

- continuity of care and progression to type 2 diabetes, 37(5):936–938
- panel size is declining among family physicians, 37(3):504–505
- why are family physicians' panels shrinking?, 37(3):502–503

## Accreditation, machine learning, motivation, and certification exam

- outcomes, 37(2):279–289

## Acetazolamide, and acute heart failure,

- 37(2):351–353

## Acupuncture, headache treatment

- options, 37(4):737–744

## Acute pancreatitis, less aggressive

- hydration and acute pancreatitis, 37(3):487–489

## ADFM/NAPCRG Research Summit 2023

- advocacy for family medicine research, 37(6):S92–S95
- All of Us* database for primary care research, 37(6):S144–S155
- answering the “Hames 100,” 37(6):S106–S121
- building curiosity to increase research capacity, 37(6):S35–S40
- Building Research Capacity initiative, 37(6):S96–S101
- CERA and family medicine research, 37(6):S77–S79
- challenges to publishing family medicine research, 37(6):S80–S84
- clinical translational science award network, 37(6):S122–S128
- diversity in family medicine research, 37(6):S64–S68

- family medicine federal funding, 37(6):S85–S91

- family medicine research through community engagement, 37(6):S133–S137

- family medicine's role in payment reform, 37(6):S164–S172

- food insecurity and vitamin B12 deficiency, 37(6):S156–S163

- institutional advocacy to increase research capacity, 37(6):S102–S105

- measuring research capacity with the PACER tool, 37(6):S173–S184
- mentoring for family physicians' engagement in research, 37(6):S69–S74

- osteopathic research in family medicine, 37(6):S59–S63

- pathways to physician scientist careers, 37(6):S49–S52

- PBRNs and primary care research, 37(6):S129–S132

- the role of PhDs in family medicine research, 37(6):S53–S55

- team science in family medicine research, 37(6):S56–S58

- trainees of the family medicine research workforce, 37(6):S30–S34

- transforming EHR data from practice into research, 37(6):S138–S143

- transforming family medicine research, 37(6):S27–S29

- why I'm glad I quit my (first) PhD, 37(6):S75–S76

- Administration**, role of PhDs in family medicine research, 37(6):S53–S55

## Adolescent

- Medicaid reimbursement and influenza vaccination rates, 37(1):137–146
- scope of multimorbidity in family medicine, 37(2):251–260
- time with providers among US youth, 37(2):309–315

## Advance care planning, comparison of

- ACP interventions, 37(2):215–227

## Advance directives, comparison of ACP

- interventions, 37(2):215–227

## Adverse childhood experiences, disparities in screening for ACEs,

- 37(1):73–83

- Advocacy**, for family medicine research, 37(6):S92–S95

- Affordable Care Act**, Medicaid reimbursement and influenza vaccination rates, 37(1):137–146

## Aging

- comparison of ACP interventions, 37(2):215–227

- scope of multimorbidity in family medicine, 37(2):251–260

- AIDS**, missed opportunities for HIV prevention, 37(2):261–269

- Alanine transaminase**, diagnostic methods for fatty liver disease, 37(4):753–772

- Alcohol use disorder**, improving care for unhealthy alcohol use, 37(6):1027–1037

- All of Us database**, for primary care research, 37(6):S144–S155

- Allergy and immunology**, penicillin allergy testing in primary care, 37(6):991–995

## Ambulatory care

- facilities, the minority tax, 37(5):969–973

- medical scribes and EHR documentation practices, 37(2):228–241

- sensitive conditions COVID-19 and ACSC emergency department use, 37(4):792–795

## American Board of Family Medicine (ABFM), machine learning,

- motivation, and certification exam outcomes, 37(2):279–289

- Amniotomy**, early AROM after cervical ripening, 37(1):147–149

- Anabolic bone agents**, shoring up osteoporosis management, 37(3):490–493

- Anti-asthmatic agents**, single maintenance and reliever therapy asthma management, 37(4):745–752

- Antimicrobials**, doxycycline postexposure prophylaxis for STI prevention, 37(6):1140–1142

- Antipsychotics**, guide to injectable antipsychotics for primary care, 37(4):773–783

- Anxiety**, minimizing, with IUD insertion, 37(6):1150–1155

- AROM**, early, after cervical ripening, 37(1):147–149

## Artificial intelligence

- complexity science predictions about AI/ML, 37(2):332–345

- elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435

- family medicine must prepare for AI, 37(4):520–524

- transforming EHR data from practice into research, 37(6):S138–S143

- using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606

## Asian Americans

- data disaggregation of, commentary, 37(2):346–348

- family physicians, data disaggregation of, 37(2):349–350

## Aspartate aminotransferase, diagnostic

- methods for fatty liver disease, 37(4):753–772

## Asthma

- clinician barriers to ordering pulmonary function tests, 37(2):321–323

- single maintenance and reliever therapy asthma management, 37(4):745–752

- Atrial fibrillation**, DOACs outperform warfarin with reduced kidney function, 37(5):983–985
- Behavior therapy**, headache treatment options, 37(4):737–744
- Behavioral sciences**, patient psychological safety, 37(5):809–815
- Benchmarking**, measuring research capacity with the PACER tool, 37(6):S173–S184
- Bibliometrics**  
increasing family medicine research capacity, 37(6):1047–1054  
measuring research capacity with the PACER tool, 37(6):S173–S184
- Biomarkers**, diagnostic methods for fatty liver disease, 37(4):753–772
- Biopsy**, diagnostic methods for fatty liver disease, 37(4):753–772
- Bipolar disorder**, guide to injectable antipsychotics for primary care, 37(4):773–783
- Bisphosphonates**, shoring up osteoporosis management, 37(3):490–493
- Blood pressure**, low-income patients with home blood pressure monitors, 37(2):187–195
- Body mass index**, self-management support improves diabetes outcomes, 37(2):303–308
- Burnout**  
caregiving, organization policy, and burnout, 37(5):847–856  
clinician, in rural and urban settings, 37(1):43–58  
group coaching for faculty physicians, 37(6):1055–1071  
medical scribes and EHR documentation practices, 37(2):228–241
- California**  
patient engagement in a case management program, 37(3):418–426  
self-management support improves diabetes outcomes, 37(2):303–308
- California health interview survey**, screening for health-related social needs, 37(2):180–186
- Cancer screening**  
colorectal cancer screening and social needs, 37(5):868–887  
patients' difficulties with FITs, 37(6):1014–1026  
testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
- Cancer survivors**, primary care cancer survivorship innovations, 37(3):399–408
- Cannabis**, and pain management, 37(4):784–789
- Capacity building**  
advocacy for family medicine research, 37(6):S92–S95  
Building Research Capacity initiative, 37(6):S96–S101  
building curiosity to increase research capacity, 37(6):S35–S40  
clinical translational science award network, 37(6):S122–S128  
family medicine federal funding, 37(6):S85–S91  
institutional advocacy to increase research capacity, 37(6):S102–S105
- measuring research capacity with the PACER tool, 37(6):S173–S184
- osteopathic research in family medicine, 37(6):S59–S63
- pathways to physician scientist careers, 37(6):S49–S52
- role of PhDs in family medicine research, 37(6):S53–S55
- team science in family medicine research, 37(6):S56–S58
- transforming family medicine research, 37(6):S27–S29
- Cardiac stress tests**, factors associated with completion of, 37(6):1088–1094
- Cardiologists**, acetazolamide and acute heart failure, 37(2):351–353
- Cardiovascular diseases**, testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Cardiovascular risk factors**  
GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382  
strategies to improve cardiovascular risk factors, 37(3):444–454
- Care coordination**  
care coordination and social needs, 37(5):857–867  
primary care cancer survivorship innovations, 37(3):399–408
- Career choice**, practice patterns of early- and later-career physicians, 37(1):35–42
- Caregivers**  
caregiving, organization policy, and burnout, 37(5):847–856  
families' perspectives on navigation after pediatric care, 37(3):479–486  
managing MCC and social risks during COVID-19, 37(2):172–179
- Case-control studies**, prevalence of fluoride varnish application, 37(5):826–832
- Case management**, program, patient engagement in, 37(3):418–426
- Census tract**, direct primary care served vulnerable communities, 37(3):455–465
- CERA**  
and family medicine research, 37(6):S77–S79  
screening and barriers to communication on food insecurity, 37(2):196–205
- Certification**  
family medicine certification scale stability, 37(5):900–908  
machine learning, motivation, and certification exam outcomes, 37(2):279–289  
sexual misconduct by physicians, 37(4):698–705  
timing of stage completion and exam outcomes, 37(6):1130–1132
- Cervical cancer**  
testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
- Cervical ripening**, early AROM after, 37(1):147–149
- Cesarean**, early AROM after cervical ripening, 37(1):147–149
- Change management**  
implementing integrated behavioral health into health centers, 37(5):833–846
- Chi-Square test**  
hospital readmission rates for in-person vs. telemedicine, 37(2):166–171  
machine learning, motivation, and certification exam outcomes, 37(2):279–289
- Child health**, prevalence of fluoride varnish application, 37(5):826–832
- Chronic disease**  
screening for health-related social needs, 37(2):180–186  
telehealth, care connections, and diabetes, 37(2):206–214  
testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Chronic kidney disease**, filtering race out of GFR calculation, 37(6):1146–1148
- Chronic pain**  
cannabis and pain management, 37(4):784–789  
COVID-19 pandemic and long-term opioid therapy, 37(2):290–294  
long-term opioid therapy for chronic low back pain, 37(1):59–72  
veteran status and chronic pain on sedative use, 37(1):118–128
- Climate change**  
challenge of, for physicians, 37(1):4–6  
environmental impact of practice-based research, 37(1):22–24  
in the exam room, 37(1):15–17  
and policy reforms, 37(1):19–20  
psychological distress, 37(1):11–14  
response to, by physicians, 37(1):7–10  
in shared decision-making, 37(1):25–34  
weather effects on primary care, 37(1):95–104
- Clinical and Translational Science Awards (CTSA) program**, PBRNs and primary care research, 37(6):S129–S132
- Clinical decision-making**  
complexity science predictions about AI/ML, 37(2):332–345  
using a CDS tool for opioid use disorder, 37(3):389–398
- Clinical decision support**, using a CDS tool for opioid use disorder, 37(3):389–398
- Clinical medicine**  
Filipino patient perspectives on health care, 37(2):242–250  
person-centered, goal-oriented care and quality of life, 37(3):506–511
- Clinical prediction rule**, primary care COVID risk score validation, 37(2):324–327
- Clinical trials**, comparison of ACP interventions, 37(2):215–227
- Clinicians**, burnout in rural and urban settings, 37(1):43–58
- Cloud computing**, *All of Us* database for primary care research, 37(6):S144–S155
- Cluster headache**, treatment options, 37(4):737–744

**Coaching**

- group coaching for faculty physicians, 37(6):1055–1071
- peer-coaching to close the intention-to-action gap, 37(6):996–1008

**Colorado**, improving care for unhealthy alcohol use, 37(6):1027–1037**Colorectal cancer**

- colorectal cancer screening and social needs, 37(5):868–887
- inappropriate ordering of stool DNA tests for screening, 37(2):328–331
- patients' difficulties with FITs, 37(6):1014–1026
- screening intervention to increase uptake, 37(4):660–670

**Commentaries**

- Addressing the Marketing Practices of Medicare Advantage Plans, 37(3):494–496
  - Climate Change: How Will Family Physicians Rise to the Challenge?, 37(1):4–6
  - Climate Change and Policy Reforms: A View from the Primary Care Clinic, 37(1):19–20
  - Climate Change Psychological Distress: An Underdiagnosed Cause of Mental Health Disturbances, 37(1):11–14
  - Data Disaggregation of Asian Americans: Implications for the Physician Workforce, 37(2):346–348
  - Family Medicine Must Prepare for Artificial Intelligence, 37(4):520–524
  - How Physicians Should Respond to Climate Change, 37(1):7–10
  - Lack of Diversity in Female Family Physicians Performing Women's Health Procedures, 37(1):21
  - The One Taboo Question, 37(5):979–982
  - Physician Satisfaction Should Be the Measure of Electronic Health Record Quality for the Nation, 37(4):525–527
  - Primary Care's Essential Role in Advancing Health Equity, 37(6):S1–S3
  - Strong Primary Health Care in the United States – Closer Than We Might Think, 37(6):S4–S7
  - Training in Gender Affirming Care is Medically Necessary, 37(5):976–978
  - When Climate Change Shows Up in the Exam Room, 37(1):11–14
  - Why Are Family Physicians' Panels Shrinking?, 37(3):502–503
  - Why Opportunities for Tenure Matter for Minoritized Faculty in Academic Medicine, 37(3):497–501
- Common good**, primary health care as, 37(6):S15–S20
- Communication**
- comparison of ACP interventions, 37(2):215–227
  - hospital discharge and transitional care management, 37(4):706–736

- medical legal partnership qualitative analysis, 37(4):637–649
- medical scribes and EHR documentation practices, 37(2):228–241

**Community-based participatory research**

- family medicine research through community engagement, 37(6):S133–S137
- mentoring for family physicians' engagement in research, 37(6):S69–S74
- patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- PBRNs and primary care research, 37(6):S129–S132
- the role of PhDs in family medicine research, 37(6):S53–S55
- smoking cessation support and other needs, 37(1):84–94
- transgender and nonbinary patient experiences, 37(6):1072–1087

**Community-based research**

- Filipino patient perspectives on health care, 37(2):242–250
- self-management support improves diabetes outcomes, 37(2):303–308

**Community health centers**

- clinical plans based on social context, 37(3):466–478
- diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102
- implementing integrated behavioral health into health centers, 37(5):833–846
- self-management support improves diabetes outcomes, 37(2):303–308
- smoking cessation support and other needs, 37(1):84–94
- telehealth, care connections, and diabetes, 37(2):206–214

**Community health services**, family medicine research through community engagement, 37(6):S133–S137**Community medicine**

- climate change in the exam room, 37(1):15–17
- Filipino patient perspectives on health care, 37(2):242–250
- rural physicians collaborate with community organizations, 37(6):1167–1169
- screening for health-related social needs, 37(2):180–186

**Comorbidity**, scope of multimorbidity in family medicine, 37(2):251–260**Comparative effectiveness research**, mentoring for family physicians' engagement in research, 37(6):S69–S74**Complexity science**, predictions about AI/ML, 37(2):332–345**Computer-assisted instruction**, improving care for unhealthy alcohol use, 37(6):1027–1037**Confidentiality**, time with providers among US youth, 37(2):309–315**Continuing education**, GPT-4 on the family medicine in-training examination, 37(4):528–582**Continuity of patient care**

- care coordination and social needs, 37(5):857–867
- continuity of care and progression to type 2 diabetes, 37(5):936–938
- hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
- managing MCC and social risks during COVID-19, 37(2):172–179
- telehealth, care connections, and diabetes, 37(2):206–214

**Continuous glucose monitoring**, implementation of, 37(4):671–679**Contraceptives**

- clinicians' interest and barriers to medication abortion, 37(4):680–689
- minimizing pain and anxiety with IUD insertion, 37(6):1150–1155
- Mirena IUD for 8 years, 37(6):1143–1145
- racial inequities in female physicians, 37(1):134–136

**Correspondence**

- chestfeeding for lactating people living with HIV, 37(3):512
  - doxycycline post-exposure prophylaxis (doxy-PEP) for the prevention of bacterial sexually transmitted infections for men who have sex with men and transgender women, 37(6):1149
  - kratom: facts, fiction, and the unknown, 37(1):153
  - low-intensity physical activity promotion in primary care, 37(5):933
  - outbreak of hand, foot, and mouth disease among university residential students, 37(3):513
  - re: becoming a phronimos: evidence-based medicine, clinical decision making and the role of practical wisdom in primary care, 37(1):153
  - re: early-career compensation trends among family physicians, 37(3):514
  - re: effectiveness of long-term opioid therapy for chronic low back pain, 37(5):933–934
  - re: friendship as medicine, 37(4):804
  - re: why do physicians depart their practice? a qualitative study of attrition in a multispecialty ambulatory practice network, 37(3):514
  - response: re: effectiveness of long-term opioid therapy for chronic low back pain, 37(5):934–935
  - response: re: why do physicians depart their practice? a qualitative study of attrition in a multispecialty ambulatory practice network, 37(3):515
  - WONCA Europe 2023 definition of general practice/family medicine: new needs new content, 37(4):803–804
- Cost effectiveness**
- inappropriate ordering of stool DNA tests for screening, 37(2):328–331



- person-centered, goal-oriented care and quality of life, 37(3):506–511
- Counseling**  
improving care for unhealthy alcohol use, 37(6):1027–1037  
smoking cessation support and other needs, 37(1):84–94
- COVID-19**  
and ACSC emergency department use, 37(4):792–795  
managing MCC and social risks, 37(2):172–179  
metabolic parameters during and after COVID-19, 37(1):129–133  
pandemic, and long-term opioid therapy, 37(2):290–294  
primary care COVID risk score validation, 37(2):324–327  
safety-net clinician perspectives on telemedicine, 37(3):409–417
- Cross-sectional studies**  
care coordination and social needs, 37(5):857–867  
colorectal cancer screening and social needs, 37(5):868–887  
family physicians' EHR satisfaction, 37(4):796–798  
Medicaid reimbursement and influenza vaccination rates, 37(1):137–146  
patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129  
social risks and diabetes metrics, 37(5):939–947  
strategies to improve cardiovascular risk factors, 37(3):444–454  
trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Cultural competency**, Filipino patient perspectives on health care, 37(2):242–250
- Cultural diversity**  
in family medicine research, 37(6):S64–S68  
lack of, in female family physicians, 37(1):21
- Cystatin**, filtering race out of GFR calculation, 37(6):1146–1148
- Database**, for primary care research, 37(6):S144–S155
- Delivery of health care**  
colorectal cancer screening intervention to increase uptake, 37(4):660–670  
families' perspectives on navigation after pediatric care, 37(3):479–486  
increasing family medicine research capacity, 37(6):1047–1054  
primary care and public health integration, 37(6):S8–S11
- Dermatology**, elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435
- Diabetes**  
metabolic parameters during and after COVID-19, 37(1):129–133  
monitoring in foreign-born and US-born Latinos, 37(6):1095–1102
- Diabetes mellitus**  
diagnostic methods for fatty liver disease, 37(4):753–772
- point of care hemoglobin A1c testing, 37(4):790–791  
self-management support improves outcomes, 37(2):303–308  
social risks and diabetes metrics, 37(5):939–947  
telehealth and care connections, 37(2):206–214  
type 2, sliding scale insulin for hospitalized patients, 37(1):150–152
- Diabetic nephropathies**, GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382
- Diagnostic errors**, factors associated with completion of cardiac stress tests, 37(6):1088–1094
- Diagnostic screening programs**  
perspectives on social drivers of health program implementation, 37(6):1103–1122
- Diagnostic ultrasound**, a simplified approach to manage shoulder pain, 37(6):1156–1166
- Discharge planning**, hospital discharge and transitional care management, 37(4):706–736
- Disease management**, primary care cancer survivorship innovations, 37(3):399–408
- Diversity**  
Filipino patient perspectives on health care, 37(2):242–250  
gender wage gap and early-career physicians, 37(2):270–278  
lack of, in female family physicians, 37(1):21  
tenure matters for minoritized faculty, 37(3):497–501
- DNA tests**, stool, inappropriate ordering of, for screening, 37(2):328–331
- Doctor-patient relations**  
Filipino patient perspectives on health care, 37(2):242–250  
patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899  
person-centered, goal-oriented care and quality of life, 37(3):506–511  
trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Documentation**  
commentary, 37(4):525–527  
family physicians' EHR satisfaction, 37(4):796–798  
practices, EHR, medical scribes and, 37(2):228–241
- Doxycycline**, postexposure prophylaxis for STI prevention, 37(6):1140–1142
- Drug deactivation pouches, for opioid overdose**, 37(1):112–117
- Drug overdose**, opioid, drug deactivation pouches for, 37(1):112–117
- Drug therapy**, DOACs outperform warfarin with reduced kidney function, 37(5):983–985
- E-cigarettes**, puffing to persistent smoking cessation, 37(2):354–356
- Early detection of cancer**, colorectal cancer screening intervention to increase uptake, 37(4):660–670
- Early rupture of membranes**, induced, after cervical ripening, 37(1):147–149
- Edema**, acetazolamide and acute heart failure, 37(2):351–353
- Editorial Office News and Notes**  
Peer Reviewers for the *Journal of the American Board of Family Medicine* in 2022, 37(3):360–363  
Priority Updates to the Research Literature (PURLs) Series Now Featured in the *JABFM*, 37(2):165
- Editors' Notes**  
Artificial Intelligence and Family Medicine, 37(4):517–519  
Clinical and Practice Innovation  
Improving the Practice of Family Medicine, 37(3):357–359  
Clinically Relevant Family Medicine Research: Board Certification Updates, 37(5):805–808  
A Focus on Climate Change and How It Impacts Family Medicine, 37(1):1–3  
Improving Health Through Family Medicine: New Opportunities, Missed Opportunities, 37(6):987–990  
Research to Improve Clinical Care in Family Medicine: Big Data, Telehealth, Artificial Intelligence, and More, 37(2):161–164
- Education**, pathways to physician scientist careers, 37(6):S49–S52
- Education of patients**, Filipino patient perspectives on health care, 37(2):242–250
- Efficiency**  
Building Research Capacity initiative, 37(6):S96–S101  
measuring research capacity with the PACER tool, 37(6):S173–S184
- Electronic health records**  
clinician barriers to ordering pulmonary function tests, 37(2):321–323  
continuity of care and progression to type 2 diabetes, 37(5):936–938  
diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102  
family physicians' EHR satisfaction, 37(4):796–798  
medical scribes and EHR documentation practices, 37(2):228–241  
penicillin allergy testing in primary care, 37(6):991–995  
social risks and diabetes metrics, 37(5):939–947  
using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606
- Electronic medical records**, ability to report care quality, 37(2):316–320
- Emergency departments**  
COVID-19 and ACSC emergency department use, 37(4):792–795  
trust in clinicians and healthcare-based discrimination, 37(4):607–636

**Emergency room visits**, using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606

**Emotional exhaustion**, caregiving, organization policy, and burnout, 37(5):847–856

**End-of-life care**, comparison of ACP interventions, 37(2):215–227

**End-stage renal disease**, filtering race out of GFR calculation, 37(6):1146–1148

**Endocrinology**  
self-management support improves diabetes outcomes, 37(2):303–308  
type 2 diabetes in sickle cell disease, 37(5):919–922

**Environmental health**  
climate change and policy reforms, 37(1):19–20  
climate change in the exam room, 37(1):15–17  
how physicians should respond to climate change, 37(1):7–10

**Epidemiology**  
primary care observations provide advantages, 37(6):1133–1139  
scope of multimorbidity in family medicine, 37(2):251–260

**Ethnic and racial minorities**, the minority tax, 37(5):969–973

**Ethnicity**, data disaggregation of Asian-American physicians, 37(2):346–348, 37(2):349–350

**Evaluation studies**  
comparison of ACP interventions, 37(2):215–227  
family medicine certification scale stability, 37(5):900–908

**Evidence-based medicine**  
answering the “Hames 100,” 37(6):S106–S121  
clinical translational science award network, 37(6):S122–S128  
minimizing pain and anxiety with IUD insertion, 37(6):1150–1155  
primary care observations provide advantages, 37(6):1133–1139  
PURLs methodology, 37(4):799–802  
single maintenance and reliever therapy asthma management, 37(4):745–752

**Factor analysis**, patient psychological safety, 37(5):809–815

**Faculty**  
BRC: purposes, components, and activities to date, 37(6):S96–S101  
building curiosity to increase research capacity, 37(6):S35–S40  
CERA and family medicine research, 37(6):S77–S79  
diversity in family medicine research, 37(6):S64–S68  
mentoring for family physicians’ engagement in research, 37(6):S69–S74  
the role of PhDs in family medicine research, 37(6):S53–S55

**Faculty scholarship**, program requirements and scholarly activity, 37(6):S41–S48

**Family health**  
families’ perspectives on navigation after pediatric care, 37(3):479–486

managing MCC and social risks during COVID-19, 37(2):172–179

**Family medicine**  
advocacy for family medicine research, 37(6):S92–S95  
*All of Us* database for primary care research, 37(6):S144–S155  
answering the “Hames 100,” 37(6):S106–S121  
building curiosity to increase research capacity, 37(6):S35–S40  
Building Research Capacity initiative, 37(6):S96–S101  
CERA and family medicine research, 37(6):S77–S79  
certification scale stability, 37(5):900–908  
climate change, and policy reforms, 37(1):19–20  
climate change, challenge of 37(1):4–6  
climate change, in shared decision-making, 37(1):25–34  
clinical translational science award network, 37(6):S122–S128  
clinician barriers to ordering pulmonary function tests, 37(2):321–323  
clinician burnout in rural and urban settings, 37(1):43–58  
clinicians’ interest and barriers to medication abortion, 37(4):680–689  
commentary, 37(4):525–527  
data disaggregation of Asian-American physicians, 37(2):346–348, 37(2):349–350  
diversity in research, 37(6):S64–S68  
elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435  
federal funding, 37(6):S85–S91  
Filipino patient perspectives on health care, 37(2):242–250  
gender wage gap and early-career physicians, 37(2):270–278  
GPT-4 on the family medicine in-training examination, 37(4):528–582  
how women physicians negotiate their first job, 37(4):690–697  
improving care for unhealthy alcohol use, 37(6):1027–1037  
increasing family medicine research capacity, 37(6):1047–1054  
institutional advocacy to increase research capacity, 37(6):S102–S105  
machine learning, motivation, and certification exam outcomes, 37(2):279–289  
mentoring for family physicians’ engagement in research, 37(6):S69–S74  
the minority tax, 37(5):969–973  
non-surgical management of urinary incontinence, 37(5):909–918  
opioid dose reductions by sex and race, 37(3):383–388  
osteopathic research in family medicine, 37(6):S59–S63  
pathways to physician scientist careers, 37(6):S49–S52

patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129  
PBRNs and primary care research, 37(6):S129–S132  
peer-coaching to close the intention-to-action gap, 37(6):996–1008  
practice patterns of early- and later-career physicians, 37(1):35–42  
preparation for AI, 37(4):520–524  
primary care cancer survivorship innovations, 37(3):399–408  
primary care observations provide advantages, 37(6):1133–1139  
primary care research agenda for Latino populations, 37(5):948–954  
publishing research, challenges to, 37(6):S80–S84  
role in payment reform, 37(6):S164–S172  
role of PhDs in research, 37(6):S53–S55  
scope of multimorbidity in, 37(2):251–260  
screening and barriers to communication on food insecurity, 37(2):196–205  
screening for health-related social needs, 37(2):180–186  
self-management support improves diabetes outcomes, 37(2):303–308  
sexual misconduct by physicians, 37(4):698–705  
social risks and diabetes metrics, 37(5):939–947  
team science in family medicine research, 37(6):S56–S58  
tenure matters for minoritized faculty, 37(3):497–501  
timing of stage completion and exam outcomes, 37(6):1130–1132  
trainees of the family medicine research workforce, 37(6):S30–S34  
transforming family medicine research, 37(6):S27–S29  
transgender and nonbinary patient experiences, 37(6):1072–1087  
type 2 diabetes in sickle cell disease, 37(5):919–922  
why I’m glad I quit my (first) PhD, 37(6):S75–S76

**Family physicians**  
Asian American, data disaggregation of, 37(2):346–348, 37(2):349–350  
decline of panel size among, 37(3):504–505  
EHR satisfaction, 37(4):796–798  
gender wage gap and early-career physicians, 37(2):270–278  
intention to provide gender affirming care, 37(5):974–975  
mentoring for family physicians’ engagement in research, 37(6):S69–S74  
patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129  
peer-coaching to close the intention-to-action gap, 37(6):996–1008  
practice patterns of early- and later-career physicians, 37(1):35–42  
rural physicians collaborate with community organizations, 37(6):1167–1169

- sexual misconduct by, 37(4):698–705  
 timing of stage completion and exam outcomes, 37(6):1130–1132  
 training in gender affirming care, 37(5):976–978  
 weather effects on primary care, 37(1):95–104  
 wellness group and weight loss outcomes, 37(6):1038–1046  
 why are family physicians' panels shrinking?, 37(3):502–503
- Family planning services**, clinicians' interest and barriers to medication abortion, 37(4):680–689
- Family practice**, PURLs methodology, 37(4):799–802
- Feasibility studies**, drug deactivation pouches for opioid overdose, 37(1):112–117
- Fecal immunological tests (FITs)**, patients' difficulties with, 37(6):1014–1026
- Fecal occult blood test**, patients' difficulties with FITs, 37(6):1014–1026
- Feedback**, peer-coaching to close the intention-to-action gap, 37(6):996–1008
- Fellowships**  
 CERA and family medicine research, 37(6):S77–S79  
 diversity in family medicine research, 37(6):S64–S68  
 trainees of the family medicine research workforce, 37(6):S30–S34
- Florida**, drug deactivation pouches for opioid overdose, 37(1):112–117
- Fluid resuscitation**, less aggressive hydration and acute pancreatitis, 37(3):487–489
- Fluoride varnishes**, application, prevalence of, 37(5):826–832
- Focus groups**  
 screening for health-related social needs, 37(2):180–186  
 transgender and nonbinary patient experiences, 37(6):1072–1087
- Follow-up studies**, penicillin allergy testing in primary care, 37(6):991–995
- Food insecurity**  
 screening and barriers to communication on, 37(2):196–205  
 and vitamin B12 deficiency, 37(6):S156–S163
- Fracture prevention**, shoring up osteoporosis management, 37(3):490–493
- Fraud**, marketing practices of Medicare Advantage programs, 37(3):494–496
- Fructosamine**, type 2 diabetes in sickle cell disease, 37(5):919–922
- Gastroenterology**  
 colorectal cancer screening and social needs, 37(5):868–887  
 colorectal cancer screening intervention to increase uptake, 37(4):660–670  
 diagnostic methods for fatty liver disease, 37(4):753–772
- inappropriate ordering of stool DNA tests for screening, 37(2):328–331  
 patients' difficulties with FITs, 37(6):1014–1026
- Gender**  
 opioid dose reductions by sex and race, 37(3):383–388  
 testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
- Gender-affirming care**  
 intention to provide gender affirming care, 37(5):974–975  
 training in gender affirming care, 37(5):976–978  
 transgender and nonbinary patient experiences, 37(6):1072–1087
- Gender equity**, gender wage gap and early-career physicians, 37(2):270–278
- Geriatrics**  
 comparison of ACP interventions, 37(2):215–227  
 scope of multimorbidity in family medicine, 37(2):251–260
- Glomerular filtration rate**, filtering race out of GFR calculation, 37(6):1146–1148
- Glucagon-like peptide-1 receptor agonists**, and SGLT2-Is, to reduce risk, 37(3):372–382
- Goals of care**, person-centered, and quality of life, 37(3):506–511
- Grants**  
 building curiosity to increase research capacity, 37(6):S35–S40  
 clinical translational science award network, 37(6):S122–S128  
 family medicine federal funding, 37(6):S85–S91
- Group visits**, wellness group and weight loss outcomes, 37(6):1038–1046
- Hames Consortium**, answering the “Hames 100,” 37(6):S106–S121
- Hb A1c**  
 diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102  
 point of care hemoglobin A1c testing, 37(4):790–791  
 self-management support and diabetes outcomes, 37(2):303–308
- Headache**, treatment options, 37(4):737–744
- Health behavior**, climate change in the exam room, 37(1):15–17
- Health care disparities**  
 COVID-19 pandemic and long-term opioid therapy, 37(2):290–294  
 disparities in screening for ACEs, 37(1):73–83  
 lack of diversity in female family physicians, 37(1):21  
 opt-out outpatient HIV screening program, 37(4):650–659  
 racial inequities in female physicians, 37(1):134–136  
 telehealth, care connections, and diabetes, 37(2):206–214  
 trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Health care financing**, primary health care as a common good, 37(6):S15–S20
- Health care quality indicators**, measuring research capacity with the PACER tool, 37(6):S173–S184
- Health care reform**, family medicine's role in payment reform, 37(6):S164–S172
- Health care systems**, medical scribes and EHR documentation practices, 37(2):228–241
- Health communication**  
 climate change in the exam room, 37(1):15–17  
 Filipino patient perspectives on health care, 37(2):242–250  
 the one taboo question, 37(5):979–982  
 screening and barriers to communication on food insecurity, 37(2):196–205
- Health disparities**  
 clinical plans based on social context, 37(3):466–478  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 Filipino patient perspectives on health care, 37(2):242–250  
 PBRNs and primary care research, 37(6):S129–S132  
 physician capacity and usual source of care, 37(3):436–443  
 primary care research agenda for Latino populations, 37(5):948–954  
 primary care's role in health equity, 37(6):S1–S3  
 smoking cessation support and other needs, 37(1):84–94  
 social risks and diabetes metrics, 37(5):939–947  
 tenure matters for minoritized faculty, 37(3):497–501  
 transgender and nonbinary patient experiences, 37(6):1072–1087
- Health education**, climate change in the exam room, 37(1):15–17
- Health equity**  
 clinical plans based on social context, 37(3):466–478  
 Filipino patient perspectives on health care, 37(2):242–250  
 opioid dose reductions by sex and race, 37(3):383–388  
 PBRNs and primary care research, 37(6):S129–S132  
 primary care's role in, 37(6):S1–S3  
 primary health care and health security, 37(6):S21–S25  
 primary health care as a common good, 37(6):S15–S20  
 transgender and nonbinary patient experiences, 37(6):1072–1087
- Health inequities**  
 self-management support improves diabetes outcomes, 37(2):303–308  
 telehealth, care connections, and diabetes, 37(2):206–214
- Health insurance**, direct primary care served vulnerable communities, 37(3):455–465
- Health literacy**  
 Filipino patient perspectives on health care, 37(2):242–250



- self-management support improves diabetes outcomes, 37(2):303–308
- Health personnel**, measuring research capacity with the PACER tool, 37(6):S173–S184
- Health plan implementation**, perspectives on social drivers of, 37(6):1103–1122
- Health policy**  
 advocacy for family medicine research, 37(6):S92–S95  
 caregiving, organization policy, and burnout, 37(5):847–856  
 climate change and policy reforms, 37(1):19–20  
 family medicine's role in payment reform, 37(6):S164–S172  
 hospital readmission rates for in-person *vs.* telemedicine, 37(2):166–171  
 Medicaid reimbursement and influenza vaccination rates, 37(1):137–146  
 NASEM standing committee on primary care, 37(6):S12–S14  
 panel size is declining among family physicians, 37(3):504–505  
 primary care and public health integration, 37(6):S8–S11  
 primary care's role in health equity, 37(6):S1–S3  
 strong primary health care in the United States, 37(6):S4–S7  
 why are family physicians' panels shrinking?, 37(3):502–503
- Health security conference**  
 primary care and public health integration, 37(6):S8–S11  
 primary care's role in health equity, 37(6):S1–S3  
 primary health care and health security, 37(6):S21–S25  
 primary health care as a common good, 37(6):S15–S20  
 strong primary health care in the United States, 37(6):S4–S7
- Health services**  
 colorectal cancer screening intervention to increase uptake, 37(4):660–670  
 family medicine's role in payment reform, 37(6):S164–S172  
 medical scribes and EHR documentation practices, 37(2):228–241  
 rural physicians collaborate with community organizations, 37(6):1167–1169  
 trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Health services accessibility**, time with providers among US youth, 37(2):309–315
- Health services needs**, primary care research agenda for Latino populations, 37(5):948–954
- Health services research**  
 perspectives on social drivers of health program implementation, 37(6):1103–1122  
 safety-net clinician perspectives on telemedicine, 37(3):409–417
- Health workforce**, clinician burnout in rural and urban settings, 37(1):43–58
- Heart failure**  
 acute, acetazolamide and, 37(2):351–353  
 chronic, with reduced ejection fraction, 37(3):364–371
- Hematology**, type 2 diabetes in sickle cell disease, 37(5):919–922
- Hispanics**  
 diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102  
 primary care research agenda for Latino populations, 37(5):948–954
- HIV**  
 prevention, missed opportunities for, 37(2):261–269  
 testing, opt-out outpatient HIV screening program, 37(4):650–659
- Homelessness**, patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- Hormone replacement therapy**  
 testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013  
 testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Hospital medicine**, hospital readmission rates for in-person *vs.* telemedicine, 37(2):166–171
- Hospitalization**  
 primary care COVID risk score validation, 37(2):324–327  
 sliding scale insulin for hospitalized patients, 37(1):150–152  
 using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606
- Hydration**, less aggressive, and acute pancreatitis, 37(3):487–489
- Hypersensitivity**, penicillin allergy testing in primary care, 37(6):991–995
- Hypertension**  
 low-income patients with home blood pressure monitors, 37(2):187–195  
 metabolic parameters during and after COVID-19, 37(1):129–133
- Hypogonadism**, testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Idaho**  
 ability to report care quality, 37(2):316–320  
 COVID-19 pandemic and long-term opioid therapy, 37(2):290–294
- Immigrants**, Filipino patient perspectives on health care, 37(2):242–250
- Immunization**, Medicaid reimbursement and influenza vaccination rates, 37(1):137–146
- Implementation science**  
 clinical translational science award network, 37(6):S122–S128  
 implementing integrated behavioral health into health centers, 37(5):833–846  
 perspectives on social drivers of health program implementation, 37(6):1103–1122
- strategies to improve cardiovascular risk factors, 37(3):444–454
- Income**, the one taboo question, 37(5):979–982
- Induction**, early AROM after cervical ripening, 37(1):147–149
- Influenza**, vaccination rates, Medicaid reimbursement and, 37(1):137–146
- Informatics**, clinical translational science award network, 37(6):S122–S128
- Information technology**  
 commentary, 37(4):525–527  
 complexity science predictions about AI/ML, 37(2):332–345  
 family medicine must prepare for AI, 37(4):520–524  
 family physicians' EHR satisfaction, 37(4):796–798  
 machine learning, motivation, and certification exam outcomes, 37(2):279–289
- Integrated behavioral health**, implementing integrated behavioral health into health centers, 37(5):833–846
- Integrated delivery of health care**, using a CDS tool for opioid use disorder, 37(3):389–398
- Integrated delivery systems**  
 implementing integrated behavioral health into health centers, 37(5):833–846  
 strong primary health care in the United States, 37(6):S4–S7
- Integrated health care systems**  
 patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899  
 perspectives on social drivers of health program implementation, 37(6):1103–1122
- Intention**, drug deactivation pouches for opioid overdose, 37(1):112–117
- Interdisciplinary health team**, team science in family medicine research, 37(6):S56–S58
- Internal medicine**  
 clinician barriers to ordering pulmonary function tests, 37(2):321–323  
 elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435  
 inappropriate ordering of stool DNA tests for screening, 37(2):328–331  
 type 2 diabetes in sickle cell disease, 37(5):919–922
- Intersectionality**, opioid dose reductions by sex and race, 37(3):383–388
- Intersectoral collaboration**, team science in family medicine research, 37(6):S56–S58
- Intrauterine devices**  
 minimizing pain and anxiety with IUD insertion, 37(6):1150–1155  
 Mirena IUD for 8 years, 37(6):1143–1145
- Intravenous hydration**, less aggressive, and acute pancreatitis, 37(3):487–489

- Job tenure**, for minoritized faculty, 37(3):497–501
- Journal of the American Board of Family Medicine (JABFM)**, peer reviewers for, 37(3):360–363
- Jurisprudence**, medical legal partnership qualitative analysis, 37(4):637–649
- Labor**, early AROM after cervical ripening, 37(1):147–149
- Language barriers**, Filipino patient perspectives on health care, 37(2):242–250
- Latinos**  
diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102  
primary care research agenda for Latino populations, 37(5):948–954
- Leadership**  
diversity in family medicine research, 37(6):S64–S68  
increasing family medicine research capacity, 37(6):1047–1054  
measuring research capacity with the PACER tool, 37(6):S173–S184  
primary health care and health security, 37(6):S21–S25
- Learning health system**, family medicine research through community engagement, 37(6):S133–S137
- Leg cramp treatments**, patient-reported, effectiveness of, 37(6):1123–1129
- Levonorgestrel intrauterine device**, Mirena IUD for 8 years, 37(6):1143–1145
- LGBTQ**, transgender and nonbinary patient experiences, 37(6):1072–1087
- Licensing**, family medicine certification scale stability, 37(5):900–908
- Lifespan**, scope of multimorbidity in family medicine, 37(2):251–260
- Lifestyle**  
self-management support improves diabetes outcomes, 37(2):303–308  
testosterone replacement therapy in hypogonadal males, 37(5):816–825  
wellness group and weight loss outcomes, 37(6):1038–1046
- Linear models**, caregiving, organization policy, and burnout, 37(5):847–856
- Linear regression**  
colorectal cancer screening intervention to increase uptake, 37(4):660–670  
telehealth, care connections, and diabetes, 37(2):206–214
- Liver cirrhosis**, diagnostic methods for fatty liver disease, 37(4):753–772
- Logistic regression**  
food insecurity and vitamin B12 deficiency, 37(6):S156–S163  
machine learning, motivation, and certification exam outcomes, 37(2):279–289  
opioid dose reductions by sex and race, 37(3):383–388  
patient engagement in a case management program, 37(3):418–426  
social risks and diabetes metrics, 37(5):939–947  
telehealth medication abortion in primary care, 37(2):295–302  
time with providers among US youth, 37(2):309–315  
trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Long-acting injectable antipsychotics**, guide to, for primary care, 37(4):773–783
- Long-acting reversible contraception**, Mirena IUD for 8 years, 37(6):1143–1145
- Longitudinal studies**  
caregiving, organization policy, and burnout, 37(5):847–856  
family medicine certification scale stability, 37(5):900–908
- Low back pain**, chronic, long-term opioid therapy for, 37(1):59–72
- Machine learning (ML)**  
complexity science predictions about, 37(2):332–345  
motivation and certification exam outcomes, 37(2):279–289  
transforming EHR data from practice into research, 37(6):S138–S143
- Maps**, physician capacity and usual source of care, 37(3):436–443
- Marketing practices**, of Medicare Advantage programs, 37(3):494–496
- MASLD**, diagnostic methods for fatty liver disease, 37(4):753–772
- Medicaid**  
patient engagement in case management program, 37(3):418–426  
reimbursement and influenza vaccination rates, 37(1):137–146
- Medical decision-making**, comparison of ACP interventions, 37(2):215–227
- Medical education**  
GPT-4 on the family medicine in-training examination, 37(4):528–582  
increasing family medicine research capacity, 37(6):1047–1054  
osteopathic research in family medicine, 37(6):S59–S63  
trainees of the family medicine research workforce, 37(6):S30–S34
- Medical ethics**, sexual misconduct by physicians, 37(4):698–705
- Medical faculty**  
family medicine research through community engagement, 37(6):S133–S137  
increasing family medicine research capacity, 37(6):1047–1054  
minoritized, tenure matters for, 37(3):497–501  
the minority tax, 37(5):969–973
- Medical informatics**  
ability to report care quality, 37(2):316–320  
commentary, 37(4):525–527  
complexity science predictions about AI/ML, 37(2):332–345  
family medicine must prepare for AI, 37(4):520–524  
family physicians' EHR satisfaction, 37(4):796–798
- Medical-legal partnership**, medical legal partnership qualitative analysis, 37(4):637–649
- Medical marijuana**, and pain management, 37(4):784–789
- Medicare**, marketing practices of Medicare Advantage programs, 37(3):494–496
- Medicare Advantage**, programs, marketing practices of, 37(3):494–496
- Menopause**, treatment of vasomotor symptoms, 37(5):923–932
- Mental health**  
climate change psychological distress, 37(1):11–14  
guide to injectable antipsychotics for primary care, 37(4):773–783
- Mental health services**, implementing integrated behavioral health into health centers, 37(5):833–846
- Mentoring**  
mentoring for family physicians' engagement in research, 37(6):S69–S74  
why I'm glad I quit my (first) PhD, 37(6):S75–S76
- Mentors**, pathways to physician scientist careers, 37(6):S49–S52
- Metabolic parameters**, during and after COVID-19, 37(1):129–133
- Michigan**  
climate change in shared decision-making, 37(1):25–34  
penicillin allergy testing in primary care, 37(6):991–995
- Middle aged**, colorectal cancer screening intervention to increase uptake, 37(4):660–670
- Mifepristone**  
clinicians' interest and barriers to medication abortion, 37(4):680–689  
telehealth medication abortion in primary care, 37(2):295–302
- Migraine**, treatment options, 37(4):737–744
- Mini Z**, clinician burnout in rural and urban settings, 37(1):43–58
- Minnesota**, clinicians' interest and barriers to medication abortion, 37(4):680–689
- Minority health**  
diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102  
diversity in family medicine research, 37(6):S64–S68  
Filipino patient perspectives on health care, 37(2):242–250  
low-income patients with home blood pressure monitors, 37(2):187–195  
transgender and nonbinary patient experiences, 37(6):1072–1087
- Misoprostol**, clinicians' interest and barriers to medication abortion, 37(4):680–689



- Motivation**, machine learning and certification exam outcomes, 37(2):279–289
- MSM**, doxycycline postexposure prophylaxis for STI prevention, 37(6):1140–1142
- Multicenter studies**  
*All of Us* database for primary care research, 37(6):S144–S155  
 food insecurity and vitamin B12 deficiency, 37(6):S156–S163
- Multimorbidity**, scope of, in family medicine, 37(2):251–260
- Multiple chronic conditions**, and social risks during COVID-19, 37(2):172–179
- Muscle cramps**, patient-reported leg cramp treatments, 37(6):1123–1129
- Muscle spasms**, patient-reported leg cramp treatments, 37(6):1123–1129
- National Academy of Sciences, US**, primary health care and health security, 37(6):S21–S25
- National Institutes of Health, US**, family medicine federal funding, 37(6):S85–S91
- National Survey of Children's Health**, time with providers among US youth, 37(2):309–315
- Negotiating**, how women physicians negotiate their first job, 37(4):690–697
- Neuromodulators**, headache treatment options, 37(4):737–744
- New Jersey**  
 family medicine research through community engagement, 37(6):S133–S137  
 implementing integrated behavioral health into health centers, 37(5):833–846
- North Carolina**, metabolic parameters during and after COVID-19, 37(1):129–133
- Nurse practitioners**, clinician barriers to ordering pulmonary function tests, 37(2):321–323
- Nutrition assessment**, screening and barriers to communication on food insecurity, 37(2):196–205
- Nutritionists**, wellness group and weight loss outcomes, 37(6):1038–1046
- Obesity**  
 diagnostic methods for fatty liver disease, 37(4):753–772  
 GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382  
 metabolic parameters during and after COVID-19, 37(1):129–133  
 wellness group and weight loss outcomes, 37(6):1038–1046
- Observation**, primary care observations provide advantages, 37(6):1133–1139
- Opioid-related disorders**, using a CDS tool for opioid use disorder, 37(3):389–398
- Opioids**  
 COVID-19 pandemic and long-term opioid therapy, 37(2):290–294  
 dose reductions by sex and race, 37(3):383–388  
 drug deactivation pouches for opioid overdose, 37(1):112–117  
 long-term opioid therapy for chronic low back pain, 37(1):59–72
- Oral health**, prevalence of fluoride varnish application, 37(5):826–832
- Oregon**, ability to report care quality, 37(2):316–320
- Organization and administration**, family medicine's role in payment reform, 37(6):S164–S172
- Organizational innovation**, climate change in the exam room, 37(1):15–17
- Osteopathic manipulation**  
 headache treatment options, 37(4):737–744  
 osteopathic research in family medicine, 37(6):S59–S63
- Osteopathic medicine**, osteopathic research in family medicine, 37(6):S59–S63
- Osteopathic physicians**, osteopathic research in family medicine, 37(6):S59–S63
- Osteoporosis**, management, shoring up, 37(3):490–493
- Outcomes assessment**  
 clinical plans based on social context, 37(3):466–478  
 medical scribes and EHR documentation practices, 37(2):228–241  
 trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Overactive bladder**, non-surgical management of urinary incontinence, 37(5):909–918
- Overweight**  
 metabolic parameters during and after COVID-19, 37(1):129–133  
 wellness group and weight loss outcomes, 37(6):1038–1046
- Pain management**  
 cannabis and, 37(4):784–789  
 headache treatment options, 37(4):737–744  
 long-term opioid therapy for chronic low back pain, 37(1):59–72  
 minimizing pain and anxiety with IUD insertion, 37(6):1150–1155  
 opioid dose reductions by sex and race, 37(3):383–388
- Pandemics**  
 COVID-19, and ACSC emergency department use, 37(4):792–795  
 COVID-19, and long-term opioid therapy, 37(2):290–294  
 managing MCC and social risks during COVID-19, 37(2):172–179  
 safety-net clinician perspectives on telemedicine, 37(3):409–417
- Panel size**, decline of, among family physicians, 37(3):504–505
- Papanicolaou test**  
 testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
- Patient adherence**, low-income patients with home blood pressure monitors, 37(2):187–195
- Patient care**  
 high-performing teamlets in primary care, 37(1):105–111  
 lack of diversity in female family physicians, 37(1):21  
 racial inequities in female physicians, 37(1):134–136
- Patient care team**  
 care coordination and social needs, 37(5):857–867  
 high-performing teamlets in primary care, 37(1):105–111  
 improving care for unhealthy alcohol use, 37(6):1027–1037  
 opioid dose reductions by sex and race, 37(3):383–388  
 patient psychological safety, 37(5):809–815  
 screening for health-related social needs, 37(2):180–186  
 telehealth, care connections, and diabetes, 37(2):206–214
- Patient-centered care**  
 clinical plans based on social context, 37(3):466–478  
 Filipino patient perspectives on health care, 37(2):242–250  
 improving care for unhealthy alcohol use, 37(6):1027–1037  
 patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899  
 patient psychological safety, 37(5):809–815  
 PBRNs and primary care research, 37(6):S129–S132  
 person-centered, goal-oriented care and quality of life, 37(3):506–511  
 self-management support improves diabetes outcomes, 37(2):303–308  
 telehealth, care connections, and diabetes, 37(2):206–214  
 telehealth medication abortion in primary care, 37(2):295–302
- Patient compliance**, person-centered, goal-oriented care and quality of life, 37(3):506–511
- Patient discharge**, hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
- Patient education**, self-management support improves diabetes outcomes, 37(2):303–308
- Patient engagement**, in a case management program, 37(3):418–426
- Patient navigators**  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 Filipino patient perspectives on health care, 37(2):242–250
- Patient participation**  
 person-centered, goal-oriented care and quality of life, 37(3):506–511  
 transgender and nonbinary patient experiences, 37(6):1072–1087
- Patient readmission**  
 acetazolamide and acute heart failure, 37(2):351–353  
 hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
- Patient-reported outcome measures**  
 long-term opioid therapy for chronic low back pain, 37(1):59–72

- patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129
- Patient safety**  
cannabis and pain management, 37(4):784–789  
factors associated with completion of cardiac stress tests, 37(6):1088–1094  
hospital discharge and transitional care management, 37(4):706–736  
patient psychological safety, 37(5):809–815
- Patient satisfaction**  
care coordination and social needs, 37(5):857–867  
lack of diversity in female family physicians, 37(1):21  
point of care hemoglobin A1c testing, 37(4):790–791  
racial inequities in female physicians, 37(1):134–136
- Pay equity**  
gender wage gap and early-career physicians, 37(2):270–278  
how women physicians negotiate their first job, 37(4):690–697
- Pearl Index**, Mirena IUD for 8 years, 37(6):1143–1145
- Pediatrics**  
families' perspectives on navigation after pediatric care, 37(3):479–486  
scope of multimorbidity in family medicine, 37(2):251–260  
time with providers among US youth, 37(2):309–315
- Penicillin allergy**, testing in primary care, 37(6):991–995
- Perceived discrimination**, trust in clinicians and, 37(4):607–636
- Perception**, primary care observations provide advantages, 37(6):1133–1139
- Personalized medicine**, person-centered, goal-oriented care and quality of life, 37(3):506–511
- Pharmacology**  
climate change in shared decision-making, 37(1):25–34  
GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382  
headache treatment options, 37(4):737–744
- Pharmacotherapy**  
chronic heart failure with reduced ejection fraction, 37(3):364–371  
single maintenance and reliever therapy asthma management, 37(4):745–752
- Phronimos**, 37(1):153–154
- Physical examination**, simplified approach to manage shoulder pain, 37(6):1156–1166
- Physical therapy**, simplified approach to manage shoulder pain, 37(6):1156–1166
- Physician assistants**, clinician barriers to ordering pulmonary function tests, 37(2):321–323
- Physician-patient relations**  
lack of diversity in female family physicians, 37(1):21  
the one taboo question, 37(5):979–982  
racial inequities in female physicians, 37(1):134–136
- Physician satisfaction**  
commentary, 37(4):525–527  
family physicians' EHR satisfaction, 37(4):796–798
- Physicians**  
clinician barriers to ordering pulmonary function tests, 37(2):321–323  
clinician burnout in rural and urban settings, 37(1):43–58  
group coaching for faculty physicians, 37(6):1055–1071  
machine learning, motivation, and certification exam outcomes, 37(2):279–289  
medical scribes and EHR documentation practices, 37(2):228–241  
role in response to climate change, 37(1):7–10
- Physician's practice patterns**  
opioid dose reductions by sex and race, 37(3):383–388  
person-centered, goal-oriented care and quality of life, 37(3):506–511
- Pleural effusion**, acetazolamide and acute heart failure, 37(2):351–353
- Point-of-care systems**, hemoglobin A1c testing, 37(4):790–791
- Policy**  
caregiving, organization policy, and burnout, 37(5):847–856  
climate change psychological distress, 37(1):11–14  
gender wage gap and early-career physicians, 37(2):270–278
- Policy making**, climate change and policy reforms, 37(1):19–20
- Population health**  
environmental impact of practice-based research, 37(1):22–24  
Filipino patient perspectives on health care, 37(2):242–250  
patient engagement in a case management program, 37(3):418–426  
PBRNs and primary care research, 37(6):S129–S132  
primary care and public health integration, 37(6):S8–S11  
primary health care as a common good, 37(6):S15–S20
- Postexposure prophylaxis**, doxycycline for STI prevention, 37(6):1140–1142
- Practice-based research**  
answering the “Hames 100,” 37(6):S106–S121  
community engagement, 37(6):S133–S137  
environmental impact of, 37(1):22–24  
reflections of PBRN directors, 37(5):955–968  
smoking cessation support and other needs, 37(1):84–94
- Practice-based research networks**  
directors, reflections of, 37(5):955–968  
environmental impact of practice-based research, 37(1):22–24  
mentoring for family physicians' engagement in research, 37(6):S69–S74  
and primary care research, 37(6):S129–S132
- Pre-exposure prophylaxis (PrEP)**, missed opportunities for HIV prevention, 37(2):261–269
- Precision medicine**  
*All of Us* database for primary care research, 37(6):S144–S155  
food insecurity and vitamin B12 deficiency, 37(6):S156–S163
- Prediabetic state**, continuity of care and progression to type 2 diabetes, 37(5):936–938
- Pregnancy**, early AROM after cervical ripening, 37(1):147–149
- Prevalence**  
inappropriate ordering of stool DNA tests for screening, 37(2):328–331  
prevalence of fluoride varnish application, 37(5):826–832
- Preventive health services**, primary care cancer survivorship innovations, 37(3):399–408
- Preventive medicine**  
colorectal cancer screening intervention to increase uptake, 37(4):660–670  
disparities in screening for ACEs, 37(1):73–83  
inappropriate ordering of stool DNA tests for screening, 37(2):328–331  
testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Primary care physicians**  
complexity science predictions about AI/ML, 37(2):332–345  
elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435  
how women physicians negotiate their first job, 37(4):690–697  
implementation of continuous glucose monitoring, 37(4):671–679  
physician capacity and usual source of care, 37(3):436–443  
primary care cancer survivorship innovations, 37(3):399–408  
primary care observations provide advantages, 37(6):1133–1139
- Primary health care**  
ability to report care quality, 37(2):316–320  
advocacy for family medicine research, 37(6):S92–S95  
*All of Us* database for primary care research, 37(6):S144–S155  
cancer survivorship innovations, 37(3):399–408  
care coordination and social needs, 37(5):857–867  
caregiving, organization policy, and burnout, 37(5):847–856  
climate change and policy reforms, 37(1):19–20  
climate change in shared decision-making, 37(1):25–34  
climate change psychological distress, 37(1):11–14  
clinical translational science award network, 37(6):S122–S128  
clinician barriers to ordering pulmonary function tests, 37(2):321–323

- clinicians' interest and barriers to medication abortion, 37(4):680–689
- colorectal cancer screening intervention to increase uptake, 37(4):660–670
- as a common good, 37(6):S15–S20
- comparison of ACP interventions, 37(2):215–227
- complexity science predictions about AI/ML, 37(2):332–345
- continuity of care and progression to type 2 diabetes, 37(5):936–938
- COVID-19 and ACSC emergency department use, 37(4):792–795
- COVID-19 pandemic and long-term opioid therapy, 37(2):290–294
- COVID-19 risk score validation, 37(2):324–327
- data disaggregation of Asian-American physicians, 37(2):349–350
- direct primary care served vulnerable communities, 37(3):455–465
- disparities in screening for ACEs, 37(1):73–83
- diversity in family medicine research, 37(6):S64–S68
- factors associated with completion of cardiac stress tests, 37(6):1088–1094
- family medicine research through community engagement, 37(6):S133–S137
- family medicine's role in payment reform, 37(6):S164–S172
- Filipino patient perspectives on health care, 37(2):242–250
- GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382
- guide to injectable antipsychotics, 37(4):773–783
- and health security, 37(6):S21–S25
- high-performing teamlets in primary care, 37(1):105–111
- hospital discharge and transitional care management, 706–736
- hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
- how women physicians negotiate their first job, 37(4):690–697
- implementation of continuous glucose monitoring, 37(4):671–679
- implementing integrated behavioral health into health centers, 37(5):833–846
- improving care for unhealthy alcohol use, 37(6):1027–1037
- low-income patients with home blood pressure monitors, 37(2):187–195
- managing MCC and social risks during COVID-19, 37(2):172–179
- medical legal partnership qualitative analysis, 37(4):637–649
- medical scribes and EHR documentation practices, 37(2):228–241
- metabolic parameters during and after COVID-19, 37(1):129–133
- NASEM standing committee on, 37(6):S12–S14
- opt-out outpatient HIV screening program, 37(4):650–659
- panel size is declining among family physicians, 37(3):504–505
- pathways to physician scientist careers, 37(6):S49–S52
- patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- patient psychological safety, 37(5):809–815
- patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129
- PBRNs and primary care research, 37(6):S129–S132
- peer-coaching to close the intention-to-action gap, 37(6):996–1008
- penicillin allergy testing, 37(6):991–995
- person-centered, goal-oriented care and quality of life, 37(3):506–511
- perspectives on social drivers of health program implementation, 37(6):1103–1122
- physician capacity and usual source of care, 37(3):436–443
- point of care hemoglobin A1c testing, 37(4):790–791
- prevalence of fluoride varnish application, 37(5):826–832
- primary care observations provide advantages, 37(6):1133–1139
- and public health integration, 37(6):S8–S11
- PURLs methodology, 37(4):799–802
- research agenda for Latino populations, 37(5):948–954
- role in health equity, 37(6):S1–S3
- rural physicians collaborate with community organizations, 37(6):1167–1169
- safety-net clinician perspectives on telemedicine, 37(3):409–417
- screening for health-related social needs, 37(2):180–186
- self-management support improves diabetes outcomes, 37(2):303–308
- single maintenance and reliever therapy asthma management, 37(4):745–752
- smoking cessation support and other needs, 37(1):84–94
- social risks and diabetes metrics, 37(5):939–947
- strategies to improve cardiovascular risk factors, 37(3):444–454
- strong, in the United States, 37(6):S4–S7
- telehealth medication abortion in, 37(2):295–302
- testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
- testosterone replacement therapy in hypogonadal males, 37(5):816–825
- time with providers among US youth, 37(2):309–315
- transforming EHR data from practice into research, 37(6):S138–S143
- transgender and nonbinary patient experiences, 37(6):1072–1087
- trust in clinicians and healthcare-based discrimination, 37(4):607–636
- using a CDS tool for opioid use disorder, 37(3):389–398
- using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606
- weather effects on primary care, 37(1):95–104
- why are family physicians' panels shrinking?, 37(3):502–503
- why I'm glad I quit my (first) PhD, 37(6):S75–S76
- PRIME registry**, transforming EHR data from practice into research, 37(6):S138–S143
- Prior authorization**, marketing practices of Medicare advantage programs, 37(3):494–496
- Process assessment**, improving care for unhealthy alcohol use, 37(6):1027–1037
- Professional education**, why I'm glad I quit my (first) PhD, 37(6):S75–S76
- Professional misconduct**, sexual misconduct by physicians, 37(4):698–705
- Prognosis**, primary care COVID risk score validation, 37(2):324–327
- Program requirements**, and scholarly activity, 37(6):S41–S48
- Prospective studies**  
elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435  
low-income patients with home blood pressure monitors, 37(2):187–195
- Psychiatry**, guide to injectable antipsychotics for primary care, 37(4):773–783
- Psychological distress**, climate change, 37(1):11–14
- Psychological safety**, patient, 37(5):809–815
- Psychological well-being**, group coaching for faculty physicians, 37(6):1055–1071
- Psychometrics**, family medicine certification scale stability, 37(5):900–908
- Public health**  
*All of Us* database for primary care research, 37(6):S144–S155  
climate change and policy reforms, 37(1):19–20  
climate change in the exam room, 37(1):15–17  
disparities in screening for ACEs, 37(1):73–83  
doxycycline postexposure prophylaxis for STI prevention, 37(6):1140:1142  
families' perspectives on navigation after pediatric care, 37(3):479–486  
inappropriate ordering of stool DNA tests for screening, 37(2):328–331  
opt-out outpatient HIV screening program, 37(4):650–659  
PBRNs and primary care research, 37(6):S129–S132  
primary care and public health integration, 37(6):S8–S11  
primary health care and health security, 37(6):S21–S25



- rural physicians collaborate with community organizations, 37(6):1167–1169
- Publishing**, trainees of the family medicine research workforce, 37(6):S30–S34
- Pulmonary function tests**, ordering, clinician barriers to, 37(2):321–323
- Qualitative research**  
 caregiving, organization policy, and burnout, 37(5):847–856  
 comparison of ACP interventions, 37(2):215–227  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 Filipino patient perspectives on health care, 37(2):242–250  
 high-performing teamlets in primary care, 37(1):105–111  
 implementation of continuous glucose monitoring, 37(4):671–679  
 implementing integrated behavioral health into health centers, 37(5):833–846  
 managing MCC and social risks during COVID-19, 37(2):172–179  
 medical legal partnership qualitative analysis, 37(4):637–649  
 peer-coaching to close the intention-to-action gap, 37(6):996–1008  
 perspectives on social drivers of health program implementation, 37(6):1103–1122  
 primary care cancer survivorship innovations, 37(3):399–408  
 transgender and nonbinary patient experiences, 37(6):1072–1087  
 using a CDS tool for opioid use disorder, 37(3):389–398
- Quality improvement**  
 ability to report care quality, 37(2):316–320  
 complexity science predictions about AI/ML, 37(2):332–345  
 factors associated with completion of cardiac stress tests, 37(6):1088–1094  
 medical scribes and EHR documentation practices, 37(2):228–241  
 opt-out outpatient HIV screening program, 37(4):650–659  
 peer-coaching to close the intention-to-action gap, 37(6):996–1008  
 strategies to improve cardiovascular risk factors, 37(3):444–454  
 telehealth, care connections, and diabetes, 37(2):206–214  
 transforming EHR data from practice into research, 37(6):S138–S143
- Quality of care**  
 ability to report care quality, 37(2):316–320  
 clinician barriers to ordering pulmonary function tests, 37(2):321–323  
 Filipino patient perspectives on health care, 37(2):242–250  
 improving care for unhealthy alcohol use, 37(6):1027–1037  
 transforming EHR data from practice into research, 37(6):S138–S143
- Quality of health care**, clinical translational science award network, 37(6):S122–S128
- Quality of life**, person-centered, goal-oriented care and quality of life, 37(3):506–511
- Quantitative research**  
 clinician burnout in rural and urban settings, 37(1):43–58  
 colorectal cancer screening intervention to increase uptake, 37(4):660–670  
 medical scribes and EHR documentation practices, 37(2):228–241  
 telehealth medication abortion in primary care, 37(2):295–302
- Race**  
 filtering race out of GFR calculation, 37(6):1146–1148  
 opioid dose reductions by sex and race, 37(3):383–388
- Range of motion**, simplified approach to manage shoulder pain, 37(6):1156–1166
- Reduced ejection fraction**, in chronic heart failure, 37(3):364–371
- Referral and consultation**, inappropriate ordering of stool DNA tests for screening, 37(2):328–331
- Registries**  
 long-term opioid therapy for chronic low back pain, 37(1):59–72  
 opioid dose reductions by sex and race, 37(3):383–388  
 transforming EHR data from practice into research, 37(6):S138–S143
- Regression analysis**  
 gender wage gap and early-career physicians, 37(2):270–278  
 self-management support improves diabetes outcomes, 37(2):303–308
- Renal insufficiency**, DOACs outperform warfarin with reduced kidney function, 37(5):983–985
- Reproductive health**  
 clinicians' interest and barriers to medication abortion, 37(4):680–689  
 lack of diversity in female family physicians, 37(1):21  
 minimizing pain and anxiety with IUD insertion, 37(6):1150–1155  
 racial inequities in female physicians, 37(1):134–136  
 telehealth medication abortion in primary care, 37(2):295–302  
 testosterone replacement therapy in hypogonadal males, 37(5):816–825
- Research**  
 answering the “Hames 100,” 37(6):S106–S121  
 building curiosity to increase research capacity, 37(6):S35–S40  
 CERA and family medicine research, 37(6):S77–S79  
 clinical translational science award network, 37(6):S122–S128  
 diversity in family medicine research, 37(6):S64–S68  
 family medicine federal funding, 37(6):S85–S91  
 institutional advocacy to increase research capacity, 37(6):S102–S105  
 mentoring for family physicians' engagement in research, 37(6):S69–S74  
 osteopathic research in family medicine, 37(6):S59–S63  
 pathways to physician scientist careers, 37(6):S49–S52  
 the role of PhDs in family medicine research, 37(6):S53–S55  
 transforming EHR data from practice into research, 37(6):S138–S143
- Research capacity building**, increasing family medicine research capacity, 37(6):1047–1054
- Research design**, family medicine certification scale stability, 37(5):900–908
- Research personnel**, measuring research capacity with the PACER tool, 37(6):S173–S184
- Research support**, advocacy for family medicine research, 37(6):S92–S95
- Residency**  
 CERA and family medicine research, 37(6):S77–S79  
 intention to provide gender affirming care, 37(5):974–975  
 training in gender affirming care, 37(5):976–978  
 why I'm glad I quit my (first) PhD, 37(6):S75–S76
- Residency accreditation**  
 program requirements and scholarly activity, 37(6):S41–S48  
 transforming family medicine research, 37(6):S27–S29
- Resource allocation**, measuring research capacity with the PACER tool, 37(6):S173–S184
- Retrospective cohort studies**  
 disparities in screening for ACEs, 37(1):73–83  
 long-term opioid therapy for chronic low back pain, 37(1):59–72
- Retrospective studies**  
*All of Us* database for primary care research, 37(6):S144–S155  
 continuity of care and progression to type 2 diabetes, 37(5):936–938  
 factors associated with completion of cardiac stress tests, 37(6):1088–1094  
 food insecurity and vitamin B12 deficiency, 37(6):S156–S163  
 medical scribes and EHR documentation practices, 37(2):228–241  
 opioid dose reductions by sex and race, 37(3):383–388  
 prevalence of fluoride varnish application, 37(5):826–832  
 scope of multimorbidity in family medicine, 37(2):251–260  
 telehealth, care connections, and diabetes, 37(2):206–214  
 telehealth medication abortion in primary care, 37(2):295–302  
 testosterone and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013

- Risk assessment**, cannabis and pain management, 37(4):784–789
- Risk factors**, patient engagement in a case management program, 37(3):418–426
- Risk score**, primary care COVID risk score validation, 37(2):324–327
- Rotator cuff injuries**, simplified approach to manage shoulder pain, 37(6):1156–1166
- Rural health**  
 clinician burnout in rural and urban settings, 37(1):43–58  
 Filipino patient perspectives on health care, 37(2):242–250
- Rural population**, point of care hemoglobin A1c testing, 37(4):790–791
- Safety-net clinics**, clinician perspectives on telemedicine, 37(3):409–417
- Safety-net providers**  
 clinician barriers to ordering pulmonary function tests, 37(2):321–323  
 colorectal cancer screening intervention to increase uptake, 37(4):660–670
- Salaries and fringe benefits**, how women physicians negotiate their first job, 37(4):690–697
- SARS-CoV-2**, primary care COVID risk score validation, 37(2):324–327
- Scales**  
 family medicine certification scale stability, 37(5):900–908  
 patient psychological safety, 37(5):809–815
- Schizoaffective disorder**, guide to injectable antipsychotics for primary care, 37(4):773–783
- Schizophrenia**, guide to injectable antipsychotics for primary care, 37(4):773–783
- Scholarly activity**, program requirements and scholarly activity, 37(6):S41–S48
- Scholarly publishing**  
 challenges to publishing family medicine research, 37(6):S80–S84  
 family medicine research through community engagement, 37(6):S133–S137
- Scholarships**  
 diversity in family medicine research, 37(6):S64–S68  
 increasing family medicine research capacity, 37(6):1047–1054
- Scope of practice**  
 clinicians' interest and barriers to medication abortion, 37(4):680–689  
 practice patterns of early- and later-career physicians, 37(1):35–42
- Screening**  
 colorectal cancer screening intervention to increase uptake, 37(4):660–670  
 disparities in screening for ACEs, 37(1):73–83  
 for food insecurity, 37(2):196–205  
 improving care for unhealthy alcohol use, 37(6):1027–1037  
 inappropriate ordering of stool DNA tests for, 37(2):328–331  
 opt-out outpatient HIV screening program, 37(4):650–659  
 trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Secondary data analysis**, clinician burnout in rural and urban settings, 37(1):43–58
- Sedatives**, veteran status and chronic pain on sedative use, 37(1):118–128
- Selection bias**, primary care observations provide advantages, 37(6):1133–1139
- Self efficacy**, patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- Self-management**, support, and diabetes outcomes, 37(2):303–308
- Serum creatinine**, filtering race out of GFR calculation, 37(6):1146–1148
- Sexual misconduct**, by physicians, 37(4):698–705
- Sexually transmitted infections**  
 missed opportunities for HIV prevention, 37(2):261–269  
 prevention, doxycycline postexposure prophylaxis for, 37(6):1140–1142
- Shared decision-making**  
 climate change in shared decision-making, 37(1):25–34  
 clinical plans based on social context, 37(3):466–478
- Shoulder pain**, simplified approach to evaluate and manage, 37(6):1156–1166
- Sickle cell disease**, type 2 diabetes in, 37(5):919–922
- Single maintenance and reliever therapy (SMART)**, asthma management, 37(4):745–752
- Singleton**, early AROM after cervical ripening, 37(1):147–149
- Skin cancer**, elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435
- Sliding scale insulin**, for hospitalized patients, 37(1):150–152
- Smoking cessation**, support and other needs, 37(1):84–94
- Social determinants of health**  
 clinical plans based on social context, 37(3):466–478  
 colorectal cancer screening and social needs, 37(5):868–887  
 disparities in screening for ACEs, 37(1):73–83  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 food insecurity and vitamin B12 deficiency, 37(6):S156–S163  
 how physicians should respond to climate change, 37(1):7–10  
 medical legal partnership qualitative analysis, 37(4):637–649  
 the one taboo question, 37(5):979–982  
 patient engagement in a case management program, 37(3):418–426  
 perspectives on social drivers of health program implementation, 37(6):1103–1122  
 rural physicians collaborate with community organizations, 37(6):1167–1169  
 screening and barriers to communication on food insecurity, 37(2):196–205  
 screening for health-related social needs, 37(2):180–186  
 smoking cessation support and other needs, 37(1):84–94  
 social risks and diabetes metrics, 37(5):939–947  
 strong primary health care in the United States, 37(6):S4–S7  
 telehealth, care connections, and diabetes, 37(2):206–214  
 trust in clinicians and healthcare-based discrimination, 37(4):607–636
- Social factors**  
 colorectal cancer screening and social needs, 37(5):868–887  
 medical legal partnership qualitative analysis, 37(4):637–649  
 perspectives on social drivers of health program implementation, 37(6):1103–1122  
 screening for health-related social needs, 37(2):180–186
- Social justice**, primary health care as a common good, 37(6):S15–S20
- Social needs**, care coordination and, 37(5):857–867
- Social risk factors**  
 clinical plans based on social context, 37(3):466–478  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 social risks and diabetes metrics, 37(5):939–947
- Social services**  
 families' perspectives on navigation after pediatric care, 37(3):479–486  
 rural physicians collaborate with community organizations, 37(6):1167–1169
- Social support**, patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- Social vulnerability**, direct primary care served vulnerable communities, 37(3):455–465
- Social workers**, care coordination and social needs, 37(5):857–867
- Sociodemographic factors**, associated with completion of cardiac stress tests, 37(6):1088–1094
- Socioeconomic factors**, data disaggregation of Asian-American physicians, 37(2):346–348, 37(2):349–350
- Sodium-glucose transporter 2 inhibitors**, GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382
- Special communications**  
 Building a Primary Care Research Agenda for Latino Populations in the Setting of the Latino Paradox: A Report from the 2023 Latino Primary Care Summit, 37(5):948–954  
 In Defense of Generalists: Primary Care Observations Have Systematic Advantages, 37(6):1133–1139

- The Essential Role of Primary Health Care for Health Security, 37(6): S21–S25
- Looking Back to Move Forward: Reflections of PBRN Directors, 37(5):955–968
- What Complexity Science Predicts About the Potential of Artificial Intelligence/Machine Learning to Improve Primary Care, 37(2):332–345
- Specialty boards**
- machine learning, motivation, and certification exam outcomes, 37(2):279–289
  - sexual misconduct by physicians, 37(4):698–705
  - timing of stage completion and exam outcomes, 37(6):1130–1132
- Spectroscopy**, elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435
- Sports medicine**, simplified approach to manage shoulder pain, 37(6):1156–1166
- Statistics**
- All of Us* database for primary care research, 37(6):S144–S155
  - family medicine certification scale stability, 37(5):900–908
- Stress urinary incontinence**, non-surgical management, 37(5):909–918
- Students**, pathways to physician scientist careers, 37(6):S49–S52
- Substance-related disorders**
- cannabis and pain management, 37(4):784–789
  - drug deactivation pouches for opioid overdose, 37(1):112–117
  - using a CDS tool for opioid use disorder, 37(3):389–398
  - veteran status and chronic pain on sedative use, 37(1):118–128
- Substance use disorders**
- COVID-19 pandemic and long-term opioid therapy, 37(2):290–294
  - opioid dose reductions by sex and race, 37(3):383–388
- Support systems**, using a CDS tool for opioid use disorder, 37(3):389–398
- Surveys and questionnaires**
- care coordination and social needs, 37(5):857–867
  - caregiving, organization policy, and burnout, 37(5):847–856
  - CERA and family medicine research, 37(6):S77–S79
  - clinical plans based on social context, 37(3):466–478
  - clinician barriers to ordering pulmonary function tests, 37(2):321–323
  - clinician burnout in rural and urban settings, 37(1):43–58
  - clinicians' interest and barriers to medication abortion, 37(4):680–689
  - gender wage gap and early-career physicians, 37(2):270–278
  - increasing family medicine research capacity, 37(6):1047–1054
  - low-income patients with home blood pressure monitors, 37(2):187–195
  - patient psychological safety, 37(5):809–815
  - patient-reported leg cramp treatments and their effectiveness, 37(6):1123–1129
  - patients' difficulties with FITs, 37(6):1014–1026
  - screening and barriers to communication on food insecurity, 37(2):196–205
  - self-management support improves diabetes outcomes, 37(2):303–308
  - transgender and nonbinary patient experiences, 37(6):1072–1087
  - weather effects on primary care, 37(1):95–104
- Survivorship**, primary care cancer survivorship innovations, 37(3):399–408
- Systematic review**
- measuring research capacity with the PACER tool, 37(6):S173–S184
  - using EMRs to predict hospitalizations, ED visits, and mortality, 37(4):583–606
- Systems integration**, Building Research Capacity initiative, 37(6):S96–S101
- Team science**, in family medicine research, 37(6):S56–S58
- Technology**
- assessment, family medicine must prepare for AI, 37(4):520–524
  - elastic scattering spectroscopy on patient-selected lesions, 37(3):427–435
- Telehealth**
- care connections and diabetes, 37(2):206–214
  - medication abortion in primary care, 37(2):295–302
- Telemedicine**
- hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
  - low-income patients with home blood pressure monitors, 37(2):187–195
  - managing MCC and social risks during COVID-19, 37(2):172–179
  - safety-net clinician perspectives on telemedicine, 37(3):409–417
- Tension headache**, treatment options, 37(4):737–744
- Tertiary care centers**, prevalence of fluoride varnish application, 37(5):826–832
- Testosterone**
- and cervicovaginal cytology, gender-diverse individuals, 37(6):1009–1013
  - replacement therapy in hypogonadal males, 37(5):816–825
- Texas**, clinical plans based on social context, 37(3):466–478
- Therapeutic use**, patient-reported leg cramp treatments, 37(6):1123–1129
- Third trimester**, early AROM after cervical ripening, 37(1):147–149
- Tobacco cessation**, nicotine e-cigarettes, 37(2):354–356
- Tobacco use**, nicotine e-cigarettes, 37(2):354–356
- Transgender persons**, patient experiences, 37(6):1072–1087
- Transition of care**, hospital readmission rates for in-person vs. telemedicine, 37(2):166–171
- Transitional care**, hospital discharge and transitional care management, 37(4):706–736
- Translational research**, clinical translational science award network, 37(6):S122–S128
- Treatment adherence and compliance**, guide to injectable antipsychotics, 37(4):773–783
- Triptans**, headache treatment options, 37(4):737–744
- Trust**
- in clinicians and healthcare-based discrimination, 37(4):607–636
  - high-performing teamlets in primary care, 37(1):105–111
  - medical legal partnership qualitative analysis, 37(4):637–649
  - sexual misconduct by physicians, 37(4):698–705
- Type 1 diabetes mellitus**, implementation of continuous glucose monitoring, 37(4):671–679
- Type 2 diabetes mellitus**
- continuity of care and progression to type 2 diabetes, 37(5):936–938
  - diabetes monitoring in foreign-born and US-born Latinos, 37(6):1095–1102
  - GLP-1 RAs and SGLT2-Is to reduce risk, 37(3):372–382
  - implementation of continuous glucose monitoring, 37(4):671–679
  - type 2 diabetes in sickle cell disease, 37(5):919–922
- United States Dept. of Health and Human Services**, primary health care and health security, 37(6): S21–S25
- Unplanned pregnancy**, clinicians' interest and barriers to medication abortion, 37(4):680–689
- Urban health services**, clinician burnout, 37(1):43–58
- Urge urinary incontinence**, non-surgical management, 37(5):909–918
- Urinary incontinence**, non-surgical management, 37(5):909–918
- Uterine bleeding**, Mirena IUD for 8 years, 37(6):1143–1145
- Vasomotor symptoms**, treatment of, 37(5):923–932
- Ventricular function**, acetazolamide and acute heart failure, 37(2):351–353
- Veterans**
- metabolic parameters during and after COVID-19, 37(1):118–128
  - veteran status and chronic pain on sedative use, 37(1):118–128
- Vitamin B12**, deficiency, food insecurity and, 37(6):S156–S163
- Vitamin B12 deficiency**, food insecurity and, 37(6):S156–S163
- Vulnerable populations**
- direct primary care served vulnerable communities, 37(3):455–465



- families' perspectives on navigation after pediatric care, 37(3):479–486
- low-income patients with home blood pressure monitors, 37(2):187–195
- patient perceptions of a healthcare-for-the-homeless clinic, 37(5):888–899
- primary health care and health security, 37(6):S21–S25
- Wages**, gender wage gap and early-career physicians, 37(2):270–278
- Warfarin**, DOACs outperform warfarin with reduced kidney function, 37(5):983–985
- Washington**
- ability to report care quality, 37(2):316–320
  - COVID-19 pandemic and long-term opioid therapy, 37(2):290–294
- Wearable technology**, implementation of continuous glucose monitoring, 37(4):671–679
- Weather**, effects on primary care, 37(1):95–104
- Weight loss**, outcomes, wellness group and, 37(6):1038–1046
- Women physicians**
- how women physicians negotiate their first job, 37(4):690–697
  - lack of diversity in female family physicians, 37(1):21
  - racial inequities in female physicians, 37(1):134–136
- Women's health**
- minimizing pain and anxiety with IUD insertion, 37(6):1150–1155
  - telehealth medication abortion in primary care, 37(2):295–302
  - treatment of vasomotor symptoms, 37(5):923–932
- Women's health services**
- lack of diversity in female family physicians, 37(1):21
  - racial inequities in female physicians, 37(1):134–136
- Work-life balance**, clinical burnout in rural and urban settings, 37(1):43–58
- Worker's compensation**, gender wage gap and early-career physicians, 37(2):270–278
- Workflow**, using a CDS tool for opioid use disorder, 37(3):389–398
- Workforce**
- advocacy for family medicine research, 37(6):S92–S95
  - caregiving, organization policy, and burnout, 37(5):847–856
  - data disaggregation of Asian-American physicians, 37(2):346–348, 37(2):349–350
  - diversity in family medicine research, 37(6):S64–S68
  - gender wage gap and early-career physicians, 37(2):270–278
  - how women physicians negotiate their first job, 37(4):690–697
  - increasing family medicine research capacity, 37(6):1047–1054
  - panel size is declining among family physicians, 37(3):504–505
  - physician capacity and usual source of care, 37(3):436–443
  - primary care cancer survivorship innovations, 37(3):399–408
  - strong primary health care in the United States, 37(6):S4–S7
  - trainees of the family medicine research workforce, 37(6):S30–S34
  - why are family physicians' panels shrinking?, 37(3):502–503
- Workforce diversity**
- data disaggregation of Asian-American physicians, 37(2):346–348, 37(2):349–350
  - in family medicine research, 37(6):S64–S68
  - the minority tax, 37(5):969–973
  - primary care research agenda for Latino populations, 37(5):948–954
- World Health Organization**, primary health care and health security, 37(6):S21–S25