

physician supply/requirements: testing COGME recommendations. Rockville, MD: Department of Health and Human Services, Public Health Service, Health Resources and Services Administration, forthcoming.

7. Weiner JP. Forecasting the effects of health reform on US physician workforce requirement: evidence from HMO staffing patterns. *JAMA* 1994; 272:222-30.
8. Physician characteristics and distribution in the US. Chicago: The Association; Department of Data

Services, Division of Survey and Data Resources, American Medical Association, 1994.

9. Council on Graduate Medical Education. Council of Graduate Medical Education: seventh report: COGME 1995 physician workforce funding recommendations for Department of Health and Human Services Programs. Rockville, MD: US Department of Health and Human Services, Public Health Service, Health Resources and Services Administration, 1995.

Correction

Errors in dosing values appeared in "Myxedema Coma in the Elderly," by Cynthia G. Olsen, which was published in the September-October issue of the *Journal* (JABFP 1995; 8:376-83). We offer the following corrections:

Page 377: left-hand column, second full paragraph, line 4:

"She received intravenous hydrocortisone, 75 mg every 6 hours. An initial bolus of 400 μ g of synthetic thyroxine was followed by 200 μ g on day 2 and 100 μ g daily thereafter. She received treatment of her heart failure with diuretics, supplemental oxygen and potassium, and digoxin. On day 5 she was switched to oral medications of prednisone 10 mg, levothyroxine 125 μ g, digoxin 2.5 mg, and indapamide 2.5 mg."

Page 381: left-hand column, second full paragraph, line 12:

". . . dose of 250 to 500 μ g for a 30- to 60-second period."

Page 381: left-hand column, third full paragraph, line 6:

". . . dosing in a range of 100 to 170 μ g daily."