

BRIEF REPORT

Parental Reading to Infants Improves Language Score: A Rural Family Medicine Intervention

Adam M. Franks, MD, Callie Seaman, MD, Emily K. Franks, MA, CCC-SLP, William Rollyson, MD, and Todd Davies, PhD

Introduction: Both expressive and receptive language development begins early in life. While the benefits of reading to toddlers (over 12 months old) is well-established, benefits of reading to infants (birth to 12 months old) is less established. This study's objective is to determine if consistent reading to infants improves expressive and receptive language development during the first year of life.

Methods: We prospectively randomized infants at a family medicine clinic during their 2-week-old visits and gave them a collection of books. Group A (n = 16) received no instructions, while patients in Group B (n = 18) committed to read 1 book a day. Parents in Group C (n = 18) enrolled after 34 weeks gestation, committed to read 1 book a day, and watch an infant brain development video. We obtained average book counts and both expressive and receptive language testing at standard preventative visits through 12 months.

Results: Language scores did not differ between randomized groups. Always reading 7 books per week led to higher expressive, receptive and combined language scores at 9 months than sometimes reading fewer than 7 books per week ($P = .025$, 0.009 and 0.011 respectively). These differences increased by 12 months ($P = .004$, 0.002 , and 0.003 , respectively). Instructing parents to read daily encouraged parents to read more books per week at 4 months ($P = .031$) and 6 months ($P = .049$).

Discussion: Early, consistent reading demonstrates improved language scores as early as 9 months of age. Setting expectations of minimal daily reading impacted daily reading compliance early in life. (J Am Board Fam Med 2022;00:000–000.)

Keywords: Child Development, Clinical Medicine, Communication, Language Development, Motivation, Parents, Pediatrics, Primary Health Care, Reading

Introduction

Reading aloud to children builds language and literacy skills, strengthens parent-child relationships, and establishes a foundation for scholastic and occupational success.^{1–8} It is one of the most effective ways to improve acquisition of vocabulary and

phonological awareness through exposure to enriched language.^{1–3,9–14} A stimulating home reading environment increases neurological activation in cerebral networks of left temporal and occipital lobes, which are involved in higher order language skills including semantic processing and mental imagery.^{2,15,16} Furthermore, parent-child bonding from joint focus, unhurried reciprocal interactions, and establishment of routines positively influences parental psychosocial functioning and child behavior.^{1,2,4,5,9–11,15,17–20} Ultimately, the age at which parents begin reading to their children correlates with language development and academic achievement.^{1–4,6,9,12,16,17,21,22}

Despite basic language development starting from birth, data are limited for reading to infants and the optimal age to initiate shared reading is unknown.^{1,21,23,24} Childhood interventions, especially by physicians, are effective in guiding and

This article was externally peer reviewed.

Submitted 16 February 2022; revised 15 May 2022; accepted 12 July 2022.

This is the Ahead of Print version of the article.

From Department of Family and Community Health, Joan C. Edwards School of Medicine at Marshall University (AMF, WR, TD); National Capital Consortium Family Medicine Program (CS); American Speech-Language-Hearing Association (EKF).

Funding: This project was funded by an internal \$25,000 grant from Marshall University's Robert C. Byrd Center for Rural Health.

Conflicts of interest: None.

Corresponding author: Adam M. Franks, MD, 1600 Medical Center Drive Suite, 1500 Huntington, WV 25701 (E-mail: franks1@marshall.edu).

promoting literacy activities.^{3,7,9–11,18–21} Parents are receptive and highly motivated particularly during the prenatal period.^{2,8,18,25} Still, late onset and poorly shared reading adherence occur, as reading is often left unaddressed during physician visits from a lack of national guideline consensus.^{2,3,10,12,13,23,24,25} The objective of this study is to determine the effectiveness of a simple, outpatient intervention to improve expressive and receptive language development of infants through 1 year of age.

Methods

Newborn patients of the institution's rural family medicine center were sequentially enrolled in the program. Patients were excluded if they had a medical diagnosis that impacted their ability to learn. Guardians consenting at their child's 2-week visit had their infants prospectively randomized by a predetermined list into 2 groups; group A received a set of twenty books chosen by a speech language pathologist for specific language development rationale (Figure 1). Group A received no instructions, while Group B received the same 20 books along

with instructions to read 1+ books per day. No restrictions were made as to order or frequency each book was to be read. A third, nonrandomized group of on-site obstetric patients (Group C), were enrolled in their third trimester. A short video on the importance of brain development in the first year of a child's life was shown to the mothers of this third group after 34 weeks of their gestation in addition to Group B's instructions. All groups were given logbooks to record their reading. At standard preventative visits (2 weeks and 2, 4, 6, 9 and 12 months), parents were asked the average number of books per week their child experienced, and their logbook was checked. The infants were also tested with the standardized and maternally rated Receptive-Expressive Emergent Language Test-Third Edition (REEL-3)²⁶ for expressive language (EL), receptive language (RL), and combined language (CL). This test, based on caregiver interview, yields a standard score for children up to 3 years old, displaying results on an IQ-like bell curve. A certified speech language pathologist scored the results. The infants were subclassified into functional groups, those experiencing always at least 7 books (A7+)

Figure 1. Books utilized during the study.

Book Title	Author	Reason Chosen
Are You My Mother?	Eastman	Animal Vocabulary/Problem Solving
Big Red Barn	Wise-Brown	Color Vocabulary
Brown, Bear, Brown Bear. What do you see?	Martin Jr	Repetition
Chicka Chicka Boom Boom	Martin Jr	Letters
Dear Zoo	Campbell	Problem Solving
Doggies	Boynton	Rhyming/Humor
Everywhere Babies	Meyers	General Vocabulary
Five Little Monkeys Jumping on the Bed	Christelon	Number Vocabulary
Giraffes Can't Dance	Andreae	Animal Vocabulary/Rhyming
Goodnight Moon	Wise-Brown	Color Vocabulary
Gossie, a gosling on the go	Dunrea	Directional Vocabulary
Guess How Much I Love You	McBrantney	Intimacy Building
I See	Oxenbury	General Vocabulary
Moo, Baa La La La!	Boynton	Rhyming/Humor
The Very Hungry Caterpillar	Carle	Number Vocabulary
Owl Babies	Waddell	Intimacy Building
Pat the Bunny	Kunhardt	Descriptors/Tactile
Peak-A-Who?	Landen	Object Permanence
Wheels on the Buss	Smath	Rhyming
Where's Spot?	Hill	Problem Solving

Note: Books were provided to all enrolled patients courtesy of a \$25,000 research grant from the Robert C. Byrd Center for Rural Excellence

Table 1. Demographic Characteristics of Groups

Group	Randomized Group				Functional Grouping		
	A	B	C	P	Some <7 books	Always 7 or more	P
Number	16	18	18		18	34	
A					9	7	
B					6	12	
C					3	15	0.007
Gender (female) ^a	62.50%	27.78%	50.00%	0.118	44.44%	47.06%	0.857
GA ^b	38.5	38.6	39.3	0.354	38.4	38.9	0.657
Delivery (cesarean) ^a	37.50%	44.44%	38.89%	0.807	50.00%	35.29%	0.466
NICU ^a	18.75%	16.67%	11.11%	0.894	16.67%	14.71%	0.852
Maternal age ^b	29.6	25.6	27.5	0.053	28.3	27.1	0.308
Paternal age ^b	32.2	28.2	29.8	0.181	31.4	29.2	0.305
Maternal education level ^b	13.4	13.7	15.2	0.035	12.6	14.9	0.015
Paternal education level ^b	12.6	13.7	13.8	0.709	12.1	14.1	0.034
Birth order ^b	2.5	1.9	1.9	0.341	2.4	1.9	0.302
Number of adults ^b	2.6	2.3	2.2	0.629	2.7	2.2	0.149
Number of kids ^b	2.4	1.8	2.1	0.508	2.5	1.9	0.141

Abbreviations: A, books only; B, books and commitment to read 1 book a day; C, books and commitment to read 1 book a day and video; NICU, the neonatal intensive care unit.

^aFischer's exact test.

^bKruskal-Wallis test.

and sometimes less than 7 books ($S < 7$) a week, and their EL, RL, and CL development was compared.

Statistical analyses were performed using SAS 9.4²⁷ Due to small sample size and violation of normality assumptions, we implemented nonparametric methods to perform comparisons. The demographic information of gestational age, mother's education, father's education, birth order, number of adults and children in the household, and parental ages were

compared between different arms using Kruskal-Wallis tests and comparison between functional groups were performed using Wilcoxon-Mann-Whitney tests. For the comparison of categorical variables gender, delivery method, and NICU we implemented chi-square test or Fisher's exact test. We performed the subgroup analysis by using Wilcoxon-Mann-Whitney tests to compare 2 groups and Kruskal-Wallis tests with Dwass-Steel-Critchlow-Flinger multiple comparisons

Table 2. Comparison of Language Skills for Infants of Mothers with a Low Education Level

Infant age	Expressive Language			Receptive Language			Combined Language		
	Some <7 books	Always 7+ books	P	Some <7 books	Always 7+ books	P	Some <7 books	Always 7+ books	P
2 weeks	95.67 (6.43)	83.13 (28.19)	0.300	84.50 (8.84)	84.88 (6.38)	0.696	88.17 (8.01)	87.50 (5.01)	0.786
2 months	106.50 (5.40)	104.89 (5.09)	0.473	98.83 (9.10)	98.33 (8.93)	0.888	103.42 (7.65)	101.78 (7.34)	0.725
4 months	108.90 (5.47)	106.78 (4.35)	0.267	100.50 (7.72)	101.78 (3.53)	0.968	105.70 (7.54)	105.22 (4.68)	0.717
6 months	103.36 (6.67)	104.25 (4.27)	0.618	95.00 (5.66)	97.38 (7.23)	0.394	98.82 (7.47)	101.00 (6.23)	0.418
9 months	96.89 (6.39)	102.40 (7.83)	0.226	87.67 (5.20)	95.80 (7.85)	0.092	91.44 (6.04)	98.80 (9.18)	0.183
12 months	96.00 (10.61)	106.50 (7.71)	0.112	86.60 (9.05)	96.33 (5.68)	0.051	90.10 (11.98)	102.17 (7.14)	0.065

Note: *P* values were derived from Wilcoxon-Mann-Whitney tests. Among mothers whose education level was ≤ 12 , there is marginally higher receptive language among those who always read ≥ 7 books/week in the later phase, at 9 months ($P = 0.092$) and 12 months ($P = 0.051$). Also, combined language of the same group of mothers is marginally higher among those who always read ≥ 7 books at 12 months ($P = 0.065$).


for more than 2 groups. A P value of < 0.05 was considered statistically significant and a P value between 0.05 and 0.10 was considered marginally significant. The project was approved by the Marshall University Institutional Review Board (Project No.: 749502-7).

Results


Demographics (Table 1) for both the primarily randomized groupings (Groups A through C) were similar for Groups A and B. Group C, the

nonrandomized group, only differed by a higher maternal education level (15.2 years) as measured by years of schooling, when compared with both Groups A (13.4 years) and B (13.7 years) together ($P = .035$). Group A primarily populated the functionally grouped $S < 7$ and Groups B and C had higher representation in the $A7+$ groups ($P = .007$). Maternal differences of 12.6 vs 14.7 years ($P = .015$) and paternal differences of 12.1 vs 14.1 year ($P = .033$) existed between the $S < 7$ and $A7+$ groups, respectively. A subanalysis infant language scores for low-education mothers (Table 2) were

Figure 2. Longitudinal changes of language scores.



Longitudinal depiction of REEL-3 Language scores at standard infant preventative visits in the first twelve months of life for randomized groups (A = books only, B = books and committed to read 1 book a day, C = books, commitment to read 1 book a day and video) and functional groups (Always 7+ books and Sometimes < 7 books). No statistical differences were seen longitudinally for Expressive ($p=0.130$), Receptive ($p=0.152$), and Combined ($p=0.106$) language scores through twelve months. Functional groupings attained significance at nine and twelve months for Expressive ($p=0.025$ and 0.004), Receptive ($p=0.009$ and 0.002) and Combined ($p=0.011$ and 0.003) language scores. Exact numbers can be seen in Online Appendix Table 1.

Figure 3. Books each week experienced by infants.

Note: Comparison of average number of books per week read to infants in randomized groups (A = books only, B = books and committed to read 1 book a day, C = books and commitment to read 1 book a day and video) and functional groups (always 7+ books, sometimes <7 books). Randomized groups reach significance at four ($P = 0.031$) and six months ($P = 0.049$). Statistical significance was reached with functional grouping at all data collection times (all P s ≥ 0.001). Exact numbers are reported in Online Appendix Table 2.

not significant for RL (9 and 12 months: $P = .092$ and 0.051) and CL (12 months 0.065).

There was a lack of statistical significance through 12 months (Figure 2) for randomized groups in EL ($P = .130$), RL ($P = .152$) and CL scores ($P = .171$). However, statistically significant improvement is seen for functional groups (ie, by number of books read) at 9 and 12 months of age: EL ($P = .025$ and 0.004), RL ($P = .009$ and 0.002), and CL ($P = .011$ and 0.003 ; see Online Appendix Table 1). Improvement in the number of books read (Figure 3) met statistical significance in the randomized groups at 4 months ($P = .031$) and 6 months ($P = .049$), while the A7+ group read two- to threefold more than the S < 7 group at all ages ($P \leq .001$; see Online Appendix Table 2).

Discussion

Current literature has not evaluated the effect of reading on healthy infants as early as 2-weeks, nor the amount needed for change.^{25,28,29} This project was designed to analyze these issues and create a practical office-based approach to improve language of infants. By simply obtaining parental commitment of reading 1+ book per day, providing available options for reading materials, and revisiting goals at routine preventative visits, more consistent early reading can be achieved. These principles should be easily applied within a provider's routine preventative medicine exams of their pediatric patients with little effort or resources.

Parental education level, attitudes regarding reading, and book availability in the home have been shown to be a predictor of reading.³⁰

Educational difference were apparent and expected in the functional groupings (A7+ vs S < 7), as participants self-selected their group by their amount of reading. Some differences in parental education levels in Group C were seen (Table 1). This represents a less than 2-year difference in maternal education that does not cross graduation boundaries. To understand this impact, infant language scores of parents with high school education or less were analyzed against the amount of reading (Table 2). Near significance in RL and CL demonstrate the potential impact of reading in this low-education grouping.

Language Analysis

No statistical differences are seen in the language scores of the randomized groups (Figure 2). Significant increases in EL, RL and CL score for A7+ and S < 7 (Figure 3) occur with separation occurring by 9 months of age. Initial similarities indicate that very young infants are not inherently dissimilar at first and the widening into significance likely displays the cumulative effect of regular reading. As current literature states, starting a consistent reading program with toddlers improves their future language and academic success.¹⁻⁸ It is clear that these benefits can and should begin earlier in life.

Behavioral Analysis

Determining what impacts parents' likelihood of completing regular reading was a second study focus. The standard set of children's books (Figure 1) ensured equal access of all participants and served as the baseline (Group A). Real world

application may require other options, like public libraries, or national reading programs. Interventions were setting a goal to read 1+ book per day to their child (Groups B and C) and showing a third trimester a video about child brain development in the first year of life (Group C). Despite a lack of consistent statistical significance among all 3 randomized groups, decreased reading volume was seen in the group not agreeing to read a book each day early in life (4 and 6 months: $P = .031$ and 0.049) suggesting that instructing parents on daily reading to their infants can be effective. This early consistency is likely essential to achieve the demonstrated language benefits of the functional groups.

Single institution study and size are the primary limitations of the project. Future research should involve confirming these findings on a larger scale and expanding this model to centers with differing governance and patient demographics. Increasing the size of the cohorts may also demonstrate significance when only trends were seen. Parental truthfulness and memory biases in scoring and reading quantification could be minimized by a granular monitoring of reading schedules. In addition, the impact of social determinants, such as parental cultural, psychological, and occupational availability to read, should be explored. Expanding this model to assess genetic, language and even reading media differences could also be considered. We also hope to expand the benefits of this program to infants disadvantaged by neonatal abstinence syndrome.

Conclusion

Regular reading is beneficial to augment language scores for infants as early as 9 months of age and should be encouraged in clinical practice. Parents agreeing to read 1+ books per day trended toward earlier regular reading. Finding ways to impact parents toward reading at least 1 book a day is paramount in the future.

To see this article online, please go to: <http://jabfm.org/content/35/6/000.full>.

References

1. Towell JL, Bartram L, Morrow S, Brown SL. Reading to babies: Exploring the beginnings of literacy. *Journal of Early Childhood Literacy*, 2021; 21:321–37.
2. Duursma E, Augustyn M, Zuckerman B. Reading aloud to children: the evidence. *Arch Dis Child* 2008;93:554–7.
3. Kuo AA, Franke TM, Regalado M, Halfon N. Parent report of reading to young children. *Pediatrics* 2004; 113:1944–51.
4. High PC, Klass P. Council on early childhood. Literacy promotion: an essential component of primary care pediatric practice. *Pediatrics* 2014;134: 404–9.
5. Abraham LM, Crais E, Vernon-Feagans L. Early maternal language use during book sharing in families from low-income environments. *Am J Speech Lang Pathol* 2013;22:71–83.
6. Rodríguez BL, Hines R, Montiel M. Mexican American mothers of low and middle socioeconomic status: communication behaviors and interactive strategies during shared book reading. *Lang Speech Hear Serv Sch* 2009;40:271–82.
7. High P, Hopmann M, LaGasse L, Linn H. Evaluation of a clinic-based program to promote book sharing and bedtime routines among low-income urban families with young children. *Arch Pediatr Adolesc Med* 1998;152:459–65.
8. Westerlund M, Lagerberg D. Expressive vocabulary in 18-month-old children in relation to demographic factors, mother and child characteristics, communication style and shared reading. *Child Care Health Dev* 2008;34:257–66.
9. Mendelsohn AL. Promoting language and literacy through reading aloud: the role of the pediatrician. *Curr Probl Pediatr Adolesc Health Care* 2002;32: 188–202.
10. Jones VF, Franco SM, Metcalf SC, et al. The value of book distribution in a clinic-based literacy intervention program. *Clin Pediatr* 2000;39:535–41.
11. High PC, LaGasse L, Becker S, et al. Literacy promotion in primary care pediatrics: can we make a difference? *Pediatrics* 2000;105:927–34.
12. Anthony J, Williams J, Zhang Z, et al. Experimental evaluation of the value added by raising a reader and supplemental parent training in shared reading. *Early Education and Development* 2014;25:493–514.
13. Monteiro K, Kim HH, Arias W, High P. How many parents are reading with their young infants in Rhode Island? *RI Med J* (2013) 2019;102:57–60.
14. Duff FJ, Reen G, Plunkett K, Nation K. Do infant vocabulary skills predict school-age language and literacy outcomes? *J Child Psychol Psychiatry* 2015; 56:848–56.
15. Horowitz-Kraus T, Schmitz R, Hutton JS, Schumacher J. How to create a successful reader? Milestones in reading development from birth to adolescence. *Acta Paediatr* 2017;106:534–44.
16. Horowitz-Kraus T, Hutton JS, Phelan K, Holland SK. Maternal reading fluency is positively associated with greater functional connectivity between the

- child's future reading network and regions related to executive functions and language processing in preschool-age children. *Brain Cogn* 2018;121:17–23.
17. Roberts J, Jurgens J, Burchinal M. The role of home literacy practices in preschool children's language and emergent literacy skills. *J Speech Lang Hear Res* 2005;48:345–59.
18. LoRe D, Ladner P, Suskind D. Talk, read, sing: Early language exposure as an overlooked social determinant of health. *Pediatrics* 2018;142:e20182007.
19. Weisleder A, Cates CB, Harding JF, et al. Links between shared reading and play, parent psychosocial functioning, and child behavior: Evidence from a randomized controlled trial. *J Pediatr* 2019;213:187–95.e1.
20. Zuckerman B, Elansary M, Needlman R. Book sharing: In-home strategy to advance early child development globally. *Pediatrics* 2019;143:e20182033.
21. Sloat EA, Letourneau NL, Joschko JR, Schryer EA, Colpitts JE. Parent-mediated reading interventions with children up to four years old: a systematic review. *Issues Compr Pediatr Nurs* 2015;38:39–56.
22. Borchers LR, Bruckert L, Travis KE, et al. Predicting text reading skills at age 8 years in children born preterm and at term. *Early Hum Dev* 2019;130:80–6.
23. Berkule SB, Dreyer BP, Klass PE, et al. Mothers' expectations for shared reading after delivery: implications for reading activities at 6 months. *Ambul Pediatr* 2008;8:169–74.
24. Berkule SB, Dreyer BP, Huberman HS, et al. Attitudes about shared reading among at-risk mothers of newborn babies. *Ambul Pediatr* 2007;7:45–50.
25. Neri E, De Pascalis L, Agostini F, et al. Parental book-reading to preterm born infants in NICU: The effects on language development in the first two years. *IJERPH* 2021;18:11361.
26. Bzoch RK, League R, Brown LV. Receptive–Expressive Emergent Language Test. Pro-Ed; 2003.
27. SAS Institute Inc. 2013. SAS® 9.4 Statements: Reference. Cary, NC: SAS Institute. Inc.
28. Brown MI, Westerveld MF, Trembath D, Gillon GT. Promoting language and social communication development in babies through an early story-book reading intervention. *Int J Speech Lang Pathol* 2018;20:337–49.
29. Clemens LF, Kegel CT. Unique contribution of shared book reading on adult-child language interaction. *J Child Lang* 2021;48:373–86.
30. Chang MC, Weng CY, Yu JH, et al. The effectiveness of a shared reading program among parents of newborns. *Hu Li Za Zhi* 2022;69:73–82.

Appendix

Appendix Table 1.

REEL-3 Language Results among Studied Groups

	Randomized Group				Functional Group		
Expressive Language	Group A	Group B	Group C	P-Value†	Some <7 Books	All 7+ Books	P-Value*
2 weeks	96.63	92.12	94.17	0.271	94.89	96.64	0.564
2 months	108.10	108.60	107.70	0.956	107.06	108.65	0.334
4 months	109.60	109.30	110.60	0.719	109.53	110.00	0.983
6 months	105.90	103.70	106.30	0.125	103.35	106.40	0.095
9 months	101.20	98.57	105.00	0.084	97.40	104.04	0.025
12 months	100.40	100.30	107.20	0.130	96.19	106.04	0.004
Receptive Language	Group A	Group B	Group C	P-Value	Some <7 Books	All 7+ Books	P-Value
2 weeks	85.56	87.76	84.39	0.307	84.61	86.58	0.260
2 months	101.60	102.30	104.30	0.611	101.35	103.53	0.430
4 months	102.40	103.90	98.83	0.907	101.53	104.26	0.423
6 months	96.86	98.63	98.35	0.837	95.94	99.17	0.084
9 months	92.92	93.43	98.33	0.170	89.87	97.89	0.009
12 months	90.08	93.88	99.56	0.152	87.81	98.66	0.002
Combined Language	Group A	Group B	Group C	P-Value	Some <7 Books	All 7+ Books	P-Value
2 weeks	89.19	91.12	87.00	0.171	87.72	89.79	0.293
2 months	105.70	106.60	106.90	0.900	104.82	107.26	0.228
4 months	107.30	108.00	108.30	0.974	106.73	108.38	0.673
6 months	101.70	101.30	102.60	0.652	99.47	103.27	0.069
9 months	96.77	95.21	101.90	0.106	92.73	101.04	0.011
12 months	94.31	96.63	104.40	0.171	90.75	103.10	0.003

Abbreviation: REEL-3, Receptive - Expressive Emergent Language Test - Third Edition.

Average REEL-3 language results for randomized and functional groups.

† based upon Kruskal-Wallis with DSCF adjustments where applicable.

* based upon Wilcoxon-Mann-Whitney test.

Appendix Table 2:

Differences in Books Read per Week among Studied Groups

	Randomized Group				Functional Group			
	Group A	Group B	Group C	P-Value†	Some < 7 Books	All 7+ Books		P-Value*
2 months	9.73	16.33	15.28	0.166	6.82	17.62		<0.001
4 months	8.40	17.88	15.25	0.031	6.60	17.28		0.001
6 months	8.18	14.94	16.09	0.049	5.62	17.92		<0.001
9 months	11.46	17.25	15.10	0.441	6.43	19.28		<0.001
12 months	15.96	17.84	18.53	0.411	9.34	22.05		0.001

Average number of books read/week for randomized and functional groups. Sub-analysis of the randomized group; the significance of difference occurs between group A and groups B and C.

† based upon Kruskal-Wallis with DSCF adjustments where applicable.

* based upon Wilcoxon-Mann-Whitney test.